

# Claudio Jeldres

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9166524/claudio-jeldres-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157  
papers

7,104  
citations

51  
h-index

76  
g-index

163  
ext. papers

8,126  
ext. citations

4.2  
avg, IF

4.92  
L-index

#	Paper	IF	Citations
157	Perioperative outcomes of robot-assisted radical prostatectomy compared with open radical prostatectomy: results from the nationwide inpatient sample. <i>European Urology</i> , <b>2012</b> , 61, 679-85	10.2	289
156	Radical versus partial nephrectomy: effect on overall and noncancer mortality. <i>Cancer</i> , <b>2009</b> , 115, 1465-71	6.4	224
155	Incidence, survival and mortality rates of stage-specific bladder cancer in United States: a trend analysis. <i>Cancer Epidemiology</i> , <b>2013</b> , 37, 219-25	2.8	178
154	Toxicities associated with the administration of sorafenib, sunitinib, and temsirolimus and their management in patients with metastatic renal cell carcinoma. <i>European Urology</i> , <b>2008</b> , 53, 917-30	10.2	175
153	A nomogram predicting 10-year life expectancy in candidates for radical prostatectomy or radiotherapy for prostate cancer. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 3576-81	2.2	164
152	The European Network for the Study of Adrenal Tumors staging system is prognostically superior to the international union against cancer-staging system: a North American validation. <i>European Journal of Cancer</i> , <b>2010</b> , 46, 713-9	7.5	155
151	C-reactive protein is an informative predictor of renal cell carcinoma-specific mortality: a European study of 313 patients. <i>Cancer</i> , <b>2007</b> , 110, 1241-7	6.4	155
150	A competing-risks analysis of survival after alternative treatment modalities for prostate cancer patients: 1988-2006. <i>European Urology</i> , <b>2011</b> , 59, 88-95	10.2	136
149	Impact of tumor location on prognosis for patients with upper tract urothelial carcinoma managed by radical nephroureterectomy. <i>European Urology</i> , <b>2010</b> , 57, 1072-9	10.2	133
148	Characteristics and outcomes of patients with clinical T1 grade 3 urothelial carcinoma treated with radical cystectomy: results from an international cohort. <i>European Urology</i> , <b>2010</b> , 57, 300-9	10.2	127
147	Combination of multiple molecular markers can improve prognostication in patients with locally advanced and lymph node positive bladder cancer. <i>Journal of Urology</i> , <b>2010</b> , 183, 68-75	2.5	120
146	A critical appraisal of the value of lymph node dissection at nephroureterectomy for upper tract urothelial carcinoma. <i>Urology</i> , <b>2010</b> , 75, 118-24	1.6	118
145	A population based assessment of perioperative mortality after cystectomy for bladder cancer. <i>Journal of Urology</i> , <b>2009</b> , 182, 70-7	2.5	109
144	Nephroureterectomy and segmental ureterectomy in the treatment of invasive upper tract urothelial carcinoma: a population-based study of 2299 patients. <i>European Journal of Cancer</i> , <b>2009</b> , 45, 3291-7	7.5	107
143	Clinicians are poor raters of life-expectancy before radical prostatectomy or definitive radiotherapy for localized prostate cancer. <i>BJU International</i> , <b>2007</b> , 100, 1254-8	5.6	107
142	A critical assessment of the prognostic value of clear cell, papillary and chromophobe histological subtypes in renal cell carcinoma: a population-based study. <i>BJU International</i> , <b>2009</b> , 103, 1496-500	5.6	106
141	Pathological results and rates of treatment failure in high-risk prostate cancer patients after radical prostatectomy. <i>BJU International</i> , <b>2011</b> , 107, 765-770	5.6	99

140	A preoperative prognostic model for patients treated with nephrectomy for renal cell carcinoma. <i>European Urology</i> , <b>2009</b> , 55, 287-95	10.2	96
139	Validation of the contemporary epstein criteria for insignificant prostate cancer in European men. <i>European Urology</i> , <b>2008</b> , 54, 1306-13	10.2	95
138	Biopsy core number represents one of foremost predictors of clinically significant gleason sum upgrading in patients with low-risk prostate cancer. <i>Urology</i> , <b>2009</b> , 73, 1087-91	1.6	93
137	Neoadjuvant sutent induction therapy may effectively down-stage renal cell carcinoma atrial thrombi. <i>European Urology</i> , <b>2008</b> , 53, 845-8	10.2	93
136	Gender-related differences in patients with stage I to III upper tract urothelial carcinoma: results from the Surveillance, Epidemiology, and End Results database. <i>Urology</i> , <b>2010</b> , 75, 321-7	1.6	90
135	Location of the primary tumor is not an independent predictor of cancer specific mortality in patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , <b>2009</b> , 182, 2177-81	2.5	86
134	Predictive value of combined immunohistochemical markers in patients with pT1 urothelial carcinoma at radical cystectomy. <i>Journal of Urology</i> , <b>2009</b> , 182, 78-84; discussion 84	2.5	80
133	Can nomograms be superior to other prediction tools?. <i>BJU International</i> , <b>2009</b> , 103, 492-5; discussion 495-7	5.6	78
132	Nephron-sparing surgery is equally effective to radical nephrectomy for T1BN0M0 renal cell carcinoma: a population-based assessment. <i>Urology</i> , <b>2010</b> , 75, 271-5	1.6	77
131	Association of angiogenesis related markers with bladder cancer outcomes and other molecular markers. <i>Journal of Urology</i> , <b>2010</b> , 183, 1744-50	2.5	77
130	Comparison of mortality outcomes after radical prostatectomy versus radiotherapy in patients with localized prostate cancer: a population-based analysis. <i>International Journal of Urology</i> , <b>2012</b> , 19, 836-44 <sup>2.3</sup>	2.3	76
129	Segmental ureterectomy can safely be performed in patients with transitional cell carcinoma of the ureter. <i>Journal of Urology</i> , <b>2010</b> , 183, 1324-9	2.5	75
128	Decreasing rate and extent of lymph node staging in patients undergoing radical prostatectomy may undermine the rate of diagnosis of lymph node metastases in prostate cancer. <i>European Urology</i> , <b>2010</b> , 58, 882-92	10.2	75
127	Treatment management of small renal masses in the 21st century: a paradigm shift. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 2380-7	3.1	74
126	A population-based assessment of perioperative mortality after nephroureterectomy for upper-tract urothelial carcinoma. <i>Urology</i> , <b>2010</b> , 75, 315-20	1.6	72
125	The rate of secondary malignancies after radical prostatectomy versus external beam radiation therapy for localized prostate cancer: a population-based study on 17,845 patients. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2010</b> , 76, 342-8	4	72
124	Tumour volume and high grade tumour volume are the best predictors of pathologic stage and biochemical recurrence after radical prostatectomy. <i>European Journal of Cancer</i> , <b>2007</b> , 43, 536-43	7.5	69
123	Should bladder cuff excision remain the standard of care at nephroureterectomy in patients with urothelial carcinoma of the renal pelvis? A population-based study. <i>European Urology</i> , <b>2010</b> , 57, 956-62	10.2	65

122	Highly predictive survival nomogram after upper urinary tract urothelial carcinoma. <i>Cancer</i> , <b>2010</b> , 116, 3774-84	6.4	64
121	A population-based competing-risks analysis of the survival of patients treated with radical cystectomy for bladder cancer. <i>Cancer</i> , <b>2011</b> , 117, 103-9	6.4	62
120	Stage-specific effect of nodal metastases on survival in patients with non-metastatic renal cell carcinoma. <i>BJU International</i> , <b>2009</b> , 103, 33-7	5.6	62
119	Cancer-specific and other-cause mortality after radical prostatectomy versus observation in patients with prostate cancer: competing-risks analysis of a large North American population-based cohort. <i>European Urology</i> , <b>2011</b> , 60, 920-30	10.2	60
118	Partial cystectomy does not undermine cancer control in appropriately selected patients with urothelial carcinoma of the bladder: a population-based matched analysis. <i>Urology</i> , <b>2009</b> , 74, 858-64	1.6	60
117	p53 expression in patients with advanced urothelial cancer of the urinary bladder. <i>BJU International</i> , <b>2010</b> , 105, 489-95	5.6	57
116	Survivin as a prognostic marker for urothelial carcinoma of the bladder: a multicenter external validation study. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 7012-9	12.9	57
115	Impact of chronic prostatitis-like symptoms on the quality of life in a large group of men. <i>BJU International</i> , <b>2007</b> , 100, 1307-11	5.6	57
114	Tumor size is a determinant of the rate of stage T1 renal cell cancer synchronous metastasis. <i>Journal of Urology</i> , <b>2009</b> , 182, 1287-93	2.5	56
113	Partial versus radical nephrectomy in patients with adverse clinical or pathologic characteristics. <i>Urology</i> , <b>2009</b> , 73, 1300-5	1.6	55
112	A population-based comparison of cancer-control rates between radical and partial nephrectomy for T1A renal cell carcinoma. <i>Urology</i> , <b>2010</b> , 76, 883-8	1.6	53
111	Stage-specific impact of pelvic lymph node dissection on survival in patients with non-metastatic bladder cancer treated with radical cystectomy. <i>BJU International</i> , <b>2012</b> , 109, 1147-54	5.6	52
110	Population-based assessment of survival after cytoreductive nephrectomy versus no surgery in patients with metastatic renal cell carcinoma. <i>Urology</i> , <b>2009</b> , 73, 342-6	1.6	52
109	Prospective randomized trial of barbed polyglyconate suture to facilitate vesico-urethral anastomosis during robot-assisted radical prostatectomy: time reduction and cost benefit. <i>BJU International</i> , <b>2012</b> , 109, 1526-32	5.6	51
108	Thirty-day mortality after nephrectomy: clinical implications for informed consent. <i>European Urology</i> , <b>2009</b> , 56, 998-1003	10.2	51
107	A proposal for reclassification of the Fuhrman grading system in patients with clear cell renal cell carcinoma. <i>European Urology</i> , <b>2009</b> , 56, 775-81	10.2	51
106	Hospital volume is a determinant of postoperative complications, blood transfusion and length of stay after radical or partial nephrectomy. <i>Journal of Urology</i> , <b>2012</b> , 187, 405-10	2.5	50
105	Prognostic significance of lymph node invasion in patients with metastatic renal cell carcinoma: a population-based perspective. <i>Cancer</i> , <b>2009</b> , 115, 5680-7	6.4	49

104	Adenocarcinoma versus urothelial carcinoma of the urinary bladder: comparison between pathologic stage at radical cystectomy and cancer-specific mortality. <i>Urology</i> , <b>2010</b> , 75, 376-81	1.6	48
103	Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , <b>2013</b> , 64, 837-45	10.2	47
102	Lymph node count threshold for optimal pelvic lymph node staging in prostate cancer. <i>International Journal of Urology</i> , <b>2012</b> , 19, 645-51	2.3	45
101	Conditional survival predictions after nephrectomy for renal cell carcinoma. <i>Journal of Urology</i> , <b>2009</b> , 182, 2607-12	2.5	45
100	p53 predictive value for pT1-2 N0 disease at radical cystectomy. <i>Journal of Urology</i> , <b>2009</b> , 182, 907-13	2.5	44
99	Can renal mass biopsy assessment of tumor grade be safely substituted for by a predictive model?. <i>Journal of Urology</i> , <b>2009</b> , 182, 2585-9	2.5	43
98	Prognostic value of extranodal extension and other lymph node parameters in patients with upper tract urothelial carcinoma. <i>Journal of Urology</i> , <b>2012</b> , 187, 845-51	2.5	42
97	How can we predict lymphorrhoea and clinically significant lymphocoeles after radical prostatectomy and pelvic lymphadenectomy? Clinical implications. <i>BJU International</i> , <b>2011</b> , 107, 1095-101 <sup>5,6</sup>	5.6	42
96	External validation of the updated partin tables in a cohort of French and Italian men. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2009</b> , 73, 347-52	4	42
95	A comparative population-based analysis of the rate of partial vs radical nephrectomy for clinically localized renal cell carcinoma. <i>BJU International</i> , <b>2010</b> , 105, 359-64	5.6	40
94	Conditional survival of patients with urothelial carcinoma of the urinary bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 1503-11	7.5	39
93	The effect of comorbidity and socioeconomic status on sexual and urinary function and on general health-related quality of life in men treated with radical prostatectomy for localized prostate cancer. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 919-927	1.1	38
92	The effect of marital status on stage and survival of prostate cancer patients treated with radical prostatectomy: a population-based study. <i>Cancer Causes and Control</i> , <b>2011</b> , 22, 1085-95	2.8	37
91	Baseline renal function, ischaemia time and blood loss predict the rate of renal failure after partial nephrectomy. <i>BJU International</i> , <b>2009</b> , 103, 1632-5	5.6	36
90	Is robotic surgery cost-effective: yes. <i>Current Opinion in Urology</i> , <b>2012</b> , 22, 61-5	2.8	36
89	Survival benefit of radical prostatectomy in patients with localized prostate cancer: estimations of the number needed to treat according to tumor and patient characteristics. <i>Journal of Urology</i> , <b>2012</b> , 188, 73-83	2.5	35
88	Population-based study of perioperative mortality after retroperitoneal lymphadenectomy for nonseminomatous testicular germ cell tumors. <i>Urology</i> , <b>2009</b> , 74, 373-7	1.6	35
87	Pre-treatment biomarker levels improve the accuracy of post-prostatectomy nomogram for prediction of biochemical recurrence. <i>Prostate</i> , <b>2009</b> , 69, 886-94	4.2	34

86	External validation of the updated Partin tables in a cohort of North American men. <i>Journal of Urology</i> , <b>2008</b> , 180, 898-902; discussion 902-3	2.5	34
85	Survival after radical cystectomy of non-bilharzial squamous cell carcinoma vs urothelial carcinoma: a competing-risks analysis. <i>BJU International</i> , <b>2012</b> , 109, 564-9	5.6	32
84	Radical prostatectomy at academic versus nonacademic institutions: a population based analysis. <i>Journal of Urology</i> , <b>2011</b> , 186, 1849-54	2.5	32
83	A population-based comparison of survival after nephrectomy vs nonsurgical management for small renal masses. <i>BJU International</i> , <b>2009</b> , 103, 899-904; discussion 904	5.6	32
82	Cytoreductive partial nephrectomy does not undermine cancer control in metastatic renal cell carcinoma: a population-based study. <i>Urology</i> , <b>2008</b> , 72, 1090-5	1.6	32
81	Mortality at 120 days after prostatic biopsy: a population-based study of 22,175 men. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 647-52	7.5	32
80	Prediction of delayed graft function after renal transplantation. <i>Canadian Urological Association Journal</i> , <b>2009</b> , 3, 377-82	1.2	31
79	A simple and accurate model for prediction of cancer-specific mortality in patients treated with surgery for primary penile squamous cell carcinoma. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 1013-8	12.9	31
78	Development and validation of a reference table for prediction of postoperative mortality rate in patients treated with radical cystectomy: a population-based study. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 309-17	3.1	30
77	Age at diagnosis is a determinant factor of renal cell carcinoma-specific survival in patients treated with nephrectomy. <i>Canadian Urological Association Journal</i> , <b>2008</b> , 2, 610-7	1.2	29
76	Radical cystectomy for patients with pT4 urothelial carcinoma in a large population-based study. <i>BJU International</i> , <b>2011</b> , 107, 905-11	5.6	29
75	A stage-for-stage and grade-for-grade analysis of cancer-specific mortality rates in renal cell carcinoma according to age: a competing-risks regression analysis. <i>European Urology</i> , <b>2011</b> , 60, 1152-9	10.2	28
74	Effect of body mass index on histopathologic parameters: results of large European contemporary consecutive open radical prostatectomy series. <i>Urology</i> , <b>2009</b> , 73, 615-9	1.6	27
73	Tumor grade improves the prognostic ability of American Joint Committee on Cancer stage in patients with penile carcinoma. <i>Journal of Urology</i> , <b>2011</b> , 185, 501-7	2.5	26
72	A contemporary population-based assessment of the rate of lymph node dissection for penile carcinoma. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 439-46	3.1	26
71	Poor overall survival in septa- and octogenarian patients after radical prostatectomy and radiotherapy for prostate cancer: a population-based study of 6183 men. <i>European Urology</i> , <b>2008</b> , 54, 107-16	10.2	26
70	Clinicians are most familiar with nomograms and rate their clinical usefulness highest, look-up tables are second best. <i>European Urology</i> , <b>2008</b> , 54, 958-9	10.2	26
69	Oncological and functional outcomes after robot-assisted radical cystectomy: critical review of current status. <i>Urology</i> , <b>2011</b> , 78, 977-84	1.6	24

68	The effect of surgical volume, age and comorbidities on 30-day mortality after radical prostatectomy: a population-based analysis of 9208 consecutive cases. <i>BJU International</i> , <b>2008</b> , 101, 826-32	5.6	24
67	Accuracy of life tables in predicting overall survival in patients after radical prostatectomy. <i>BJU International</i> , <b>2008</b> , 102, 33-8	5.6	24
66	Early postoperative plasma transforming growth factor-beta1 is a strong predictor of biochemical progression after radical prostatectomy. <i>Journal of Urology</i> , <b>2008</b> , 179, 1593-7	2.5	24
65	Body mass index does not predict prostate-specific antigen or percent free prostate-specific antigen in men undergoing prostate cancer screening. <i>European Journal of Cancer</i> , <b>2007</b> , 43, 1180-7	7.5	24
64	Transperineal Template Guided Prostate Biopsy Selects Candidates for Active Surveillance--How Many Cores are Enough?. <i>Journal of Urology</i> , <b>2015</b> , 194, 674-9	2.5	23
63	Comparative study of inguinal hernia repair after radical prostatectomy, prostate biopsy, transurethral resection of the prostate or pelvic lymph node dissection. <i>Journal of Urology</i> , <b>2010</b> , 183, 970-5	2.5	23
62	A population-based analysis of the rate of cytoreductive nephrectomy for metastatic renal cell carcinoma in the United States. <i>Urology</i> , <b>2009</b> , 74, 837-41	1.6	23
61	Node-positive renal cell carcinoma in the absence of distant metastases: predictors of cancer-specific mortality in a population-based cohort. <i>BJU International</i> , <b>2012</b> , 110, E21-7	5.6	22
60	Improvement of racial disparities with respect to the utilization of minimally invasive radical prostatectomy in the United States. <i>Cancer</i> , <b>2012</b> , 118, 1894-900	6.4	22
59	Impact of caseload on total hospital charges: a direct comparison between minimally invasive and open radical prostatectomy--a population based study. <i>Journal of Urology</i> , <b>2011</b> , 185, 855-61	2.5	22
58	Patients with distant metastases from renal cell carcinoma can be accurately identified: external validation of a new nomogram. <i>BJU International</i> , <b>2008</b> , 101, 39-43	5.6	22
57	Competing-risks mortality after radiotherapy vs. observation for localized prostate cancer: a population-based study. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2012</b> , 84, 95-103	4	21
56	Race affects access to nephrectomy but not survival in renal cell carcinoma. <i>BJU International</i> , <b>2009</b> , 103, 889-93	5.6	21
55	Laparoscopic partial nephrectomy: predictors of prolonged warm ischemia. <i>Journal of Urology</i> , <b>2009</b> , 182, 860-5	2.5	20
54	Baseline prevalence of erectile dysfunction in a prostate cancer screening population. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 428-35	1.1	20
53	Discharge patterns after radical prostatectomy in the United States of America. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 1022-32	2.8	19
52	Development and external validation of a highly accurate nomogram for the prediction of perioperative mortality after transurethral resection of the prostate for benign prostatic hyperplasia. <i>Journal of Urology</i> , <b>2009</b> , 182, 626-32	2.5	19
51	Predicting life expectancy in prostate cancer patients. <i>Current Opinion in Supportive and Palliative Care</i> , <b>2009</b> , 3, 166-9	2.6	19

50	Unilateral prostate cancer cannot be accurately predicted in low-risk patients. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2010</b> , 77, 784-7	4	19
49	Assessment of pathological prostate cancer characteristics in men with favorable biopsy features on predominantly sextant biopsy. <i>European Urology</i> , <b>2009</b> , 55, 617-28-6	10.2	18
48	Risk factors for biochemical recurrence following radical perineal prostatectomy in a large contemporary series: a detailed assessment of margin extent and location. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2013</b> , 31, 1470-6	2.8	17
47	High surgical volume is associated with a lower rate of secondary therapy after radical prostatectomy for localized prostate cancer. <i>BJU International</i> , <b>2008</b> , 102, 463-7	5.6	17
46	Blood transfusions in radical prostatectomy: a contemporary population-based analysis. <i>Urology</i> , <b>2012</b> , 79, 332-8	1.6	16
45	The presence of prostate cancer on saturation biopsy can be accurately predicted. <i>BJU International</i> , <b>2010</b> , 105, 636-41	5.6	16
44	Temporal stage and grade migration in surgically treated patients with upper tract urothelial carcinoma. <i>BJU International</i> , <b>2010</b> , 105, 799-804	5.6	16
43	Distribution of prostate specific antigen (PSA) and percentage free PSA in a contemporary screening cohort with no evidence of prostate cancer. <i>BJU International</i> , <b>2007</b> , 100, 37-41	5.6	16
42	Zonal origin of localized prostate cancer does not affect the rate of biochemical recurrence after radical prostatectomy. <i>European Urology</i> , <b>2007</b> , 51, 949-55; discussion 955	10.2	16
41	Prediction of pathological stage is inaccurate in men with PSA values above 20 ng/mL. <i>European Urology</i> , <b>2007</b> , 52, 1374-80	10.2	16
40	Effect of nodal metastases on cancer-specific mortality after cytoreductive nephrectomy. <i>Annals of Surgical Oncology</i> , <b>2013</b> , 20, 2096-102	3.1	15
39	Leapfrog volume thresholds and perioperative complications after radical prostatectomy. <i>Cancer</i> , <b>2012</b> , 118, 4991-8	6.4	15
38	The probability of Gleason score upgrading between biopsy and radical prostatectomy can be accurately predicted. <i>International Journal of Urology</i> , <b>2009</b> , 16, 526-9	2.3	15
37	External validation of a nomogram predicting mortality in patients with adrenocortical carcinoma. <i>BJU International</i> , <b>2009</b> , 104, 1661-7	5.6	15
36	Nephrectomy improves the survival of patients with locally advanced renal cell carcinoma. <i>BJU International</i> , <b>2008</b> , 102, 1610-4	5.6	15
35	Health-insurance status is a determinant of the stage at presentation and of cancer control in European men treated with radical prostatectomy for clinically localized prostate cancer. <i>BJU International</i> , <b>2007</b> , 99, 1404-8	5.6	15
34	Impact of academic affiliation on radical cystectomy outcomes in North America: A population-based study. <i>Canadian Urological Association Journal</i> , <b>2012</b> , 6, 245-50	1.2	15
33	Higher perioperative morbidity and in-hospital mortality in patients with end-stage renal disease undergoing nephrectomy for non-metastatic kidney cancer: a population-based analysis. <i>BJU International</i> , <b>2012</b> , 110, E183-90	5.6	14



32	High provider volume is associated with lower rate of secondary therapies after definitive radiotherapy for localized prostate cancer. <i>European Urology</i> , <b>2008</b> , 54, 97-105	10.2	14
31	Survival after radical prostatectomy and radiotherapy for prostate cancer: a population-based study. <i>Canadian Urological Association Journal</i> , <b>2009</b> , 3, 13-21	1.2	14
30	Multi-institutional external validation of seminal vesicle invasion nomograms: head-to-head comparison of Gallina nomogram versus 2007 Partin tables. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2009</b> , 73, 1461-7	4	13
29	Comparative study of inguinal hernia repair rates after radical prostatectomy or external beam radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2010</b> , 78, 1307-13	4	13
28	The effect of comorbidities and socioeconomic status on sexual and urinary function in men undergoing prostate cancer screening. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 668-76	1.1	12
27	Medical management of benign prostatic hyperplasia: Results from a population-based study. <i>Canadian Urological Association Journal</i> , <b>2016</b> , 10, 55-9	1.2	11
26	The importance of pelvic lymph node dissection in the elderly population: implications for interpreting the 2010 National Comprehensive Cancer Network practice guidelines for bladder cancer treatment. <i>Journal of Urology</i> , <b>2011</b> , 185, 2078-84	2.5	10
25	Surgical caseload is an important determinant of continent urinary diversion rate at radical cystectomy: a population-based study. <i>Annals of Surgical Oncology</i> , <b>2011</b> , 18, 2680-7	3.1	10
24	Population-based analysis of normal Total PSA and percentage of free/Total PSA values: results from screening cohort. <i>Urology</i> , <b>2009</b> , 73, 1323-7	1.6	10
23	Training and outcome monitoring in robotic urologic surgery. <i>Nature Reviews Urology</i> , <b>2011</b> , 9, 17-22	5.5	10
22	A nomogram predicting metastatic progression after radical prostatectomy. <i>International Journal of Urology</i> , <b>2008</b> , 15, 889-94	2.3	10
21	Assessment of biochemical recurrence rate in patients with pathologically confirmed insignificant prostate cancer. <i>Urology</i> , <b>2008</b> , 72, 1208-11; discussion 1212-3	1.6	10
20	The effect of insurance status on outcomes after partial nephrectomy. <i>International Urology and Nephrology</i> , <b>2012</b> , 44, 343-51	2.3	9
19	Does histologic subtype affect oncologic outcomes after nephron-sparing surgery?. <i>Urology</i> , <b>2009</b> , 74, 842-5	1.6	9
18	Body mass index and its association with genitourinary disorders in men undergoing prostate cancer screening. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 2141-51	1.1	9
17	The effect of annual surgical caseload on the rates of in-hospital pneumonia and other in-hospital outcomes after radical prostatectomy. <i>International Urology and Nephrology</i> , <b>2012</b> , 44, 799-806	2.3	7
16	Management of upper urinary tract urothelial carcinoma. <i>Expert Review of Anticancer Therapy</i> , <b>2010</b> , 10, 1955-65	3.5	7
15	Nephrectomy improves survival in patients with invasion of adjacent viscera and absence of nodal metastases (stage T4N0 renal cell carcinoma). <i>BJU International</i> , <b>2009</b> , 104, 795-9	5.6	7

14	United States trends in patterns of care in clinical stage I testicular cancer: Results from the National Cancer Database (1998-2011).. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 369-369	2.2	7
13	Does partial nephrectomy at an academic institution result in better outcomes?. <i>World Journal of Urology</i> , <b>2012</b> , 30, 505-10	4	6
12	Differences in histopathological and biochemical outcomes in patients with low Gleason score prostate cancer. <i>BJU International</i> , <b>2010</b> , 105, 818-23	5.6	5
11	Effect of body mass index on prostate-specific antigen and percentage free prostate-specific antigen: results from a prostate cancer screening cohort of 1490 men. <i>International Journal of Urology</i> , <b>2009</b> , 16, 91-5	2.3	5
10	Life expectancy estimation in prostate cancer patients. <i>Canadian Urological Association Journal</i> , <b>2012</b> , 6, 374-5	1.2	4
9	Discharge patterns after radical cystectomy: contemporary trends in the United States. <i>Journal of Urology</i> , <b>2012</b> , 187, 1206-9	2.5	2
8	Association of higher institutional volume with improved overall survival in clinical stage III testicular cancer: Results from the National Cancer Data Base (1998-2011).. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 4519-4519	2.2	2
7	Thirty-day mortality after transurethral resection of the prostate in patients treated with androgen deprivation therapy. <i>Journal of Endourology</i> , <b>2009</b> , 23, 1347-52	2.7	1
6	Suspected clinical T3 prostate cancer is associated with a high rate of negative extended biopsies: clinical implications. <i>European Urology</i> , <b>2009</b> , 55, 253-4	10.2	1
5	Association of SPARC expression with metastatic progression and prostate cancer-specific mortality after radical prostatectomy.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 5071-5071	2.2	1
4	Reply to Fabio Campodonico, Giacomo Capponi and Massimo Maffezzini Letter to the Editor re: Vincent Cloutier, Umberto Capitanio, Laurent Zini, et al. Thirty-Day Mortality after Nephrectomy: Clinical Implications for Informed Consent. <i>Eur Urol</i> 2009;56:998-1005. <i>European Urology</i> , <b>2009</b> , 56, e47	10.2	
3	Clinical experience and critical evaluation of the role of everolimus in advanced renal cell carcinoma. <i>Open Access Journal of Urology</i> , <b>2011</b> , 3, 43-8		
2	Reply to Michael Staehler's Letter to the Editor re: Pierre I Karakiewicz, Nazareno Suardi, Claudio Jeldres, et al. Neoadjuvant Sunitinib Induction Therapy May Effectively Down-Stage Renal Cell Carcinoma Atrial Thrombi. <i>Eur Urol</i> 2008;53:845-848. <i>European Urology</i> , <b>2008</b> , 54, 951-953	10.2	
1	Influence of social demographics and African-American race on outcomes in testicular cancer: Analysis of 75,902 patients in the National Cancer database.. <i>Journal of Clinical Oncology</i> , <b>2014</b> , 32, 391-391	3.2	