

# Tamas Kozicz

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/916658/tamas-kozicz-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

4,667  
citations

41  
h-index

62  
g-index

145  
ext. papers

5,358  
ext. citations

5  
avg, IF

5.54  
L-index

#	Paper	IF	Citations
138	Overview of the microanatomy of the human brainstem in relation to the safe entry zones.. <i>Journal of Neurosurgery</i> , <b>2022</b> , 1-11	3.2	1
137	Leptin coordinates efferent sympathetic outflow to the white adipose tissue through the midbrain centrally-projecting Edinger-Westphal nucleus in male rats. <i>Neuropharmacology</i> , <b>2021</b> , 205, 108898	5.5	2
136	Cerebellar and multi-system metabolic reprogramming associated with trauma exposure and post-traumatic stress disorder (PTSD)-like behavior in mice. <i>Neurobiology of Stress</i> , <b>2021</b> , 14, 100300	7.6	2
135	Early-adolescent antibiotic exposure results in mitochondrial and behavioral deficits in adult male mice. <i>Scientific Reports</i> , <b>2021</b> , 11, 12875	4.9	0
134	Chronic fluoxetine or ketamine treatment differentially affects brain energy homeostasis which is not exacerbated in mice with trait suboptimal mitochondrial function. <i>European Journal of Neuroscience</i> , <b>2021</b> , 53, 2986-3001	3.5	1
133	Effect of neuropsychiatric medications on mitochondrial function: For better or for worse. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2021</b> , 127, 555-571	9	1
132	Sonlicromanol improves neuronal network dysfunction and transcriptome changes linked to m.3243A>G heteroplasmy in iPSC-derived neurons. <i>Stem Cell Reports</i> , <b>2021</b> , 16, 2197-2212	8	3
131	Human neuronal networks on micro-electrode arrays are a highly robust tool to study disease-specific genotype-phenotype correlations in vitro. <i>Stem Cell Reports</i> , <b>2021</b> , 16, 2182-2196	8	13
130	Impaired mitochondrial complex I function as a candidate driver in the biological stress response and a concomitant stress-induced brain metabolic reprogramming in male mice. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 176	8.6	15
129	Oxidative-Antioxidant Imbalance and Impaired Glucose Metabolism in Schizophrenia. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	11
128	Motor cortex stimulation in chronic neuropathic orofacial pain syndromes: a systematic review and meta-analysis. <i>Scientific Reports</i> , <b>2020</b> , 10, 7195	4.9	6
127	m.3243A > G-Induced Mitochondrial Dysfunction Impairs Human Neuronal Development and Reduces Neuronal Network Activity and Synchronicity. <i>Cell Reports</i> , <b>2020</b> , 31, 107538	10.6	25
126	Modulation of cognitive flexibility by reward and punishment in BALB/cJ and BALB/cByJ mice. <i>Behavioural Brain Research</i> , <b>2020</b> , 378, 112294	3.4	4
125	The Relationship between the Level of Anterior Cingulate Cortex Metabolites, Brain-Periphery Redox Imbalance, and the Clinical State of Patients with Schizophrenia and Personality Disorders. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	5
124	Cerebellar mitochondrial dysfunction and concomitant multi-system fatty acid oxidation defects are sufficient to discriminate PTSD-like and resilient male mice. <i>Brain, Behavior, &amp; Immunity - Health</i> , <b>2020</b> , 6, 100104	5.1	2
123	Propionic acid and not caproic acid, attenuates nonalcoholic steatohepatitis and improves (cerebro) vascular functions in obese Ldlr .Leiden mice. <i>FASEB Journal</i> , <b>2020</b> , 34, 9575-9593	0.9	15
122	Fetal glycosylation defect due to ALG3 and COG5 variants detected via amniocentesis: Complex glycosylation defect with embryonic lethal phenotype. <i>Molecular Genetics and Metabolism</i> , <b>2020</b> , 131, 424-429	3.7	2

121	Cortical control of aggression: GABA signalling in the anterior cingulate cortex. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 30, 5-16	1.2	14
120	Therapeutic approaches in Congenital Disorders of Glycosylation (CDG) involving N-linked glycosylation: an update. <i>Genetics in Medicine</i> , <b>2020</b> , 22, 268-279	8.1	33
119	Gut microbiota from persons with attention-deficit/hyperactivity disorder affects the brain in mice. <i>Microbiome</i> , <b>2020</b> , 8, 44	16.6	44
118	A novel phosphoglucomutase-deficient mouse model reveals aberrant glycosylation and early embryonic lethality. <i>Journal of Inherited Metabolic Disease</i> , <b>2019</b> , 42, 998-1007	5.4	5
117	The Metabolic Map into the Pathomechanism and Treatment of PGM1-CDG. <i>American Journal of Human Genetics</i> , <b>2019</b> , 104, 835-846	11	38
116	Systematic Review and Neural Network Analysis to Define Predictive Variables in Implantable Motor Cortex Stimulation to Treat Chronic Intractable Pain. <i>Journal of Pain</i> , <b>2019</b> , 20, 1015-1026	5.2	5
115	Methylphenidate Dose-Dependently Affects Aggression and Improves Fear Extinction and Anxiety in BALB/cJ Mice. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 768	5	7
114	A Review of Epigenetics of PTSD in Comorbid Psychiatric Conditions. <i>Genes</i> , <b>2019</b> , 10,	4.2	22
113	Ex vivo visualization of the trigeminal pathways in the human brainstem using 11.7T diffusion MRI combined with microscopy polarized light imaging. <i>Brain Structure and Function</i> , <b>2019</b> , 224, 159-170	4	22
112	Hair cortisol and the relationship with chronic pain and quality of life in endometriosis patients. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 89, 216-222	5	22
111	Relationship between diet, the gut microbiota, and brain function. <i>Nutrition Reviews</i> , <b>2018</b> , 76, 603-617	6.4	27
110	The role of suboptimal mitochondrial function in vulnerability to post-traumatic stress disorder. <i>Journal of Inherited Metabolic Disease</i> , <b>2018</b> , 41, 585-596	5.4	19
109	Mitochondrial Etiology of Psychiatric Disorders: Is This the Full Story?. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 527	14.5	3
108	Long-term effect of motor cortex stimulation in patients suffering from chronic neuropathic pain: An observational study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191774	3.7	14
107	Acute inescapable stress alleviates fear extinction recall deficits caused by serotonin transporter abolishment. <i>Behavioural Brain Research</i> , <b>2018</b> , 346, 16-20	3.4	4
106	Age-Dependent Decrease of Mitochondrial Complex II Activity in a Familial Mouse Model for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , <b>2018</b> , 66, 75-82	4.3	9
105	Experimental pain tolerance is decreased and independent of clinical pain intensity in patients with endometriosis. <i>Fertility and Sterility</i> , <b>2018</b> , 110, 1118-1128	4.8	9
104	Modulation of glucocorticoids by the serotonin transporter polymorphism: A narrative review. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2018</b> , 92, 338-349	9	6

103	Melanocortin 4 receptor ligands modulate energy homeostasis through urocortin 1 neurons of the centrally projecting Edinger-Westphal nucleus. <i>Neuropharmacology</i> , <b>2017</b> , 118, 26-37	5.5	7
102	Oral D-galactose supplementation in PGM1-CDG. <i>Genetics in Medicine</i> , <b>2017</b> , 19, 1226-1235	8.1	41
101	Prior fear conditioning does not impede enhanced active avoidance in serotonin transporter knockout rats. <i>Behavioural Brain Research</i> , <b>2017</b> , 326, 77-86	3.4	0
100	Serotonin and urocortin 1 in the dorsal raphe and Edinger-Westphal nuclei after early life stress in serotonin transporter knockout rats. <i>Neuroscience</i> , <b>2017</b> , 340, 345-358	3.9	11
99	Action of CRF/Urocortin Peptides <b>2017</b> , 401-415		1
98	Serotonin engages an anxiety and fear-promoting circuit in the extended amygdala. <i>Nature</i> , <b>2016</b> , 537, 97-101	50.4	219
97	A short-term extremely low frequency electromagnetic field exposure increases circulating leukocyte numbers and affects HPA-axis signaling in mice. <i>Bioelectromagnetics</i> , <b>2016</b> , 37, 433-43	1.6	9
96	Autism in patients with propionic acidemia. <i>Molecular Genetics and Metabolism</i> , <b>2016</b> , 119, 317-321	3.7	41
95	Defining the Phenotype and Assessing Severity in Phosphoglucomutase-1 Deficiency. <i>Journal of Pediatrics</i> , <b>2016</b> , 175, 130-136.e8	3.6	37
94	MicroRNA-326 acts as a molecular switch in the regulation of midbrain urocortin 1 expression. <i>Journal of Psychiatry and Neuroscience</i> , <b>2016</b> , 41, 342-53	4.5	20
93	New Insights in Trigeminal Anatomy: A Double Orofacial Tract for Nociceptive Input. <i>Frontiers in Neuroanatomy</i> , <b>2016</b> , 10, 53	3.6	19
92	Des-Acyl Ghrelin and Ghrelin O-Acyltransferase Regulate Hypothalamic-Pituitary-Adrenal Axis Activation and Anxiety in Response to Acute Stress. <i>Endocrinology</i> , <b>2016</b> , 157, 3946-3957	4.8	25
91	Eyes on MEGDEL: distinctive basal ganglia involvement in dystonia deafness syndrome. <i>Neuropediatrics</i> , <b>2015</b> , 46, 98-103	1.6	24
90	Improved Stress Control in Serotonin Transporter Knockout Rats: Involvement of the Prefrontal Cortex and Dorsal Raphe Nucleus. <i>ACS Chemical Neuroscience</i> , <b>2015</b> , 6, 1143-50	5.7	5
89	Early life adversity and serotonin transporter gene variation interact to affect DNA methylation of the corticotropin-releasing factor gene promoter region in the adult rat brain. <i>Development and Psychopathology</i> , <b>2015</b> , 27, 123-35	4.3	42
88	Exposure to early life stress regulates Bdnf expression in SERT mutant rats in an anatomically selective fashion. <i>Journal of Neurochemistry</i> , <b>2015</b> , 132, 146-54	6	31
87	Effect of minocycline on lumbar radicular neuropathic pain: a randomized, placebo-controlled, double-blind clinical trial with amitriptyline as a comparator. <i>Anesthesiology</i> , <b>2015</b> , 122, 399-406	4.3	57
86	Ghrelin Role in the Hypothalamic-Pituitary-Adrenal Axis Stress Response: Implications for Mood Disorders. <i>Biological Psychiatry</i> , <b>2015</b> , 78, 19-27	7.9	79

85	Congenital disorders of glycosylation: new defects and still counting. <i>Journal of Inherited Metabolic Disease</i> , <b>2014</b> , 37, 609-17	5.4	98
84	Integration of stress and leptin signaling by CART producing neurons in the rodent midbrain centrally projecting Edinger-Westphal nucleus. <i>Frontiers in Neuroanatomy</i> , <b>2014</b> , 8, 8	3.6	13
83	Early life stress and serotonin transporter gene variation interact to affect the transcription of the glucocorticoid and mineralocorticoid receptors, and the co-chaperone FKBP5, in the adult rat brain. <i>Frontiers in Behavioral Neuroscience</i> , <b>2014</b> , 8, 355	3.5	25
82	De amygdala, een schakelstation voor het aan- en uitzetten van pijn: de rol van limbisch corticotropin-releasing factor bij neuropathische pijn. <i>Neuropraxis</i> , <b>2013</b> , 17, 3-9	0	
81	Cocaine- and amphetamine-regulated transcript (CART) peptide immunoreactivity in feeding- and reward-related brain areas of young OLETF rats. <i>Journal of Chemical Neuroanatomy</i> , <b>2013</b> , 50-51, 75-84	3.2	5
80	Mitochondria and the economy of stress (mal)adaptation. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2013</b> , 37, 668-80	9	68
79	A subset of presympathetic-premotor neurons within the centrally projecting Edinger-Westphal nucleus expresses urocortin-1. <i>Journal of Chemical Neuroanatomy</i> , <b>2013</b> , 52, 25-35	3.2	12
78	Is it really a matter of simple dualism? Corticotropin-releasing factor receptors in body and mental health. <i>Frontiers in Endocrinology</i> , <b>2013</b> , 4, 28	5.7	41
77	Effects of chronic administration of amitriptyline, gabapentin and minocycline on spinal brain-derived neurotrophic factor expression and neuropathic pain behavior in a rat chronic constriction injury model. <i>Regional Anesthesia and Pain Medicine</i> , <b>2013</b> , 38, 124-30	3.4	18
76	Long non-coding RNAs in neurodevelopmental disorders. <i>Frontiers in Molecular Neuroscience</i> , <b>2013</b> , 6, 53	6.1	44
75	Peptidergic Edinger-Westphal neurons and the energy-dependent stress response. <i>General and Comparative Endocrinology</i> , <b>2012</b> , 177, 296-304	3	17
74	Leptin and the hypothalamo-pituitary-adrenal stress axis. <i>General and Comparative Endocrinology</i> , <b>2012</b> , 177, 28-36	3	80
73	Sex-dependent and differential responses to acute restraint stress of corticotropin-releasing factor-producing neurons in the rat paraventricular nucleus, central amygdala, and bed nucleus of the stria terminalis. <i>Journal of Neuroscience Research</i> , <b>2012</b> , 90, 179-92	4.4	73
72	Infant with MCA and severe cutis laxa due to a de novo duplication 11p of paternal origin. <i>American Journal of Medical Genetics, Part A</i> , <b>2012</b> , 158A, 469-72	2.5	3
71	The amygdala, a relay station for switching on and off pain. <i>European Journal of Pain</i> , <b>2012</b> , 16, 782-92	3.7	48
70	Sex-specific differences in the dynamics of cocaine- and amphetamine-regulated transcript and nesfatin-1 expressions in the midbrain of depressed suicide victims vs. controls. <i>Neuropharmacology</i> , <b>2012</b> , 62, 297-303	5.5	52
69	The behavioral phenotype of pituitary adenylate-cyclase activating polypeptide-deficient mice in anxiety and depression tests is accompanied by blunted c-Fos expression in the bed nucleus of the stria terminalis, central projecting Edinger-Westphal nucleus, ventral lateral septum, and dorsal raphe nucleus. <i>Neuroscience</i> , <b>2012</b> , 202, 283-99	3.9	73
68	Experimental neuropathy increases limbic forebrain CRF. <i>European Journal of Pain</i> , <b>2012</b> , 16, 61-71	3.7	40

67	Ghrelin regulates the hypothalamic-pituitary-adrenal axis and restricts anxiety after acute stress. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 457-65	7.9	159
66	Glycosylation defects underlying fetal alcohol spectrum disorder: a novel pathogenetic model. "When the wine goes in, strange things come out" - S.T. Coleridge, The Piccolomini. <i>Journal of Inherited Metabolic Disease</i> , <b>2012</b> , 35, 399-405	5.4	15
65	Urocortins: CRF $\alpha$ siblings and their potential role in anxiety, depression and alcohol drinking behavior. <i>Alcohol</i> , <b>2012</b> , 46, 349-57	2.7	44
64	Mutations in the phospholipid remodeling gene SERAC1 impair mitochondrial function and intracellular cholesterol trafficking and cause dystonia and deafness. <i>Nature Genetics</i> , <b>2012</b> , 44, 797-802 <sup>36.3</sup>	36.3	147
63	Persistent and reversible consequences of combat stress on the mesofrontal circuit and cognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 15508-13	11.5	52
62	Differential responses of corticotropin-releasing factor and urocortin 1 to acute pain stress in the rat brain. <i>Neuroscience</i> , <b>2011</b> , 183, 15-24	3.9	46
61	Chronic stress induces sex-specific alterations in methylation and expression of corticotropin-releasing factor gene in the rat. <i>PLoS ONE</i> , <b>2011</b> , 6, e28128	3.7	117
60	Acute ether stress differentially affects corticotropin-releasing factor and urocortin 1 in the Brattleboro rat. <i>Brain Research</i> , <b>2011</b> , 1398, 21-9	3.7	9
59	The Edinger-Westphal nucleus: a historical, structural, and functional perspective on a dichotomous terminology. <i>Journal of Comparative Neurology</i> , <b>2011</b> , 519, 1413-34	3.4	142
58	Does midbrain urocortin 1 matter? A 15-year journey from stress (mal)adaptation to energy metabolism. <i>Stress</i> , <b>2011</b> , 14, 376-83	3	22
57	Leptin signaling modulates the activity of urocortin 1 neurons in the mouse nonpreganglionic Edinger-Westphal nucleus. <i>Endocrinology</i> , <b>2011</b> , 152, 979-88	4.8	24
56	The missing link; the significance of urocortin 1/urocortin 2 in the modulation of the dorsal raphe serotonergic system. <i>Molecular Psychiatry</i> , <b>2010</b> , 15, 340-1	15.1	12
55	Plasticity of melanotrope cell regulations in <i>Xenopus laevis</i> . <i>European Journal of Neuroscience</i> , <b>2010</b> , 32, 2082-6	3.5	21
54	About a snail, a toad, and rodents: animal models for adaptation research. <i>Frontiers in Endocrinology</i> , <b>2010</b> , 1, 4	5.7	3
53	Depressive behaviour in children diagnosed with a mitochondrial disorder. <i>Mitochondrion</i> , <b>2010</b> , 10, 528-33	4.3	52
52	Stress-related changes in the activity of cocaine- and amphetamine-regulated transcript and nesfatin neurons in the midbrain non-preganglionic Edinger-Westphal nucleus in the rat. <i>Neuroscience</i> , <b>2010</b> , 170, 478-88	3.9	52
51	Acute pain increases phosphorylation of DCLK-long in the Edinger-Westphal nucleus but not in the hypothalamic paraventricular nucleus of the rat. <i>Journal of Pain</i> , <b>2010</b> , 11, 930-40	5.2	11
50	Restraint stress alters the secretory activity of neurons co-expressing urocortin-1, cocaine- and amphetamine-regulated transcript peptide and nesfatin-1 in the mouse Edinger-Westphal nucleus. <i>Brain Research</i> , <b>2010</b> , 1317, 92-9	3.7	71

49	Cocaine- and amphetamine-regulated transcript (CART) peptide-immunopositive neuronal elements in the lateral septum: rostrocaudal distribution in the male rat. <i>Brain Research</i> , <b>2010</b> , 1362, 40-7	3.7	10
48	The role of brain-derived neurotrophic factor in different animal models of neuropathic pain. <i>European Journal of Pain</i> , <b>2010</b> , 14, 473.e1-9	3.7	38
47	Ultrastructural and immunocytochemical characterization of the rat non-preganglionic Edinger-Westphal nucleus. <i>General and Comparative Endocrinology</i> , <b>2009</b> , 164, 32-9	3	9
46	Major depression in adolescent children consecutively diagnosed with mitochondrial disorder. <i>Journal of Affective Disorders</i> , <b>2009</b> , 114, 327-32	6.6	68
45	Diurnal expression of period 2 and urocortin 1 in neurones of the non-preganglionic Edinger-Westphal nucleus in the rat. <i>Stress</i> , <b>2009</b> , 12, 115-24	3	16
44	Sex-specific effects of fasting on urocortin 1, cocaine- and amphetamine-regulated transcript peptide and nesfatin-1 expression in the rat Edinger-Westphal nucleus. <i>Neuroscience</i> , <b>2009</b> , 162, 1141-9	3.9	48
43	Sex-specific expression of BDNF and CART in the midbrain non-preganglionic Edinger-Westphal nucleus in the rat. <i>Peptides</i> , <b>2009</b> , 30, 2268-74	3.8	9
42	Effects of maternal separation on dynamics of urocortin 1 and brain-derived neurotrophic factor in the rat non-preganglionic Edinger-Westphal nucleus. <i>International Journal of Developmental Neuroscience</i> , <b>2009</b> , 27, 439-51	2.7	34
41	Chronic psychosocial stress affects corticotropin-releasing factor in the paraventricular nucleus and central extended amygdala as well as urocortin 1 in the non-preganglionic Edinger-Westphal nucleus of the tree shrew. <i>Psychoneuroendocrinology</i> , <b>2008</b> , 33, 741-54	5	37
40	Gender-related urocortin 1 and brain-derived neurotrophic factor expression in the adult human midbrain of suicide victims with major depression. <i>Neuroscience</i> , <b>2008</b> , 152, 1015-23	3.9	70
39	Brain distribution and evidence for both central and neurohormonal actions of cocaine- and amphetamine-regulated transcript peptide in <i>Xenopus laevis</i> . <i>Journal of Comparative Neurology</i> , <b>2008</b> , 507, 1622-38	3.4	12
38	Neuropeptide Y activates urocortin 1 neurons in the nonpreganglionic Edinger-Westphal nucleus. <i>Journal of Comparative Neurology</i> , <b>2007</b> , 500, 708-19	3.4	42
37	Corticotropin-releasing factor, urocortin 1, and their receptors in the mouse spinal cord. <i>Journal of Comparative Neurology</i> , <b>2007</b> , 502, 973-89	3.4	38
36	On the role of urocortin 1 in the non-preganglionic Edinger-Westphal nucleus in stress adaptation. <i>General and Comparative Endocrinology</i> , <b>2007</b> , 153, 235-40	3	72
35	CRF and CRF-related peptides in stress adaptation: from invertebrates to man. <i>General and Comparative Endocrinology</i> , <b>2007</b> , 153, 198-9	3	7
34	Presence of estrogen receptor beta in urocortin 1-neurons in the mouse non-preganglionic Edinger-Westphal nucleus. <i>General and Comparative Endocrinology</i> , <b>2007</b> , 153, 228-34	3	19
33	Effect of starvation on Fos and neuropeptide immunoreactivities in the brain and pituitary gland of <i>Xenopus laevis</i> . <i>General and Comparative Endocrinology</i> , <b>2006</b> , 147, 237-46	3	30
32	Distribution and expression of CRF receptor 1 and 2 mRNAs in the CRF over-expressing mouse brain. <i>Brain Research</i> , <b>2006</b> , 1072, 46-54	3.7	58

31	Opioid peptides, CRF, and urocortin in cerebrospinal fluid-contacting neurons in <i>Xenopus laevis</i> . <i>Annals of the New York Academy of Sciences</i> , <b>2005</b> , 1040, 249-52	6.5	18
30	Evidence that urocortin I acts as a neurohormone to stimulate alpha MSH release in the toad <i>Xenopus laevis</i> . <i>Brain Research</i> , <b>2005</b> , 1040, 14-28	3.7	36
29	Chronic ether stress-induced response of urocortin 1 neurons in the Edinger-Westphal nucleus in the mouse. <i>Brain Research</i> , <b>2005</b> , 1046, 172-9	3.7	59
28	Immunohistochemical localization of cocaine- and amphetamine-regulated transcript peptide in the central nervous system of the frog <i>Rana esculenta</i> . <i>Journal of Comparative Neurology</i> , <b>2004</b> , 477, 324-39	3.4	31
27	Urocortinergic neurons respond in a differentiated manner to various acute stressors in the Edinger-Westphal nucleus in the rat. <i>Journal of Comparative Neurology</i> , <b>2004</b> , 480, 170-9	3.4	87
26	Differential expression of high voltage-activated Ca <sup>2+</sup> channel types in the rostral reticular thalamic nucleus of the absence epileptic WAG/Rij rat. <i>Journal of Neurobiology</i> , <b>2004</b> , 58, 467-78		23
25	Urocortin expression in the Edinger-Westphal nucleus is down-regulated in transgenic mice over-expressing neuronal corticotropin-releasing factor. <i>Neuroscience</i> , <b>2004</b> , 123, 589-94	3.9	43
24	Cocaine- and amphetamine-regulated transcript peptide (CART) is a selective marker of rat granule cells and of human mossy cells in the hippocampal dentate gyrus. <i>Neuroscience</i> , <b>2004</b> , 125, 13-24	3.9	23
23	Dopamine and cyclic AMP-regulated phosphoprotein immunoreactive neurons are innervated by axon terminals immunopositive for vasoactive intestinal polypeptide in the bed nuclei of the stria terminalis and central nucleus of the amygdala. <i>Brain Research</i> , <b>2003</b> , 962, 237-43	3.7	1
22	Interaction between catecholaminergic terminals and urocortinergic neurons in the Edinger-Westphal nucleus in the rat. <i>Brain Research</i> , <b>2003</b> , 989, 117-21	3.7	10
21	Comparative distribution of urocortin- and CRF-like immunoreactivities in the nervous system of the earthworm <i>Lumbricus terrestris</i> . <i>Peptides</i> , <b>2003</b> , 24, 205-13	3.8	7
20	Neurons colocalizing urocortin and cocaine and amphetamine-regulated transcript immunoreactivities are induced by acute lipopolysaccharide stress in the Edinger-Westphal nucleus in the rat. <i>Neuroscience</i> , <b>2003</b> , 116, 315-20	3.9	75
19	Distribution of urocortin-like immunoreactivity in the central nervous system of the frog <i>Rana esculenta</i> . <i>Journal of Comparative Neurology</i> , <b>2002</b> , 453, 185-98	3.4	38
18	Met-enkephalin immunoreactive neurons recruited by acute stress are innervated by axon terminals immunopositive for tyrosine hydroxylase and dopamine-alpha-hydroxylase in the anterolateral division of bed nuclei of the stria terminalis in the rat. <i>European Journal of Neuroscience</i> , <b>2002</b> , 14, 823-35	3.5	28
17	Distribution of urocortin in the rat gastrointestinal tract and its colocalization with tyrosine hydroxylase. <i>Peptides</i> , <b>2002</b> , 23, 515-21	3.8	44
16	Dopamine- and cyclic AMP-regulated phosphoprotein-immunoreactive neurons activated by acute stress are innervated by fiber terminals immunopositive for pituitary adenylate cyclase-activating polypeptide in the extended amygdala in the rat. <i>Regulatory Peptides</i> , <b>2002</b> , 109, 63-70		14
15	Axon terminals containing CGRP-immunoreactivity form synapses with CRF- and Met-enkephalin-immunopositive neurons in the laterodorsal division of the bed nucleus of the stria terminalis in the rat. <i>Brain Research</i> , <b>2001</b> , 893, 11-20	3.7	23
14	Axon terminals containing tyrosine hydroxylase- and dopamine-beta-hydroxylase immunoreactivity form synapses with galanin immunoreactive neurons in the lateral division of the bed nucleus of the stria terminalis in the rat. <i>Brain Research</i> , <b>2001</b> , 914, 23-33	3.7	30



13	Colocalization of GABA, enkephalin and neuropeptide Y in the tectum of the green frog <i>Rana esculenta</i> . <i>Peptides</i> , <b>2001</b> , 22, 1071-7	3.8	8
12	The activation of urocortin immunoreactive neurons in the Einger-Westphal nucleus following stress in rats. <i>Stress</i> , <b>2001</b> , 4, 85-90	3	48
11	Synaptic interaction between galanin immunoreactive neurons and axon terminals immunopositive for VIP and PACAP in the bed nucleus of the stria terminalis in the rat. <i>Annals of the New York Academy of Sciences</i> , <b>2000</b> , 921, 327-32	6.5	4
10	Delayed systemic administration of PACAP38 is neuroprotective in transient middle cerebral artery occlusion in the rat. <i>Stroke</i> , <b>2000</b> , 31, 1411-7	6.7	136
9	Immunohistochemical evidence for PACAP and VIP interaction with met-enkephalin and CRF containing neurons in the bed nucleus of the stria terminalis. <i>Annals of the New York Academy of Sciences</i> , <b>1998</b> , 865, 523-8	6.5	14
8	The source of origin of PACAP- and VIP-immunoreactive fibers in the laterodorsal division of the bed nucleus of the stria terminalis in the rat. <i>Brain Research</i> , <b>1998</b> , 810, 211-9	3.7	34
7	Distribution of urocortin-like immunoreactivity in the central nervous system of the rat. <i>Journal of Comparative Neurology</i> , <b>1998</b> , 391, 1-10	3.4	219
6	Immunohistochemical demonstration of the intracellular localization of pituitary adenylate cyclase activating polypeptide-like immunoreactivity in the rat testis using the stamp preparation. <i>Regulatory Peptides</i> , <b>1998</b> , 78, 83-8		15
5	Axon terminals containing PACAP- and VIP-immunoreactivity form synapses with CRF-immunoreactive neurons in the dorsolateral division of the bed nucleus of the stria terminalis in the rat. <i>Brain Research</i> , <b>1997</b> , 767, 109-19	3.7	57
4	Distribution of neuromedin U-like immunoreactivity in the central nervous system of <i>Rana esculenta</i> . <i>Journal of Comparative Neurology</i> , <b>1996</b> , 369, 438-50	3.4	12
3	The origin of tectal NPY immunopositive fibers in the frog. <i>Brain Research</i> , <b>1994</b> , 635, 345-8	3.7	38
2	Distribution of proneuropeptide Y-derived peptides in the brain of <i>Rana esculenta</i> and <i>Xenopus laevis</i> . <i>Journal of Comparative Neurology</i> , <b>1993</b> , 327, 551-71	3.4	61
1	Morphology of neurons and axon terminals associated with descending and ascending pathways of the lateral forebrain bundle in <i>Rana esculenta</i> . <i>Cell and Tissue Research</i> , <b>1990</b> , 260, 535-48	4.2	22