

# Glen Kristiansen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9168040/publications.pdf>

Version: 2024-02-01

209  
papers

7,238  
citations

61857

43  
h-index

85405

71  
g-index

216  
all docs

216  
docs citations

216  
times ranked

10803  
citing authors

#	ARTICLE	IF	CITATIONS
1	Artificial intelligence for diagnosis and grading of prostate cancer in biopsies: a population-based, diagnostic study. <i>Lancet Oncology</i> , The, 2020, 21, 222-232.	5.1	364
2	CD24 Is Expressed in Ovarian Cancer and Is a New Independent Prognostic Marker of Patient Survival. <i>American Journal of Pathology</i> , 2002, 161, 1215-1221.	1.9	239
3	CD24 expression is a new prognostic marker in breast cancer. <i>Clinical Cancer Research</i> , 2003, 9, 4906-13.	3.2	213
4	Exome Sequencing Identifies Biallelic MSH3 Germline Mutations as a Recessive Subtype of Colorectal Adenomatous Polyposis. <i>American Journal of Human Genetics</i> , 2016, 99, 337-351.	2.6	198
5	The Immune Checkpoint Regulator PD-L1 Is Highly Expressed in Aggressive Primary Prostate Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 1969-1977.	3.2	170
6	Expression profiling of microdissected matched prostate cancer samples reveals CD166/MEMD and CD24 as new prognostic markers for patient survival. <i>Journal of Pathology</i> , 2005, 205, 359-376.	2.1	162
7	ALCAM/CD166 is up-regulated in low-grade prostate cancer and progressively lost in high-grade lesions. <i>Prostate</i> , 2003, 54, 34-43.	1.2	134
8	CD24 expression is a significant predictor of PSA relapse and poor prognosis in low grade or organ confined prostate cancer. <i>Prostate</i> , 2004, 58, 183-192.	1.2	122
9	Microenvironmental control of breast cancer subtype elicited through paracrine platelet-derived growth factor-CC signaling. <i>Nature Medicine</i> , 2018, 24, 463-473.	15.2	120
10	Novel somatic mutations in primary hyperaldosteronism are related to the clinical, radiological and pathological phenotype. <i>Clinical Endocrinology</i> , 2015, 83, 779-789.	1.2	115
11	Performance Evaluation of Kits for Bisulfite-Conversion of DNA from Tissues, Cell Lines, FFPE Tissues, Aspirates, Lavages, Effusions, Plasma, Serum, and Urine. <i>PLoS ONE</i> , 2014, 9, e93933.	1.1	110
12	Update for the practicing pathologist: The International Consultation On Urologic Disease-European association of urology consultation on bladder cancer. <i>Modern Pathology</i> , 2015, 28, 612-630.	2.9	106
13	The translational potential of microRNAs as biofluid markers of urological tumours. <i>Nature Reviews Urology</i> , 2016, 13, 734-752.	1.9	104
14	Novel insights into the function of <scp>CD24</scp>: A driving force in cancer. <i>International Journal of Cancer</i> , 2021, 148, 546-559.	2.3	100
15	Free-Circulating Methylated DNA in Blood for Diagnosis, Staging, Prognosis, and Monitoring of Head and Neck Squamous Cell Carcinoma Patients: An Observational Prospective Cohort Study. <i>Clinical Chemistry</i> , 2017, 63, 1288-1296.	1.5	97
16	Quantification of Liver Fibrosis at T1 and T2 Mapping with Extracellular Volume Fraction MRI: Preclinical Results. <i>Radiology</i> , 2018, 288, 748-754.	3.6	96
17	High-accuracy prostate cancer pathology using deep learning. <i>Nature Machine Intelligence</i> , 2020, 2, 411-418.	8.3	89
18	Serum miR-122-5p and miR-206 expression: non-invasive prognostic biomarkers for renal cell carcinoma. <i>Clinical Epigenetics</i> , 2018, 10, 11.	1.8	87

#	ARTICLE	IF	CITATIONS
19	Gleason grade 4 prostate adenocarcinoma patterns: an interobserver agreement study among genitourinary pathologists. <i>Histopathology</i> , 2016, 69, 441-449.	1.6	82
20	PD-L1: a novel prognostic biomarker in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 52889-52900.	0.8	82
21	Analysis of TET Expression/Activity and 5mC Oxidation during Normal and Malignant Germ Cell Development. <i>PLoS ONE</i> , 2013, 8, e82881.	1.1	80
22	CD155 on Tumor Cells Drives Resistance to Immunotherapy by Inducing the Degradation of the Activating Receptor CD226 in CD8+ T Cells. <i>Immunity</i> , 2020, 53, 805-823.e15.	6.6	79
23	Diagnostic and prognostic molecular biomarkers for prostate cancer. <i>Histopathology</i> , 2012, 60, 125-141.	1.6	74
24	PD-L1 promoter methylation is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients following radical prostatectomy. <i>Oncotarget</i> , 2016, 7, 79943-79955.	0.8	73
25	CXCL12 expression and PD-L1 expression serve as prognostic biomarkers in HCC and are induced by hypoxia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 185-196.	1.4	71
26	Comprehensive Evaluation of Prostate Specific Membrane Antigen Expression in the Vasculature of Renal Tumors: Implications for Imaging Studies and Prognostic Role. <i>Journal of Urology</i> , 2018, 199, 370-377.	0.2	71
27	LAG3 (LAG-3, CD223) DNA methylation correlates with LAG3 expression by tumor and immune cells, immune cell infiltration, and overall survival in clear cell renal cell carcinoma. <i>PLoS ONE</i> , 2020, 15, e023552.		70
28	KDM5C Is Overexpressed in Prostate Cancer and Is a Prognostic Marker for Prostate-Specific Antigen-Relapse Following Radical Prostatectomy. <i>American Journal of Pathology</i> , 2014, 184, 2430-2437.	1.9	69
29	The bromodomain inhibitor JQ1 triggers growth arrest and apoptosis in testicular germ cell tumours <i>in vitro</i> and <i>in vivo</i> . <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 1300-1314.	1.6	69
30	Expression of the Cell Adhesion Molecule CD146/MCAM in Non-Small Cell Lung Cancer. <i>Analytical Cellular Pathology</i> , 2003, 25, 77-81.	2.1	68
31	Diagnostic and Prognostic Value of SHOX2 and SEPT9 DNA Methylation and Cytology in Benign, Paramalignant and Malignant Pleural Effusions. <i>PLoS ONE</i> , 2013, 8, e84225.	1.1	68
32	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers. <i>American Journal of Surgical Pathology</i> , 2020, 44, e47-e65.	2.1	68
33	Potential of quantitative SEPT9 and SHOX2 methylation in plasmatic circulating cell-free DNA as auxiliary staging parameter in colorectal cancer: a prospective observational cohort study. <i>British Journal of Cancer</i> , 2018, 118, 1217-1228.	2.9	66
34	The N <sup>6</sup> -methyladenosine (m <sup>6</sup> A) erasers alkyladenosine repair homologue 5 (ALKBH5) and fat mass and obesity-associated protein (FTO) are prognostic biomarkers in patients with clear cell renal carcinoma. <i>BJU International</i> , 2020, 125, 617-624.	1.3	65
35	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010, 90, 1102-1116.	1.7	62
36	Expression of histone deacetylases 1, 2 and 3 in urothelial bladder cancer. <i>BMC Clinical Pathology</i> , 2014, 14, 10.	1.8	61

#	ARTICLE	IF	CITATIONS
37	Peroxisome Proliferator-Activated Receptor $\hat{1}$ 3 Is Highly Expressed in Pancreatic Cancer and Is Associated With Shorter Overall Survival Times. <i>Clinical Cancer Research</i> , 2006, 12, 6444-6451.	3.2	54
38	BMP Inhibition in Seminomas Initiates Acquisition of Pluripotency via NODAL Signaling Resulting in Reprogramming to an Embryonal Carcinoma. <i>PLoS Genetics</i> , 2015, 11, e1005415.	1.5	54
39	Quantitative Analysis of Kallikrein 15 Gene Expression in Prostate Tissue. <i>Journal of Urology</i> , 2003, 169, 361-364.	0.2	53
40	Low-level <i>APC</i> mutational mosaicism is the underlying cause in a substantial fraction of unexplained colorectal adenomatous polyposis cases. <i>Journal of Medical Genetics</i> , 2016, 53, 172-179.	1.5	51
41	<i>PD-L1</i> ( <i>CD274</i> ) and <i>PD-L2</i> ( <i>PDCD1LG2</i> ) promoter methylation is associated with HPV infection and transcriptional repression in head and neck squamous cell carcinomas. <i>Oncotarget</i> , 2018, 9, 641-650.	0.8	50
42	Molecular and immune correlates of TIM-3 ( <i>HAVCR2</i> ) and galectin 9 ( <i>LGALS9</i> ) mRNA expression and DNA methylation in melanoma. <i>Clinical Epigenetics</i> , 2019, 11, 161.	1.8	49
43	A signaling cascade including <i>ARID1A</i> , <i>GADD45B</i> and <i>DUSP1</i> induces apoptosis and affects the cell cycle of germ cell cancers after romidepsin treatment. <i>Oncotarget</i> , 2016, 7, 74931-74946.	0.8	49
44	The cancer/testis-antigen PRAME supports the pluripotency network and represses somatic and germ cell differentiation programs in seminomas. <i>British Journal of Cancer</i> , 2016, 115, 454-464.	2.9	48
45	Systematic Analysis of the Expression of the Mitochondrial ATP Synthase (Complex V) Subunits in Clear Cell Renal Cell Carcinoma. <i>Translational Oncology</i> , 2017, 10, 661-668.	1.7	48
46	<i>SEPT9</i> and <i>SHOX2</i> DNA methylation status and its utility in the diagnosis of colonic adenomas and colorectal adenocarcinomas. <i>Clinical Epigenetics</i> , 2016, 8, 100.	1.8	46
47	Identification and Validation of Potential New Biomarkers for Prostate Cancer Diagnosis and Prognosis Using 2D-DIGE and MS. <i>BioMed Research International</i> , 2015, 2015, 1-23.	0.9	44
48	Pathogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018, 143, 1764-1773.	2.3	44
49	Endogenous Myoglobin in Breast Cancer Is Hypoxia-inducible by Alternative Transcription and Functions to Impair Mitochondrial Activity. <i>Journal of Biological Chemistry</i> , 2011, 286, 43417-43428.	1.6	43
50	Promoter methylation of the immune checkpoint receptor <i>PD-1</i> ( <i>PDCD1</i> ) is an independent prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients following radical prostatectomy. <i>Oncoimmunology</i> , 2016, 5, e1221555.	2.1	43
51	5â€²-tRNA Halves are Dysregulated in Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018, 199, 378-383.	0.2	43
52	Intraductal carcinoma of the prostate: interobserver reproducibility survey of 39 urologic pathologists. <i>Annals of Diagnostic Pathology</i> , 2014, 18, 333-342.	0.6	41
53	<i>PITX2</i> DNA Methylation as Biomarker for Individualized Risk Assessment of Prostate Cancer in Core Biopsies. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 107-114.	1.2	41
54	Prostate-specific membrane antigen in breast cancer: a comprehensive evaluation of expression and a case report of radionuclide therapy. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 447-455.	1.1	41

#	ARTICLE	IF	CITATIONS
55	Intraductal carcinoma of the prostate: a critical re-appraisal. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 525-534.	1.4	40
56	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers. I. Molecular Biomarkers in Prostate Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, e15-e29.	2.1	40
57	Loss of SLC45A3 protein (prostein) expression in prostate cancer is associated with <i>SLC45A3</i> gene rearrangement and an unfavorable clinical course. <i>International Journal of Cancer</i> , 2013, 132, 807-812.	2.3	39
58	TRPM4 protein expression in prostate cancer: a novel tissue biomarker associated with risk of biochemical recurrence following radical prostatectomy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 345-355.	1.4	39
59	Comparison of quantification algorithms for circulating cell-free DNA methylation biomarkers in blood plasma from cancer patients. <i>Clinical Epigenetics</i> , 2017, 9, 125.	1.8	38
60	Report From the International Society of Urological Pathology (ISUP) Consultation Conference On Molecular Pathology Of Urogenital Cancers. II. Molecular Pathology of Bladder Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, e30-e46.	2.1	38
61	Comprehensive analysis of tumor necrosis factor receptor TNFRSF9 (4-1BB) DNA methylation with regard to molecular and clinicopathological features, immune infiltrates, and response prediction to immunotherapy in melanoma. <i>EBioMedicine</i> , 2020, 52, 102647.	2.7	38
62	Ago-RIP-Seq identifies Polycomb repressive complex I member CBX7 as a major target of <i>miR-375</i> in prostate cancer progression. <i>Oncotarget</i> , 2016, 7, 59589-59603.	0.8	38
63	<i>PCD1</i> ( <i>PD-1</i> ) promoter methylation predicts outcome in head and neck squamous cell carcinoma patients. <i>Oncotarget</i> , 2017, 8, 41011-41020.	0.8	38
64	Tumoral PD-L1 expression defines a subgroup of poor-prognosis vulvar carcinomas with non-viral etiology. <i>Oncotarget</i> , 2017, 8, 92890-92903.	0.8	38
65	<i>CXCL12</i> promoter methylation and PD-L1 expression as prognostic biomarkers in prostate cancer patients. <i>Oncotarget</i> , 2016, 7, 53309-53320.	0.8	37
66	<i>CDO1</i> promoter methylation is associated with gene silencing and is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients. <i>Epigenetics</i> , 2016, 11, 871-880.	1.3	37
67	UICC drops the ball in the 8th edition TNM staging of urological cancers. <i>Histopathology</i> , 2017, 71, 5-11.	1.6	37
68	Combination of CCL <sub>4</sub> with alcoholic and metabolic injuries mimics human liver fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, G182-G194.	1.6	37
69	Management of Germ Cell Tumours of the Testis in Adult Patients. German Clinical Practice Guideline Part I: Epidemiology, Classification, Diagnosis, Prognosis, Fertility Preservation, and Treatment Recommendations for Localized Stages. <i>Urologia Internationalis</i> , 2021, 105, 169-180.	0.6	37
70	SOCS3 Modulates the Response to Enzalutamide and Is Regulated by Androgen Receptor Signaling and CpG Methylation in Prostate Cancer Cells. <i>Molecular Cancer Research</i> , 2016, 14, 574-585.	1.5	36
71	Utility of Pathology Imagebase for standardisation of prostate cancer grading. <i>Histopathology</i> , 2018, 73, 8-18.	1.6	36
72	Micropapillary urothelial carcinoma: evaluation of HER2 status and immunohistochemical characterization of the molecular subtype. <i>Human Pathology</i> , 2018, 80, 55-64.	1.1	36

#	ARTICLE	IF	CITATIONS
73	Sensitivity of HOXB13 as a Diagnostic Immunohistochemical Marker of Prostatic Origin in Prostate Cancer Metastases: Comparison to PSA, Prostein, Androgen Receptor, ERG, NKX3.1, PSAP, and PSMA. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1151.	1.8	35
74	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. <i>Histopathology</i> , 2019, 75, 865-875.	1.6	35
75	Low BUB1 expression is an adverse prognostic marker in gastric adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 76329-76339.	0.8	34
76	Diagnostic and prognostic value of SHOX2 and SEPT9 DNA methylation and cytology in benign, paramalignant, and malignant ascites. <i>Clinical Epigenetics</i> , 2016, 8, 24.	1.8	31
77	Prostate-specific membrane antigen expression in hepatocellular carcinoma: potential use for prognosis and diagnostic imaging. <i>Oncotarget</i> , 2019, 10, 4149-4160.	0.8	31
78	Molecular, clinicopathological, and immune correlates of LAG3 promoter DNA methylation in melanoma. <i>EBioMedicine</i> , 2020, 59, 102962.	2.7	31
79	Intraductal carcinoma of prostate reporting practice: a survey of expert European urologists. <i>Journal of Clinical Pathology</i> , 2016, 69, 852-857.	1.0	29
80	Contemporary prognostic indicators for prostate cancer incorporating International Society of Urological Pathology recommendations. <i>Pathology</i> , 2018, 50, 60-73.	0.3	29
81	Intraductal carcinoma of the prostate is an aggressive form of invasive carcinoma and should be graded. <i>Pathology</i> , 2020, 52, 192-196.	0.3	29
82	The Distinct Gene Regulatory Network of Myoglobin in Prostate and Breast Cancer. <i>PLoS ONE</i> , 2015, 10, e0142662.	1.1	29
83	Molecular forms of prostate-specific antigen in serum with concentrations of total prostate-specific antigen < 4 ?g/L: Are they useful tools for early detection and screening of prostate cancer?. <i>International Journal of Cancer</i> , 2001, 93, 759-765.	2.3	28
84	Unique and redundant roles of SOX2 and SOX17 in regulating the germ cell tumor fate. <i>International Journal of Cancer</i> , 2020, 146, 1592-1605.	2.3	28
85	Hypoxia-inducible factor prolyl hydroxylase 2 (PHD2) is a direct regulator of epidermal growth factor receptor (EGFR) signaling in breast cancer. <i>Oncotarget</i> , 2017, 8, 9885-9898.	0.8	27
86	The Different Immune Profiles of Normal Colonic Mucosa in Cancer-Free Lynch Syndrome Carriers and Lynch Syndrome Colorectal Cancer Patients. <i>Gastroenterology</i> , 2022, 162, 907-919.e10.	0.6	27
87	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers. <i>American Journal of Surgical Pathology</i> , 2020, 44, e66-e79.	2.1	26
88	Prognostic and predictive value of PD-L2 DNA methylation and mRNA expression in melanoma. <i>Clinical Epigenetics</i> , 2020, 12, 94.	1.8	26
89	Systematic expression analysis of the mitochondrial complex III subunits identifies UQCRC1 as biomarker in clear cell renal cell carcinoma. <i>Oncotarget</i> , 2016, 7, 86490-86499.	0.8	26
90	Bi-allelic loss-of-function variants in <i>KIF21A</i> cause severe fetal akinesia with arthrogryposis multiplex. <i>Journal of Medical Genetics</i> , 2023, 60, 48-56.	1.5	26

#	ARTICLE	IF	CITATIONS
91	YRNA expression predicts survival in bladder cancer patients. <i>BMC Cancer</i> , 2017, 17, 749.	1.1	25
92	tRNA-halves are prognostic biomarkers for patients with prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 503.e1-503.e7.	0.8	25
93	CD10 Expression in Non-Small Cell Lung Cancer. <i>Analytical Cellular Pathology</i> , 2002, 24, 41-46.	2.1	24
94	Cultivation of Clear Cell Renal Cell Carcinoma Patient-Derived Organoids in an Air-Liquid Interface System as a Tool for Studying Individualized Therapy. <i>Frontiers in Oncology</i> , 2020, 10, 1775.	1.3	24
95	Systematic Expression Analysis of Mitochondrial Complex I Identifies NDUFS1 as a Biomarker in Clear-Cell Renal-Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e551-e562.	0.9	23
96	A randomized trial of risk-adapted screening for prostate cancer in young men—Results of the first screening round of the <sc>PROBASE</sc> trial. <i>International Journal of Cancer</i> , 2022, 150, 1861-1869.	2.3	23
97	Prognostic relevance of proliferation markers (Ki-67, PHH3) within the cross-relation of ERG translocation and androgen receptor expression in prostate cancer. <i>Pathology</i> , 2015, 47, 629-636.	0.3	22
98	Fibroblast growth factor receptor 1 gene amplification in gastric adenocarcinoma. <i>Human Pathology</i> , 2015, 46, 1488-1495.	1.1	22
99	Reporting intraductal carcinoma of the prostate: a plea for greater standardization. <i>Histopathology</i> , 2017, 70, 504-507.	1.6	22
100	DNA methylation of indoleamine 2,3-dioxygenase 1 (IDO1) in head and neck squamous cell carcinomas correlates with IDO1 expression, HPV status, patients' survival, immune cell infiltrates, mutational load, and interferon $\beta$ signature. <i>EBioMedicine</i> , 2019, 48, 341-352.	2.7	22
101	Apelin and apelin receptor expression in renal cell carcinoma. <i>British Journal of Cancer</i> , 2019, 120, 633-639.	2.9	22
102	Mitochondrial PIWI-interacting RNAs are novel biomarkers for clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019, 37, 1639-1647.	1.2	22
103	Comparative genomic profiling of glandular bladder tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 445-454.	1.4	22
104	CTLA4 promoter methylation predicts response and progression-free survival in stage IV melanoma treated with anti-CTLA-4 immunotherapy (ipilimumab). <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1781-1788.	2.0	22
105	Cyclin K dependent regulation of Aurora B affects apoptosis and proliferation by induction of mitotic catastrophe in prostate cancer. <i>International Journal of Cancer</i> , 2017, 141, 1643-1653.	2.3	21
106	Three-dimensional reconstruction of prostate cancer architecture with serial immunohistochemical sections: hallmarks of tumour growth, tumour compartmentalisation, and implications for grading and heterogeneity. <i>Histopathology</i> , 2018, 72, 1051-1059.	1.6	21
107	DNA Methylation Analysis of Free-Circulating DNA in Body Fluids. <i>Methods in Molecular Biology</i> , 2018, 1708, 621-641.	0.4	21
108	MAGE expression in head and neck squamous cell carcinoma primary tumors, lymph node metastases and respective recurrences-implications for immunotherapy. <i>Oncotarget</i> , 2017, 8, 14719-14735.	0.8	21

#	ARTICLE	IF	CITATIONS
109	Identification of areas of grading difficulties in prostate cancer and comparison with artificial intelligence assisted grading. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 777-786.	1.4	20
110	The multikinase inhibitor regorafenib decreases angiogenesis and improves portal hypertension. <i>Oncotarget</i> , 2018, 9, 36220-36237.	0.8	20
111	Pathology Imagebase™ a reference image database for standardization of pathology. <i>Histopathology</i> , 2017, 71, 677-685.	1.6	19
112	Detailed analysis of adenosine A2a receptor (<i>ADORA2A</i>) and CD73 (5&#x2013;nucleotidase,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 <i>Oncolmmunology</i> , 2018, 7, e1452579.	2.1	19
113	Dataset for the reporting of prostate carcinoma in radical prostatectomy specimens: updated recommendations from the International Collaboration on Cancer Reporting. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 475, 263-277.	1.4	19
114	Dataset for the reporting of prostate carcinoma in core needle biopsy and transurethral resection and enucleation specimens: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Pathology</i> , 2019, 51, 11-20.	0.3	19
115	Management of Germ Cell Tumours of the Testes in Adult Patients: German Clinical Practice Guideline, PART II &#x2013; Recommendations for the Treatment of Advanced, Recurrent, and Refractory Disease and Extragenital and Sex Cord/Stromal Tumours and for the Management of Follow-Up, Toxicity, Quality of Life, Palliative Care, and Supportive Therapy. <i>Urologia Internationalis</i> . 2021. 105. 181-191.	0.6	19
116	Adipophilin as prognostic biomarker in clear cell renal cell carcinoma. <i>Oncotarget</i> , 2017, 8, 28672-28682.	0.8	19
117	Inter&#x2013;observer agreement for the histological diagnosis of invasive lobular breast carcinoma. <i>Journal of Pathology: Clinical Research</i> , 2022, 8, 191-205.	1.3	19
118	Loss of Anterior Gradient-2 expression is an independent prognostic factor in colorectal carcinomas. <i>European Journal of Cancer</i> , 2014, 50, 1722-1730.	1.3	18
119	YRNA Expression Profiles are Altered in Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2018, 4, 260-266.	1.6	18
120	CircEHD2, CircNETO2 and CircEGLN3 as Diagnostic and Prognostic Biomarkers for Patients with Renal Cell Carcinoma. <i>Cancers</i> , 2021, 13, 2177.	1.7	18
121	Bisulfite Conversion of DNA from Tissues, Cell Lines, Buffy Coat, FFPE Tissues, Microdissected Cells, Swabs, Sputum, Aspirates, Lavages, Effusions, Plasma, Serum, and Urine. <i>Methods in Molecular Biology</i> , 2015, 1589, 139-159.	0.4	17
122	YRNA expression in prostate cancer patients: diagnostic and prognostic implications. <i>World Journal of Urology</i> , 2018, 36, 1073-1078.	1.2	17
123	Cell-Free SHOX2 DNA Methylation in Blood as a Molecular Staging Parameter for Risk Stratification in Renal Cell Carcinoma Patients: A Prospective Observational Cohort Study. <i>Clinical Chemistry</i> , 2019, 65, 559-568.	1.5	17
124	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers V. <i>American Journal of Surgical Pathology</i> , 2020, 44, e80-e86.	2.1	17
125	Membranous CD24 expression as detected by the monoclonal antibody SWA11 is a prognostic marker in non-small cell lung cancer patients. <i>BMC Clinical Pathology</i> , 2015, 15, 19.	1.8	16
126	PITX3 promoter methylation is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients after radical prostatectomy. <i>Clinical Epigenetics</i> , 2016, 8, 104.	1.8	16



#	ARTICLE	IF	CITATIONS
127	Prognostic role of TSPAN1, KIAA1324 and ESRP1 in prostate cancer. <i>Apmis</i> , 2021, 129, 204-212.	0.9	16
128	Evaluation of Global Histone Acetylation Levels in Bladder Cancer Patients. <i>Anticancer Research</i> , 2016, 36, 3961-4.	0.5	16
129	Hypoxia-inducible factor-mediated induction of WISP-2 contributes to attenuated progression of breast cancer. <i>Hypoxia (Auckland, N Z)</i> , 2014, 2, 23.	1.9	15
130	Treatment Response Monitoring in Patients with Advanced Malignancies Using Cell-Free SHOX2 and SEPT9 DNA Methylation in Blood. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 920-933.	1.2	15
131	Myoglobin, expressed in brown adipose tissue of mice, regulates the content and activity of mitochondria and lipid droplets. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 159026.	1.2	14
132	CD57 Expression in Incidental, Clinically Manifest, and Metastatic Carcinoma of the Prostate. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	13
133	PITX3 DNA methylation is an independent predictor of overall survival in patients with head and neck squamous cell carcinoma. <i>Clinical Epigenetics</i> , 2017, 9, 12.	1.8	13
134	Co-staining of microRNAs and their target proteins by miRNA in situ hybridization and immunohistofluorescence on prostate cancer tissue microarrays. <i>Laboratory Investigation</i> , 2019, 99, 1527-1534.	1.7	13
135	Integrative clinical transcriptome analysis reveals <i>TPR2</i> dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020, 146, 2036-2046.	2.3	13
136	Fibroblast activation protein inhibitor (FAPI) positive tumour fraction on PET/CT correlates with Ki-67 in liver metastases of neuroendocrine tumours. <i>Nuklearmedizin - NuclearMedicine</i> , 2021, 60, 344-354.	0.3	13
137	The role of myoglobin in epithelial cancers: Insights from transcriptomics. <i>International Journal of Molecular Medicine</i> , 2020, 45, 385-400.	1.8	13
138	Increased IgG4-positive plasma cells in nodular sclerosing Hodgkin lymphoma: a diagnostic pitfall. <i>Histopathology</i> , 2020, 76, 244-250.	1.6	12
139	Novel insights into the mixed germ cell-sex cord stromal tumor of the testis: detection of chromosomal aneuploidy and further morphological evidence supporting the neoplastic nature of the germ cell component. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 615-623.	1.4	12
140	Ectopic Myoglobin Expression Is Associated with a Favourable Outcome in Head and Neck Squamous Cell Carcinoma Patients. <i>Anticancer Research</i> , 2016, 36, 6235-6242.	0.5	12
141	Significance of PITX2 Promoter Methylation in Colorectal Carcinoma Prognosis. <i>Clinical Colorectal Cancer</i> , 2018, 17, e385-e393.	1.0	10
142	TGR(mREN2)27 rats develop non-alcoholic fatty liver disease-associated portal hypertension responsive to modulations of Janus-kinase 2 and Mas receptor. <i>Scientific Reports</i> , 2019, 9, 11598.	1.6	10
143	Management of Capsular Contracture in Cases of Silicone Gel Breast Implant Rupture with Use of Pulse Lavage and Open Capsulotomy. <i>Aesthetic Plastic Surgery</i> , 2019, 43, 1173-1185.	0.5	10
144	Classic bladder exstrophy and adenocarcinoma of the bladder: Methylome analysis provide no evidence for underlying disease-mechanisms of this association. <i>Cancer Genetics</i> , 2019, 235-236, 18-20.	0.2	10

#	ARTICLE	IF	CITATIONS
145	Systematic expression analysis of the mitochondrial respiratory chain protein subunits identifies COX5B as a prognostic marker in clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2019, 26, 910-916.	0.5	10
146	Karyopherin Alpha 2 Is an Adverse Prognostic Factor in Clear-Cell and Papillary Renal-Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e167-e175.	0.9	10
147	Identification of miR-21-5p and miR-210-3p serum levels as biomarkers for patients with papillary renal cell carcinoma: a multicenter analysis. <i>Translational Andrology and Urology</i> , 2020, 9, 1314-1322.	0.6	10
148	Targeting glycolysis with 2-deoxy-d-glucose sensitizes primary cell cultures of renal cell carcinoma to tyrosine kinase inhibitors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2255-2265.	1.2	10
149	Antibody selection influences the detection of AR-V7 in primary prostate cancer. <i>Cancer Treatment and Research Communications</i> , 2020, 24, 100186.	0.7	10
150	The signal transducer CD24 suppresses the germ cell program and promotes an ectodermal rather than mesodermal cell fate in embryonal carcinomas. <i>Molecular Oncology</i> , 2022, 16, 982-1008.	2.1	10
151	Manual Microdissection. <i>Methods in Molecular Biology</i> , 2009, 576, 31-38.	0.4	10
152	Loss of cadherin related family member 5 (CDHR5) expression in clear cell renal cell carcinoma is a prognostic marker of disease progression. <i>Oncotarget</i> , 2017, 8, 75076-75086.	0.8	10
153	Oxygen supply maps for hypoxic microenvironment visualization in prostate cancer. <i>Journal of Pathology Informatics</i> , 2016, 7, 3.	0.8	10
154	Is high-grade prostatic intraepithelial neoplasia (HGPIN) a reliable precursor for prostate carcinoma? Implications for clonal evolution and early detection strategies. <i>Journal of Pathology</i> , 2018, 244, 389-393.	2.1	9
155	Hereditary Diffuse Gastric Cancer: A Comparative Cohort Study According to Pathogenic Variant Status. <i>Cancers</i> , 2020, 12, 3726.	1.7	9
156	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 235-242.	1.2	9
157	Diagnostic accuracy of [99mTc]Tc-Sestamibi in the assessment of thyroid nodules. <i>Oncotarget</i> , 2017, 8, 94681-94691.	0.8	9
158	Tissue-Based MicroRNAs as Predictors of Biochemical Recurrence after Radical Prostatectomy: What Can We Learn from Past Studies?. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2023.	1.8	8
159	Downstream neighbor of SON (DONSON) is associated with unfavorable survival across diverse cancers with oncogenic properties in clear cell renal cell carcinoma. <i>Translational Oncology</i> , 2020, 13, 100844.	1.7	8
160	Systematic expression analysis of m6A RNA methyltransferases in clear cell renal cell carcinoma. <i>BJUI Compass</i> , 2021, 2, 402-411.	0.7	8
161	DNA Methylation of PITX2 and PANC1 Is Prognostic for Overall Survival in Patients with Resected Adenocarcinomas of the Biliary Tract. <i>PLoS ONE</i> , 2016, 11, e0165769.	1.1	8
162	Handling and reporting of pelvic lymphadenectomy specimens in prostate and bladder cancer: a web-based survey by the European Network of Uropathology. <i>Histopathology</i> , 2019, 74, 844-852.	1.6	7

#	ARTICLE	IF	CITATIONS
163	Long Term Remission and Cardiac Toxicity of a Combination of Ipilimumab and Nivolumab in a Patient With Metastatic Head and Neck Carcinoma After Progression Following Nivolumab Monotherapy. <i>Frontiers in Oncology</i> , 2019, 9, 403.	1.3	7
164	Downstream Neighbor of SON (DONSON) Expression Is Enhanced in Phenotypically Aggressive Prostate Cancers. <i>Cancers</i> , 2020, 12, 3439.	1.7	7
165	Short-Term Western Diet Aggravates Non-Alcoholic Fatty Liver Disease (NAFLD) With Portal Hypertension in TGR(mREN2)27 Rats. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3308.	1.8	7
166	DNA Promoter Methylation and ERG Regulate the Expression of CD24 in Prostate Cancer. <i>American Journal of Pathology</i> , 2021, 191, 618-630.	1.9	7
167	Extrahepatic Surgery in Cirrhosis Significantly Increases Portal Pressure in Preclinical Animal Models. <i>Frontiers in Physiology</i> , 2021, 12, 720898.	1.3	7
168	Correlation between enhancement characteristics of MR mammography and capillary density of breast lesions. <i>European Journal of Radiology</i> , 2014, 83, 2129-2136.	1.2	6
169	Exome sequencing characterizes the somatic mutation spectrum of early serrated lesions in a patient with serrated polyposis syndrome (SPS). <i>Hereditary Cancer in Clinical Practice</i> , 2017, 15, 22.	0.6	6
170	Comprehensive Analysis of the ATP-binding Cassette Subfamily B Across Renal Cancers Identifies ABCB8 Overexpression in Phenotypically Aggressive Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2020, 7, 1121-1129.	1.6	6
171	Otoferlin is a prognostic biomarker in patients with clear cell renal cell carcinoma: A systematic expression analysis. <i>International Journal of Urology</i> , 2021, 28, 424-431.	0.5	6
172	Clinical Studies on Cytokine-Induced Killer Cells: Lessons from Lymphoma Trials. <i>Cancers</i> , 2021, 13, 6007.	1.7	6
173	CD103+ Tissue Resident T-Lymphocytes Accumulate in Lung Metastases and Are Correlated with Poor Prognosis in ccRCC. <i>Cancers</i> , 2022, 14, 1541.	1.7	6
174	Comprehensive Analysis of N6-Methyladenosine (m6A) Writers, Erasers, and Readers in Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7165.	1.8	6
175	A matched-pair analysis on survival and response rates between German and non-German cancer patients treated at a Comprehensive Cancer Center. <i>BMC Cancer</i> , 2019, 19, 1024.	1.1	5
176	Mitophagy-associated genes PINK1 and PARK2 are independent prognostic markers of survival in papillary renal cell carcinoma and associated with aggressive tumor behavior. <i>Scientific Reports</i> , 2020, 10, 18857.	1.6	5
177	miR-449a Repression Leads to Enhanced NOTCH Signaling in TMPRSS2:ERG Fusion Positive Prostate Cancer Cells. <i>Cancers</i> , 2021, 13, 964.	1.7	5
178	Comprehensive immunohistochemical analysis of N6-methyladenosine (m6A) writers, erasers, and readers in endometrial cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2023, 149, 2417-2424.	1.2	5
179	Glutathione S-transferase pi protein expression in prostate cancer "not always a useful diagnostic tool. <i>Histopathology</i> , 2015, 67, 577-579.	1.6	4
180	Prostate Cancer Grading: A Decade After the 2005 Modified Gleason Grading System. <i>Archives of Pathology and Laboratory Medicine</i> , 2017, 141, 182-183.	1.2	4

#	ARTICLE	IF	CITATIONS
181	Cribriform and glomeruloid acinar adenocarcinoma of the prostate—an intratumoural intraductal carcinoma?. <i>Histopathology</i> , 2019, 74, 804-808.	1.6	4
182	The contrasting roles of Dysferlin during tumor progression in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 687.e1-687.e11.	0.8	4
183	Knockdown of Myoferlin Suppresses Migration and Invasion in Clear-Cell Renal-Cell Carcinoma. <i>Anticancer Research</i> , 2020, 40, 3119-3128.	0.5	4
184	Tumor Infiltrating Neutrophils Are Frequently Found in Adenocarcinomas of the Biliary Tract and Their Precursor Lesions with Possible Impact on Prognosis. <i>Journal of Personalized Medicine</i> , 2021, 11, 233.	1.1	4
185	Tissue Factor Expression Does Not Predict Mortality in Breast Cancer Patients. <i>Anticancer Research</i> , 2017, 37, 3259-3264.	0.5	4
186	Programmed Cell Death Ligand-1 (PDL-1) Correlates With Tumor Infiltration by Immune Cells and Represents a Promising Target for Immunotherapy in Endometrial Cancer. <i>Anticancer Research</i> , 2022, 42, 1367-1376.	0.5	4
187	Reply: “A plea for greater standardization in intraductal carcinoma of the prostate” greater standardization requires greater evidence™: let's use the available evidence. <i>Histopathology</i> , 2017, 70, 1013-1014.	1.6	3
188	No evidence to support the impact of migration background on treatment response rates and cancer survival: a retrospective matched-pair analysis in Germany. <i>BMC Cancer</i> , 2021, 21, 526.	1.1	3
189	Molecular pathology of Invasive Lobular Breast Carcinoma. <i>Breast Disease</i> , 2009, 30, 9-14.	0.4	2
190	High grade adenocarcinoma in the ectopic prostate accompanied by a low grade adenocarcinoma in the orthotopic prostate: an unusual diagnostic pitfall. <i>Pathology</i> , 2017, 49, 665-668.	0.3	2
191	Next-generation nuclear morphology to grade solid tumours. <i>Lancet Oncology</i> , The, 2018, 19, 275-277.	5.1	2
192	Chromosomal gains of 12p and 1q are not associated with inferior outcome of pediatric and adolescent germ cell tumors. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27777.	0.8	2
193	High-grade Adenocarcinoma of the Prostate Mimicking Urothelial Carcinoma is Negative for TERT Mutations. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 523-528.	0.6	2
194	Rearranged ERG confers robustness to prostate cancer cells by subverting the function of p53. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 736.e1-736.e10.	0.8	2
195	The International Society of Urological Pathology Consultation on Molecular Pathology of Urogenital Cancer. <i>American Journal of Surgical Pathology</i> , 2020, 44, 859-861.	2.1	2
196	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. <i>World Journal of Urology</i> , 2021, 39, 65-72.	1.2	2
197	Overexpression of Parkin in clear cell renal cell carcinoma decreases tumor aggressiveness by regulating CKS2 levels. <i>International Journal of Oncology</i> , 2022, 60, .	1.4	2
198	Effect of Peripheral Artery Sympathetic Denervation on Muscle Microperfusion and Macroperfusion in an Animal Peripheral Artery Disease Model Using Contrast-Enhanced Ultrasound and Doppler Flow Measurement. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 1396-1402.e2.	0.2	1

#	ARTICLE	IF	CITATIONS
199	An overview of translational prostate cancer cohorts for prognostic and predictive studies. <i>Histopathology</i> , 2019, 74, 161-170.	1.6	1
200	Cardiac Myeloid Sarcoma: Multimodal Imaging and Histopathologic Findings. <i>Radiology: Cardiothoracic Imaging</i> , 2021, 3, e200540.	0.9	1
201	A Combined TLR7/TLR9/GATA3 Score Can Predict Prognosis in Biliary Tract Cancer. <i>Diagnostics</i> , 2021, 11, 1597.	1.3	1
202	CD3 and CD20 immune cell densities in primary tumors, lymph node metastasis, and recurrent disease samples of head and neck squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, 6551-6551.	0.8	1
203	Is NF- $\kappa$ B predictive of biochemical recurrence in positive-margin prostate cancer?. <i>Nature Reviews Urology</i> , 2005, 2, 134-135.	1.4	0
204	Long-Term Analysis of Ab-2 (Clone SN3b) Immunoreactivity as a Prognostic Factor in Breast Carcinoma. <i>Breast Care</i> , 2015, 10, 273-276.	0.8	0
205	Detection of AR-V7 in primary prostate cancer. <i>Cancer Treatment and Research Communications</i> , 2020, 28, 100230.	0.7	0
206	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machtenâ€™s to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1273-1274.	1.2	0
207	HGG-34. DETECTION OF ONCOGENIC FUSION EVENTS IN SUPRATENTORIAL GLIOBLASTOMAS OF YOUNG CHILDREN. <i>Neuro-Oncology</i> , 2020, 22, iii349-iii350.	0.6	0
208	Application of Computer Generated Images to train Pattern Recognition used in semiquantitative Immunohistochemistry Scoring. <i>Apmis</i> , 2021, , .	0.9	0
209	HGG-21. Oncogenic tyrosine kinase gene fusions in infant-type hemispheric gliomas - comparison of RNA- and DNA-based methods for their reliable detection. <i>Neuro-Oncology</i> , 2022, 24, i65-i65.	0.6	0