Glen Kristiansen

List of Publications by Citations

Source: https://exaly.com/author-pdf/9168040/glen-kristiansen-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

197 4,793 37 59 g-index h-index citations papers 216 6,213 5.61 5.5 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
197	CD24 is expressed in ovarian cancer and is a new independent prognostic marker of patient survival. <i>American Journal of Pathology</i> , 2002 , 161, 1215-21	5.8	211
196	CD24 expression is a new prognostic marker in breast cancer. Clinical Cancer Research, 2003, 9, 4906-13	12.9	191
195	Artificial intelligence for diagnosis and grading of prostate cancer in biopsies: a population-based, diagnostic study. <i>Lancet Oncology, The</i> , 2020 , 21, 222-232	21.7	154
194	Expression profiling of microdissected matched prostate cancer samples reveals CD166/MEMD and CD24 as new prognostic markers for patient survival. <i>Journal of Pathology</i> , 2005 , 205, 359-76	9.4	144
193	Exome Sequencing Identifies Biallelic MSH3 Germline Mutations as a Recessive Subtype of Colorectal Adenomatous Polyposis. <i>American Journal of Human Genetics</i> , 2016 , 99, 337-51	11	139
192	The Immune Checkpoint Regulator PD-L1 Is Highly Expressed in Aggressive Primary Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 1969-77	12.9	128
191	ALCAM/CD166 is up-regulated in low-grade prostate cancer and progressively lost in high-grade lesions. <i>Prostate</i> , 2003 , 54, 34-43	4.2	122
190	CD24 expression is a significant predictor of PSA relapse and poor prognosis in low grade or organ confined prostate cancer. <i>Prostate</i> , 2004 , 58, 183-92	4.2	109
189	Novel somatic mutations in primary hyperaldosteronism are related to the clinical, radiological and pathological phenotype. <i>Clinical Endocrinology</i> , 2015 , 83, 779-89	3.4	88
188	Microenvironmental control of breast cancer subtype elicited through paracrine platelet-derived growth factor-CC signaling. <i>Nature Medicine</i> , 2018 , 24, 463-473	50.5	86
187	Performance evaluation of kits for bisulfite-conversion of DNA from tissues, cell lines, FFPE tissues, aspirates, lavages, effusions, plasma, serum, and urine. <i>PLoS ONE</i> , 2014 , 9, e93933	3.7	85
186	The translational potential of microRNAs as biofluid markers of urological tumours. <i>Nature Reviews Urology</i> , 2016 , 13, 734-752	5.5	81
185	Update for the practicing pathologist: The International Consultation On Urologic Disease-European association of urology consultation on bladder cancer. <i>Modern Pathology</i> , 2015 , 28, 612-30	9.8	79
184	HGG-34. DETECTION OF ONCOGENIC FUSION EVENTS IN SUPRATENTORIAL GLIOBLASTOMAS OF YOUNG CHILDREN. <i>Neuro-Oncology</i> , 2020 , 22, iii349-iii350	1	78
183	PD-L1: a novel prognostic biomarker in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 52889-52900	3.3	64
182	Diagnostic and prognostic molecular biomarkers for prostate cancer. <i>Histopathology</i> , 2012 , 60, 125-41	7-3	63
181	PD-L1 promoter methylation is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients following radical prostatectomy. <i>Oncotarget</i> , 2016 , 7, 79943-79955	3.3	62

(2016-2017)

180	Free-Circulating Methylated DNA in Blood for Diagnosis, Staging, Prognosis, and Monitoring of Head and Neck Squamous Cell Carcinoma Patients: An Observational Prospective Cohort Study. <i>Clinical Chemistry</i> , 2017 , 63, 1288-1296	5.5	60	
179	Analysis of TET expression/activity and 5mC oxidation during normal and malignant germ cell development. <i>PLoS ONE</i> , 2013 , 8, e82881	3.7	60	
178	CXCL12 expression and PD-L1 expression serve as prognostic biomarkers in HCC and are induced by hypoxia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 470, 185-196	5.1	55	
177	Gleason grade 4 prostate adenocarcinoma patterns: an interobserver agreement study among genitourinary pathologists. <i>Histopathology</i> , 2016 , 69, 441-9	7.3	55	
176	Expression of the cell adhesion molecule CD146/MCAM in non-small cell lung cancer. <i>Analytical Cellular Pathology</i> , 2003 , 25, 77-81		55	
175	The bromodomain inhibitor JQ1 triggers growth arrest and apoptosis in testicular germ cell tumours in vitro and in vivo. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 1300-1314	5.6	54	
174	Peroxisome proliferator-activated receptor gamma is highly expressed in pancreatic cancer and is associated with shorter overall survival times. <i>Clinical Cancer Research</i> , 2006 , 12, 6444-51	12.9	53	
173	Quantification of Liver Fibrosis at T1 and T2 Mapping with Extracellular Volume Fraction MRI: Preclinical Results. <i>Radiology</i> , 2018 , 288, 748-754	20.5	53	
172	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010 , 90, 1102-16	5.9	52	
171	Expression of histone deacetylases 1, 2 and 3 in urothelial bladder cancer. <i>BMC Clinical Pathology</i> , 2014 , 14, 10	3	49	
170	KDM5C is overexpressed in prostate cancer and is a prognostic marker for prostate-specific antigen-relapse following radical prostatectomy. <i>American Journal of Pathology</i> , 2014 , 184, 2430-7	5.8	48	
169	Quantitative Analysis of Kallikrein 15 Gene Expression in Prostate Tissue. <i>Journal of Urology</i> , 2003 , 169, 361-364	2.5	47	
168	Serum miR-122-5p and miR-206 expression: non-invasive prognostic biomarkers for renal cell carcinoma. <i>Clinical Epigenetics</i> , 2018 , 10, 11	7.7	46	
167	Diagnostic and prognostic value of SHOX2 and SEPT9 DNA methylation and cytology in benign, paramalignant and malignant pleural effusions. <i>PLoS ONE</i> , 2013 , 8, e84225	3.7	45	
166	BMP Inhibition in Seminomas Initiates Acquisition of Pluripotency via NODAL Signaling Resulting in Reprogramming to an Embryonal Carcinoma. <i>PLoS Genetics</i> , 2015 , 11, e1005415	6	44	
165	Low-level APC mutational mosaicism is the underlying cause in a substantial fraction of unexplained colorectal adenomatous polyposis cases. <i>Journal of Medical Genetics</i> , 2016 , 53, 172-9	5.8	41	
164	Comprehensive Evaluation of Prostate Specific Membrane Antigen Expression in the Vasculature of Renal Tumors: Implications for Imaging Studies and Prognostic Role. <i>Journal of Urology</i> , 2018 , 199, 370-	² 77	40	
163	A signaling cascade including ARID1A, GADD45B and DUSP1 induces apoptosis and affects the cell cycle of germ cell cancers after romidepsin treatment. <i>Oncotarget</i> , 2016 , 7, 74931-74946	3.3	40	

162	() and () promoter methylation is associated with HPV infection and transcriptional repression in head and neck squamous cell carcinomas. <i>Oncotarget</i> , 2018 , 9, 641-650	3.3	39
161	Promoter methylation of the immune checkpoint receptor () is an independent prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients following radical prostatectomy. <i>Oncolmmunology</i> , 2016 , 5, e1221555	7.2	37
160	Potential of quantitative SEPT9 and SHOX2 methylation in plasmatic circulating cell-free DNA as auxiliary staging parameter in colorectal cancer: a prospective observational cohort study. <i>British Journal of Cancer</i> , 2018 , 118, 1217-1228	8.7	35
159	Identification and validation of potential new biomarkers for prostate cancer diagnosis and prognosis using 2D-DIGE and MS. <i>BioMed Research International</i> , 2015 , 2015, 454256	3	35
158	Intraductal carcinoma of the prostate: interobserver reproducibility survey of 39 urologic pathologists. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 333-42	2.2	35
157	Endogenous myoglobin in breast cancer is hypoxia-inducible by alternative transcription and functions to impair mitochondrial activity: a role in tumor suppression?. <i>Journal of Biological Chemistry</i> , 2011 , 286, 43417-28	5.4	34
156	and DNA methylation status and its utility in the diagnosis of colonic adenomas and colorectal adenocarcinomas. <i>Clinical Epigenetics</i> , 2016 , 8, 100	7.7	34
155	The cancer/testis-antigen PRAME supports the pluripotency network and represses somatic and germ cell differentiation programs in seminomas. <i>British Journal of Cancer</i> , 2016 , 115, 454-64	8.7	33
154	Ago-RIP-Seq identifies Polycomb repressive complex I member CBX7 as a major target of miR-375 in prostate cancer progression. <i>Oncotarget</i> , 2016 , 7, 59589-59603	3.3	32
153	The N -methyladenosine (m A) erasers alkylation repair homologue 5 (ALKBH5) and fat mass and obesity-associated protein (FTO) are prognostic biomarkers in patients with clear cell renal carcinoma. <i>BJU International</i> , 2020 , 125, 617-624	5.6	31
152	CXCL12 promoter methylation and PD-L1 expression as prognostic biomarkers in prostate cancer patients. <i>Oncotarget</i> , 2016 , 7, 53309-53320	3.3	31
151	PITX2 DNA Methylation as Biomarker for Individualized Risk Assessment of Prostate Cancer in Core Biopsies. <i>Journal of Molecular Diagnostics</i> , 2017 , 19, 107-114	5.1	30
150	5StRNA Halves are Dysregulated in Clear Cell Renal Cell Carcinoma. <i>Journal of Urology</i> , 2018 , 199, 378-3	8 83 5	30
149	TRPM4 protein expression in prostate cancer: a novel tissue biomarker associated with risk of biochemical recurrence following radical prostatectomy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 345-55	5.1	29
148	SOCS3 Modulates the Response to Enzalutamide and Is Regulated by Androgen Receptor Signaling and CpG Methylation in Prostate Cancer Cells. <i>Molecular Cancer Research</i> , 2016 , 14, 574-85	6.6	29
147	CDO1 promoter methylation is associated with gene silencing and is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients. <i>Epigenetics</i> , 2016 , 11, 871-880	5.7	29
146	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers: III: Molecular Pathology of Kidney Cancer. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e47-e65	6.7	28
145	(,) DNA methylation correlates with LAG3 expression by tumor and immune cells, immune cell infiltration, and overall survival in clear cell renal cell carcinoma 2020 , 8,		28

(2019-2017)

144	Systematic Analysis of the Expression of the Mitochondrial ATP Synthase (Complex V) Subunits in Clear Cell Renal Cell Carcinoma. <i>Translational Oncology</i> , 2017 , 10, 661-668	4.9	27
143	PDCD1 (PD-1) promoter methylation predicts outcome in head and neck squamous cell carcinoma patients. <i>Oncotarget</i> , 2017 , 8, 41011-41020	3.3	27
142	Loss of SLC45A3 protein (prostein) expression in prostate cancer is associated with SLC45A3-ERG gene rearrangement and an unfavorable clinical course. <i>International Journal of Cancer</i> , 2013 , 132, 807-	1 2 5	26
141	Novel insights into the function of CD24: A driving force in cancer. <i>International Journal of Cancer</i> , 2021 , 148, 546-559	7.5	25
140	Molecular forms of prostate-specific antigen in serum with concentrations of total prostate-specific antigen . <i>International Journal of Cancer</i> , 2001 , 93, 759-65	7.5	24
139	Tumoral PD-L1 expression defines a subgroup of poor-prognosis vulvar carcinomas with non-viral etiology. <i>Oncotarget</i> , 2017 , 8, 92890-92903	3.3	23
138	High-accuracy prostate cancer pathology using deep learning. <i>Nature Machine Intelligence</i> , 2020 , 2, 411-	4185	23
137	Intraductal carcinoma of the prostate: a critical re-appraisal. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 525-534	5.1	22
136	Sensitivity of HOXB13 as a Diagnostic Immunohistochemical Marker of Prostatic Origin in Prostate Cancer Metastases: Comparison to PSA, Prostein, Androgen Receptor, ERG, NKX3.1, PSAP, and PSMA. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	22
135	Diagnostic and prognostic value of SHOX2 and SEPT9 DNA methylation and cytology in benign, paramalignant, and malignant ascites. <i>Clinical Epigenetics</i> , 2016 , 8, 24	7.7	22
134	Micropapillary urothelial carcinoma: evaluation of HER2 status and immunohistochemical characterization of the molecular subtype. <i>Human Pathology</i> , 2018 , 80, 55-64	3.7	22
133	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. <i>Histopathology</i> , 2019 , 75, 865-875	7-3	22
132	CD155 on Tumor Cells Drives Resistance to Immunotherapy by Inducing the Degradation of the Activating Receptor CD226 in CD8 TiCells. <i>Immunity</i> , 2020 , 53, 805-823.e15	32.3	22
131	Intraductal carcinoma of prostate reporting practice: a survey of expert European uropathologists. Journal of Clinical Pathology, 2016 , 69, 852-7	3.9	22
130	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers. I. Molecular Biomarkers in Prostate Cancer. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e15-e29	6.7	21
129	Comparison of quantification algorithms for circulating cell-free DNA methylation biomarkers in blood plasma from cancer patients. <i>Clinical Epigenetics</i> , 2017 , 9, 125	7.7	21
128	Hypoxia-inducible factor prolyl hydroxylase 2 (PHD2) is a direct regulator of epidermal growth factor receptor (EGFR) signaling in breast cancer. <i>Oncotarget</i> , 2017 , 8, 9885-9898	3.3	21
127	Molecular and immune correlates of TIM-3 (HAVCR2) and galectin 9 (LGALS9) mRNA expression and DNA methylation in melanoma. <i>Clinical Epigenetics</i> , 2019 , 11, 161	7.7	21

126	Pathogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018 , 143, 1764-1773	7.5	20	
125	Prostate-specific membrane antigen expression in hepatocellular carcinoma: potential use for prognosis and diagnostic imaging. <i>Oncotarget</i> , 2019 , 10, 4149-4160	3.3	20	
124	tRNA-halves are prognostic biomarkers for patients with prostate cancer. <i>Urologic Oncology:</i> Seminars and Original Investigations, 2018 , 36, 503.e1-503.e7	2.8	20	
123	Prostate-specific membrane antigen in breast cancer: a comprehensive evaluation of expression and a case report of radionuclide therapy. <i>Breast Cancer Research and Treatment</i> , 2018 , 169, 447-455	4.4	19	
122	Utility of Pathology Imagebase for standardisation of prostate cancer grading. <i>Histopathology</i> , 2018 , 73, 8-18	7.3	19	
121	Combination of CCl with alcoholic and metabolic injuries mimics human liver fibrosis. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G182-G194	5.1	18	
120	Three-dimensional reconstruction of prostate cancer architecture with serial immunohistochemical sections: hallmarks of tumour growth, tumour compartmentalisation, and implications for grading and heterogeneity. <i>Histopathology</i> , 2018 , 72, 1051-1059	7.3	18	
119	Reporting intraductal carcinoma of the prostate: a plea for greater standardization. <i>Histopathology</i> , 2017 , 70, 504-507	7-3	18	
118	Systematic expression analysis of the mitochondrial complex III subunits identifies UQCRC1 as biomarker in clear cell renal cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 86490-86499	3.3	18	
117	Low BUB1 expression is an adverse prognostic marker in gastric adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 76329-76339	3.3	18	
116	Molecular, clinicopathological, and immune correlates of LAG3 promoter DNA methylation in melanoma. <i>EBioMedicine</i> , 2020 , 59, 102962	8.8	18	
115	Contemporary prognostic indicators for prostate cancer incorporating International Society of Urological Pathology recommendations. <i>Pathology</i> , 2018 , 50, 60-73	1.6	18	
114	Fibroblast growth factor receptor 1 gene amplification in gastric adenocarcinoma. <i>Human Pathology</i> , 2015 , 46, 1488-95	3.7	17	
113	YRNA Expression Profiles are Altered in Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2018 , 4, 260-266	5.1	17	
112	Report From the International Society of Urological Pathology (ISUP) Consultation Conference On Molecular Pathology Of Urogenital Cancers. II. Molecular Pathology of Bladder Cancer: Progress and Challenges. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e30-e46	6.7	16	
111	Comprehensive analysis of tumor necrosis factor receptor TNFRSF9 (4-1BB) DNA methylation with regard to molecular and clinicopathological features, immune infiltrates, and response prediction to immunotherapy in melanoma. <i>EBioMedicine</i> , 2020 , 52, 102647	8.8	16	
110	CD10 expression in non-small cell lung cancer. Analytical Cellular Pathology, 2002, 24, 41-6		16	
109	MAGE expression in head and neck squamous cell carcinoma primary tumors, lymph node metastases and respective recurrences-implications for immunotherapy. <i>Oncotarget</i> , 2017 , 8, 14719-14	1733	16	

(2020-2021)

108	Management of Germ Cell Tumours of the Testis in Adult Patients. German Clinical Practice Guideline Part I: Epidemiology, Classification, Diagnosis, Prognosis, Fertility Preservation, and Treatment Recommendations for Localized Stages. <i>Urologia Internationalis</i> , 2021 , 105, 169-180	1.9	16	
107	DNA Methylation Analysis of Free-Circulating DNA in Body Fluids. <i>Methods in Molecular Biology</i> , 2018 , 1708, 621-641	1.4	16	
106	YRNA expression predicts survival in bladder cancer patients. <i>BMC Cancer</i> , 2017 , 17, 749	4.8	15	
105	DNA methylation of indoleamine 2,3-dioxygenase 1 (IDO1) in head and neck squamous cell carcinomas correlates with IDO1 expression, HPV status, patientsSsurvival, immune cell infiltrates, mutational load, and interferon ßignature. <i>EBioMedicine</i> , 2019 , 48, 341-352	8.8	15	
104	Loss of anterior gradient-2 expression is an independent prognostic factor in colorectal carcinomas. <i>European Journal of Cancer</i> , 2014 , 50, 1722-1730	7.5	15	
103	Prognostic relevance of proliferation markers (Ki-67, PHH3) within the cross-relation of ERG translocation and androgen receptor expression in prostate cancer. <i>Pathology</i> , 2015 , 47, 629-36	1.6	15	
102	The Distinct Gene Regulatory Network of Myoglobin in Prostate and Breast Cancer. <i>PLoS ONE</i> , 2015 , 10, e0142662	3.7	15	
101	The multikinase inhibitor regorafenib decreases angiogenesis and improves portal hypertension. <i>Oncotarget</i> , 2018 , 9, 36220-36237	3.3	15	
100	Evaluation of Global Histone Acetylation Levels in Bladder Cancer Patients. <i>Anticancer Research</i> , 2016 , 36, 3961-4	2.3	15	
99	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers: IV: Current and Future Utilization of Molecular-Genetic Tests for Testicular Germ Cell Tumors. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e66-e79	6.7	14	
98	Intraductal carcinoma of the prostate is an aggressive form of invasive carcinoma and should be graded. <i>Pathology</i> , 2020 , 52, 192-196	1.6	14	
97	Apelin and apelin receptor expression in renal cell carcinoma. <i>British Journal of Cancer</i> , 2019 , 120, 633-6	5 39 7	14	
96	Dataset for the reporting of prostate carcinoma in core needle biopsy and transurethral resection and enucleation specimens: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Pathology</i> , 2019 , 51, 11-20	1.6	14	
95	Bisulfite Conversion of DNA from Tissues, Cell Lines, Buffy Coat, FFPE Tissues, Microdissected Cells, Swabs, Sputum, Aspirates, Lavages, Effusions, Plasma, Serum, and Urine. <i>Methods in Molecular Biology</i> , 2017 , 1589, 139-159	1.4	13	
94	Adipophilin as prognostic biomarker in clear cell renal cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 28672-28682	2 3.3	13	
93	Unique and redundant roles of SOX2 and SOX17 in regulating the germ cell tumor fate. International Journal of Cancer, 2020, 146, 1592-1605	7.5	13	
92	Mitochondrial PIWI-interacting RNAs are novel biomarkers for clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2019 , 37, 1639-1647	4	13	
91	Prognostic and predictive value of PD-L2 DNA methylation and mRNA expression in melanoma. <i>Clinical Epigenetics</i> , 2020 , 12, 94	7.7	12	

90	YRNA expression in prostate cancer patients: diagnostic and prognostic implications. <i>World Journal of Urology</i> , 2018 , 36, 1073-1078	4	12
89	Pathology Imagebase-a reference image database for standardization of pathology. <i>Histopathology</i> , 2017 , 71, 677-685	7.3	12
88	Cyclin K dependent regulation of Aurora B affects apoptosis and proliferation by induction of mitotic catastrophe in prostate cancer. <i>International Journal of Cancer</i> , 2017 , 141, 1643-1653	7.5	12
87	Dataset for the reporting of prostate carcinoma in radical prostatectomy specimens: updated recommendations from the International Collaboration on Cancer Reporting. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 475, 263-277	5.1	11
86	Membranous CD24 expression as detected by the monoclonal antibody SWA11 is a prognostic marker in non-small cell lung cancer patients. <i>BMC Clinical Pathology</i> , 2015 , 15, 19	3	11
85	Identification of areas of grading difficulties in prostate cancer and comparison with artificial intelligence assisted grading. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 477, 777-786	5.1	10
84	CD57 expression in incidental, clinically manifest, and metastatic carcinoma of the prostate. <i>BioMed Research International</i> , 2014 , 2014, 356427	3	10
83	Hypoxia-inducible factor-mediated induction of WISP-2 contributes to attenuated progression of breast cancer. <i>Hypoxia (Auckland, N Z)</i> , 2014 , 2, 23-33	2.1	10
82	Manual microdissection. <i>Methods in Molecular Biology</i> , 2010 , 576, 31-8	1.4	10
81	Cultivation of Clear Cell Renal Cell Carcinoma Patient-Derived Organoids in an Air-Liquid Interface System as a Tool for Studying Individualized Therapy. <i>Frontiers in Oncology</i> , 2020 , 10, 1775	5.3	10
80	Co-staining of microRNAs and their target proteins by miRNA in situ hybridization and immunohistofluorescence on prostate cancer tissue microarrays. <i>Laboratory Investigation</i> , 2019 , 99, 152	2 7 -953	4 ⁹
79	Detailed analysis of adenosine A2a receptor () and CD73 (5Snucleotidase, ecto,) methylation and gene expression in head and neck squamous cell carcinoma patients. <i>OncoImmunology</i> , 2018 , 7, e14525	7 ⁷ 9 ²	9
78	Oxygen supply maps for hypoxic microenvironment visualization in prostate cancer. <i>Journal of Pathology Informatics</i> , 2016 , 7, 3	4.4	9
77	Cell-Free DNA Methylation in Blood as a Molecular Staging Parameter for Risk Stratification in Renal Cell Carcinoma Patients: A Prospective Observational Cohort Study. <i>Clinical Chemistry</i> , 2019 , 65, 559-568	5.5	9
76	DNA methylation is an independent predictor of overall survival in patients with head and neck squamous cell carcinoma. <i>Clinical Epigenetics</i> , 2017 , 9, 12	7.7	8
75	Systematic Expression Analysis of Mitochondrial Complex I Identifies NDUFS1 as a Biomarker in Clear-Cell Renal-Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e551-e562	3.3	8
74	promoter methylation is a prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients after radical prostatectomy. <i>Clinical Epigenetics</i> , 2016 , 8, 104	7.7	8
73	Novel insights into the mixed germ cell-sex cord stromal tumor of the testis: detection of chromosomal aneuploidy and further morphological evidence supporting the neoplastic nature of the germ cell component. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur	5.1	8

72	Comparative genomic profiling of glandular bladder tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 477, 445-454	5.1	8
71	Management of Germ Cell Tumours of the Testes in Adult Patients: German Clinical Practice Guideline, PART II - Recommendations for the Treatment of Advanced, Recurrent, and Refractory Disease and Extragonadal and Sex Cord/Stromal Tumours and for the Management of Follow-Up,	1.9	8
70	Report From the International Society of Urological Pathology (ISUP) Consultation Conference on Molecular Pathology of Urogenital Cancers V: Recommendations on the Use of Immunohistochemical and Molecular Biomarkers in Penile Cancer. <i>American Journal of Surgical</i>	6.7	7
69	is high-grade prostatic intraepithelial neoplasia (HGPIN) a reliable precursor for prostate carcinoma? Implications for clonal evolution and early detection strategies. <i>Journal of Pathology</i> , 2018 , 244, 389-393	9.4	7
68	Significance of PITX2 Promoter Methylation in Colorectal Carcinoma Prognosis. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e385-e393	3.8	7
67	Classic bladder exstrophy and adenocarcinoma of the bladder: Methylome analysis provide no evidence for underlying disease-mechanisms of this association. <i>Cancer Genetics</i> , 2019 , 235-236, 18-20	2.3	7
66	Tissue-Based MicroRNAs as Predictors of Biochemical Recurrence after Radical Prostatectomy: What Can We Learn from Past Studies?. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	7
65	DNA Methylation of PITX2 and PANCR Is Prognostic for Overall Survival in Patients with Resected Adenocarcinomas of the Biliary Tract. <i>PLoS ONE</i> , 2016 , 11, e0165769	3.7	7
64	Diagnostic accuracy of [Tc]Tc-Sestamibi in the assessment of thyroid nodules. <i>Oncotarget</i> , 2017 , 8, 9468	31 3. 946	59 1
63	Integrative clinical transcriptome analysis reveals TMPRSS2-ERG dependency of prognostic biomarkers in prostate adenocarcinoma. <i>International Journal of Cancer</i> , 2020 , 146, 2036-2046	7.5	7
62	Identification of miR-21-5p and miR-210-3p serum levels as biomarkers for patients with papillary renal cell carcinoma: a multicenter analysis. <i>Translational Andrology and Urology</i> , 2020 , 9, 1314-1322	2.3	7
61	CircEHD2, CircNETO2 and CircEGLN3 as Diagnostic and Prognostic Biomarkers for Patients with Renal Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	7
60	Karyopherin Alpha 2 Is an Adverse Prognostic Factor in Clear-Cell and Papillary Renal-Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e167-e175	3.3	7
59	Loss of cadherin related family member 5 (CDHR5) expression in clear cell renal cell carcinoma is a prognostic marker of disease progression. <i>Oncotarget</i> , 2017 , 8, 75076-75086	3.3	6
58	Ectopic Myoglobin Expression Is Associated with a Favourable Outcome in Head and Neck Squamous Cell Carcinoma Patients. <i>Anticancer Research</i> , 2016 , 36, 6235-6241	2.3	6
57	The role of myoglobin in epithelial cancers: Insights from transcriptomics. <i>International Journal of Molecular Medicine</i> , 2020 , 45, 385-400	4.4	6
56	Treatment Response Monitoring in Patients with Advanced Malignancies Using Cell-Free SHOX2 and SEPT9 DNA Methylation in Blood: An Observational Prospective Study. <i>Journal of Molecular Diagnostics</i> , 2020 , 22, 920-933	5.1	5
55	Antibody selection influences the detection of AR-V7 in primary prostate cancer. <i>Cancer Treatment and Research Communications</i> , 2020 , 24, 100186	2	5

54	Exome sequencing characterizes the somatic mutation spectrum of early serrated lesions in a patient with serrated polyposis syndrome (SPS). <i>Hereditary Cancer in Clinical Practice</i> , 2017 , 15, 22	2.3	5
53	TGR(mREN2)27 rats develop non-alcoholic fatty liver disease-associated portal hypertension responsive to modulations of Janus-kinase 2 and Mas receptor. <i>Scientific Reports</i> , 2019 , 9, 11598	4.9	5
52	Management of Capsular Contracture in Cases of Silicone Gel Breast Implant Rupture with Use of Pulse Lavage and Open Capsulotomy. <i>Aesthetic Plastic Surgery</i> , 2019 , 43, 1173-1185	2	5
51	Correlation between enhancement characteristics of MR mammography and capillary density of breast lesions. <i>European Journal of Radiology</i> , 2014 , 83, 2129-2136	4.7	5
50	Increased IgG4-positive plasma cells in nodular-sclerosing Hodgkin lymphoma: a diagnostic pitfall. <i>Histopathology</i> , 2020 , 76, 244-250	7.3	5
49	CTLA4 promoter methylation predicts response and progression-free survival in stage IV melanoma treated with anti-CTLA-4 immunotherapy (ipilimumab). <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 1781-1788	7.4	5
48	Handling and reporting of pelvic lymphadenectomy specimens in prostate and bladder cancer: a web-based survey by the European Network of Uropathology. <i>Histopathology</i> , 2019 , 74, 844-852	7.3	4
47	Hereditary Diffuse Gastric Cancer: A Comparative Cohort Study According to Pathogenic Variant Status. <i>Cancers</i> , 2020 , 12,	6.6	4
46	Targeting glycolysis with 2-deoxy-D-glucose sensitizes primary cell cultures of renal cell carcinoma to tyrosine kinase inhibitors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2255-2265	4.9	4
45	Systematic expression analysis of the mitochondrial respiratory chain protein subunits identifies COX5B as a prognostic marker in clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2019 , 26, 910-916	2.3	4
44	Tissue Factor Expression Does Not Predict Mortality in Breast Cancer Patients. <i>Anticancer Research</i> , 2017 , 37, 3259-3264	2.3	4
43	A matched-pair analysis on survival and response rates between German and non-German cancer patients treated at a Comprehensive Cancer Center. <i>BMC Cancer</i> , 2019 , 19, 1024	4.8	4
42	Prostate Cancer Grading: A Decade After the 2005 Modified Gleason Grading System. <i>Archives of Pathology and Laboratory Medicine</i> , 2017 , 141, 182-183	5	3
41	Short-Term Western Diet Aggravates Non-Alcoholic Fatty Liver Disease (NAFLD) With Portal Hypertension in TGR(mREN2)27 Rats. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
40	Glutathione S-transferase-pi protein expression in prostate cancernot always a useful diagnostic tool. <i>Histopathology</i> , 2015 , 67, 577-9	7.3	3
39	Bi-allelic loss-of-function variants in cause severe fetal akinesia with arthrogryposis multiplex. <i>Journal of Medical Genetics</i> , 2021 ,	5.8	3
38	Fibroblast activation protein inhibitor (FAPi) positive tumour fraction on PET/CT correlates with Ki-67 in liver metastases of neuroendocrine tumours. <i>Nuklearmedizin - NuclearMedicine</i> , 2021 , 60, 344-3	35 ¹ 4 ⁸	3
37	Results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 235-242	4.9	3

36	Prognostic role of TSPAN1, KIAA1324 and ESRP1 in prostate cancer. <i>Apmis</i> , 2021 , 129, 204-212	3.4	3
35	Myoglobin, expressed in brown adipose tissue of mice, regulates the content and activity of mitochondria and lipid droplets. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1866, 159026	5	3
34	Reply: SA plea for greater standardization in intraductal carcinoma of the prostate -greater standardization requires greater evidenceS letSs use the available evidence. <i>Histopathology</i> , 2017 , 70, 1013-1014	7.3	2
33	Long Term Remission and Cardiac Toxicity of a Combination of Ipilimumab and Nivolumab in a Patient With Metastatic Head and Neck Carcinoma After Progression Following Nivolumab Monotherapy. <i>Frontiers in Oncology</i> , 2019 , 9, 403	5.3	2
32	Downstream neighbor of SON (DONSON) is associated with unfavorable survival across diverse cancers with oncogenic properties in clear cell renal cell carcinoma. <i>Translational Oncology</i> , 2020 , 13, 100844	4.9	2
31	The contrasting roles of Dysferlin during tumor progression in renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 687.e1-687.e11	2.8	2
30	Knockdown of Myoferlin Suppresses Migration and Invasion in Clear-Cell Renal-Cell Carcinoma. <i>Anticancer Research</i> , 2020 , 40, 3119-3128	2.3	2
29	Rearranged ERG confers robustness to prostate cancer cells by subverting the function of p53. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 736.e1-736.e10	2.8	2
28	Mitophagy-associated genes PINK1 and PARK2 are independent prognostic markers of survival in papillary renal cell carcinoma and associated with aggressive tumor behavior. <i>Scientific Reports</i> , 2020 , 10, 18857	4.9	2
27	Tumor Infiltrating Neutrophils Are Frequently Found in Adenocarcinomas of the Biliary Tract and Their Precursor Lesions with Possible Impact on Prognosis. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
26	Termination rates and histological reclassification of active surveillance patients with low- and early intermediate-risk prostate cancer: results of the PREFERE trial. <i>World Journal of Urology</i> , 2021 , 39, 65-7	'2 ⁴	2
25	Repression Leads to Enhanced NOTCH Signaling in Fusion Positive Prostate Cancer Cells. <i>Cancers</i> , 2021 , 13,	6.6	2
24	Inter-observer agreement for the histological diagnosis of invasive lobular breast carcinoma. <i>Journal of Pathology: Clinical Research</i> , 2021 ,	5.3	2
23	Chromosomal gains of 12p and 1q are not associated with inferior outcome of pediatric and adolescent germ cell tumors. <i>Pediatric Blood and Cancer</i> , 2019 , 66, e27777	3	1
22	The International Society of Urological Pathology Consultation on Molecular Pathology of Urogenital Cancer. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 859-861	6.7	1
21	High grade adenocarcinoma in the ectopic prostate accompanied by a low grade adenocarcinoma in the orthotopic prostate: an unusual diagnostic pitfall. <i>Pathology</i> , 2017 , 49, 665-668	1.6	1
20	Molecular pathology of invasive lobular breast carcinoma. <i>Breast Disease</i> , 2008 , 30, 9-14	1.6	1
19	Comprehensive Analysis of the ATP-binding Cassette Subfamily B Across Renal Cancers Identifies ABCB8 Overexpression in Phenotypically Aggressive Clear Cell Renal Cell Carcinoma. <i>European Urology Focus</i> , 2021 , 7, 1121-1129	5.1	1

18	Downstream Neighbor of SON (DONSON) Expression Is Enhanced in Phenotypically Aggressive Prostate Cancers. <i>Cancers</i> , 2020 , 12,	6.6	1
17	DNA Promoter Methylation and ERG Regulate the Expression of CD24 in Prostate Cancer. <i>American Journal of Pathology</i> , 2021 , 191, 618-630	5.8	1
16	Systematic expression analysis of mA RNA methyltransferases in clear cell renal cell carcinoma <i>BJUI Compass</i> , 2021 , 2, 402-411	0.9	1
15	No evidence to support the impact of migration background on treatment response rates and cancer survival: a retrospective matched-pair analysis in Germany. <i>BMC Cancer</i> , 2021 , 21, 526	4.8	1
14	High-grade Adenocarcinoma of the Prostate Mimicking Urothelial Carcinoma is Negative for TERT Mutations. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 523-528	1.9	1
13	The signal transducer CD24 suppresses the germ cell program and promotes an ectodermal rather than mesodermal cell fate in embryonal carcinomas. <i>Molecular Oncology</i> , 2021 ,	7.9	1
12	Extrahepatic Surgery in Cirrhosis Significantly Increases Portal Pressure in Preclinical Animal Models. <i>Frontiers in Physiology</i> , 2021 , 12, 720898	4.6	1
11	Programmed Cell Death Ligand-1 (PDL-1) Correlates With Tumor Infiltration by Immune Cells and Represents a Promising Target for Immunotherapy in Endometrial Cancer <i>Anticancer Research</i> , 2022 , 42, 1367-1376	2.3	1
10	Next-generation nuclear morphology to grade solid tumours. <i>Lancet Oncology, The</i> , 2018 , 19, 275-277	21.7	O
9	CD3 and CD20 immune cell densities in primary tumors, lymph node metastasis, and recurrent disease samples of head and neck squamous cell carcinoma <i>Journal of Clinical Oncology</i> , 2020 , 38, 655	1 - 6551	O
8	An overview of translational prostate cancer cohorts for prognostic and predictive studies. <i>Histopathology</i> , 2019 , 74, 161-170	7.3	O
7	Otoferlin is a prognostic biomarker in patients with clear cell renal cell carcinoma: A systematic expression analysis. <i>International Journal of Urology</i> , 2021 , 28, 424-431	2.3	O
6	Cardiac Myeloid Sarcoma: Multimodal Imaging and Histopathologic Findings. <i>Radiology: Cardiothoracic Imaging</i> , 2021 , 3, e200540	8.3	O
5	Effect of Peripheral Artery Sympathetic Denervation on Muscle Microperfusion and Macroperfusion in an Animal Peripheral Artery Disease Model Using Contrast-Enhanced Ultrasound and Doppler Flow Measurement. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 1396-402.e.	2.4 2	
4	Detection of AR-V7 in primary prostate cancer. <i>Cancer Treatment and Research Communications</i> , 2021 , 28, 100230	2	
3	Long-Term Analysis of Ab-2 (Clone SN3b) Immunoreactivity as a Prognostic Factor in Breast Carcinoma. <i>Breast Care</i> , 2015 , 10, 273-6	2.4	
2	Reply to Andreas Boehle, Frank Kahmann, Thomas Oliver Henkel, Joerg Zimmermann and Stefan Machtens to the Letter to the editor Re: results of a randomized trial of treatment modalities in patients with low or early-intermediate risk prostate cancer (PREFERE trial). <i>Journal of Cancer</i>	4.9	
1	Research and Clinical Oncology, 2021 , 147, 1273-1274 HGG-21. Oncogenic tyrosine kinase gene fusions in infant-type hemispheric gliomas - comparison of RNA- and DNA-based methods for their reliable detection. <i>Neuro-Oncology</i> , 2022 , 24, i65-i65	1	