

# Xiao-lin Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9168298/publications.pdf>

Version: 2024-02-01

254  
papers

10,347  
citations

31949

53  
h-index

43868

91  
g-index

256  
all docs

256  
docs citations

256  
times ranked

12967  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced thermoelectric performance and mechanical strength of n-type BiTeSe materials produced via a composite strategy. <i>Chemical Engineering Journal</i> , 2022, 428, 131205.	6.6	26
2	Ultra-small cobalt particles embedded in titania by ion beam synthesis: Additional datasets including electron microscopy, neutron reflectometry, modelling outputs and particle size analysis. <i>Data in Brief</i> , 2022, 40, 107674.	0.5	1
3	Improving Superconducting Performance of Fe(Se, Te) with In Situ Formed Grain-Boundary Strengthening and Flux Pinning Centers. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 2246-2254.	4.0	7
4	Regulating Na Occupation to Introduce Non-Fermi-Liquid States of $\text{Na}_x\text{CoO}_2$ for Enhanced Water Oxidation Activity. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 784-791.	2.1	3
5	The positive exchange bias property with hopping switching behavior in van der Waals magnet FeGeTe. <i>2D Materials</i> , 2022, 9, 015037.	2.0	1
6	Noncontact rotation, levitation, and acceleration of flowing liquid metal wires. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	17
7	Optimizing topological switching in confined 2D-Xene nanoribbons via finite-size effects. <i>Applied Physics Reviews</i> , 2022, 9, .	5.5	7
8	Experimental Confirmation of the Universal Law for the Vibrational Density of States of Liquids. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 3105-3111.	2.1	13
9	Possible permanent Dirac- to Weyl-semimetal phase transition by ion implantation. <i>NPG Asia Materials</i> , 2022, 14, .	3.8	4
10	Lamellae preparation for atomic-resolution STEM imaging from ion-beam-sensitive topological insulator crystals. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2022, 40, 033203.	0.9	0
11	Beneficial Effect of $\text{Na}_2\text{CO}_3$ Additions on the Thermoelectric Performance of $\text{Mg}_{0.9}\text{Cu}_2\text{Se}$ . <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	4
12	Berry phase in quantum oscillations of topological materials. <i>Advances in Physics: X</i> , 2022, 7, .	1.5	2
13	Tunable artificial topological Hall effects in van der Waals heterointerfaces. <i>Physical Review B</i> , 2022, 105, .	1.1	7
14	Superior carrier tuning in ultrathin superconducting materials by electric-field gating. <i>Nature Reviews Physics</i> , 2022, 4, 336-352.	11.9	12
15	Tuning Phase Transition and Thermo-chromic Properties of Vanadium Dioxide Thin Films via Cobalt Doping. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 19736-19746.	4.0	16
16	Magnetotransport and Berry phase tuning in Gd-doped $\text{Bi}_{2-x}\text{Sb}_x$ topological insulator single crystals. <i>Physical Review Materials</i> , 2022, 6, .	2.9	18
17	Majorana zero modes in iron-based superconductors. <i>Matter</i> , 2022, 5, 1734-1759.	5.0	7
18	Topological insulator $\text{V}_x\text{Bi}_{1.08-\text{x}}\text{Sn}_{0.02}\text{Sb}_{0.9}\text{Te}_2\text{S}$ as a promising n-type thermoelectric material. <i>Journal of Alloys and Compounds</i> , 2022, 918, 165550.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Synergic optimization of elastic modulus and superconducting properties in graphene@Fe(Se,Te) hybrid materials. Scripta Materialia, 2022, 220, 114922.	2.6	0
20	Atomically Thin Superconductors. Small, 2021, 17, 1904788.	5.2	7
21	Nodal ring spin gapless semiconductor: New member of spintronic materials. Journal of Advanced Research, 2021, 28, 43-49.	4.4	23
22	Crystal face dependent intrinsic wettability of metal oxide surfaces. National Science Review, 2021, 8, nwaal66.	4.6	33
23	Cross-over from weak localization to anti-localization in rare earth doped TRS protected topological insulators. Physics Letters, Section A: General, Atomic and Solid State Physics, 2021, 385, 126953.	0.9	6
24	Understanding the Mechanism of the Oxygen Evolution Reaction with Consideration of Spin. Electrochemical Energy Reviews, 2021, 4, 136-145.	13.1	110
25	Magneto-transport and electronic structures in MoSi <sub>2</sub> bulks and thin films with different orientations. Journal of Alloys and Compounds, 2021, 858, 157670.	2.8	4
26	Chemical Solution Route for High-Quality Multiferroic BiFeO <sub>3</sub> Thin Films. Small, 2021, 17, e1903663.	5.2	38
27	Observation of itinerant ferromagnetism and coupled magnetoresistance in a spinel CuCo <sub>2</sub> S <sub>4</sub> . Journal of Materials Chemistry C, 2021, 9, 8874-8881.	2.7	3
28	Theranostic two-dimensional superparamagnetic maghemite quantum structures for ROS-mediated cancer therapy. Journal of Materials Chemistry B, 2021, 9, 5805-5817.	2.9	3
29	Significant Enhancement of Thermoelectric Figure of Merit in BiSbTe-Based Composites by Incorporating Carbon Microfiber. Advanced Functional Materials, 2021, 31, 2008851.	7.8	57
30	Overcoming Boltzmann's Tyranny in a Transistor via the Topological Quantum Field Effect. Nano Letters, 2021, 21, 3155-3161.	4.5	36
31	From Fundamental Research to Applications: The Success Story of the Institute for Superconducting and Electronic Materials. Small, 2021, 17, e2007636.	5.2	1
32	Significant Reduction in Thermal Conductivity and Improved Thermopower of Electron-Doped Ba <sub>1-x</sub> La <sub>x</sub> TiO <sub>3</sub> with Nanostructured Rectangular Pores. Advanced Electronic Materials, 2021, 7, 2001044.	2.6	1
33	High-Electrification Performance and Mechanism of a Water-Solid Mode Triboelectric Nanogenerator. ACS Nano, 2021, 15, 8706-8714.	7.3	43
34	Giant linear magnetoresistance in half-metallic Sr <sub>2</sub> CrMoO <sub>6</sub> thin films. Npj Quantum Materials, 2021, 6, .	1.8	15
35	Defect-Rich La <sub>2</sub> O <sub>3</sub> Nanoparticles with Antioxidant Activity for Human Keratinocytes. ACS Applied Nano Materials, 2021, 4, 6345-6356.	2.4	5
36	Skyrmion battery effect via inhomogeneous magnetic anisotropy. Applied Physics Reviews, 2021, 8, .	5.5	6

#	ARTICLE	IF	CITATIONS
37	Gate-Controlled Magnetic Phase Transition in a van der Waals Magnet $\text{Fe}_5\text{GeTe}_2$ . Nano Letters, 2021, 21, 5599-5605.	4.5	45
38	Massive Dirac fermions and strong Shubnikov-de Haas oscillations in single crystals of the topological insulator $\text{Bi}_2\text{Te}_3$ doped with Sm and Fe. Physical Review B, 2021, 104, .	11.6	6
39	Copper diffusion rates and hopping pathways in superionic $\text{Cu}_2\text{Se}$ . Acta Materialia, 2021, 215, 117026.	3.8	15
40	Competitive Wetting: A New Approach to Prevent Liquid Penetration through Porous Materials with Superior Synergistic Effect. Small, 2021, 17, e2103695.	5.2	2
41	Significant enhancement of electrical conductivity by incorporating carbon fiber into $\text{CoSb}_3$ thermoelectric skutterudite fabricated by spark plasma sintering method. Journal of Materials Science, 2021, 56, 20138-20153.	1.7	1
42	Colossal Magnetoresistance in Ti Lightly Doped $\text{Cr}_2\text{Se}_3$ Single Crystals with a Layered Structure. ACS Applied Materials & Interfaces, 2021, 13, 58949-58955.	4.0	7
43	Boosting the superconducting properties of $\text{Fe}(\text{Se}, \text{Te})$ through hexagonal phase manipulation. Journal of Alloys and Compounds, 2020, 816, 152683.	2.8	7
44	Understanding the structural and chemical evolution of layered potassium titanates for sodium ion batteries. Energy Storage Materials, 2020, 25, 502-509.	9.5	17
45	Voltage-induced penetration effect in liquid metals at room temperature. National Science Review, 2020, 7, 366-372.	4.6	31
46	Laser/argon-arc strengthening of titanium alloy surface with Deloro matrix composites. Optics and Laser Technology, 2020, 123, 105911.	2.2	12
47	Rapid production of few layer graphene for energy storage via dry exfoliation of expansible graphite. Composites Science and Technology, 2020, 185, 107895.	3.8	16
48	Development and Investigation of a NASICON-type High-Voltage Cathode Material for High-Power Sodium-Ion Batteries. Angewandte Chemie, 2020, 132, 2470-2477.	1.6	26
49	Development and Investigation of a NASICON-type High-Voltage Cathode Material for High-Power Sodium-Ion Batteries. Angewandte Chemie - International Edition, 2020, 59, 2449-2456.	7.2	101
50	High-speed heterojunction photodiodes made of single- or multiple-layer $\text{MoS}_2$ directly-grown on Si quantum dots. Journal of Alloys and Compounds, 2020, 820, 153074.	2.8	14
51	Novel topological nodal lines and exotic drum-head-like surface states in synthesized CsCl-type binary alloy TiOs. Journal of Advanced Research, 2020, 22, 137-144.	4.4	44
52	Surface reinforcements of TA15 titanium alloy with laser induced Co base multiphase composites. Optics and Laser Technology, 2020, 132, 106480.	2.2	17
53	Spin-gapless semiconductors for future spintronics and electronics. Physics Reports, 2020, 888, 1-57.	10.3	64
54	High Oxygen Evolution Activity of Tungsten Bronze Oxides Boosted by Anchoring of $\text{Co}^{2+}$ at $\text{Nb}^{5+}$ Sites Accompanied by Substantial Oxygen Vacancy. Advanced Science, 2020, 7, 2002242.	5.6	18

#	ARTICLE	IF	CITATIONS
55	Magnetic plasmon resonances in nanostructured topological insulators for strongly enhanced light-MoS <sub>2</sub> interactions. <i>Light: Science and Applications</i> , 2020, 9, 191.	7.7	52
56	Magnetic interplay of Mn and Yb sites in YbMn <sub>2</sub> Si <sub>2</sub> - Crystal field splitting. <i>Journal of Alloys and Compounds</i> , 2020, 845, 155316.	2.8	1
57	Unique topological nodal line states and associated exceptional thermoelectric power factor platform in Nb <sub>3</sub> GeTe <sub>6</sub> monolayer and bulk. <i>Nanoscale</i> , 2020, 12, 16910-16916.	2.8	22
58	Grape juice: an effective liquid additive for significant enhancement of thermoelectric performance of Cu <sub>2</sub> Se. <i>Journal of Materials Chemistry A</i> , 2020, 8, 16913-16919.	5.2	14
59	Ultra-High Thermoelectric Performance in Bulk BiSbTe/Amorphous Boron Composites with Nano-Defect Architectures. <i>Advanced Energy Materials</i> , 2020, 10, 2000757.	10.2	67
60	Quantum Anomalous Hall Effect in Magnetic Doped Topological Insulators and Ferromagnetic Spin-Gapless Semiconductors - A Perspective Review. <i>Small</i> , 2020, 16, e1904322.	5.2	33
61	Nonvolatile Multistates Memories for High-Density Data Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42449-42471.	4.0	101
62	Thermoelectrics: Ultra-High Thermoelectric Performance in Bulk BiSbTe/Amorphous Boron Composites with Nano-Defect Architectures (Adv. Energy Mater. 41/2020). <i>Advanced Energy Materials</i> , 2020, 10, 2070171.	10.2	3
63	Significant Improvement in Electrical Conductivity and Figure of Merit of Nanoarchitected Porous SrTiO <sub>3</sub> by La Doping Optimization. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 28057-28064.	4.0	23
64	Creating thin magnetic layers at the surface of Sb <sub>2</sub> Te <sub>3</sub> topological insulators using a low-energy chromium ion beam. <i>Applied Physics Letters</i> , 2020, 116, .	1.5	6
65	Effects of doping and biaxial strain on the electronic properties of GaN/graphene/WS <sub>2</sub> trilayer vdW heterostructure. <i>Journal of Materials Science</i> , 2020, 55, 11999-12007.	1.7	12
66	Graphene inclusion induced ultralow thermal conductivity and improved figure of merit in <i>i</i> -type SnSe. <i>Nanoscale</i> , 2020, 12, 12760-12766.	2.8	16
67	Strain tuning of closed topological nodal lines and opposite pockets in quasi-two-dimensional $\Gamma_{\pm}$ -phase FeSi <sub>2</sub> . <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 13650-13658.	1.3	16
68	Spin-Gapless Semiconductors. <i>Small</i> , 2020, 16, e1905155.	5.2	41
69	Intersecting nodal rings in orthorhombic-type BaLi <sub>2</sub> Sn compound. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5461-5466.	2.7	16
70	Rich novel zero-dimensional (0D), 1D, and 2D topological elements predicted in the P6 <sub>3</sub> /m type ternary boride HfIr <sub>3</sub> B <sub>4</sub> . <i>Nanoscale</i> , 2020, 12, 8314-8319.	2.8	21
71	Enhancing the Thermoelectric Performance of Polycrystalline SnSe by Decoupling Electrical and Thermal Transport through Carbon Fiber Incorporation. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12910-12918.	4.0	22
72	Rich topological nodal line bulk states together with drum-head-like surface states in NaAlGe with anti-PbFCI type structure. <i>Journal of Advanced Research</i> , 2020, 23, 95-100.	4.4	39

#	ARTICLE	IF	CITATIONS
73	Effect of Al substitution for Ga on magnetostriction enhancement by annealing of as-cast Fe <sub>1-x</sub> Ga <sub>x</sub> Al alloys under low magnetic fields. International Journal of Materials Research, 2020, 111, 332-338.	0.1	0
74	Interactions in stanene centred van der Waals trilayers structures of boron-nitride and graphene: effect of mirror symmetry on electronic interactions. Journal of Physics Condensed Matter, 2020, 32, 265001.	0.7	1
75	Effect of Al substitution for Ga on magnetostriction enhancement by annealing of as-cast Fe <sub>1-x</sub> Ga <sub>x</sub> Al alloys under low magnetic fields. International Journal of Materials Research, 2020, 111, 332-338.	0.1	0
76	High thermoelectric performance of Ag doped SnTe polycrystalline bulks via the synergistic manipulation of electrical and thermal transport. Physical Chemistry Chemical Physics, 2019, 21, 17978-17984.	1.3	35
77	Possible Excitonic Insulating Phase in Quantum-Confined Sb Nanoflakes. Nano Letters, 2019, 19, 4960-4964.	4.5	20
78	In-situ hydrostatic pressure induced significant suppression of magnetic relaxation and enhancement of flux pinning in Fe <sub>1-x</sub> Co <sub>x</sub> Se <sub>0.5</sub> Te <sub>0.5</sub> single crystals. Scripta Materialia, 2019, 171, 57-61.	2.6	5
79	Modulation of Crystal and Electronic Structures in Topological Insulators by Rare-Earth Doping. ACS Applied Electronic Materials, 2019, 1, 1929-1936.	2.0	7
80	Optimized Electronic Configuration to Improve the Surface Absorption and Bulk Conductivity for Enhanced Oxygen Evolution Reaction. Journal of the American Chemical Society, 2019, 141, 3121-3128.	6.6	68
81	Experimental realization of ultra-broadband and extremely low reflectance in surface modified glasses. Nano Energy, 2019, 62, 588-593.	8.2	3
82	Laser nanocomposites-reinforcing/manufacturing of SLM 18Ni300 alloy under aging treatment. Materials Characterization, 2019, 153, 69-78.	1.9	23
83	Excess conductivity in nano-carbon doped MgB <sub>2</sub> superconductor. European Physical Journal B, 2019, 92, 1.	0.6	2
84	Laser reinforcement of light industrial part surface with synthetic amorphous/nanocrystalline composites. Applied Physics B: Lasers and Optics, 2019, 125, 1.	1.1	2
85	Enhancement of superconducting properties in polycrystalline Fe(Se, Te) via a dual coordination effect. Scripta Materialia, 2019, 169, 19-22.	2.6	8
86	Effect on Schottky Barrier of Graphene/WS <sub>2</sub> Heterostructure With Vertical Electric Field and Biaxial Strain. Physica Status Solidi (B): Basic Research, 2019, 256, 1900161.	0.7	14
87	Ultrahigh figure of merit of Cu <sub>2</sub> Se incorporated with carbon coated boron nanoparticles. Informa Materally, 2019, 1, 108-115.	8.5	47
88	Laser deposition-additive manufacturing of ceramics/nanocrystalline intermetallics reinforced microlaminates. Optics and Laser Technology, 2019, 117, 158-164.	2.2	18
89	Quantum confinements in non-doped single crystals of the topological insulator Sb <sub>2</sub> Te <sub>3</sub>	1.1	26
90	Boosting Superconducting Properties of Fe(Se, Te) via Dual-Oscillation Phenomena Induced by Fluorine Doping. ACS Applied Materials & Interfaces, 2019, 11, 18825-18832.	4.0	11

#	ARTICLE	IF	CITATIONS
91	Annealing effects on the structural and dielectric properties of (Nb + In) co-doped rutile TiO <sub>2</sub> ceramics. RSC Advances, 2019, 9, 8364-8368.	1.7	12
92	Enhancing oxygen evolution efficiency of multiferroic oxides by spintronic and ferroelectric polarization regulation. Nature Communications, 2019, 10, 1409.	5.8	76
93	NASICON-type air-stable and all-climate cathode for sodium-ion batteries with low cost and high-power density. Nature Communications, 2019, 10, 1480.	5.8	260
94	Novel three-dimensional polyaniline nanothorns vertically grown on buckypaper as high-performance supercapacitor electrode. Nanotechnology, 2019, 30, 325401.	1.3	17
95	Laser deposition-additive manufacturing of Ti-B/TiC ceramics reinforced microlaminates. International Journal of Applied Ceramic Technology, 2019, 16, 1314-1320.	1.1	2
96	Spin-wave propagation in $\text{Fe}_2\text{O}_3$ nanorods: the effect of confinement and disorder. Journal of Physics Condensed Matter, 2019, 31, 184003.	0.7	2
97	Enhanced superconductivity induced by several-unit-cells diffusion in an FeTe/FeSe bilayer heterostructure. Physical Review B, 2019, 99, .	1.1	15
98	Quantum oscillations of robust topological surface states up to 50%K in thick bulk-insulating topological insulator. Npj Quantum Materials, 2019, 4, .	1.8	20
99	Enhancement of thermoelectric properties of La-doped SrTiO <sub>3</sub> bulk by introducing nanoscale porosity. Royal Society Open Science, 2019, 6, 190870.	1.1	24
100	<i>R</i> -type LnNiO <sub>3</sub> (Ln = La, Ce, Nd, Pm, Gd, Tb, Dy, Ho, Er, Lu) half-metals with multiple Dirac cones: a potential class of advanced spintronic materials. IUCrJ, 2019, 6, 990-995.	1.0	13
101	Evolution of the composition, structure, and piezoelectric performance of (K <sub>1-x</sub> Nax)NbO <sub>3</sub> nanorod arrays with hydrothermal reaction time. Applied Physics Letters, 2018, 112, .	1.5	7
102	Hydrostatic pressure-induced huge enhancement of critical current density and flux pinning in Fe <sub>1-x</sub> Co <sub>x</sub> Se <sub>0.5</sub> Te <sub>0.5</sub> single crystals. Superconductor Science and Technology, 2018, 31, 025009.	1.8	9
103	Active-Site-Enriched Iron-Doped Nickel/Cobalt Hydroxide Nanosheets for Enhanced Oxygen Evolution Reaction. ACS Catalysis, 2018, 8, 5382-5390.	5.5	311
104	Electrochemically Inert $\text{g-C}_3\text{N}_4$ Promotes Water Oxidation Catalysis. Advanced Functional Materials, 2018, 28, 1705583.	7.8	84
105	A novel liquid metal patterning technique: voltage induced non-contact electrochemical lithography at room temperature. Materials Horizons, 2018, 5, 36-40.	6.4	32
106	Realization of flat band with possible nontrivial topology in electronic Kagome lattice. Science Advances, 2018, 4, eaau4511.	4.7	131
107	Long range intrinsic ferromagnetism in two dimensional materials and dissipationless future technologies. Applied Physics Reviews, 2018, 5, .	5.5	119
108	Enzyme-catalysed room temperature and atmospheric pressure synthesis of metal carbonate hydroxides for energy storage. Nano Energy, 2018, 54, 200-208.	8.2	24



#	ARTICLE	IF	CITATIONS
109	Recent advances in Dirac spin-gapless semiconductors. Applied Physics Reviews, 2018, 5, 041103.	5.5	85
110	Nanograting-assisted generation of surface plasmon polaritons in Weyl semimetal WTe <sub>2</sub> . Optical Materials, 2018, 86, 421-423.	1.7	25
111	NiFe <sub>2</sub> O <sub>4</sub> nanoparticles coated on 3D graphene capsule as electrode for advanced energy storage applications. Dalton Transactions, 2018, 47, 14052-14059.	1.6	21
112	Ultra-high thermoelectric performance in graphene incorporated Cu <sub>2</sub> Se: Role of mismatching phonon modes. Nano Energy, 2018, 53, 993-1002.	8.2	145
113	A Novel Graphene Oxide Wrapped Na <sub>2</sub> Fe(SO <sub>4</sub> ) <sub>3</sub> /C Cathode Composite for Long Life and High Energy Density Sodium-ion Batteries. Advanced Energy Materials, 2018, 8, 1800944.	10.2	101
114	Significantly enhanced figure-of-merit in graphene nanoplate incorporated Cu <sub>2</sub> Se fabricated by spark plasma sintering. Journal of Alloys and Compounds, 2018, 769, 59-64.	2.8	21
115	Discovery of a Voltage-Stimulated Heartbeat Effect in Droplets of Liquid Gallium. Physical Review Letters, 2018, 121, 024302.	2.9	54
116	Thickness-dependent electronic structure in WTe <sub>2</sub> thin films. Physical Review B, 2018, 98, .	1.1	24
117	Dirac Signature in Germanene on Semiconducting Substrate. Advanced Science, 2018, 5, 1800207.	5.6	59
118	Giant enhancement of the figure-of-merit over a broad temperature range in nano-boron incorporated Cu <sub>2</sub> Se. Journal of Materials Chemistry A, 2018, 6, 18409-18416.	5.2	49
119	In situ hydrostatic pressure induced improvement of critical current density and suppression of magnetic relaxation in Y(Dy <sub>0.5</sub> )Ba <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> coated conductors. Superconductor Science and Technology, 2018, 31, 075003.	1.8	0
120	High areal capacitance and rate capability using filled Ni foam current collector. Electrochimica Acta, 2018, 281, 761-768.	2.6	10
121	Strain Control of Giant Magnetic Anisotropy in Metallic Perovskite SrCoO <sub>3</sub> Thin Films. ACS Applied Materials & Interfaces, 2018, 10, 22348-22355.	4.0	19
122	Improvement of thermoelectric properties and their correlations with electron effective mass in Cu <sub>1.98</sub> SxSe <sub>1-x</sub> . Scientific Reports, 2017, 7, 40436.	1.6	31
123	Enhancing s, p-d exchange interactions at room temperature by carrier doping in single crystalline Co <sub>0.4</sub> Zn <sub>0.6</sub> O epitaxial films. Applied Physics Letters, 2017, 110, 092402.	1.5	4
124	A novel reusable superhydrophilic NiO/Ni mesh produced by a facile fabrication method for superior oil/water separation. Journal of Materials Chemistry A, 2017, 5, 10821-10826.	5.2	103
125	Facile Synthesis of Three-Dimensional Sandwiched MnO <sub>2</sub> @GCs@MnO <sub>2</sub> Hybrid Nanostructured Electrode for Electrochemical Capacitors. ACS Applied Materials & Interfaces, 2017, 9, 18872-18882.	4.0	52
126	Phase boundary and annealing dependent piezoelectricity in lead-free (K,Na)NbO <sub>3</sub> nanorod arrays. Applied Physics Letters, 2017, 110, .	1.5	14



#	ARTICLE	IF	CITATIONS
127	High area-specific capacitance of Co(OH) <sub>2</sub> /hierarchical nickel/nickel foam supercapacitors and its increase with cycling. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7968-7978.	5.2	80
128	Growth-Controlled Engineering of Magnetic Exchange Interactions in Single Crystalline GaCoZnO <sub>1-v</sub> Epitaxial Films with High Co Concentration. <i>Chemistry of Materials</i> , 2017, 29, 2717-2723.	3.2	6
129	Dirac spin-gapless semiconductors: promising platforms for massless and dissipationless spintronics and new (quantum) anomalous spin Hall effects. <i>National Science Review</i> , 2017, 4, 252-257.	4.6	83
130	Defect introduced paramagnetism and weak localization in two-dimensional metal VSe <sub>2</sub> . <i>Nanotechnology</i> , 2017, 28, 475703.	1.3	35
131	The Interface Structure of FeSe Thin Film on CaF <sub>2</sub> Substrate and its Influence on the Superconducting Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 37446-37453.	4.0	22
132	Atomic-scale engineering of oxide interfaces yields a new family of synthetic magnetic structures. <i>Science Bulletin</i> , 2017, 62, 1169-1170.	4.3	0
133	C/SiO <sub>2</sub> meta-composite: Overcoming the $\lambda/a$ relationship limitation in metamaterials. <i>Carbon</i> , 2017, 125, 1-8.	5.4	90
134	Significant enhancement of figure-of-merit in carbon-reinforced Cu <sub>2</sub> Se nanocrystalline solids. <i>Nano Energy</i> , 2017, 41, 164-171.	8.2	103
135	Functionalized few-layer black phosphorus with super-wettability towards enhanced reaction kinetics for rechargeable batteries. <i>Nano Energy</i> , 2017, 40, 576-586.	8.2	95
136	Desert Beetle-Inspired Superwetable Patterned Surfaces for Water Harvesting. <i>Small</i> , 2017, 13, 1701403.	5.2	173
137	Photo-oxidation-modulated refractive index in Bi <sub>2</sub> Te <sub>3</sub> thin films. <i>Materials Research Express</i> , 2017, 4, 126403.	0.8	7
138	Processing of coal fly ash magnetic spheres for clay water flocculation. <i>International Journal of Mineral Processing</i> , 2017, 169, 162-167.	2.6	16
139	Point defect induced giant enhancement of flux pinning in Co-doped FeSe <sub>0.5</sub> Te <sub>0.5</sub> superconducting single crystals. <i>AIP Advances</i> , 2017, 7, .	0.6	10
140	Kinetics of Domain Switching by Mechanical and Electrical Stimulation in Relaxor-Based Ferroelectrics. <i>Physical Review Applied</i> , 2017, 8, .	1.5	11
141	Rattle-type magnetic mesoporous hollow carbon as a high-performance and reusable adsorbent for water treatment. <i>Chemosphere</i> , 2017, 166, 109-117.	4.2	24
142	Evidence for superior current carrying capability of iron pnictide tapes under hydrostatic pressure. <i>Physical Review Materials</i> , 2017, 1, .	0.9	23
143	Grand Design of Novel Spintronic and Electronic Materials for Next Generation Spintronics and Electronics. , 2016, , .		0
144	Synthesis and excellent field emission properties of three-dimensional branched GaN nanowire homostructures. <i>Applied Physics Letters</i> , 2016, 109, 153112.	1.5	6

#	ARTICLE	IF	CITATIONS
145	Study of flux pinning mechanism under hydrostatic pressure in optimally doped (Ba,K)Fe <sub>2</sub> As <sub>2</sub> single crystals. Scientific Reports, 2016, 6, 23044.	1.6	22
146	Preface to Special Topic: 2D Spintronics. APL Materials, 2016, 4, 032201.	2.2	7
147	Collapse and reappearance of magnetic orderings in spin frustrated TbMnO <sub>3</sub> induced by Fe substitution. Applied Physics Letters, 2016, 109, 102401.	1.5	3
148	Rectification magnetoresistance device: Experimental realization and theoretical simulation. Applied Physics Letters, 2016, 109, .	1.5	3
149	Robust ferromagnetism of single crystalline Co <sub>x</sub> Zn <sub>1-x</sub> O (0.3 ≤ x ≤ 0.45) epitaxial films with high Co <sub>3</sub> concentration. Applied Physics Letters, 2016, 109, 052404.	1.5	3
150	Tuning the conductance of H <sub>2</sub> O@C <sub>60</sub> by position of the encapsulated H <sub>2</sub> O. Scientific Reports, 2016, 5, 17932.	1.6	9
151	Tuning Superconductivity in FeSe Thin Films via Magnesium Doping. ACS Applied Materials & Interfaces, 2016, 8, 7891-7896.	4.0	18
152	Structure, room temperature spin reorientation and its dynamics in DyFe <sub>0.6</sub> Mn <sub>0.4</sub> O <sub>3</sub> . Journal of Alloys and Compounds, 2016, 680, 226-231.	2.8	5
153	Tuning the morphology of Co <sub>3</sub> O <sub>4</sub> on Ni foam for supercapacitor application. RSC Advances, 2016, 6, 45783-45790.	1.7	50
154	Observation of van Hove Singularities in Twisted Silicene Multilayers. ACS Central Science, 2016, 2, 517-521.	5.3	37
155	Vapor-Phase Dissociation-Solid Growth of Three-Dimensional Graphite-like Capsules with Delicate Morphology and Atomic-level Thickness Control. Crystal Growth and Design, 2016, 16, 5040-5048.	1.4	27
156	Manipulation of Nanoscale Domain Switching Using an Electron Beam with Omnidirectional Electric Field Distribution. Physical Review Letters, 2016, 117, 027601.	2.9	35
157	Intrinsically core-shell plasmonic dielectric nanostructures with ultrahigh refractive index. Science Advances, 2016, 2, e1501536.	4.7	99
158	Quasi-freestanding epitaxial silicene on Ag(111) by oxygen intercalation. Science Advances, 2016, 2, e1600067.	4.7	138
159	Recent advances in the Heusler based spin-gapless semiconductors. Journal of Materials Chemistry C, 2016, 4, 7176-7192.	2.7	146
160	Enhancing the field emission properties of Se-doped GaN nanowires. Nanotechnology, 2016, 27, 265707.	1.3	15
161	Facile Synthesis of Fe <sub>3</sub> O <sub>4</sub> /GCs Composites and Their Enhanced Microwave Absorption Properties. ACS Applied Materials & Interfaces, 2016, 8, 6101-6109.	4.0	518
162	Investigation of electron-phonon coupling in epitaxial silicene by <i>in situ</i> Raman spectroscopy. Physical Review B, 2015, 91, .	1.1	67

#	ARTICLE	IF	CITATIONS
163	Observation of topological transition of Fermi surface from a spindle torus to a torus in bulk Rashba spin-split BiTeCl. <i>Physical Review B</i> , 2015, 92, .	1.1	69
164	Multiple Fermi pockets revealed by Shubnikov-de Haas oscillations in WTe <sub>2</sub> . <i>Europhysics Letters</i> , 2015, 112, 37009.	0.7	38
165	Giant enhancement in critical current density, up to a hundredfold, in superconducting NaFe <sub>0.97</sub> Co <sub>0.03</sub> As single crystals under hydrostatic pressure. <i>Scientific Reports</i> , 2015, 5, 10606.	1.6	24
166	High thermoelectric and mechanical performance in highly dense Cu <sub>2-x</sub> S bulks prepared by a melt-solidification technique. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9432-9437.	5.2	176
167	Transport properties of the H <sub>2</sub> O@C <sub>60</sub> -dimer-based junction. <i>Journal of Physics Condensed Matter</i> , 2015, 27, 375301.	0.7	3
168	The Effects of Te <sup>2+</sup> and I <sup>+</sup> Substitutions on the Electronic Structures, Thermoelectric Performance, and Hardness in Melt-Quenched Highly Dense Cu <sub>2-x</sub> Se. <i>Advanced Electronic Materials</i> , 2015, 1, 1400015.	2.6	51
169	Hydrostatic pressure: A very effective approach to significantly enhance critical current density in granular iron pnictide superconductors. <i>Scientific Reports</i> , 2015, 5, 8213.	1.6	37
170	Superior intrinsic thermoelectric performance with zT of 1.8 in single-crystal and melt-quenched highly dense Cu <sub>2-x</sub> Se bulks. <i>Scientific Reports</i> , 2015, 5, 7671.	1.6	83
171	Crossover of Magnetoresistance from Fourfold to Twofold Symmetry in SmB <sub>6</sub> Single Crystal, a Topological Kondo Insulator. <i>Journal of the Physical Society of Japan</i> , 2015, 84, 044717.	0.7	16
172	Beyond the partial light intensity imager: Eliminating Moiré patterns. <i>Optics Communications</i> , 2015, 355, 143-147.	1.0	1
173	Correlation between crystal structures, Raman scattering and piezoelectric properties of lead-free Na <sub>0.5</sub> K <sub>0.5</sub> NbO <sub>3</sub> . <i>Journal of Alloys and Compounds</i> , 2015, 652, 341-345.	2.8	15
174	Study on magnetic mirror array image intensifier to work at room temperature. <i>Applied Optics</i> , 2015, 54, 8010.	2.1	1
175	Honeycomb silicon: a review of silicene. <i>Science Bulletin</i> , 2015, 60, 1551-1562.	4.3	74
176	The codes of matter and their applications. <i>Science Bulletin</i> , 2015, 60, 1661-1673.	4.3	3
177	Smart design of free-standing ultrathin Co <sup>2+</sup> /Co(OH) <sub>2</sub> composite nanoflakes on 3D nickel foam for high-performance electrochemical capacitors. <i>Chemical Communications</i> , 2015, 51, 1689-1692.	2.2	38
178	Epitaxial growth mechanism of silicene on Ag(111)., 2014, .		3
179	Superhydrophobic Materials: Peanut Leaf Inspired Multifunctional Surfaces (Small 2/2014). <i>Small</i> , 2014, 10, 214-214.	5.2	10
180	Surface Chemistry: Bio-Inspired Multifunctional Metallic Foams Through the Fusion of Different Biological Solutions (Adv. Funct. Mater. 18/2014). <i>Advanced Functional Materials</i> , 2014, 24, 2720-2720.	7.8	0

#	ARTICLE	IF	CITATIONS
181	Bio-Inspired Multifunctional Metallic Foams Through the Fusion of Different Biological Solutions. <i>Advanced Functional Materials</i> , 2014, 24, 2721-2726.	7.8	46
182	Peanut Leaf Inspired Multifunctional Surfaces. <i>Small</i> , 2014, 10, 294-299.	5.2	107
183	Theoretical Study on the Mechanism of Direct Transformation from Graphite to Diamond at Ultra High-Pressure and High-Temperature. <i>Integrated Ferroelectrics</i> , 2014, 151, 99-107.	0.3	3
184	Photoelectric cooperative patterning of liquid permeation on the micro/nano hierarchically structured mesh film with low adhesion. <i>Nanoscale</i> , 2014, 6, 12822-12827.	2.8	27
185	A colossal dielectric constant of an amorphous $\text{TiO}_2$ :(Nb, In) film with low loss fabrication at room temperature. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6790-6795.	2.7	84
186	Tuning the Band Gap in Silicene by Oxidation. <i>ACS Nano</i> , 2014, 8, 10019-10025.	7.3	175
187	Interface Strain-Induced Multiferroicity in a $\text{SmFeO}_3$ Film. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 7356-7362.	4.0	52
188	Bismuth Oxybromide with Reasonable Photocatalytic Reduction Activity under Visible Light. <i>ACS Catalysis</i> , 2014, 4, 954-961.	5.5	300
189	Synthesis of multi-functional large pore mesoporous silica nanoparticles as gene carriers. <i>Nanotechnology</i> , 2014, 25, 055701.	1.3	53
190	Unabridged phase diagram for single-phased $\text{Fe}_x\text{Te}_{1-x}$ thin films. <i>Scientific Reports</i> , 2014, 4, 7273.	1.6	38
191	Effects of Oxygen Adsorption on the Surface State of Epitaxial Silicene on Ag(111). <i>Scientific Reports</i> , 2014, 4, 7543.	1.6	70
192	Large magnetoelectric coupling in magnetically short-range ordered $\text{Bi}_5\text{Ti}_3\text{FeO}_{15}$ film. <i>Scientific Reports</i> , 2014, 4, 5255.	1.6	135
193	Magnetic field induced discontinuous spin reorientation in $\text{ErFeO}_3$ single crystal. <i>Applied Physics Letters</i> , 2013, 103, 192404.	1.5	81
194	Multivariate Statistical Characterization of Charged and Uncharged Domain Walls in Multiferroic Hexagonal $\text{YMnO}_3$ Single Crystal Visualized by a Spherical Aberration-Corrected STEM. <i>Nano Letters</i> , 2013, 13, 4594-4601.	4.5	46
195	Microstructure and metal-dielectric transition behaviour in a percolative $\text{Al}_2\text{O}_3$ -Fe composite via selective reduction. <i>RSC Advances</i> , 2013, 3, 26110.	1.7	14
196	Tuning of magnetization in vertical graphenes by plasma-enabled chemical conversion of organic precursors with different oxygen content. <i>Chemical Communications</i> , 2013, 49, 11635.	2.2	14
197	Dielectric properties of Bi doped $\text{Sb}_{2/3}\text{Te}_{3/2}$ thin films studied by terahertz time-domain spectroscopy. , 2013, , .		0
198	Room temperature multiferroic heterostructure: Nd: $\text{BiFeO}_3/\text{YMnO}_3$ . <i>Journal of Crystal Growth</i> , 2013, 365, 19-23.	0.7	1

#	ARTICLE	IF	CITATIONS
199	Large networks of vertical multi-layer graphenes with morphology-tunable magnetoresistance. <i>Nanoscale</i> , 2013, 5, 9283.	2.8	35
200	Phase Stability and Elastic Properties of Chromium Borides with Various Stoichiometries. <i>ChemPhysChem</i> , 2013, 14, 1245-1255.	1.0	23
201	Fabrication and characterization of textured Bi <sub>2</sub> Te <sub>3</sub> thermoelectric thin films prepared on glass substrates at room temperature using pulsed laser deposition. <i>Journal of Crystal Growth</i> , 2013, 362, 247-251.	0.7	24
202	Manipulation of domain wall mobility by oxygen vacancy ordering in multiferroic YMnO <sub>3</sub> . <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 20010.	1.3	32
203	Thermoelectric properties of Ca <sub>3</sub> Co <sub>4</sub> O <sub>9</sub> and Ca <sub>2.8</sub> Bi <sub>0.2</sub> Co <sub>4</sub> O <sub>9</sub> thin films in their island formation mode. <i>Journal of Materials Research</i> , 2013, 28, 1932-1939.	1.2	11
204	Transient photostriction in Bi <sub>0.8</sub> La <sub>0.2</sub> Fe <sub>0.99</sub> Nb <sub>0.01</sub> O <sub>3</sub> thin films modulated with strain. , 2013, , .		0
205	Energy loss rate of a charged particle in HgTe/(HgTe, CdTe) quantum wells. <i>Applied Physics Letters</i> , 2013, 103, 192107.	1.5	4
206	Giant Interlayer Magnetoresistances and Strong Anisotropy in <i>ip</i> -type Sb <sub>2</sub> Te <sub>3</sub> Single Crystals. <i>Integrated Ferroelectrics</i> , 2012, 140, 155-160.	0.3	4
207	Temperature and frequency dependent giant magnetodielectric coupling in DyMn <sub>0.33</sub> Fe <sub>0.67</sub> O <sub>3</sub> . <i>Journal of Applied Physics</i> , 2012, 112, .	1.1	24
208	Effect of gallium doping and ball milling process on the thermoelectric performance of n-type ZnO. <i>Journal of Materials Research</i> , 2012, 27, 2278-2285.	1.2	11
209	Crystal structure, electronic structure and thermoelectric properties of n-type BiSbSTe <sub>2</sub> . <i>Journal Physics D: Applied Physics</i> , 2012, 45, 125301.	1.3	9
210	Strain modulated transient photostriction in La and Nb codoped multiferroic BiFeO <sub>3</sub> thin films. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	25
211	Structural dependent ultrafast electron-phonon coupling in multiferroic BiFeO <sub>3</sub> films. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	22
212	Broadband and Omnidirectional, Nearly zero reflective Photovoltaic Glass. <i>Advanced Materials</i> , 2012, 24, 6318-6322.	11.1	67
213	Nonlinear response of topological insulators in the terahertz regime. , 2012, , .		0
214	Terahertz photon mixing effect in graphene and topological insulator. , 2012, , .		0
215	Photomixing in topological insulator HgTe/CdTe quantum wells in terahertz regime. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	12
216	Terahertz magnetic field induced coherent spin precession in YFeO <sub>3</sub> . <i>Applied Physics Letters</i> , 2012, 100, 061102.	1.5	56

#	ARTICLE	IF	CITATIONS
217	Positive and negative exchange bias effects in the simple perovskite manganite NdMnO <sub>3</sub> . Applied Physics Letters, 2012, 101, .	1.5	104
218	Room Temperature Giant and Linear Magnetoresistance in Topological Insulator $\frac{Bi}{2} \times Te^{2.9}$ Physical Review Letters, 2012, 108, 266806.	2.9	237
219	Competition between the crystal field and the exchange field in Er <sup>3+</sup> doped NdMnO <sub>3</sub> . Applied Physics Letters, 2012, 101, 121913.	1.5	5
220	Fabrication of Ca, Zr doped BaTiO <sub>3</sub> ferroelectric nanofibers by electrospinning. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 1574-1576.	0.8	5
221	Dielectric relaxation in the DyMn <sup>1-x</sup> FexO <sub>3</sub> system. Journal of Applied Physics, 2012, 111, .	1.1	23
222	Hydrothermal Synthesized Bismuth Ferrites Particles: Thermodynamic, Structural, and Magnetic Properties. Journal of Nanoscience and Nanotechnology, 2012, 12, 1684-1687.	0.9	15
223	Fabrication and Magneto-Transport Properties of Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> Thin Films on Glass by Pulsed Laser Deposition. Nanoscience and Nanotechnology Letters, 2012, 4, 656-659.	0.4	1
224	Continuously tunable magnetic phase transitions in the DyMn <sup>1-x</sup> FexO <sub>3</sub> system. Applied Physics Letters, 2011, 99, .	1.5	51
225	Al-Doped Zinc Oxide Nanocomposites with Enhanced Thermoelectric Properties. Nano Letters, 2011, 11, 4337-4342.	4.5	405
226	Structural, dielectric, antiferromagnetic, and thermal properties of the frustrated hexagonal Ho <sub>1-x</sub> Bi <sub>x</sub> FeO <sub>3</sub> $\frac{1}{x}$	1.1	23
227	Strong 4f electron interaction and magnetic ordering modification in Nd <sup>1-x</sup> Er <sub>x</sub> MnO <sub>3</sub> (0 ≤ x ≤ 0.5). Applied Physics Letters, 2011, 99, 192503.	1.5	11
228	Tunable Morphology and Magnetic Properties of Bi <sub>2</sub> Fe <sub>4</sub> O <sub>9</sub> Nanocrystal Synthesized by Hydrothermal Method. Journal of Nanoscience and Nanotechnology, 2011, 11, 2691-2695.	0.9	7
229	A new multiferroic heterostructure of YMnO <sub>3</sub> /SnTiO <sub>3</sub> +. Scripta Materialia, 2011, 65, 618-621.	2.6	11
230	Giant magnetic flux jumps in single crystals of Ba <sub>0.6</sub> K <sub>0.4</sub> Fe <sub>2</sub> As <sub>2</sub> . Applied Physics Letters, 2011, 98, .	1.5	3
231	Materials Science Approach for Improvement of Bismuth-Iron Base Multiferroic Thin Films. Materia Japan, 2010, 49, 364-370.	0.1	0
232	Magnetic characterization of Bi <sub>2</sub> FeMnO <sub>6</sub> film grown on (100) SrTiO <sub>3</sub> substrate. Physica Status Solidi - Rapid Research Letters, 2010, 4, 314-316.	1.2	7
233	Diluted Magnetic Semiconductor Nanowires Prepared by the Solution "Liquid" Solid Method. Angewandte Chemie - International Edition, 2010, 49, 2777-2781.	7.2	45
234	Strong competition between the $\hat{1}$ and $\hat{1}T_c$ flux pinning mechanisms in MgB <sub>2</sub> doped with carbon containing compounds. Journal of Applied Physics, 2010, 107, 113921.	1.1	7

#	ARTICLE	IF	CITATIONS
235	Enhancement of the in-field $J_c$ of $MgB_2$ thin films. Physical Review B, 2010, 82, .	1.1	34
236	Very strong intrinsic flux pinning and vortex avalanches in $SiCl_3$ doped $BaBi_2FeMnO_6$ single crystals. Physical Review B, 2010, 82, .	1.1	137
237	Zero-gap materials for future spintronics, electronics and optics. NPC Asia Materials, 2010, 2, 31-38.	3.8	175
238	Magnetic properties of La doped $Bi_2FeMnO_6$ ceramic and film. Journal of Applied Physics, 2010, 108, .	1.1	9
239	Room temperature multiferroic properties of Nd:BiFeO <sub>3</sub> /Bi <sub>2</sub> FeMnO <sub>6</sub> bilayered films. Applied Physics Letters, 2009, 95, .	1.5	40
240	INFILTRATION OF MAGNESIUM IN POROUS BORON SKELETONS. International Journal of Modern Physics B, 2009, 23, 3503-3508.	1.0	1
241	Very High Critical Field and Superior $J_c$ Performance in NdFeAsO <sub>0.82</sub> F <sub>0.18</sub> with $T_c$ of 51 K. Advanced Materials, 2009, 21, 236-239.	11.1	68
242	Colossal Electroresistance and Giant Magnetoresistance in Doped PbPdO <sub>2</sub> Thin Films. Advanced Materials, 2009, 21, 2196-2199.	11.1	100
243	Fabrication and Size-Selective Bioseparation of Magnetic Silica Nanospheres with Highly Ordered Periodic Mesostructure. Advanced Functional Materials, 2008, 18, 3203-3212.	7.8	179
244	Improved ferroelectric properties in multiferroic $BiFeO_3$ thin films through La and Nb codoping. Physical Review B, 2008, 77, .	1.1	223
245	Magnetic anisotropy of $NaxCoO_2$ single crystals. Journal of Applied Physics, 2008, 103, 07C702.	1.1	0
246	Influence of inductance variation on performance of a permanent magnet claw pole soft magnetic composite motor. Journal of Applied Physics, 2008, 103, 07F118.	1.1	5
247	Synthesis and Optimization of Fluorine-Free Y & Cu Precursor Solution for MOD Processing of YBCO Coated Conductor. IEEE Transactions on Applied Superconductivity, 2007, 17, 3336-3339.	1.1	14
248	Single-crystal growth and anisotropic magnetic properties of nonstoichiometric three-layer sodium cobalt oxides. Physical Review B, 2007, 76, .	1.1	6
249	Room temperature magnetic-field manipulation of electrical polarization in multiferroic thin film composite $BiFeO_3 \cdot La_2 \cdot 3Ca_1 \cdot 3MnO_3$ . Physical Review B, 2007, 75, .	1.1	59
250	Orientation dependent ferroelectric properties in samarium doped bismuth titanate thin films grown by the pulsed-laser-ablation method. Applied Physics Letters, 2006, 89, 032901.	1.5	28
251	Enhanced electrical polarization and ferromagnetic moment in a multiferroic $BiFeO_3 \cdot Bi_3.25Sm_0.75Ti_2.98V_0.02O_{12}$ double-layered thin film. Applied Physics Letters, 2006, 88, 132909.	1.5	78
252	Fiber-optic temperature sensor based on interference of selective higher-order modes. Applied Physics Letters, 2006, 89, 091119.	1.5	210



#	ARTICLE	IF	CITATIONS
253	Growth of width-controlled nanowires MnO <sub>2</sub> from mesoporous carbon and investigation of their properties. Journal of Materials Research, 2006, 21, 2847-2854.	1.2	8
254	Effect of grain size and doping level of sic on the superconductivity and critical current density in MgB <sub>2</sub> /sub 2/ superconductor. IEEE Transactions on Applied Superconductivity, 2003, 13, 3273-3276.	1.1	21