

Yasutsugu Shiono

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9168302/publications.pdf>

Version: 2024-02-01

91
papers

1,678
citations

331538

21
h-index

315616

38
g-index

96
all docs

96
docs citations

96
times ranked

2104
citing authors

#	ARTICLE	IF	CITATIONS
1	Interleukin-34 levels are increased in acute myocardial infarction and associated with major adverse cardiovascular events. <i>Coronary Artery Disease</i> , 2022, 33, 61-63.	0.3	2
2	Real-time venography-guided extrathoracic puncture technique for cardiovascular implantable electronic device implantation. <i>Heart and Vessels</i> , 2022, 37, 91-98.	0.5	1
3	No-reflow phenomenon and in vivo cholesterol crystals combined with lipid core in acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2022, 38, 100953.	0.6	7
4	Association of guideline-directed medical therapy adherence with outcomes after fractional flow reserve-based deferral of revascularization. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 600-608.	1.4	4
5	Five-Year Outcomes After Fractional Flow Reserve-Based Deferral of Revascularization in Chronic Coronary Syndrome: Final Results From the J-CONFIRM Registry. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, CIRCINTERVENTIONS121011387.	1.4	17
6	Prevalence of myocardial perfusion scintigraphy derived ischemia in coronary lesions with discordant fractional flow reserve and non-hyperemic pressure ratios. <i>International Journal of Cardiology</i> , 2022, 357, 20-25.	0.8	3
7	Thrombotic Risk and Cardiovascular Events in Patients With Revascularization Deferral After Fractional Flow Reserve Assessment. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 427-439.	1.1	4
8	Coronary Vasospasm Complicated by Intercoronary Communication. <i>Circulation Journal</i> , 2022, , .	0.7	0
9	Nonculprit Lesion PCI in STEMI. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 667-669.	1.1	1
10	Long-Term Outcomes in Elderly Patients After Deferral of Coronary Revascularization Guided by Fractional Flow Reserve. <i>Circulation Journal</i> , 2022, , .	0.7	1
11	Telecardiology in Rural Practice: Global Trends. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4335.	1.2	2
12	Effect of Atherectomy on Lesion Preparation in Heavily Calcified Coronary Artery Disease. <i>Circulation Reports</i> , 2022, 4, .	0.4	1
13	Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese association of cardiovascular intervention and therapeutics update 2022. <i>Cardiovascular Intervention and Therapeutics</i> , 2022, 37, 425-439.	1.2	19
14	Vascular Response After Everolimus-Eluting Stent in Acute Myocardial Infarction Caused by Calcified Nodule. <i>Circulation Journal</i> , 2022, 86, 1388-1396.	0.7	1
15	Inter-observer differences in interpretation of coronary pressure-wire pullback data by non-expert interventional cardiologists. <i>Cardiovascular Intervention and Therapeutics</i> , 2021, 36, 289-297.	1.2	5
16	Impact of instantaneous wave-free ratio on graft failure after coronary artery bypass graft surgery. <i>International Journal of Cardiology</i> , 2021, 324, 23-29.	0.8	4
17	Prognostic value of tissue-tracking mitral annular displacement by speckle-tracking echocardiography in asymptomatic aortic stenosis patients with preserved left ventricular ejection fraction. <i>Journal of Echocardiography</i> , 2021, 19, 95-102.	0.4	2
18	Optical coherence tomography detection of vulnerable plaques at high risk of developing acute coronary syndrome. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, , .	0.5	36

#	ARTICLE	IF	CITATIONS
19	Global longitudinal strain evaluated by speckle-tracking echocardiography as a surrogate marker for predicting replacement fibrosis detected by magnetic resonance late gadolinium enhancement in patients with nonischemic cardiomyopathy. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 479-487.	0.4	8
20	Impact of left ventricular ejection fraction and preoperative hemoglobin level on perioperative adverse cardiovascular events in noncardiac surgery. <i>Heart and Vessels</i> , 2021, 36, 1317-1326.	0.5	5
21	Noninvasive estimation of impaired left ventricular untwisting velocity by peak early diastolic intra-ventricular pressure gradients using vector flow mapping. <i>Journal of Echocardiography</i> , 2021, 19, 166-172.	0.4	5
22	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <i>Circulation Journal</i> , 2021, 85, 402-572.	0.7	52
23	Usefulness of optical coherence tomography with angiographic coregistration in the guidance of coronary stent implantation. <i>Heart and Vessels</i> , 2021, , 1.	0.5	4
24	Cancer-related vulnerable lesions in patients with stable coronary artery disease. <i>International Journal of Cardiology</i> , 2021, 335, 1-6.	0.8	3
25	Impact of Optical Coherence Tomography Imaging on Decision-Making During Percutaneous Coronary Intervention in Patients Presented With Acute Coronary Syndromes. <i>Circulation Journal</i> , 2021, 85, 1781-1788.	0.7	8
26	Optimal hemostasis duration for percutaneous coronary intervention via the snuffbox approach: A prospective, multi-center, observational study (HEMOBOX). <i>International Journal of Cardiology</i> , 2021, 338, 79-82.	0.8	8
27	NIRS-IVUS for Differentiating Coronary Plaque Rupture, Erosion, and Calcified Nodule in Acute Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1440-1450.	2.3	23
28	Impact of cavotricuspid isthmus depth on the ablation index for successful first-pass typical atrial flutter ablation. <i>Scientific Reports</i> , 2021, 11, 22413.	1.6	2
29	Combined Use of Multiple Intravascular Imaging Techniques in Acute Coronary Syndrome. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 824128.	1.1	5
30	1. Comprehensive Assessment of Ischemic Heart Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 196-203.	0.0	0
31	Intracoronary pressure increase due to contrast injection for optical coherence tomography imaging. <i>Journal of Cardiology</i> , 2020, 75, 296-301.	0.8	3
32	The inter-study reproducibility of instantaneous wave-free ratio and angiography coregistration. <i>Journal of Cardiology</i> , 2020, 75, 507-512.	0.8	9
33	Two-Year Outcomes After Deferral of Revascularization Based on Fractional Flow Reserve. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008355.	1.4	32
34	Increased plaque rupture forms peak incidence of acute myocardial infarction in winter. <i>International Journal of Cardiology</i> , 2020, 320, 18-22.	0.8	9
35	Author's reply: careful statistical consideration to the inter-study reproducibility of iFR angio-coregistration. <i>Journal of Cardiology</i> , 2020, 76, 531-532.	0.8	0
36	Assessment of myocardial damage after acute myocardial infarction by diastolic deceleration time of coronary flow velocity using echocardiography and contrast-enhanced magnetic resonance imaging. <i>Echocardiography</i> , 2020, 37, 1981-1988.	0.3	1

#	ARTICLE	IF	CITATIONS
37	Very late-phase vascular response after everolimus-eluting stent implantation assessed by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 1627-1635.	0.7	0
38	Extent of the difference between microcatheter and pressure wire-derived fractional flow reserve and its relation to optical coherence tomography-derived parameters. <i>IJC Heart and Vasculature</i> , 2020, 27, 100500.	0.6	0
39	Per-Vessel Level Analysis of Fractional Flow Reserve and Instantaneous Wave-Free Ratio Discordance—Insights From the AJP Registry. <i>Circulation Journal</i> , 2020, 84, 1034-1038.	0.7	5
40	Optical Coherence Tomography Comparison of Percutaneous Coronary Intervention Among Plaque Rupture, Erosion, and Calcified Nodule in Acute Myocardial Infarction. <i>Circulation Journal</i> , 2020, 84, 911-916.	0.7	19
41	Comparison of Optical Flow Ratio and Fractional Flow Ratio in Stent-Treated Arteries Immediately After Percutaneous Coronary Intervention. <i>Circulation Journal</i> , 2020, 84, 2253-2258.	0.7	15
42	Diastolic Pressure Ratio and Resting Full Cycle Ratio Are Similar, But Not Exactly the Same. <i>Circulation Journal</i> , 2020, 84, 1059-1061.	0.7	0
43	Expression of Cyclophilin A in Coronary Artery Plaque with Intraplaque Hemorrhage Is More Frequent in Deceased Patients Who Had Impaired Kidney Function. <i>International Heart Journal</i> , 2020, 61, 1129-1134.	0.5	2
44	Algorithmic Versus Expert Human Interpretation of Instantaneous Wave-Free Ratio Coronary Pressure-Wire Pull Back Data. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1315-1324.	1.1	19
45	QFR Versus FFR Derived From Computed Tomography for Functional Assessment of Coronary Artery Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2050-2059.	1.1	35
46	Prognostic Relevance of Discordant Results Between Fractional Flow Reserve and Resting Indices. <i>Circulation Journal</i> , 2019, 83, 2203-2204.	0.7	2
47	Imaging assessment and accuracy in coronary artery autopsy: comparison of frequency-domain optical coherence tomography with intravascular ultrasound and histology. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1785-1790.	0.7	10
48	Preoperative left atrial minimum volume as a surrogate marker of postoperative symptoms in senile patients with aortic stenosis who underwent surgical aortic valve replacement. <i>Journal of Cardiology</i> , 2019, 74, 366-371.	0.8	3
49	Clinical Impact of Coronary Computed Tomography Angiography-Derived Fractional Flow Reserve on Japanese Population in the ADVANCE Registry. <i>Circulation Journal</i> , 2019, 83, 1293-1301.	0.7	9
50	Comparison of clinical outcomes following percutaneous coronary intervention versus optimal medical therapy based on gray-zone fractional flow reserve in stable angina patients with intermediate coronary artery stenosis (COMFORTABLE prospective study): Study protocol for a multicenter randomized controlled trial. <i>Trials</i> , 2019, 20, 84.	0.7	4
51	Stabilization of High Risk Coronary Plaque on Optical Coherence Tomography and Near-Infrared Spectroscopy by Intensive Lipid-Lowering Therapy With Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) Inhibitor. <i>Circulation Journal</i> , 2019, 83, 1765.	0.7	3
52	Assessment of decreased left ventricular longitudinal deformation in asymptomatic patients with organic mitral regurgitation and preserved ejection fraction using tissue tracking mitral annular displacement by speckle tracking echocardiography. <i>Echocardiography</i> , 2019, 36, 678-686.	0.3	11
53	Value of tissue tracking tricuspid annular plane by speckle tracking echocardiography for the assessment of right ventricular systolic dysfunction. <i>Echocardiography</i> , 2019, 36, 110-118.	0.3	7
54	Role of Optical Coherence Tomography in Optimizing Percutaneous Coronary Intervention. <i>Journal of Coronary Artery Disease</i> , 2019, 25, 52-59.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Clinical Relevance of Functionally Insignificant Moderate Coronary Artery Stenosis Assessed by 3â€Vessel Fractional Flow Reserve Measurement. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	9
56	Clinical Utility of Combined Optical Coherence Tomography and Near-Infrared Spectroscopy for Assessing the Mechanism of Very Late Stent Thrombosis. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 772-775.	2.3	8
57	Prognostic Implication of Functional Incomplete Revascularization and ResidualâFunctional SYNTAX Score in Patients With Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 237-245.	1.1	51
58	Automated lipid-rich plaque detection with short wavelength infra-red OCT system. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1174-1178.	0.5	2
59	Clinical implications of three-vessel fractional flow reserve measurement in patients with coronary artery disease. <i>European Heart Journal</i> , 2018, 39, 945-951.	1.0	68
60	Effect of Early Pitavastatin Therapy on Coronary Fibrous-Cap Thickness Assessed by Optical Coherence Tomography in Patients With Acute Coronary Syndrome. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 829-838.	2.3	23
61	European Society of Cardiology (ESC) Annual Congress Report From Munich 2018. <i>Circulation Journal</i> , 2018, 83, 18-24.	0.7	0
62	Current Clinical Applications of Intravascular Optical Coherence Tomography in Coronary Artery Disease. <i>Annals of Nuclear Cardiology</i> , 2018, 4, 127-131.	0.0	2
63	Retrospective Comparison of Long-Term Clinical Outcomes Between Percutaneous Coronary Intervention and Medical Therapy in Stable Coronary Artery Disease With Gray Zone Fractional Flow Reserveâ€COMFORTABLE Retrospective Study â€. <i>Circulation Journal</i> , 2018, 82, 3044-3051.	0.7	17
64	InâVivo optical coherence tomography imaging and histopathology of healed coronary plaques. <i>Atherosclerosis</i> , 2018, 275, 35-42.	0.4	93
65	Reduction of in-stent thrombus immediately after percutaneous coronary intervention by pretreatment with prasugrel compared with clopidogrel: An optical coherence tomography study. <i>Journal of Cardiology</i> , 2017, 69, 436-441.	0.8	10
66	Impact of Plaque Rupture Detected by Optical Coherence Tomography on Transmural Extent of Infarction After Successful Stenting in ST-Segment Elevation Acute Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 1025-1033.	1.1	27
67	Noninvasive assessment of left ventricular endâdiastolic pressure by deceleration time of early diastolic mitral annular velocity in patients with heart failure. <i>Echocardiography</i> , 2017, 34, 1292-1298.	0.3	3
68	Clinical Outcomes of Deferred Lesions With Angiographically Insignificant Stenosis But Low Fractional Flow Reserve. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	14
69	Fractional Flow Reserve/InstantaneousâWave-Free Ratio Discordance in Angiographically Intermediate CoronaryâStenoses. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 2514-2524.	1.1	104
70	Local Matrix Metalloproteinase 9 Level Determines Early Clinical Presentation of ST-SegmentâElevation Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 2460-2467.	1.1	22
71	Optical Coherence Tomography Predictors for Edge Restenosis After Everolimus-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	67
72	Impact of functional focal versus diffuse coronary artery disease on bypass graft patency. <i>International Journal of Cardiology</i> , 2016, 222, 16-21.	0.8	31

#	ARTICLE	IF	CITATIONS
73	Optimal threshold of postintervention minimum stent area to predict in-stent restenosis in small coronary arteries: An optical coherence tomography analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, E9-E14.	0.7	10
74	Current status and future perspectives of optical coherence tomography in percutaneous coronary intervention. <i>Journal of the Japanese Coronary Association</i> , 2016, 22, 1-8.	0.0	0
75	Comparison of vascular response between everolimus-eluting stent and bare metal stent implantation in ST-segment elevation myocardial infarction assessed by optical coherence tomography. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 513-520.	0.5	14
76	Vasa Vasorum Restructuring in Human Atherosclerotic Plaque Vulnerability. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2469-2477.	1.2	89
77	Multiple mobile structures attached to the left ventricular wall in infective endocarditis. <i>European Heart Journal</i> , 2015, 36, 213-213.	1.0	1
78	Comparison of cardiac MRI and 18F-FDG positron emission tomography manifestations and regional response to corticosteroid therapy in newly diagnosed cardiac sarcoidosis with complete heart block. <i>Heart Rhythm</i> , 2015, 12, 2477-2485.	0.3	70
79	Myocardial Damage Detected by Two-Dimensional Speckle-Tracking Echocardiography in Patients with Extracardiac Sarcoidosis: Comparison with Magnetic Resonance Imaging. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 683-691.	1.2	31
80	Association between hyperglycemia at admission and microvascular obstruction in patients with ST-segment elevation myocardial infarction. <i>Journal of Cardiology</i> , 2015, 65, 272-277.	0.8	21
81	Successful Stenting With Optical Frequency Domain Imaging Guidance For Spontaneous Coronary Artery Dissection. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, e83-e85.	1.1	15
82	Effect of Atorvastatin Therapy on Fibrous Cap Thickness in Coronary Atherosclerotic Plaque as Assessed by Optical Coherence Tomography. <i>Journal of the American College of Cardiology</i> , 2014, 64, 2207-2217.	1.2	219
83	Impact of myocardial supply area on the transstenotic hemodynamics as determined by fractional flow reserve. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 84, 406-413.	0.7	24
84	Association between P-selectin glycoprotein ligand-1 and pathogenesis in acute coronary syndrome assessed by optical coherence tomography. <i>Atherosclerosis</i> , 2014, 233, 697-703.	0.4	16
85	Relation of Albuminuria to Coronary Microvascular Function in Patients With Chronic Kidney Disease. <i>American Journal of Cardiology</i> , 2014, 113, 779-785.	0.7	17
86	Acceleration Time of Systolic Coronary Flow Velocity to Diagnose Coronary Stenosis in Patients with Microvascular Dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2014, 27, 200-207.	1.2	6
87	Difference of ruptured plaque morphology between asymptomatic coronary artery disease and non-ST elevation acute coronary syndrome patients: An optical coherence tomography study. <i>Atherosclerosis</i> , 2014, 235, 532-537.	0.4	20
88	Long-Term Outcome After Deferral of Revascularization in Patients With Intermediate Coronary Stenosis and Gray-Zone Fractional Flow Reserve. <i>Circulation Journal</i> , 2014, 79, 91-95.	0.7	29
89	Early abnormality detected by speckle-tracking echocardiography in a patient with suspected cardiac sarcoidosis. <i>Journal of Echocardiography</i> , 2013, 11, 69-71.	0.4	1
90	Impact of Attenuated Plaque as Detected by Intravascular Ultrasound on the Occurrence of Microvascular Obstruction After Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 847-853.	1.1	37

#	ARTICLE	IF	CITATIONS
91	Optical Coherence Tomography-Derived Anatomical Criteria for Functionally Significant Coronary Stenosis Assessed by Fractional Flow Reserve. <i>Circulation Journal</i> , 2012, 76, 2218-2225.	0.7	75