
Tatiana Toro-Ramos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9169820/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Postpartum Weight Retention: A Retrospective Data Analysis Measuring Weight Loss and Program Engagement with a Mobile Health Program. Journal of Women's Health, 2021, 30, 1645-1652.	3.3	3
2	The Relationship Between Weight Loss Outcomes and Engagement in a Mobile Behavioral Change Intervention: Retrospective Analysis. JMIR MHealth and UHealth, 2021, 9, e30622.	3.7	16
3	Anthropometric models to estimate fat mass at 3 days, 15 and 54 weeks. Pediatric Obesity, 2021, , e12	285258	3
4	No sustained effects of an intervention to prevent excessive <scp>GWG</scp> on offspring fat and lean mass at 54 weeks: Yet a greater head circumference persists. Pediatric Obesity, 2021, 16, e12767.	2.8	5
5	Increased Visceral Adipose Tissue Without Weight Retention at 59 Weeks Postpartum. Obesity, 2020, 28, 552-562.	3.0	12
6	Randomized Controlled Trial Comparing Health Coach-Delivered Smartphone-Guided Self-Help With Standard Care for Adults With Binge Eating. American Journal of Psychiatry, 2020, 177, 134-142.	7.2	47
7	Mobile Delivery of the Diabetes Prevention Program in People With Prediabetes: Randomized Controlled Trial. JMIR MHealth and UHealth, 2020, 8, e17842.	3.7	59
8	Relationship Between Age and Weight Loss in Noom: Quasi-Experimental Study. JMIR Diabetes, 2020, 5, e18363.	1.9	28
9	Greater Neonatal Fatâ€Free Mass and Similar Fat Mass Following a Randomized Trial to Control Excess Gestational Weight Gain. Obesity, 2018, 26, 578-587.	3.0	27
10	Usefulness of a Novel Mobile Diabetes Prevention Program Delivery Platform With Human Coaching: 65-Week Observational Follow-Up. JMIR MHealth and UHealth, 2018, 6, e93.	3.7	55
11	Reliability of the EchoMRI Infants System for Water and Fat Measurements in Newborns. Obesity, 2017, 25, 1577-1583.	3.0	11
12	Weight loss efficacy of a novel mobile Diabetes Prevention Program delivery platform with human coaching. BMJ Open Diabetes Research and Care, 2016, 4, e000264.	2.8	96
13	Continued loss in visceral and intermuscular adipose tissue in weightâ€stable women following bariatric surgery. Obesity, 2015, 23, 62-69.	3.0	48