

Dongtak Jeong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9169832/dongtak-jeong-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

2,411
citations

25
h-index

49
g-index

68
ext. papers

2,781
ext. citations

10.7
avg, IF

4.31
L-index

#	Paper	IF	Citations
44	Inhibition of miR-25 improves cardiac contractility in the failing heart. <i>Nature</i> , 2014 , 508, 531-5	50.4	315
43	SUMO1-dependent modulation of SERCA2a in heart failure. <i>Nature</i> , 2011 , 477, 601-5	50.4	259
42	Resident c-kit(+) cells in the heart are not cardiac stem cells. <i>Nature Communications</i> , 2015 , 6, 8701	17.4	216
41	Therapeutic cardiac-targeted delivery of miR-1 reverses pressure overload-induced cardiac hypertrophy and attenuates pathological remodeling. <i>Journal of the American Heart Association</i> , 2013 , 2, e000078	6	190
40	Critical role for stromal interaction molecule 1 in cardiac hypertrophy. <i>Circulation</i> , 2011 , 124, 796-805	16.7	124
39	Restoration of mechanical and energetic function in failing aortic-banded rat hearts by gene transfer of calcium cycling proteins. <i>Journal of Molecular and Cellular Cardiology</i> , 2007 , 42, 852-61	5.8	110
38	JNK modulates FOXO3a for the expression of the mitochondrial death and mitophagy marker BNIP3 in pathological hypertrophy and in heart failure. <i>Cell Death and Disease</i> , 2012 , 3, 265	9.8	109
37	The opposing effects of CCN2 and CCN5 on the development of cardiac hypertrophy and fibrosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 294-303	5.8	97
36	Small-molecule activation of SERCA2a SUMOylation for the treatment of heart failure. <i>Nature Communications</i> , 2015 , 6, 7229	17.4	76
35	PICOT inhibits cardiac hypertrophy and enhances ventricular function and cardiomyocyte contractility. <i>Circulation Research</i> , 2006 , 99, 307-14	15.7	74
34	PICOT attenuates cardiac hypertrophy by disrupting calcineurin-NFAT signaling. <i>Circulation Research</i> , 2008 , 102, 711-9	15.7	73
33	Empagliflozin Improves Left Ventricular Diastolic Dysfunction in a Genetic Model of Type 2 Diabetes. <i>Cardiovascular Drugs and Therapy</i> , 2017 , 31, 233-246	3.9	72
32	Potential role of BNIP3 in cardiac remodeling, myocardial stiffness, and endoplasmic reticulum: mitochondrial calcium homeostasis in diastolic and systolic heart failure. <i>Circulation: Heart Failure</i> , 2013 , 6, 572-83	7.6	65
31	Matricellular Protein CCN5 Reverses Established Cardiac Fibrosis. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1556-1568	15.1	63
30	AAV9.I-1c delivered via direct coronary infusion in a porcine model of heart failure improves contractility and mitigates adverse remodeling. <i>Circulation: Heart Failure</i> , 2013 , 6, 310-7	7.6	58
29	PICOT is a critical regulator of cardiac hypertrophy and cardiomyocyte contractility. <i>Journal of Molecular and Cellular Cardiology</i> , 2008 , 45, 796-803	5.8	58
28	The role of SUMO-1 in cardiac oxidative stress and hypertrophy. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 1986-2001	8.4	44

27	Role of SIRT1 in Modulating Acetylation of the Sarco-Endoplasmic Reticulum Ca-ATPase in Heart Failure. <i>Circulation Research</i> , 2019 , 124, e63-e80	15.7	43
26	miR-146a Suppresses SUMO1 Expression and Induces Cardiac Dysfunction in Maladaptive Hypertrophy. <i>Circulation Research</i> , 2018 , 123, 673-685	15.7	41
25	Alternatively spliced tissue factor promotes plaque angiogenesis through the activation of hypoxia-inducible factor-1 α and vascular endothelial growth factor signaling. <i>Circulation</i> , 2014 , 130, 1274-86	16.7	36
24	Targeted gene transfer increases contractility and decreases oxygen cost of contractility in normal rat hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H2356-63	5.2	32
23	Increased Ca ²⁺ storage capacity in the sarcoplasmic reticulum by overexpression of HRC (histidine-rich Ca ²⁺ binding protein). <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 192-6	3.4	28
22	Stem cell factor gene transfer improves cardiac function after myocardial infarction in swine. <i>Circulation: Heart Failure</i> , 2015 , 8, 167-74	7.6	27
21	miR-25 Tough Decoy Enhances Cardiac Function in Heart Failure. <i>Molecular Therapy</i> , 2018 , 26, 718-729	11.7	26
20	PICOT increases cardiac contractility by inhibiting PKC β activity. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 53-63	5.8	25
19	CXCR4 gene transfer prevents pressure overload induced heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 53, 223-32	5.8	24
18	Transcription coactivator Eya2 is a critical regulator of physiological hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2012 , 52, 718-26	5.8	17
17	The transcription factor Eya2 prevents pressure overload-induced adverse cardiac remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 2009 , 46, 596-605	5.8	17
16	Decoy peptides targeted to protein phosphatase 1 inhibit dephosphorylation of phospholamban in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013 , 56, 63-71	5.8	15
15	Cytokine-Like 1 Regulates Cardiac Fibrosis via Modulation of TGF- β Signaling. <i>PLoS ONE</i> , 2016 , 11, e0166489	5.9	13
14	AAV-mediated knock-down of HRC exacerbates transverse aorta constriction-induced heart failure. <i>PLoS ONE</i> , 2012 , 7, e43282	3.7	12
13	Conventional Method of Transverse Aortic Constriction in Mice. <i>Methods in Molecular Biology</i> , 2018 , 1816, 183-193	1.4	8
12	Enhancing atrial-specific gene expression using a calsequestrin cis-regulatory module 4 with a sarcolipin promoter. <i>Journal of Gene Medicine</i> , 2018 , 20, e3060	3.5	8
11	Generation of Efficient miRNA Inhibitors Using Tough Decoy Constructs. <i>Methods in Molecular Biology</i> , 2017 , 1521, 41-53	1.4	7
10	Analysis of extracellular vesicle miRNA profiles in heart failure. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 7214-7227	5.6	7

9	Role of the PRC2-Six1-miR-25 signaling axis in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 129, 58-68	5.8	5
8	Refilling Intracellular Calcium Stores. <i>Drug Discovery Today Disease Mechanisms</i> , 2010 , 7, e145-e150		3
7	The matricellular protein CCN5 prevents adverse atrial structural and electrical remodelling. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 11768-11778	5.6	2
6	Arrhythmia Mechanism and Dynamics in a Humanized Mouse Model of Inherited Cardiomyopathy Caused by Phospholamban R14del Mutation. <i>Circulation</i> , 2021 , 144, 441-454	16.7	2
5	MicroRNA-25 upregulation protects spinal cords, yet is bad for the heart: The dark side of noncoding RNAs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 158, e87-e88	1.5	1
4	Abstract 104: AAV-Exosomes: A Novel Platform for Myocardial Gene Delivery for Cardioprotection. <i>Circulation Research</i> , 2018 , 123,	15.7	1
3	Matricellular Protein CCN5 Gene Transfer Ameliorates Cardiac and Skeletal Dysfunction in (I) Haploinsufficient Mice by Reducing Fibrosis and Upregulating Utrophin Expression.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 763544	5.4	0
2	The TSP-1 domain of the matricellular protein CCN5 is essential for its nuclear localization and anti-fibrotic function.. <i>PLoS ONE</i> , 2022 , 17, e0267629	3.7	0
1	STIM1 silencing prevents pressure-overload induced cardiac hypertrophy in mice. <i>FASEB Journal</i> , 2012 , 26, 137.7	0.9	