

Dongtak Jeong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9169832/publications.pdf>

Version: 2024-02-01

66
papers

3,032
citations

218381

26
h-index

205818

48
g-index

68
all docs

68
docs citations

68
times ranked

4661
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of miR-25 improves cardiac contractility in the failing heart. <i>Nature</i> , 2014, 508, 531-535.	13.7	377
2	SUMO1-dependent modulation of SERCA2a in heart failure. <i>Nature</i> , 2011, 477, 601-605.	13.7	332
3	Resident c-kit+ cells in the heart are not cardiac stem cells. <i>Nature Communications</i> , 2015, 6, 8701.	5.8	268
4	Therapeutic Cardiac Targeted Delivery of miR-1 Reverses Pressure Overload-Induced Cardiac Hypertrophy and Attenuates Pathological Remodeling. <i>Journal of the American Heart Association</i> , 2013, 2, e000078.	1.6	228
5	Critical Role for Stromal Interaction Molecule 1 in Cardiac Hypertrophy. <i>Circulation</i> , 2011, 124, 796-805.	1.6	144
6	JNK modulates FOXO3a for the expression of the mitochondrial death and mitophagy marker BNIP3 in pathological hypertrophy and in heart failure. <i>Cell Death and Disease</i> , 2012, 3, e265-e265.	2.7	131
7	Restoration of mechanical and energetic function in failing aortic-banded rat hearts by gene transfer of calcium cycling proteins. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, 852-861.	0.9	120
8	The opposing effects of CCN2 and CCN5 on the development of cardiac hypertrophy and fibrosis. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 49, 294-303.	0.9	114
9	Empagliflozin Improves Left Ventricular Diastolic Dysfunction in a Genetic Model of Type 2 Diabetes. <i>Cardiovascular Drugs and Therapy</i> , 2017, 31, 233-246.	1.3	108
10	Small-molecule activation of SERCA2a SUMOylation for the treatment of heart failure. <i>Nature Communications</i> , 2015, 6, 7229.	5.8	102
11	Matricellular Protein CCN5 Reverses Established Cardiac Fibrosis. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1556-1568.	1.2	97
12	Role of SIRT1 in Modulating Acetylation of the Sarco-Endoplasmic Reticulum Ca ²⁺ -ATPase in Heart Failure. <i>Circulation Research</i> , 2019, 124, e63-e80.	2.0	84
13	PICOT Inhibits Cardiac Hypertrophy and Enhances Ventricular Function and Cardiomyocyte Contractility. <i>Circulation Research</i> , 2006, 99, 307-314.	2.0	83
14	PICOT Attenuates Cardiac Hypertrophy by Disrupting Calcineurin-NFAT Signaling. <i>Circulation Research</i> , 2008, 102, 711-719.	2.0	80
15	Potential Role of BNIP3 in Cardiac Remodeling, Myocardial Stiffness, and Endoplasmic Reticulum. <i>Circulation: Heart Failure</i> , 2013, 6, 572-583.	1.6	78
16	miR-146a Suppresses SUMO1 Expression and Induces Cardiac Dysfunction in Maladaptive Hypertrophy. <i>Circulation Research</i> , 2018, 123, 673-685.	2.0	70
17	AAV9.I-1c Delivered via Direct Coronary Infusion in a Porcine Model of Heart Failure Improves Contractility and Mitigates Adverse Remodeling. <i>Circulation: Heart Failure</i> , 2013, 6, 310-317.	1.6	64
18	PICOT is a critical regulator of cardiac hypertrophy and cardiomyocyte contractility. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 796-803.	0.9	62

#	ARTICLE	IF	CITATIONS
19	The Role of SUMO-1 in Cardiac Oxidative Stress and Hypertrophy. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 1986-2001.	2.5	60
20	Alternatively Spliced Tissue Factor Promotes Plaque Angiogenesis Through the Activation of Hypoxia-Inducible Factor-1 α and Vascular Endothelial Growth Factor Signaling. <i>Circulation</i> , 2014, 130, 1274-1286.	1.6	44
21	miR-25 Tough Decoy Enhances Cardiac Function in Heart Failure. <i>Molecular Therapy</i> , 2018, 26, 718-729.	3.7	35
22	Targeted gene transfer increases contractility and decreases oxygen cost of contractility in normal rat hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 292, H2356-H2363.	1.5	33
23	Stem Cell Factor Gene Transfer Improves Cardiac Function After Myocardial Infarction in Swine. <i>Circulation: Heart Failure</i> , 2015, 8, 167-174.	1.6	33
24	Increased Ca ²⁺ storage capacity in the sarcoplasmic reticulum by overexpression of HRC (histidine-rich Ca ²⁺ binding protein). <i>Biochemical and Biophysical Research Communications</i> , 2003, 300, 192-196.	1.0	31
25	CXCR4 gene transfer prevents pressure overload induced heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 53, 223-232.	0.9	28
26	PICOT increases cardiac contractility by inhibiting PKC δ activity. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 53, 53-63.	0.9	26
27	Gene editing reverses arrhythmia susceptibility in humanized PLN-R14del mice: modelling a European cardiomyopathy with global impact. <i>Cardiovascular Research</i> , 2022, 118, 3140-3150.	1.8	23
28	Transcription coactivator Eya2 is a critical regulator of physiological hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 718-726.	0.9	18
29	The transcription factor Eya2 prevents pressure overload-induced adverse cardiac remodeling. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 596-605.	0.9	17
30	Decoy peptides targeted to protein phosphatase 1 inhibit dephosphorylation of phospholamban in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 56, 63-71.	0.9	17
31	Cytokine-Like 1 Regulates Cardiac Fibrosis via Modulation of TGF- β 2 Signaling. <i>PLoS ONE</i> , 2016, 11, e0166480.	1.1	16
32	Analysis of extracellular vesicle miRNA profiles in heart failure. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 7214-7227.	1.6	16
33	AAV-Mediated Knock-Down of HRC Exacerbates Transverse Aorta Constriction-Induced Heart Failure. <i>PLoS ONE</i> , 2012, 7, e43282.	1.1	14
34	Enhancing atrial α -specific gene expression using a calsequestrin cis α -regulatory module 4 with a sarcolipin promoter. <i>Journal of Gene Medicine</i> , 2018, 20, e3060.	1.4	11
35	Role of the PRC2-Six1-miR-25 signaling axis in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 129, 58-68.	0.9	11
36	Conventional Method of Transverse Aortic Constriction in Mice. <i>Methods in Molecular Biology</i> , 2018, 1816, 183-193.	0.4	10

#	ARTICLE	IF	CITATIONS
37	Arrhythmia Mechanism and Dynamics in a Humanized Mouse Model of Inherited Cardiomyopathy Caused by Phospholamban R14del Mutation. <i>Circulation</i> , 2021, 144, 441-454.	1.6	10
38	Generation of Efficient miRNA Inhibitors Using Tough Decoy Constructs. <i>Methods in Molecular Biology</i> , 2017, 1521, 41-53.	0.4	9
39	Tenascin-C in Cardiac Hypertrophy and Fibrosis. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1616-1617.	1.2	5
40	The TSP-1 domain of the matricellular protein CCN5 is essential for its nuclear localization and anti-fibrotic function. <i>PLoS ONE</i> , 2022, 17, e0267629.	1.1	5
41	The matricellular protein CCN5 prevents adverse atrial structural and electrical remodeling. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 11768-11778.	1.6	4
42	Refilling intracellular calcium stores. <i>Drug Discovery Today Disease Mechanisms</i> , 2010, 7, e145-e150.	0.8	3
43	Apoptotic Cells Trigger Calcium Entry in Phagocytes by Inducing the Orai1-STIM1 Association. <i>Cells</i> , 2021, 10, 2702.	1.8	3
44	Matricellular Protein CCN5 Gene Transfer Ameliorates Cardiac and Skeletal Dysfunction in mdx/utrn ($\Delta\pm$) Haploinsufficient Mice by Reducing Fibrosis and Upregulating Utrophin Expression. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 763544.	1.1	2
45	MicroRNA-25 upregulation protects spinal cords, yet is bad for the heart: The dark side of noncoding RNAs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, e87-e88.	0.4	1
46	EphA2 Interacts with Tim-4 through Association between Its FN3 Domain and the IgV Domain of Tim-4. <i>Cells</i> , 2021, 10, 1290.	1.8	1
47	Efficient Viral Gene Transfer to Rat Hearts In Vivo. <i>Protocol Exchange</i> , 0, , .	0.3	1
48	Abstract 104: AAV-Exosomes: A Novel Platform for Myocardial Gene Delivery for Cardioprotection. <i>Circulation Research</i> , 2018, 123, .	2.0	1
49	Abstract 16942: Alternatively Spliced Tissue Factor promotes plaque progression, inflammation and angiogenesis in experimental atherosclerosis. <i>Circulation</i> , 2014, 130, .	1.6	1
50	Abstract MP165: Exosome-mediated Encapsulation Alters AAV Antigenicity and Infectivity: Implications for Gene Delivery in the Heart. <i>Circulation Research</i> , 2020, 127, .	2.0	1
51	P.316 Adeno-associated virus mediated SUMO1 overexpression improves cardiac disease phenotype in mouse models of Duchenne muscular dystrophy. <i>Neuromuscular Disorders</i> , 2019, 29, S159.	0.3	0
52	STIM1 silencing prevents pressure overload induced cardiac hypertrophy in mice. <i>FASEB Journal</i> , 2012, 26, 137.7.	0.2	0
53	Abstract 10: Antifibrotic Effect of CCN5 in a Murine Model of Heart Failure. <i>Circulation Research</i> , 2012, 111, .	2.0	0
54	Abstract 38: A Decoy Peptide Selectively Inhibiting Dephosphorylation of Phospholamban. <i>Circulation Research</i> , 2012, 111, .	2.0	0

#	ARTICLE	IF	CITATIONS
55	Abstract O-2: The Role of Post-translational Modifications in SERCA2a-related Cardiac Dysfunction. Circulation Research, 2014, 115, .	2.0	0
56	Abstract 275: Electrophysiological Consequences of AAV9 mediated SERCA2a Gene Transfer to Normal Rat Myocardium. Circulation Research, 2014, 115, .	2.0	0
57	Abstract 16977: MicroRNA-mediated Regulation of SUMO1 Expression in Heart. Circulation, 2014, 130, .	1.6	0
58	Abstract 16892: Beneficial Effect of miR-25 Decoy Overexpression in a Murine Model of Heart Failure. Circulation, 2014, 130, .	1.6	0
59	Abstract 20347: Does Electrophysiological Toxicity Limit the Therapeutic Window of Serca2a Gene Therapy?. Circulation, 2014, 130, .	1.6	0
60	Abstract 333: AAV9 Serca2a Gene Transfer Reverses Some but Not All Electrophysiological Deficits in a Chronic Model of Congestive Heart Failure. Circulation Research, 2015, 117, .	2.0	0
61	Abstract 222: CCN5 Overexpression Triggers Early Amplification Followed by Regression of Electrical Remodeling in a Pressure Overload Rat Model. Circulation Research, 2015, 117, .	2.0	0
62	Abstract 18340: Alternatively Spliced Tissue Factor Promotes Atherosclerosis by Increasing Foam Cell Formation via LOX-1 and SR-A1 up-regulation. Circulation, 2015, 132, .	1.6	0
63	Abstract 22: Identification of the Nature of Cardiac Resident c-kit ⁺ Cells. Circulation Research, 2016, 119, .	2.0	0
64	Abstract 267: Safety and Efficacy of a Combinatorial CCN5/SERCA2a Gene Delivery Approach for Arrhythmia Suppression in a Chronic Model of Angiotensin II (ANG) Induced Cardiac Hypertrophy and Failure. Circulation Research, 2018, 123, .	2.0	0
65	Abstract 170: Exosomal AAV-mediated SERCA2a Gene Transfer Improves Cardiac Function in a Mouse Model of Heart Failure. Circulation Research, 2019, 125, .	2.0	0
66	Abstract 21353: Ccn5 Gene Therapy Suppresses Arrhythmias by Reversing Fibrosis in Mice With Chronic Angiotensin II Infusion. Circulation, 2017, 136, .	1.6	0