

Namik Kirlic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9170093/publications.pdf>

Version: 2024-02-01

35
papers

1,161
citations

759233

12
h-index

454955

30
g-index

37
all docs

37
docs citations

37
times ranked

1596
citing authors

#	ARTICLE	IF	CITATIONS
1	Interoception and Mental Health: A Roadmap. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 501-513.	1.5	524
2	Increased anterior insula activity in anxious individuals is linked to diminished perceived control. Translational Psychiatry, 2015, 5, e591-e591.	4.8	89
3	Animal to human translational paradigms relevant for approach avoidance conflict decision making. Behaviour Research and Therapy, 2017, 96, 14-29.	3.1	82
4	Evidence for Altered Basal Ganglia-Brainstem Connections in Cervical Dystonia. PLoS ONE, 2012, 7, e31654.	2.5	71
5	Meta-Analytic Review of Psychological Interventions for Children Survivors of Natural and Man-Made Disasters. Current Psychiatry Reports, 2014, 16, 462.	4.5	65
6	A pragmatic clinical trial examining the impact of a resilience program on college student mental health. Depression and Anxiety, 2020, 37, 202-213.	4.1	54
7	Greater decision uncertainty characterizes a transdiagnostic patient sample during approach-avoidance conflict: a computational modelling approach. Journal of Psychiatry and Neuroscience, 2021, 46, E74-E87.	2.4	37
8	Neural responses to maternal praise and criticism: Relationship to depression and anxiety symptoms in high-risk adolescent girls. NeuroImage: Clinical, 2016, 11, 548-554.	2.7	34
9	Long-term stability of computational parameters during approach-avoidance conflict in a transdiagnostic psychiatric patient sample. Scientific Reports, 2021, 11, 11783.	3.3	26
10	Cortisol Reactivity in Two-Year-Old Children Prenatally Exposed to Methamphetamine. Journal of Studies on Alcohol and Drugs, 2013, 74, 447-451.	1.0	17
11	Roadmap for optimizing the clinical utility of emotional stress paradigms in human neuroimaging research. Neurobiology of Stress, 2018, 8, 134-146.	4.0	16
12	Visual cortical regions show sufficient test-retest reliability while salience regions are unreliable during emotional face processing. NeuroImage, 2020, 220, 117077.	4.2	15
13	Extracurricular Activities, Screen Media Activity, and Sleep May Be Modifiable Factors Related to Children's Cognitive Functioning: Evidence From the ABCD Study. Child Development, 2021, 92, 2035-2052.	3.0	15
14	Latent variable analysis of negative affect and its contributions to neural responses during shock anticipation. Neuropsychopharmacology, 2019, 44, 695-702.	5.4	14
15	Is There an Ace Up Our Sleeve? A Review of Interventions and Strategies for Addressing Behavioral and Neurobiological Effects of Adverse Childhood Experiences in Youth. Adversity and Resilience Science, 2020, 1, 5-28.	2.6	12
16	The effect of a mindfulness-based stress intervention on neurobiological and symptom measures in adolescents with early life stress: a randomized feasibility study. BMC Complementary Medicine and Therapies, 2021, 21, 123.	2.7	12
17	Recruitment of orbitofrontal cortex during unpredictable threat among adults at risk for affective disorders. Brain and Behavior, 2017, 7, e00757.	2.2	11
18	Slower Learning Rates from Negative Outcomes in Substance Use Disorder over a 1-Year Period and Their Potential Predictive Utility. Computational Psychiatry, 2022, 6, 117.	2.0	10

#	ARTICLE	IF	CITATIONS
19	P300 amplitude during a monetary incentive delay task predicts future therapy completion in individuals with major depressive disorder. <i>Journal of Affective Disorders</i> , 2021, 295, 873-882.	4.1	9
20	Neurofeedback-Augmented Mindfulness Training Elicits Distinct Responses in the Subregions of the Insular Cortex in Healthy Adolescents. <i>Brain Sciences</i> , 2022, 12, 363.	2.3	9
21	Test-retest reliability of approach-avoidance conflict decision-making during functional magnetic resonance imaging in healthy adults. <i>Human Brain Mapping</i> , 2021, 42, 2347-2361.	3.6	7
22	Self-regulation of the posterior cingulate cortex with real-time fMRI neurofeedback augmented mindfulness training in healthy adolescents: A nonrandomized feasibility study. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2022, 22, 849-867.	2.0	7
23	Behavioral activation therapy for depression is associated with a reduction in the concentration of circulating quinolinic acid. <i>Psychological Medicine</i> , 2022, 52, 2500-2509.	4.5	5
24	Latent variables for region of interest activation during the monetary incentive delay task. <i>NeuroImage</i> , 2021, 230, 117796.	4.2	3
25	Enhancing Cognitive Resilience in Adolescence and Young Adults: A Multidimensional Approach. <i>Emerging Issues in Family and Individual Resilience</i> , 2021, , 45-64.	0.2	3
26	Mindfulness-Based Interventions for the Treatment of Aberrant Interoceptive Processing in Substance Use Disorders. <i>Brain Sciences</i> , 2022, 12, 279.	2.3	3
27	Behavioral and neural responses during fear conditioning and extinction in a large transdiagnostic sample. <i>NeuroImage: Clinical</i> , 2022, 35, 103060.	2.7	3
28	A machine learning analysis of risk and protective factors of suicidal thoughts and behaviors in college students. <i>Journal of American College Health</i> , 2023, 71, 1863-1872.	1.5	2
29	Neural Processing Dysfunctions During Fear Learning but Not Reward-Related Processing Characterize Depressed Individuals with High Levels of Repetitive Negative Thinking. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, , .	1.5	2
30	O21. Neural Correlates of Fear Learning in a Large, Clinically Diverse Community Sample. <i>Biological Psychiatry</i> , 2018, 83, S116-S117.	1.3	1
31	Neurocircuitry of Mindfulness-Based Interventions for Substance Use Prevention and Recovery. <i>Current Addiction Reports</i> , 0, , 1.	3.4	1
32	Sex differences in circulating inflammatory mediators as a function of substance use disorder. <i>Drug and Alcohol Dependence</i> , 2021, 221, 108610.	3.2	0
33	Neurobehavioral Relationships During an Approach-Avoidance Conflict Decision-Making Task in Adults With Major Depressive Disorder During fMRI. <i>Biological Psychiatry</i> , 2021, 89, S362.	1.3	0
34	Behavioral activation therapy for depression is associated with a reduction in the concentration of circulating quinolinic acid – Erratum. <i>Psychological Medicine</i> , 2021, , 1-1.	4.5	0
35	Internalizing and Externalizing Symptoms in a Sample of Bosnian Young Adults: Ten Years After the War. , 2012, , 143-156.		0