Manlio Di Cristina

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9170404/publications.pdf

Version: 2024-02-01

42 papers

2,286 citations

331259 21 h-index 288905 40 g-index

48 all docs 48 docs citations

48 times ranked

2894 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Toxoplasma TgATG9 is critical for autophagy and long-term persistence in tissue cysts. ELife, 2021, 10, . | 2.8 | 26 |
| 2 | SARS-CoV2 infection impairs the metabolism and redox function of cellular glutathione. Redox Biology, 2021, 45, 102041. | 3.9 | 58 |
| 3 | Toxoplasma gondii exploits the host ESCRT machinery for parasite uptake of host cytosolic proteins. PLoS Pathogens, 2021, 17, e1010138. | 2.1 | 29 |
| 4 | An Uninvited Seat at the Dinner Table: How Apicomplexan Parasites Scavenge Nutrients from the Host. Microorganisms, 2021, 9, 2592. | 1.6 | 8 |
| 5 | <i>Toxoplasma</i> Cathepsin Protease B and Aspartyl Protease 1 Are Dispensable for Endolysosomal Protein Digestion. MSphere, 2020, 5, . | 1.3 | 14 |
| 6 | Toxoplasma gondii: Bradyzoite Differentiation In Vitro and In Vivo. Methods in Molecular Biology, 2020, 2071, 269-282. | 0.4 | 35 |
| 7 | PCR Screening of Toxoplasma gondii Single Clones Directly from 96-Well Plates Without DNA Purification. Methods in Molecular Biology, 2020, 2071, 117-123. | 0.4 | 13 |
| 8 | Role of $\langle i \rangle$ Toxoplasma gondii $\langle i \rangle$ Chloroquine Resistance Transporter in Bradyzoite Viability and Digestive Vacuole Maintenance. MBio, 2019, 10, . | 1.8 | 19 |
| 9 | An ortholog of Plasmodium falciparum chloroquine resistance transporter (PfCRT) plays a key role in maintaining the integrity of the endolysosomal system in Toxoplasma gondii to facilitate host invasion. PLoS Pathogens, 2019, 15, e1007775. | 2.1 | 20 |
| 10 | New and emerging uses of CRISPR/Cas9 to genetically manipulate apicomplexan parasites. Parasitology, 2018, 145, 1119-1126. | 0.7 | 32 |
| 11 | Toxoplasma depends on lysosomal consumption of autophagosomes for persistent infection. Nature Microbiology, 2017, 2, 17096. | 5.9 | 72 |
| 12 | Toxoplasma-induced changes in host risk behaviour are independent of parasite-derived AaaH2 tyrosine hydroxylase. Scientific Reports, 2017, 7, 13822. | 1.6 | 27 |
| 13 | Alternative splicing mechanisms orchestrating post-transcriptional gene expression: intron retention and the intron-rich genome of apicomplexan parasites. Current Genetics, 2016, 62, 31-38. | 0.8 | 17 |
| 14 | Expression of the glycolytic enzymes enolase and lactate dehydrogenase during the early phase of <scp><i>T</i></scp> <i>oxoplasma</i> Molecular Microbiology, 2015, 96, 1159-1175. | 1.2 | 25 |
| 15 | Fundamental Roles of the Golgi-Associated Toxoplasma Aspartyl Protease, ASP5, at the Host-Parasite Interface. PLoS Pathogens, 2015, 11, e1005211. | 2.1 | 108 |
| 16 | The germline of the malaria mosquito produces abundant miRNAs, endo-siRNAs, piRNAs and 29-nt small RNAs. BMC Genomics, 2015, 16, 100. | 1.2 | 44 |
| 17 | Toxoplasma gondii Ingests and Digests Host Cytosolic Proteins. MBio, 2014, 5, e01188-14. | 1.8 | 134 |
| 18 | Methods to Discriminate the Distribution of Acidic Glycohydrolases Between the Endosomal–Lysosomal Systems and the Plasma Membrane. Methods in Enzymology, 2014, 534, 25-45. | 0.4 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Evidence of tRNA cleavage in apicomplexan parasites: Half-tRNAs as new potential regulatory molecules of Toxoplasma gondii and Plasmodium berghei. Molecular and Biochemical Parasitology, 2013, 188, 99-108. | 0.5 | 22 |
| 20 | Disruption of plasmepsin-4 and merozoites surface protein-7 genes in Plasmodium berghei induces combined virulence-attenuated phenotype. Scientific Reports, 2011, 1, 39. | 1.6 | 23 |
| 21 | An antigen microarray immunoassay for multiplex screening of mouse monoclonal antibodies. Nature Protocols, 2010, 5, 1932-1944. | 5.5 | 12 |
| 22 | Plasmepsin 4-Deficient Plasmodium berghei Are Virulence Attenuated and Induce Protective Immunity against Experimental Malaria. American Journal of Pathology, 2010, 176, 205-217. | 1.9 | 105 |
| 23 | Temporal and Spatial Distribution of <i>Toxoplasma gondii</i> Differentiation into Bradyzoites and Tissue Cyst Formation In Vivo. Infection and Immunity, 2008, 76, 3491-3501. | 1.0 | 85 |
| 24 | A novel approach for identification of tumor-associated antigens expressed on the surface of tumor cells. International Journal of Cancer, 2007, 120, 1293-1303. | 2.3 | 12 |
| 25 | Toxoplasma gondii: DNA vaccination with bradyzoite antigens induces protective immunity in mice against oral infection with parasite cysts. Experimental Parasitology, 2006, 112, 274-279. | 0.5 | 28 |
| 26 | Use of Recombinant Antigens for Early Postnatal Diagnosis of Congenital Toxoplasmosis. Journal of Clinical Microbiology, 2005, 43, 5916-5924. | 1.8 | 48 |
| 27 | The Toxoplasma gondii bradyzoite antigens BAG1 and MAG1 induce early humoral and cell-mediated immune responses upon human infection. Microbes and Infection, 2004, 6, 164-171. | 1.0 | 63 |
| 28 | Use of an Immunoglobulin G Avidity Assay Based on Recombinant Antigens for Diagnosis of Primary Toxoplasma gondii Infection during Pregnancy. Journal of Clinical Microbiology, 2003, 41, 5414-5418. | 1.8 | 75 |
| 29 | Antigen Microarrays for Serodiagnosis of Infectious Diseases. Clinical Chemistry, 2002, 48, 121-130. | 1.5 | 183 |
| 30 | The SAG5 locus of Toxoplasma gondii encodes three novel proteins belonging to the SAG1 family of surface antigens. International Journal for Parasitology, 2002, 32, 121-131. | 1.3 | 14 |
| 31 | Intramembrane cleavage of microneme proteins at the surface of the apicomplexan parasite Toxoplasma gondii. EMBO Journal, 2002, 21, 1577-1585. | 3.5 | 104 |
| 32 | Antigen microarrays for serodiagnosis of infectious diseases. Clinical Chemistry, 2002, 48, 121-30. | 1.5 | 50 |
| 33 | Identification and Characterization of an Escorter for Two Secretory Adhesins in Toxoplasma gondii. Journal of Cell Biology, 2001, 152, 563-578. | 2.3 | 191 |
| 34 | Two Conserved Amino Acid Motifs Mediate Protein Targeting to the Micronemes of the Apicomplexan Parasite Toxoplasma gondii. Molecular and Cellular Biology, 2000, 20, 7332-7341. | 1.1 | 91 |
| 35 | Promoter Sequences of the Putative Anopheles gambiae Apyrase Confer Salivary Gland Expression in Drosophila melanogaster. Journal of Biological Chemistry, 2000, 275, 23861-23868. | 1.6 | 44 |
| 36 | Transformed <i>Toxoplasma gondii</i> Tachyzoites Expressing the Circumsporozoite Protein of <i>Plasmodium knowlesi</i> Elicit a Specific Immune Response in Rhesus Monkeys. Infection and Immunity, 1999, 67, 1677-1682. | 1.0 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 37 | Transformed Toxoplasma gondiiTachyzoites Expressing the Circumsporozoite Protein ofPlasmodium knowlesi Elicit a Specific Immune Response in Rhesus Monkeys. Infection and Immunity, 1999, 67, 1677-1682. | 1.0 | 6 |
| 38 | Homeodomain-Leucine Zipper Proteins in the Control of Plant Growth and Development. , 1998 , , $251-262$. | | 6 |
| 39 | The Arabidopsis Athb-10 (GLABRA2) is an HD-Zip protein required for regulation of root hair development. Plant Journal, 1996, 10, 393-402. | 2.8 | 340 |
| 40 | Interaction of proteins with the mRNA for ribosomal protein L1 inXenopus: structural characterization ofin vivocomplexes and identification of proteins that bindin vivoto its 5'UTR. Nucleic Acids Research, 1993, 21, 2301-2308. | 6.5 | 50 |
| 41 | Xenopus laevisribosomal protein S1a cDNA sequence. Nucleic Acids Research, 1991, 19, 1943-1943. | 6. 5 | 12 |
| 42 | Functional Characterization of the Thrombospondin-Related Paralogous Proteins Rhoptry Discharge Factors 1 and 2 Unveils Phenotypic Plasticity in Toxoplasma gondii Rhoptry Exocytosis. Frontiers in Microbiology, 0, 13, . | 1.5 | 6 |