Hayley Anne Hutchings

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9170720/publications.pdf

Version: 2024-02-01

69 papers

3,840 citations

257101 24 h-index 61 g-index

71 all docs

71 docs citations

71 times ranked

4480 citing authors

#	Article	IF	CITATIONS
1	Risk factors that predict mortality in patients with blunt chest wall trauma: A systematic review and meta-analysis. Injury, 2012, 43, 8-17.	0.7	746
2	Population requirement for adult critical-care beds: a prospective quantitative and qualitative study. Lancet, The, 2000, 355, 595-598.	6.3	672
3	The OPTION scale: measuring the extent that clinicians involve patients in decision-making tasks. Health Expectations, 2005, 8, 34-42.	1.1	418
4	Lactobacilli and bifidobacteria in the prevention of antibiotic-associated diarrhoea and Clostridium difficile diarrhoea in older inpatients (PLACIDE): a randomised, double-blind, placebo-controlled, multicentre trial. Lancet, The, 2013, 382, 1249-1257.	6.3	333
5	Infliximab versus ciclosporin for steroid-resistant acute severe ulcerative colitis (CONSTRUCT): a mixed methods, open-label, pragmatic randomised trial. The Lancet Gastroenterology and Hepatology, 2016, 1, 15-24.	3.7	176
6	It could be a â€~Golden Goose': a qualitative study of views in primary care on an emergency admission risk prediction tool prior to implementation. BMC Family Practice, 2016, 17, 1.	2.9	129
7	Gastroenterology services in the UK. The burden of disease, and the organisation and delivery of services for gastrointestinal and liver disorders: a review of the evidence. Gut, 2007, 56, 1-113.	6.1	120
8	Autologous blood transfusion in total knee replacement surgery. British Journal of Anaesthesia, 2001, 86, 669-673.	1.5	105
9	SF-36 scores vary by method of administration: implications for study design. Journal of Public Health, 1999, 21, 41-45.	1.0	91
10	Social Connectedness and Perceived Listening Effort in Adult Cochlear Implant Users: A Grounded Theory to Establish Content Validity for a New Patient-Reported Outcome Measure. Ear and Hearing, 2018, 39, 922-934.	1.0	86
11	Systematic Review of Health-related Quality of Life Measures for Inflammatory Bowel Disease. Journal of Crohn's and Colitis, 2015, 9, 284-292.	0.6	59
12	Can randomised trials rely on existing electronic data? A feasibility study to explore the value of routine data in health technology assessment. Health Technology Assessment, 2003, 7, iii, v-x, 1-117.	1.3	56
13	The risk factors for the development of complications during the recovery phase following blunt chest wall trauma: A retrospective study. Injury, 2013, 44, 1171-1176.	0.7	46
14	Assessing patient reported outcome measures: A practical guide for gastroenterologists. United European Gastroenterology Journal, 2014, 2, 463-470.	1.6	46
15	Recent trends in the incidence of anxiety and prescription of anxiolytics and hypnotics in children and young people: An e-cohort study. Journal of Affective Disorders, 2015, 183, 134-141.	2.0	46
16	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. BMJ Open, 2019, 9, e032081.	0.8	42
17	Eleven themes of patient-centred professionalism in community pharmacy: innovative approaches to consulting. International Journal of Pharmacy Practice, 2010, 18, 260-268.	0.3	37
18	Qualitative research and its methods in epilepsy: Contributing to an understanding of patients' lived experiences of the disease. Epilepsy and Behavior, 2015, 45, 94-100.	0.9	37

#	Article	IF	Citations
19	Development of a Short Questionnaire to Assess the Quality of Life in Crohn's Disease and Ulcerative Colitis. Journal of Crohn's and Colitis, 2015, 9, 66-76.	0.6	31
20	Randomised controlled trial. Comparison Of iNfliximab and ciclosporin in STeroid Resistant Ulcerative Colitis: Trial design and protocol (CONSTRUCT). BMJ Open, 2014, 4, e005091.	0.8	29
21	A Randomised, Cross-Over, Placebo-Controlled Study of <i>Aloe vera</i> in Patients with Irritable Bowel Syndrome: Effects on Patient Quality of Life. ISRN Gastroenterology, 2011, 2011, 1-8.	1.5	28
22	Development and validation of the Gastrointestinal Endoscopy Satisfaction Questionnaire (GESQ). Endoscopy, 2015, 47, 1137-1143.	1.0	28
23	Effects and costs of implementing predictive risk stratification in primary care: a randomised stepped wedge trial. BMJ Quality and Safety, 2019, 28, 697-705.	1.8	28
24	Do Children Who Move Home and School Frequently Have Poorer Educational Outcomes in Their Early Years at School? An Anonymised Cohort Study. PLoS ONE, 2013, 8, e70601.	1.1	26
25	Social health outcomes following thermal injuries: a retrospective matched cohort study. Archives of Disease in Childhood, 2009, 94, 663-667.	1.0	23
26	Development of a parent version of the Manchester-Minneapolis quality of life survey for use by parents and carers of UK children: MMQL-UK (PF). Health and Quality of Life Outcomes, 2008, 6, 19.	1.0	21
27	Patient-Reported Outcome Measures in Routine Clinical Care: The PROMise of a Better Future?. Digestive Diseases and Sciences, 2017, 62, 1841-1843.	1.1	21
28	Adaptation of the Manchester-Minneapolis Quality of Life instrument for use in the UK population. Archives of Disease in Childhood, 2007, 92, 855-860.	1.0	20
29	Expert opinion of the risk factors for morbidity and mortality in blunt chest wall trauma: Results of a national postal questionnaire survey of Emergency Departments in the United Kingdom. Injury, 2013, 44, 56-59.	0.7	20
30	Obtaining consensus about patientâ€centred professionalism in community nursing: nominal group work activity with professionals and the public. Journal of Advanced Nursing, 2012, 68, 2429-2442.	1.5	19
31	Long-term health effects after resolution of acute Cryptosporidium parvum infection: a 1-year follow-up of outbreak-associated cases. Journal of Medical Microbiology, 2017, 66, 1607-1611.	0.7	18
32	Evaluating Innovations in the Delivery and Organization of Endoscopy Services in England and Wales. Qualitative Health Research, 2010, 20, 922-930.	1.0	17
33	Health sequelae of human cryptosporidiosis—a 12-month prospective follow-up study. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 1709-1717.	1.3	17
34	Patientâ€reported outcome measures for facial skin cancer: aÂsystematic review and evaluation of the quality of theirÂmeasurement properties. British Journal of Dermatology, 2019, 180, 1018-1029.	1.4	17
35	Burns in young children: a retrospective matched cohort study of health and developmental outcomes. Child: Care, Health and Development, 2010, 36, 787-794.	0.8	16
36	The use of secure anonymised data linkage to determine changes in healthcare utilisation following severe open tibial fractures. Injury, 2015, 46, 1287-1292.	0.7	16

#	Article	IF	Citations
37	The association of smoking and socioeconomic status on cutaneous melanoma: a populationâ€based, dataâ€linkage, case–control study. British Journal of Dermatology, 2020, 182, 1136-1147.	1.4	15
38	Supervised exercise rehabilitation in survivors of critical illness: A randomised controlled trial. Journal of the Intensive Care Society, 2019, 20, 18-26.	1.1	14
39	Blunt chest wall trauma: A review. Trauma, 2013, 15, 156-175.	0.2	13
40	The Effect of Pre-Injury Anti-Platelet Therapy on the Development of Complications in Isolated Blunt Chest Wall Trauma: A Retrospective Study. PLoS ONE, 2014, 9, e91284.	1.1	13
41	Protocol for a multicentre randomised feasibility STUdy evaluating the impact of a prognostic model for Management of BLunt chest wall trauma patients: STUMBL trial. BMJ Open, 2017, 7, e015972.	0.8	13
42	Systematic Review of the Clinical Disease Severity Indices for Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, 21, 1.	0.9	11
43	Residential Moving and Preventable Hospitalizations. Pediatrics, 2016, 138, .	1.0	10
44	Women's Perceptions of Journeying Toward an Unknown Future With Breast Cancer: The "Lives at Risk Study― Qualitative Health Research, 2018, 28, 30-46.	1.0	10
45	Obtaining consensus regarding patient-centred professionalism in community pharmacy: nominal group work activity with professionals, stakeholders and members of the public. International Journal of Pharmacy Practice, 2010, 18, 149-58.	0.3	9
46	Psychometric development of the Gastrointestinal Symptom Rating Questionnaire (GSRQ) demonstrated good validity. Journal of Clinical Epidemiology, 2015, 68, 1176-1183.	2.4	8
47	Development and validation of a new disease severity index: the Inflammatory Bowel Disease Index (IBDEX). Frontline Gastroenterology, 2015, 6, 161-168.	0.9	8
48	Validation of the Crohn's and Ulcerative Colitis questionnaire in patients with acute severe ulcerative colitis. United European Gastroenterology Journal, 2017, 5, 571-578.	1.6	8
49	Patient-reported outcome measures (PROMs) for assessing perceived listening effort in hearing loss: protocol for a systematic review. BMJ Open, 2017, 7, e014995.	0.8	8
50	Psychometric development of the Upper Limb Lymphedema Quality of Life Questionnaire demonstrated the patient-reported outcome measure to be a robust measure for breast cancer–related lymphedema. Journal of Clinical Epidemiology, 2018, 100, 61-70.	2.4	8
51	Patient-Reported Outcome Measures for Soft-Tissue Facial Reconstruction. Plastic and Reconstructive Surgery, 2019, 143, 255-268.	0.7	8
52	Successful development and testing of a Method for Aggregating The Reporting of Interventions in Complex Studies (MATRICS). Journal of Clinical Epidemiology, 2016, 69, 193-198.	2.4	6
53	UK-based prospective cohort study to anglicise and validate the FACE-Q Skin Cancer Module in patients with facial skin cancer undergoing surgical reconstruction: the PROMISCR (Patient-Reported) Tj ETQq $1\ 1\ 0.7843$	140r.gsBT/C	Overlock 10⊤
54	The readability of online health resources for phenylketonuria. Journal of Community Genetics, 2020, 11, 451-459.	0.5	5

#	Article	IF	CITATIONS
55	Can electronic routine data act as a surrogate for patient-assessed outcome measures?. International Journal of Technology Assessment in Health Care, 2005, 21, 138-143.	0.2	4
56	Protocol for a prospective multicentre cohort study to develop and validate two new outcome measures for patients with inflammatory bowel disease. BMJ Open, 2013, 3, e003192.	0.8	4
57	Protocol for a multicentre randomised feasibility trial evaluating early Surgery Alone In LOw Rectal cancer (SAILOR). BMJ Open, 2016, 6, e012496.	0.8	4
58	A survey of current practice in UK emergency department management of patients with blunt chest wall trauma not requiring admission to hospital. Injury, 2021, 52, 2565-2570.	0.7	4
59	Does frequent residential mobility in early years affect the uptake and timeliness of routine immunisations? An anonymised cohort study. Vaccine, 2016, 34, 1773-1777.	1.7	3
60	Estimating the marginal value of ?better? research output: ?designed? versus ?routine? data in randomised controlled trials. Health Economics (United Kingdom), 2003, 12, 959-974.	0.8	2
61	Phase II multicentre, double-blind, randomised trial of ustekinumab in adolescents with new-onset type 1 diabetes (USTEK1D): trial protocol. BMJ Open, 2021, 11, e049595.	0.8	2
62	Designing and evaluating a patient decision aid for patients with locally advanced or locally recurrent rectal cancer: a national multicentre mixed methods study protocol. BMJ Open, 2022, 12, e056984.	0.8	2
63	Can the inflammatory bowel disease biologics registry lead to improved quality of care?. Journal of Taibah University Medical Sciences, 2015, 10, 373-375.	0.5	1
64	Further Validation of the Crohn's and Ulcerative Colitis Questionnaire-32 (CUCQ-32) to Measure the Quality of Life in Patients Treated with Biologics Therapy. Clinics and Practice, 2022, 12, 436-448.	0.6	1
65	PTH-097 Defining Patient-Centred Professionalism in Gastroenterology. Gut, 2013, 62, A250.2-A251.	6.1	0
66	PP51â€Implementation of a predictive risk tool in primary care: examining understanding and engagement among practitioners. Journal of Epidemiology and Community Health, 2014, 68, A67.2-A67.	2.0	0
67	The FACE â€Q Skin Cancer Module addresses postâ€resection aesthetic and quality of life outcomes: reply from authors. British Journal of Dermatology, 2019, 180, 954-954.	1.4	0
68	Construct validity of the anglicised FACE-Q Skin Cancer module. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2021, , .	0.5	0
69	Early exercise in blunt chest wall trauma: protocol for a mixed-methods, multicentre, parallel randomised controlled trial (ELECT2 trial). BMJ Open, 2022, 12, e060055.	0.8	0