## **Hayley Anne Hutchings**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9170720/publications.pdf

Version: 2024-02-01

69 papers

3,840 citations

257101 24 h-index 61 g-index

71 all docs

71 docs citations

71 times ranked

4480 citing authors

#	Article	IF	CITATIONS
1	Early exercise in blunt chest wall trauma: protocol for a mixed-methods, multicentre, parallel randomised controlled trial (ELECT2 trial). BMJ Open, 2022, 12, e060055.	0.8	O
2	Further Validation of the Crohn's and Ulcerative Colitis Questionnaire-32 (CUCQ-32) to Measure the Quality of Life in Patients Treated with Biologics Therapy. Clinics and Practice, 2022, 12, 436-448.	0.6	1
3	Designing and evaluating a patient decision aid for patients with locally advanced or locally recurrent rectal cancer: a national multicentre mixed methods study protocol. BMJ Open, 2022, 12, e056984.	0.8	2
4	A survey of current practice in UK emergency department management of patients with blunt chest wall trauma not requiring admission to hospital. Injury, 2021, 52, 2565-2570.	0.7	4
5	Phase II multicentre, double-blind, randomised trial of ustekinumab in adolescents with new-onset type 1 diabetes (USTEK1D): trial protocol. BMJ Open, 2021, 11, e049595.	0.8	2
6	Construct validity of the anglicised FACE-Q Skin Cancer module. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2021, , .	0.5	0
7	The association of smoking and socioeconomic status on cutaneous melanoma: a populationâ€based, dataâ€linkage, case–control study. British Journal of Dermatology, 2020, 182, 1136-1147.	1.4	15
8	The readability of online health resources for phenylketonuria. Journal of Community Genetics, 2020, 11, 451-459.	0.5	5
9	Supervised exercise rehabilitation in survivors of critical illness: A randomised controlled trial. Journal of the Intensive Care Society, 2019, 20, 18-26.	1.1	14
10	Health sequelae of human cryptosporidiosis—a 12-month prospective follow-up study. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 1709-1717.	1.3	17
11	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. BMJ Open, 2019, 9, e032081.	0.8	42
12	Patient-Reported Outcome Measures for Soft-Tissue Facial Reconstruction. Plastic and Reconstructive Surgery, 2019, 143, 255-268.	0.7	8
13	Effects and costs of implementing predictive risk stratification in primary care: a randomised stepped wedge trial. BMJ Quality and Safety, 2019, 28, 697-705.	1.8	28
14	The FACE â€Q Skin Cancer Module addresses postâ€resection aesthetic and quality of life outcomes: reply from authors. British Journal of Dermatology, 2019, 180, 954-954.	1.4	0
15	Patientâ€reported outcome measures for facial skin cancer: aÂsystematic review and evaluation of the quality of theirÂmeasurement properties. British Journal of Dermatology, 2019, 180, 1018-1029.	1.4	17
16	Social Connectedness and Perceived Listening Effort in Adult Cochlear Implant Users: A Grounded Theory to Establish Content Validity for a New Patient-Reported Outcome Measure. Ear and Hearing, 2018, 39, 922-934.	1.0	86
17	Women's Perceptions of Journeying Toward an Unknown Future With Breast Cancer: The "Lives at Risk Study― Qualitative Health Research, 2018, 28, 30-46.	1.0	10
18	Psychometric development of the Upper Limb Lymphedema Quality of Life Questionnaire demonstrated the patient-reported outcome measure to be a robust measure for breast cancer–related lymphedema. Journal of Clinical Epidemiology, 2018, 100, 61-70.	2.4	8

#	Article	IF	CITATIONS
19	UK-based prospective cohort study to anglicise and validate the FACE-Q Skin Cancer Module in patients with facial skin cancer undergoing surgical reconstruction: the PROMISCR (Patient-Reported) Tj ETQq1 1 0.7843	14orgBT/O	verlock 10 T
20	Protocol for a multicentre randomised feasibility STUdy evaluating the impact of a prognostic model for Management of BLunt chest wall trauma patients: STUMBL trial. BMJ Open, 2017, 7, e015972.	0.8	13
21	Patient-Reported Outcome Measures in Routine Clinical Care: The PROMise of a Better Future?. Digestive Diseases and Sciences, 2017, 62, 1841-1843.	1.1	21
22	Validation of the Crohn's and Ulcerative Colitis questionnaire in patients with acute severe ulcerative colitis. United European Gastroenterology Journal, 2017, 5, 571-578.	1.6	8
23	Patient-reported outcome measures (PROMs) for assessing perceived listening effort in hearing loss: protocol for a systematic review. BMJ Open, 2017, 7, e014995.	0.8	8
24	Long-term health effects after resolution of acute Cryptosporidium parvum infection: a 1-year follow-up of outbreak-associated cases. Journal of Medical Microbiology, 2017, 66, 1607-1611.	0.7	18
25	Protocol for a multicentre randomised feasibility trial evaluating early Surgery Alone In LOw Rectal cancer (SAILOR). BMJ Open, 2016, 6, e012496.	0.8	4
26	Does frequent residential mobility in early years affect the uptake and timeliness of routine immunisations? An anonymised cohort study. Vaccine, 2016, 34, 1773-1777.	1.7	3
27	Successful development and testing of a Method for Aggregating The Reporting of Interventions in Complex Studies (MATRICS). Journal of Clinical Epidemiology, 2016, 69, 193-198.	2.4	6
28	Infliximab versus ciclosporin for steroid-resistant acute severe ulcerative colitis (CONSTRUCT): a mixed methods, open-label, pragmatic randomised trial. The Lancet Gastroenterology and Hepatology, 2016, 1, 15-24.	3.7	176
29	Residential Moving and Preventable Hospitalizations. Pediatrics, 2016, 138, .	1.0	10
30	It could be a â€~Golden Goose': a qualitative study of views in primary care on an emergency admission risk prediction tool prior to implementation. BMC Family Practice, 2016, 17, 1.	2.9	129
31	Can the inflammatory bowel disease biologics registry lead to improved quality of care?. Journal of Taibah University Medical Sciences, 2015, 10, 373-375.	0.5	1
32	Development and validation of the Gastrointestinal Endoscopy Satisfaction Questionnaire (GESQ). Endoscopy, 2015, 47, 1137-1143.	1.0	28
33	Systematic Review of the Clinical Disease Severity Indices for Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, $21, 1$ .	0.9	11
34	Psychometric development of the Gastrointestinal Symptom Rating Questionnaire (GSRQ) demonstrated good validity. Journal of Clinical Epidemiology, 2015, 68, 1176-1183.	2.4	8
35	Systematic Review of Health-related Quality of Life Measures for Inflammatory Bowel Disease. Journal of Crohn's and Colitis, 2015, 9, 284-292.	0.6	59
36	The use of secure anonymised data linkage to determine changes in healthcare utilisation following severe open tibial fractures. Injury, 2015, 46, 1287-1292.	0.7	16

#	Article	IF	CITATIONS
37	Qualitative research and its methods in epilepsy: Contributing to an understanding of patients' lived experiences of the disease. Epilepsy and Behavior, 2015, 45, 94-100.	0.9	37
38	Recent trends in the incidence of anxiety and prescription of anxiolytics and hypnotics in children and young people: An e-cohort study. Journal of Affective Disorders, 2015, 183, 134-141.	2.0	46
39	Development of a Short Questionnaire to Assess the Quality of Life in Crohn's Disease and Ulcerative Colitis. Journal of Crohn's and Colitis, 2015, 9, 66-76.	0.6	31
40	Development and validation of a new disease severity index: the Inflammatory Bowel Disease Index (IBDEX). Frontline Gastroenterology, 2015, 6, 161-168.	0.9	8
41	The Effect of Pre-Injury Anti-Platelet Therapy on the Development of Complications in Isolated Blunt Chest Wall Trauma: A Retrospective Study. PLoS ONE, 2014, 9, e91284.	1.1	13
42	Randomised controlled trial. Comparison Of iNfliximab and ciclosporin in STeroid Resistant Ulcerative Colitis: Trial design and protocol (CONSTRUCT). BMJ Open, 2014, 4, e005091.	0.8	29
43	PP51 Implementation of a predictive risk tool in primary care: examining understanding and engagement among practitioners. Journal of Epidemiology and Community Health, 2014, 68, A67.2-A67.	2.0	O
44	Assessing patient reported outcome measures: A practical guide for gastroenterologists. United European Gastroenterology Journal, 2014, 2, 463-470.	1.6	46
45	Lactobacilli and bifidobacteria in the prevention of antibiotic-associated diarrhoea and Clostridium difficile diarrhoea in older inpatients (PLACIDE): a randomised, double-blind, placebo-controlled, multicentre trial. Lancet, The, 2013, 382, 1249-1257.	6.3	333
46	The risk factors for the development of complications during the recovery phase following blunt chest wall trauma: A retrospective study. Injury, 2013, 44, 1171-1176.	0.7	46
47	Expert opinion of the risk factors for morbidity and mortality in blunt chest wall trauma: Results of a national postal questionnaire survey of Emergency Departments in the United Kingdom. Injury, 2013, 44, 56-59.	0.7	20
48	Blunt chest wall trauma: A review. Trauma, 2013, 15, 156-175.	0.2	13
49	Protocol for a prospective multicentre cohort study to develop and validate two new outcome measures for patients with inflammatory bowel disease. BMJ Open, 2013, 3, e003192.	0.8	4
50	PTH-097â€Defining Patient-Centred Professionalism in Gastroenterology. Gut, 2013, 62, A250.2-A251.	6.1	0
51	Do Children Who Move Home and School Frequently Have Poorer Educational Outcomes in Their Early Years at School? An Anonymised Cohort Study. PLoS ONE, 2013, 8, e70601.	1.1	26
52	Obtaining consensus about patientâ€centred professionalism in community nursing: nominal group work activity with professionals and the public. Journal of Advanced Nursing, 2012, 68, 2429-2442.	1.5	19
53	Risk factors that predict mortality in patients with blunt chest wall trauma: A systematic review and meta-analysis. Injury, 2012, 43, 8-17.	0.7	746
54	A Randomised, Cross-Over, Placebo-Controlled Study of <i>Aloe vera</i> in Patients with Irritable Bowel Syndrome: Effects on Patient Quality of Life. ISRN Gastroenterology, 2011, 2011, 1-8.	1.5	28

#	Article	IF	CITATIONS
55	Burns in young children: a retrospective matched cohort study of health and developmental outcomes. Child: Care, Health and Development, 2010, 36, 787-794.	0.8	16
56	Evaluating Innovations in the Delivery and Organization of Endoscopy Services in England and Wales. Qualitative Health Research, 2010, 20, 922-930.	1.0	17
57	Eleven themes of patient-centred professionalism in community pharmacy: innovative approaches to consulting. International Journal of Pharmacy Practice, 2010, 18, 260-268.	0.3	37
58	Obtaining consensus regarding patient-centred professionalism in community pharmacy: nominal group work activity with professionals, stakeholders and members of the public. International Journal of Pharmacy Practice, 2010, 18, 149-58.	0.3	9
59	Social health outcomes following thermal injuries: a retrospective matched cohort study. Archives of Disease in Childhood, 2009, 94, 663-667.	1.0	23
60	Development of a parent version of the Manchester-Minneapolis quality of life survey for use by parents and carers of UK children: MMQL-UK (PF). Health and Quality of Life Outcomes, 2008, 6, 19.	1.0	21
61	Gastroenterology services in the UK. The burden of disease, and the organisation and delivery of services for gastrointestinal and liver disorders: a review of the evidence. Gut, 2007, 56, 1-113.	6.1	120
62	Adaptation of the Manchester-Minneapolis Quality of Life instrument for use in the UK population. Archives of Disease in Childhood, 2007, 92, 855-860.	1.0	20
63	Can electronic routine data act as a surrogate for patient-assessed outcome measures?. International Journal of Technology Assessment in Health Care, 2005, 21, 138-143.	0.2	4
64	The OPTION scale: measuring the extent that clinicians involve patients in decision-making tasks. Health Expectations, 2005, 8, 34-42.	1.1	418
65	Estimating the marginal value of ?better? research output: ?designed? versus ?routine? data in randomised controlled trials. Health Economics (United Kingdom), 2003, 12, 959-974.	0.8	2
66	Can randomised trials rely on existing electronic data? A feasibility study to explore the value of routine data in health technology assessment. Health Technology Assessment, 2003, 7, iii, v-x, 1-117.	1.3	56
67	Autologous blood transfusion in total knee replacement surgery. British Journal of Anaesthesia, 2001, 86, 669-673.	1.5	105
68	Population requirement for adult critical-care beds: a prospective quantitative and qualitative study. Lancet, The, 2000, 355, 595-598.	6.3	672
69	SF-36 scores vary by method of administration: implications for study design. Journal of Public Health, 1999, 21, 41-45.	1.0	91