

Dong-Liang Peng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9170854/publications.pdf>

Version: 2024-02-01

171
papers

8,999
citations

36203

51
h-index

49773

87
g-index

173
all docs

173
docs citations

173
times ranked

9695
citing authors

#	ARTICLE	IF	CITATIONS
1	Promising Electrode and Electrolyte Materials for High-Energy-Density Thin-Film Lithium Batteries. <i>Energy and Environmental Materials</i> , 2022, 5, 133-156.	7.3	25
2	Core-shell zeolite imidazole framework-derived ZnSe@CoSe ₂ /C heterostructure enabling robust polysulfide adsorption and rapid Li ⁺ diffusion in high-rate and high-loading lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2022, 430, 133099.	6.6	31
3	An Ultrahigh-Power Mesocarbon Microbeads Na ⁺ Diglyme Na ₃ V ₂ (PO ₄) ₃ Sodium-Ion Battery. <i>Advanced Materials</i> , 2022, 34, e2108304.	11.1	50
4	Regulating Li ⁺ migration and Li ₂ S deposition by metal-organic framework-derived Co ₄ S ₃ -embedded carbon nanoarrays for durable lithium-sulfur batteries. <i>Science China Materials</i> , 2022, 65, 947-957.	3.5	14
5	Surface Spinel-Coated and Polyanion-Doped Co-Free Li-Rich Layered Oxide Cathode for High-Performance Lithium-Ion Batteries. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 7464-7473.	1.8	13
6	Multi-strategy synergistic Li-rich layered oxides with fluorine-doping and surface coating of oxygen vacancy bearing CeO ₂ to achieve excellent cycling stability. <i>Chemical Engineering Journal</i> , 2022, 431, 133799.	6.6	35
7	Mechanisms and applications of layer/spinel phase transition in Li- and Mn-rich cathodes for lithium-ion batteries. <i>Rare Metals</i> , 2022, 41, 1456-1476.	3.6	41
8	Scalable Synthesis of Pore-Rich Si/C@C Core-Shell-Structured Microspheres for Practical Long-Life Lithium-Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10308-10318.	4.0	73
9	Boosting the potassium-ion storage performance enabled by engineering of hierarchical MoSSe nanosheets modified with carbon on porous carbon sphere. <i>Science Bulletin</i> , 2022, 67, 933-945.	4.3	96
10	Challenge and Strategies in Room Temperature Sodium-Sulfur Batteries: A Comparison with Lithium-Sulfur Batteries. <i>Small</i> , 2022, 18, e2107368.	5.2	32
11	Recent Advances and Strategies toward Polysulfides Shuttle Inhibition for High-Performance Li-S Batteries. <i>Advanced Science</i> , 2022, 9, e2106004.	5.6	161
12	Enhancing cycling stability in Li-rich Mn-based cathode materials by solid-liquid-gas integrated interface engineering. <i>Nano Energy</i> , 2022, 97, 107201.	8.2	17
13	CoP@C with chemisorption-catalysis effect toward lithium polysulfides as multifunctional interlayer for high-performance lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2022, 419, 140391.	2.6	4
14	Composite NiCo ₂ O ₄ @CeO ₂ Microsphere as Cathode Catalyst for High-Performance Lithium-Oxygen Battery. <i>Advanced Science</i> , 2022, 9, e2200523.	5.6	26
15	Preparation of LiNi _{0.5} Mn _{1.5} O ₄ cathode materials by using different-sized Mn ₃ O ₄ nanocrystals as precursors. <i>Journal of Solid State Electrochemistry</i> , 2022, 26, 1359-1368.	1.2	3
16	Atomic mechanisms of hexagonal close-packed Ni nanocrystallization revealed by in situ liquid cell transmission electron microscopy. <i>Nano Research</i> , 2022, 15, 6772-6778.	5.8	2
17	Highly Stable Metal-Free Long-Persistent Luminescent Copolymer for Low Flicker AC-LEDs. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	1
18	Enhanced Cyclability of Lithium Metal Anodes Enabled by Anti-aggregation of Lithiophilic Seeds. <i>Nano Letters</i> , 2022, 22, 5874-5882.	4.5	26

#	ARTICLE	IF	CITATIONS
19	Sodiophilic Zn/SnO ₂ porous scaffold to stabilize sodium deposition for sodium metal batteries. <i>Chemical Engineering Journal</i> , 2021, 404, 126469.	6.6	35
20	Electrochemically induced high ion and electron conductive interlayer in porous multilayer Si film anode with enhanced lithium storage properties. <i>Journal of Power Sources</i> , 2021, 481, 228833.	4.0	9
21	Multiscale Deficiency Integration by Na-Rich Engineering for High-Stability Li-Rich Layered Oxide Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 8239-8248.	4.0	23
22	Li-Zn Overlayer to Facilitate Uniform Lithium Deposition for Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 9985-9993.	4.0	19
23	Multifunctional roles of carbon-based hosts for Li-metal anodes: A review. , 2021, 3, 303-329.		93
24	Nickel Colloidal Superparticles: Microemulsion-Based Self-Assembly Preparation and Their Transition from Room-Temperature Superparamagnetism to Ferromagnetism. <i>Journal of Physical Chemistry C</i> , 2021, 125, 5880-5889.	1.5	6
25	Anchoring Polysulfides and Accelerating Redox Reaction Enabled by Fe-Based Compounds in Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2100970.	7.8	94
26	Phosphorus-Doped Metal-Organic Framework-Derived CoS ₂ Nanoboxes with Improved Adsorption-Catalysis Effect for Li-S Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 15226-15236.	4.0	51
27	Challenges and Recent Advances in High Capacity Li-Rich Cathode Materials for High Energy Density Lithium-Ion Batteries. <i>Advanced Materials</i> , 2021, 33, e2005937.	11.1	253
28	Designing Polymer-In-Salt Electrolyte and Fully Infiltrated 3D Electrode for Integrated Solid-State Lithium Batteries. <i>Angewandte Chemie</i> , 2021, 133, 13041-13050.	1.6	30
29	Manipulating the Local Electronic Structure in Li-Rich Layered Cathode Towards Superior Electrochemical Performance. <i>Advanced Functional Materials</i> , 2021, 31, 2100783.	7.8	79
30	Designing Polymer-In-Salt Electrolyte and Fully Infiltrated 3D Electrode for Integrated Solid-State Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12931-12940.	7.2	202
31	Homogeneous bottom-growth of lithium metal anode enabled by double-gradient lithiophilic skeleton. <i>Journal of Energy Chemistry</i> , 2021, 57, 392-400.	7.1	35
32	Utilizing the different distribution habit of La and Zr in Li-rich Mn-based cathode to achieve fast lithium-ion diffusion kinetics. <i>Journal of Power Sources</i> , 2021, 499, 229915.	4.0	21
33	Construction of Sb ₂ S ₃ @SnS@C Tubular Heterostructures as High-Performance Anode Materials for Sodium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 11280-11289.	3.2	31
34	Metal-organic frameworks-derived hollow dodecahedral carbon combined with Fe _{Nx} moieties and ruthenium nanoparticles as cathode electrocatalyst for lithium oxygen batteries. <i>Journal of Colloid and Interface Science</i> , 2021, 596, 1-11.	5.0	13
35	A Universal Strategy toward the Precise Regulation of Initial Coulombic Efficiency of Li-Rich Mn-Based Cathode Materials. <i>Advanced Materials</i> , 2021, 33, e2103173.	11.1	116
36	Dendrite-Free Reverse Lithium Deposition Induced by Ion Rectification Layer toward Superior Lithium Metal Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2104081.	7.8	39

#	ARTICLE	IF	CITATIONS
37	High-Energy and High-Power Pseudocapacitorâ€“Battery Hybrid Sodium-Ion Capacitor with Na ⁺ Intercalation Pseudocapacitance Anode. Nano-Micro Letters, 2021, 13, 55.	14.4	58
38	Evolution of interfacial structure of the joints between a tungsten-copper composite and austenitic stainless steel. Materials Research Express, 2021, 8, 016514.	0.8	3
39	Morphology Control and Na ⁺ Doping toward High-Performance Li-Rich Layered Cathode Materials for Lithium-Ion Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 197-206.	3.2	25
40	Boosting the Electrochemical Performance of Li- and Mn-Rich Cathodes by a Three-in-One Strategy. Nano-Micro Letters, 2021, 13, 205.	14.4	28
41	Constructing Robust Cross-Linked Binder Networks for Silicon Anodes with Improved Lithium Storage Performance. ACS Applied Materials & Interfaces, 2021, 13, 53818-53828.	4.0	32
42	Challenges and Recent Advances in High Capacity Li-Rich Cathode Materials for High Energy Density Lithium-Ion Batteries (Adv. Mater. 50/2021). Advanced Materials, 2021, 33, .	11.1	3
43	Sputtering Coating of Lithium Fluoride Film on Lithium Cobalt Oxide Electrodes for Reducing the Polarization of Lithium-Ion Batteries. Nanomaterials, 2021, 11, 3393.	1.9	4
44	High performance columnar-like Fe ₂ O ₃ @carbon composite anode via yolk@shell structural design. Journal of Energy Chemistry, 2020, 41, 126-134.	7.1	191
45	Surface Ni-rich engineering towards highly stable Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ cathode materials. Energy Storage Materials, 2020, 25, 76-85.	9.5	47
46	Stable Nano-Encapsulation of Lithium Through Seed-Free Selective Deposition for High-Performance Li Battery Anodes. Advanced Energy Materials, 2020, 10, 1902956.	10.2	65
47	Bottom-top channeling Li nucleation and growth by a gradient lithiophilic 3D conductive host for highly stable Li-metal anodes. Journal of Materials Chemistry A, 2020, 8, 1678-1686.	5.2	31
48	3D lithiophilicâ€“lithiophobicâ€“lithiophilic dual-gradient porous skeleton for highly stable lithium metal anode. Journal of Materials Chemistry A, 2020, 8, 313-322.	5.2	76
49	Recent developments and challenges of Li-rich Mn-based cathode materials for high-energy lithium-ion batteries. Materials Today Energy, 2020, 18, 100518.	2.5	36
50	Function and Application of Defect Chemistry in High-Capacity Electrode Materials for Li-Based Batteries. Chemistry - an Asian Journal, 2020, 15, 3620-3636.	1.7	12
51	Conductive polyaniline doped with phytic acid as a binder and conductive additive for a commercial silicon anode with enhanced lithium storage properties. Journal of Materials Chemistry A, 2020, 8, 16323-16331.	5.2	46
52	Achieving Fast and Durable Lithium Storage through Amorphous FeP Nanoparticles Encapsulated in Ultrathin 3D P-Doped Porous Carbon Nanosheets. ACS Nano, 2020, 14, 9545-9561.	7.3	250
53	Hierarchical Design of Mn ₂ P Nanoparticles Embedded in N,P-Codoped Porous Carbon Nanosheets Enables Highly Durable Lithium Storage. ACS Applied Materials & Interfaces, 2020, 12, 36247-36258.	4.0	36
54	A novel morphology-controlled synthesis of Na ⁺ -doped Li- and Mn-rich cathodes by the self-assembly of amphiphilic spherical micelles. Sustainable Materials and Technologies, 2020, 25, e00171.	1.7	10

#	ARTICLE	IF	CITATIONS
55	Ion Reservoir Enabled by Hierarchical Bimetallic Sulfides Nanocages Toward Highly Effective Sodium Storage. <i>Small</i> , 2020, 16, e1907261.	5.2	31
56	3D uniform nitrogen-doped carbon skeleton for ultra-stable sodium metal anode. <i>Nano Research</i> , 2020, 13, 2136-2142.	5.8	75
57	Manipulating External Electric Field and Tensile Strain toward High Energy Density Stability in Fast-Charging Li-Rich Cathode Materials. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 2322-2329.	2.1	10
58	Lithium Fluoride Coated Silicon Nanocolumns as Anodes for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 18465-18472.	4.0	41
59	Rational integration of spatial confinement and polysulfide conversion catalysts for high sulfur loading lithium-sulfur batteries. <i>Nanoscale Horizons</i> , 2020, 5, 720-729.	4.1	30
60	Unprecedented and highly stable lithium storage capacity of (001) faceted nanosheet-constructed hierarchically porous TiO ₂ /rGO hybrid architecture for high-performance Li-ion batteries. <i>National Science Review</i> , 2020, 7, 1046-1058.	4.6	46
61	Lithium Batteries: Stable Nano-Encapsulation of Lithium Through Seed-Free Selective Deposition for High-Performance Li Battery Anodes (<i>Adv. Energy Mater.</i> 7/2020). <i>Advanced Energy Materials</i> , 2020, 10, 2070031.	10.2	2
62	Intrinsic performance regulation in hierarchically porous Co ₃ O ₄ microrods towards high-rate lithium ion battery anode. <i>Materials Today Energy</i> , 2020, 16, 100383.	2.5	10
63	Preparation of porous Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ micro-cubes for high-capacity lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2020, 834, 155152.	2.8	15
64	MoSe ₂ -Ni ₃ Se ₄ Hybrid Nanoelectrocatalysts and Their Enhanced Electrocatalytic Activity for Hydrogen Evolution Reaction. <i>Nanoscale Research Letters</i> , 2020, 15, 132.	3.1	19
65	Surface Partial-Charge-Tuned Enhancement of Catalytic Activity of Platinum Nanocatalysts for Toluene Oxidation. <i>ACS Catalysis</i> , 2019, 9, 7431-7442.	5.5	127
66	Cu ₄ Sn ₄ -Rich Nanomaterials for Thin-Film Lithium Batteries with Enhanced Conversion Reaction. <i>ACS Nano</i> , 2019, 13, 10671-10681.	7.3	26
67	Facile synthesis of Li-rich layered oxides with spinel-structure decoration as high-rate cathode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2019, 299, 844-852.	2.6	41
68	Chemisorption and electrocatalytic effect from CoxSny alloy for high performance lithium sulfur batteries. <i>Energy Storage Materials</i> , 2019, 23, 62-71.	9.5	76
69	Engineering oxygen vacancies in hierarchically Li-rich layered oxide porous microspheres for high-rate lithium ion battery cathode. <i>Science China Materials</i> , 2019, 62, 1374-1384.	3.5	58
70	Lithium Deficiencies Engineering in Li-Rich Layered Oxide Li _{1.098} Mn _{0.533} Ni _{0.113} Co _{0.138} O ₂ for High-Stability Cathode. <i>Journal of the American Chemical Society</i> , 2019, 141, 10876-10882.	6.6	171
71	Uniform Na ⁺ Doping-Induced Defects in Li- and Mn-Rich Cathodes for High-Performance Lithium-Ion Batteries. <i>Advanced Science</i> , 2019, 6, 1802114.	5.6	78
72	High Initial Reversible Capacity and Long Life of Ternary SnO ₂ -Co-carbon Nanocomposite Anodes for Lithium-Ion Batteries. <i>Nano-Micro Letters</i> , 2019, 11, 18.	14.4	41

#	ARTICLE	IF	CITATIONS
73	A Guideline for Tailoring Lattice Oxygen Activity in Lithium-Rich Layered Cathodes by Strain. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 2202-2207.	2.1	6
74	Electrochemically induced highly ion conductive porous scaffolds to stabilize lithium deposition for lithium metal anodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11683-11689.	5.2	47
75	Enhanced electrochemical performances of layered-spinel heterostructured lithium-rich Li _{1.2} Ni _{0.13} Co _{0.13} Mn _{0.54} O ₂ cathode materials. <i>Chemical Engineering Journal</i> , 2019, 370, 499-507.	6.6	106
76	A Layered Lithium-Rich Li(Li _{0.2} Ni _{0.15} Mn _{0.55} Co _{0.1})O ₂ Cathode Material: Surface Phase Modification and Enhanced Electrochemical Properties for Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2019, 6, 1542-1551.	1.7	10
77	Lithium-rich layered oxide nanowires bearing porous structures and spinel domains as cathode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , 2019, 418, 122-129.	4.0	40
78	Double-shell Li-rich layered oxide hollow microspheres with sandwich-like carbon@spinel@layered@spinel@carbon shells as high-rate lithium ion battery cathode. <i>Nano Energy</i> , 2019, 59, 184-196.	8.2	194
79	Sub-5 nm Ultra-Fine FeP Nanodots as Efficient Co-Catalysts Modified Porous g-C ₃ N ₄ for Precious-Metal-Free Photocatalytic Hydrogen Evolution under Visible Light. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 5651-5660.	4.0	208
80	Ion- and Electron-Conductive Buffering Layer-Modified Si Film for Use as a High-Rate Long-Term Lithium-Ion Battery Anode. <i>ChemSusChem</i> , 2019, 12, 252-260.	3.6	17
81	From a Au-rich core/PtNi-rich shell to a Ni-rich core/PtAu-rich shell: an effective thermochemical pathway to nanoengineering catalysts for fuel cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5143-5155.	5.2	25
82	Dual Electrostatic Assembly of Graphene Encapsulated Nanosheet-Assembled ZnO-Mn Hollow Microspheres as a Lithium Ion Battery Anode. <i>Advanced Functional Materials</i> , 2018, 28, 1707433.	7.8	83
83	Anomalous Hall effect in CoxSi _{1-x} granular films deposited by magnetron co-sputtering. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 9814-9820.	1.1	0
84	Photocatalysis: Co ₂ P Nanorods as an Efficient Cocatalyst Decorated Porous g-C ₃ N ₄ Nanosheets for Photocatalytic Hydrogen Production under Visible Light Irradiation (Part. Part. Syst. Charact. 1/2018). <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1870003.	1.2	4
85	Co ₂ P Nanorods as an Efficient Cocatalyst Decorated Porous g-C ₃ N ₄ Nanosheets for Photocatalytic Hydrogen Production under Visible Light Irradiation. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700251.	1.2	69
86	3D Graphene Encapsulated Hollow CoSnO ₃ Nanoboxes as a High Initial Coulombic Efficiency and Lithium Storage Capacity Anode. <i>Small</i> , 2018, 14, 1703513.	5.2	60
87	Construction of network-like and flower-like 2H-MoSe ₂ nanostructures coupled with porous g-C ₃ N ₄ for noble-metal-free photocatalytic H ₂ evolution under visible light. <i>Applied Catalysis B: Environmental</i> , 2018, 233, 26-34.	10.8	147
88	Effect of in situ low-temperature annealing on anomalous Hall effect in Co nanocluster-assembled granular film. <i>Journal of Alloys and Compounds</i> , 2018, 748, 922-928.	2.8	2
89	Facile synthesis of Fe ₃ O ₄ /C composites for broadband microwave absorption properties. <i>Applied Surface Science</i> , 2018, 445, 82-88.	3.1	65
90	Facile synthesis and microwave absorption properties of yolk-shell ZnO-Ni-C/RGO composite materials. <i>Chemical Engineering Journal</i> , 2018, 333, 92-100.	6.6	102

#	ARTICLE	IF	CITATIONS
91	Toward noble-metal-free visible-light-driven photocatalytic hydrogen evolution: Monodisperse sub ¹⁵ nm Ni ₂ P nanoparticles anchored on porous g-C ₃ N ₄ nanosheets to engineer OD-2D heterojunction interfaces. <i>Applied Catalysis B: Environmental</i> , 2018, 221, 47-55.	10.8	251
92	Fabrication and understanding of Cu ₃ Si-Si@carbon@graphene nanocomposites as high-performance anodes for lithium-ion batteries. <i>Nanoscale</i> , 2018, 10, 22203-22214.	2.8	103
93	3D graphene encapsulated ZnO-NiO-CuO double-shelled hollow microspheres with enhanced lithium storage properties. <i>Journal of Alloys and Compounds</i> , 2018, 765, 1158-1166.	2.8	19
94	3D Ferroconcrete-Like Aminated Carbon Nanotubes Network Anchoring Sulfur for Advanced Lithium-Sulfur Battery. <i>Advanced Energy Materials</i> , 2018, 8, 1801066.	10.2	115
95	Tungsten hexacarbonyl-induced growth of nickel nanorods and nanocubes. <i>Materials Letters</i> , 2018, 229, 340-343.	1.3	5
96	High-Performance Na ² O Batteries Enabled by Oriented NaO ₂ Nanowires as Discharge Products. <i>Nano Letters</i> , 2018, 18, 3934-3942.	4.5	33
97	Enhanced Microwave Absorption Properties by Tuning Cation Deficiency of Perovskite Oxides of Two-Dimensional LaFeO ₃ /C Composite in X-Band. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7601-7610.	4.0	123
98	Shape-dependent magnetic and microwave absorption properties of iron oxide nanocrystals. <i>Materials Chemistry and Physics</i> , 2017, 192, 339-348.	2.0	35
99	One-pot fabrication of graphene sheets decorated Co ₂ P-Co hollow nanospheres for advanced lithium ion battery anodes. <i>Electrochimica Acta</i> , 2017, 232, 465-473.	2.6	49
100	Facile fabrication of ZnO-CuO porous hybrid microspheres as lithium ion battery anodes with enhanced cyclability. <i>Rare Metals</i> , 2017, 36, 403-410.	3.6	9
101	Hot-injection synthesis of Ni-ZnO hybrid nanocrystals with tunable magnetic properties and enhanced photocatalytic activity. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	5
102	Electrical transport properties in Co nanocluster-assembled granular film. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	6
103	Synthesis of ZnO-Cu-C yolk-shell hybrid microspheres with enhanced electrochemical properties for lithium ion battery anodes. <i>Electrochimica Acta</i> , 2017, 226, 79-88.	2.6	31
104	Multistage Li _{1.2} Ni _{0.2} Mn _{0.6} O ₂ Micro-architecture towards High-Performance Cathode Materials for Lithium-Ion Batteries. <i>ChemElectroChem</i> , 2017, 4, 3250-3256.	1.7	17
105	Size-dependent electrical transport properties in Co nanocluster-assembled granular films. <i>Scientific Reports</i> , 2017, 7, 11666.	1.6	8
106	Self-assembly synthesis of 3D graphene-encapsulated hierarchical Fe ₃ O ₄ nano-flower architecture with high lithium storage capacity and excellent rate capability. <i>Journal of Power Sources</i> , 2017, 365, 98-108.	4.0	61
107	Hierarchical ZnIn ₂ S ₄ /MoSe ₂ Nanoarchitectures for Efficient Noble-Metal-Free Photocatalytic Hydrogen Evolution under Visible Light. <i>ChemSusChem</i> , 2017, 10, 4624-4631.	3.6	140
108	Facile preparation and microwave absorption properties of porous Co/CoO microrods. <i>Journal of Alloys and Compounds</i> , 2017, 721, 411-418.	2.8	52

#	ARTICLE	IF	CITATIONS
109	Ni ₁₂ P ₅ nanoparticles embedded into porous g-C ₃ N ₄ nanosheets as a noble-metal-free hetero-structure photocatalyst for efficient H ₂ production under visible light. <i>Journal of Materials Chemistry A</i> , 2017, 5, 16171-16178.	5.2	183
110	Copper-Nanoparticle-Induced Porous Si/Cu Composite Films as an Anode for Lithium Ion Batteries. <i>ACS Nano</i> , 2017, 11, 6893-6903.	7.3	82
111	3D graphene-encapsulated hierarchical urchin-like Fe ₃ O ₄ porous particles with enhanced lithium storage properties. <i>Chemical Engineering Journal</i> , 2017, 327, 678-685.	6.6	35
112	Colloidal synthesis of Cu@ZnO and Cu@CuNi@ZnO hybrid nanocrystals with controlled morphologies and multifunctional properties. <i>Nanoscale</i> , 2016, 8, 11602-11610.	2.8	15
113	Composition- and Structure-Tunable Gold@Cobalt Nanoparticles and Electrocatalytic Synergy for Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 20082-20091.	4.0	36
114	Solution synthesis of triangular and hexagonal nickel nanosheets with the aid of tungsten hexacarbonyl. <i>CrystEngComm</i> , 2016, 18, 1295-1301.	1.3	22
115	Electrostatic Assembly of Sandwich-like Ag-C@ZnO-C@Ag-C Hybrid Hollow Microspheres with Excellent High-Rate Lithium Storage Properties. <i>ACS Nano</i> , 2016, 10, 1283-1291.	7.3	109
116	Integrated On-Chip Solenoid Inductors With Nanogranular Magnetic Cores. <i>IEEE Transactions on Magnetics</i> , 2016, 52, 1-4.	1.2	8
117	Facile fabrication of various zinc-nickel citrate microspheres and their transformation to ZnO-NiO hybrid microspheres with excellent lithium storage properties. <i>Scientific Reports</i> , 2015, 5, 8351.	1.6	46
118	Interfacial-scattering-induced enhancement of the anomalous Hall effect in uniform Fe nanocluster-assembled films. <i>Europhysics Letters</i> , 2015, 109, 17012.	0.7	5
119	Synthesis of Cu ₂ O mesocrystal and its application in photocatalysis. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 118, 763-767.	1.1	21
120	Enhanced microwave absorption properties in GHz range of Fe ₃ O ₄ /C composite materials. <i>Journal of Alloys and Compounds</i> , 2015, 649, 537-543.	2.8	95
121	Synthesis of ZnO@ZnCo ₂ O ₄ hybrid hollow microspheres with excellent lithium storage properties. <i>Electrochimica Acta</i> , 2015, 169, 283-290.	2.6	64
122	Synthesis of amorphous ZnSnO ₃ double-shell hollow microcubes as advanced anode materials for lithium ion batteries. <i>Electrochimica Acta</i> , 2015, 182, 327-333.	2.6	35
123	Core-shell nanoparticles: synthesis and applications in catalysis and electrocatalysis. <i>Chemical Society Reviews</i> , 2015, 44, 7540-7590.	18.7	906
124	ZnO/Ni/C composite hollow microspheres as anode materials for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2015, 619, 235-239.	2.8	37
125	Hierarchical ZnO@Ag@C Composite Porous Microspheres with Superior Electrochemical Properties as Anode Materials for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19895-19904.	4.0	56
126	High performance of Ge@C nanocables as the anode for lithium ion batteries. <i>RSC Advances</i> , 2014, 4, 21450-21455.	1.7	25

#	ARTICLE	IF	CITATIONS
127	Yolk-shell ZnO-C microspheres with enhanced electrochemical performance as anode material for lithium ion batteries. <i>Electrochimica Acta</i> , 2014, 125, 659-665.	2.6	137
128	Structure and magnetic properties of the Co _x Pt _{100-x} nanowire arrays. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 112, 869-875.	1.1	4
129	Electron transport properties of magnetic granular films. <i>Science China: Physics, Mechanics and Astronomy</i> , 2013, 56, 15-28.	2.0	25
130	Disproportionation route to monodispersed copper nanoparticles for the catalytic synthesis of propargylamines. <i>RSC Advances</i> , 2013, 3, 19812.	1.7	31
131	First application of core-shell Ag@Ni magnetic nanocatalyst for transfer hydrogenation reactions of aromatic nitro and carbonyl compounds. <i>RSC Advances</i> , 2013, 3, 1050-1054.	1.7	84
132	Magnetic properties of [Fe ₆₅ Co ₃₅ O/SiO ₂] n multilayer thin films for high-frequency application. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 111, 569-574.	1.1	3
133	Gas-phase synthesis and magnetism of HfO ₂ nanoclusters. <i>European Physical Journal D</i> , 2013, 67, 1.	0.6	2
134	Template-Free Synthesis of Amorphous Double-Shelled Zinc-Cobalt Citrate Hollow Microspheres and Their Transformation to Crystalline ZnCo ₂ O ₄ Microspheres. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 5508-5517.	4.0	114
135	A facile approach to fabrication of well-dispersed NiO-ZnO composite hollow microspheres. <i>RSC Advances</i> , 2013, 3, 24430-24439.	1.7	14
136	Synthesis, Optical Properties and Photovoltaic Application of the SnS Quasi-one-dimensional Nanostructures. <i>Nano-Micro Letters</i> , 2013, 5, 1-6.	14.4	53
137	Blue luminescence from Ce-doped ZnO thin films prepared by magnetron sputtering. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 108, 239-245.	1.1	63
138	SnS homojunction nanowire-based solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 16437.	6.7	48
139	One-pot synthesis of hexagonal and triangular nickel-copper alloy nanoplates and their magnetic and catalytic properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 8336.	6.7	66
140	Structure, optical and magnetic properties of Ni@Au and Au@Ni nanoparticles synthesized via non-aqueous approaches. <i>Journal of Materials Chemistry</i> , 2012, 22, 2757-2765.	6.7	70
141	Synthesis and characterization of the SnS nanowires via chemical vapor deposition. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 106, 87-91.	1.1	53
142	Preparation and characterization of the ZnO:Al/Fe ₆₅ Co ₃₅ /ZnO:Al multifunctional films. <i>Applied Physics A: Materials Science and Processing</i> , 2012, 106, 717-723.	1.1	0
143	High Frequency Characteristics of Fe ₆₅ Co ₃₅ Alloy Cluster-Assembled Films Prepared by Energetic Cluster Deposition. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 11119-11123.	0.9	4
144	Gas-phase preparation and size control of Fe nanoparticles. <i>Applied Physics A: Materials Science and Processing</i> , 2011, 103, 1015-1020.	1.1	7

#	ARTICLE	IF	CITATIONS
145	High-frequency magnetic characteristics of Fe-Co-based nanocrystalline alloy films. Science China Technological Sciences, 2010, 53, 1501-1506.	2.0	5
146	High frequency characteristics of Fe ₆₅ Co ₃₅ alloy cluster-assembled films prepared by energetic cluster deposition. , 2010, , .		0
147	Synthesis and characterization of ferromagnetic transparent conductive films. Materials Chemistry and Physics, 2009, 117, 224-227.	2.0	4
148	Magnetic softness and high-frequency characteristics of Fe ₆₅ Co ₃₅ alloy films. Journal of Applied Physics, 2009, 106, 013912.	1.1	32
149	Core/Shell Morphology in Ti Clusters Prepared by Plasma Gas Condensation and Post Annealing. Materials Transactions, 2009, 50, 523-527.	0.4	0
150	High Frequency Magnetic Property of Dense Fe ₂₂ Ni ₇₈ Cluster Assembled Films. Materials Transactions, 2009, 50, 664-670.	0.4	2
151	Fe/Ni Cluster Hybrid Material Produced by Double Glow Discharge Sources. Materials Transactions, 2009, 50, 516-522.	0.4	5
152	Magnetic and electrical characteristics in dense Fe-Ni alloy cluster-assembled films prepared by energetic cluster deposition. Journal of Materials Research, 2008, 23, 189-197.	1.2	5
153	Preparation and magnetic properties of size-monodispersed Fe-Co alloy nanoclusters. , 2008, , .		0
154	Face-Centered Cubic Ti Cluster Assemblies Prepared by Plasma-Gas-Condensation. Materials Transactions, 2008, 49, 522-526.	0.4	2
155	Morphology and Magnetic Properties of Fe and Al Nanocomposites Prepared with Single and Double-Glow-Discharge Sources. Materials Transactions, 2008, 49, 1830-1835.	0.4	12
156	Preparation and magnetic properties of nickel nanoparticles via the thermal decomposition of nickel organometallic precursor in alkylamines. Nanotechnology, 2007, 18, 505703.	1.3	187
157	Structure of Iron/Nickel Composite Cluster Assemblies Prepared by Double Glow-Discharge-Sources. Materials Transactions, 2006, 47, 1949-1952.	0.4	6
158	Composite state control and magnetic properties of Co and Si cluster assemblies prepared with double-glow-discharge sources. Journal of Applied Physics, 2006, 100, 034308.	1.1	8
159	Formation and characterization of high-density Fe cluster-assembled films with soft magnetic behaviors. European Physical Journal D, 2005, 34, 173-176.	0.6	2
160	Ferromagnetic, transparent and conducting ITO-Fe-cluster composite films. IEEE Transactions on Magnetism, 2005, 41, 3406-3408.	1.2	5
161	Magnetic and electrical properties of Fe-Si core-shell cluster assemblies prepared with double-glow-discharge sources. Applied Physics Letters, 2005, 87, 252501.	1.5	23
162	Formation and magnetic properties of Fe-Pt alloy clusters by plasma-gas condensation. Applied Physics Letters, 2003, 83, 350-352.	1.5	25

#	ARTICLE	IF	CITATIONS
163	Composite deposition of Co and Si clusters by rf/dc plasma-gas-codensation. Applied Physics Letters, 2003, 82, 2688-2690.	1.5	28
164	Electron transport properties in Nb and NbN cluster-assembled films produced by a plasma-gas condensation cluster source. Journal of Applied Physics, 2003, 94, 7594.	1.1	11
165	Crystal Structure of Fe-N Clusters Prepared by Plasma-Gas-Condensation. Materials Transactions, 2003, 44, 677-680.	0.4	1
166	Structural and magnetic characteristics of monodispersed Fe and oxide-coated Fe cluster assemblies. Journal of Applied Physics, 2002, 92, 3075-3083.	1.1	74
167	Magnetic properties and magnetoresistance in small iron oxide cluster assemblies. Applied Physics Letters, 2002, 81, 4598-4600.	1.5	49
168	Temperature Dependence of Cluster-cluster Coalescence in Monodispersed Co Cluster Assemblies. Materials Research Society Symposia Proceedings, 2001, 676, 3161.	0.1	0
169	Effects of O ₂ Gas on the Size and Structure of Cr Clusters Formed by Plasma-Gas-Condensation. Materials Transactions, 2001, 42, 1480-1484.	0.4	5
170	Co cluster coalescence behavior observed by electrical conduction and transmission electron microscopy. Applied Physics Letters, 2001, 78, 1535-1537.	1.5	18
171	Characteristic tunnel-type conductivity and magnetoresistance in a CoO-coated monodispersive Co cluster assembly. Applied Physics Letters, 1999, 74, 76-78.	1.5	34