
## **Carol Tishelman**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9173554/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Nurse staffing and education and hospital mortality in nine European countries: a retrospective observational study. Lancet, The, 2014, 383, 1824-1830.  | 13.7 | 1,497     |
| 2  | Patient safety, satisfaction, and quality of hospital care: cross sectional surveys of nurses and patients in 12 countries in Europe and the United States. BMJ: British Medical Journal, 2012, 344, e1717-e1717.  | 2.3  | 1,321     |
| 3  | The communication goals and needs of cancer patients: a review. Psycho-Oncology, 2005, 14, 831-845.  | 2.3  | 347       |
| 4  | Post-operative mortality, missed care and nurse staffing in nine countries: A cross-sectional study.<br>International Journal of Nursing Studies, 2018, 78, 10-15.   | 5.6  | 326       |
| 5  | Nurses' Shift Length and Overtime Working in 12 European Countries. Medical Care, 2014, 52, 975-981.   | 2.4  | 225       |
| 6  | Is there a cost to poor communication in cancer care?: a critical review of the literature.<br>Psycho-Oncology, 2005, 14, 875-884.   | 2.3  | 210       |
| 7  | Differences in cancer awareness and beliefs between Australia, Canada, Denmark, Norway, Sweden and<br>the UK (the International Cancer Benchmarking Partnership): do they contribute to differences in<br>cancer survival?. British Journal of Cancer, 2013, 108, 292-300. | 6.4  | 183       |
| 8  | Self-reported taste and smell changes during cancer chemotherapy. Supportive Care in Cancer, 2008, 16, 275-283.  | 2.2  | 158       |
| 9  | A conceptual framework for patient-professional communication: an application to the cancer context. Psycho-Oncology, 2005, 14, 801-809.   | 2.3  | 147       |
| 10 | Chemosensory Changes Experienced by Patients Undergoing Cancer Chemotherapy: A Qualitative<br>Interview Study. Journal of Pain and Symptom Management, 2007, 34, 403-412.  | 1.2  | 132       |
| 11 | A crossâ€ <b>s</b> ectional study of â€ <sup>~</sup> care left undone' on nursing shifts in hospitals. Journal of Advanced<br>Nursing, 2016, 72, 2086-2097.  | 3.3  | 121       |
| 12 | Advanced home care for cancer patients at the end of life: a qualitative study of hopes and expectations of family caregivers. Scandinavian Journal of Caring Sciences, 2002, 16, 240-247.   | 2.1  | 114       |
| 13 | Symptom Prevalence, Intensity, and Distress in Patients With Inoperable Lung Cancer in Relation to<br>Time of Death. Journal of Clinical Oncology, 2007, 25, 5381-5389.  | 1.6  | 112       |
| 14 | Comorbidity, Treatment and Mortality: A Population Based Cohort Study of Prostate Cancer in PCBaSe<br>Sweden. Journal of Urology, 2011, 185, 833-840.  | 0.4  | 104       |
| 15 | Home parenteral nutrition: A qualitative interview study of the experiences of advanced cancer patients and their families. Clinical Nutrition, 2005, 24, 961-970.   | 5.0  | 94        |
| 16 | Symptoms in patients with lung carcinoma. Cancer, 2005, 104, 2013-2021.  | 4.1  | 93        |
| 17 | An international measure of awareness and beliefs about cancer: development and testing of the ABC.<br>BMJ Open, 2012, 2, e001758.   | 1.9  | 90        |
| 18 | The path from oral nutrition to home parenteral nutrition: a qualitative interview study of the experiences of advanced cancer patients and their families. Clinical Nutrition, 2004, 23, 1280-1287.   | 5.0  | 87        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Social inequalities in non-small cell lung cancer management and survival: a population-based study in central Sweden. Thorax, 2010, 65, 327-333.  | 5.6 | 87        |
| 20 | Nurses' practice environment and satisfaction with schedule flexibility is related to intention to<br>leave due to dissatisfaction: A multi-country, multilevel study. International Journal of Nursing<br>Studies, 2016, 58, 47-58. | 5.6 | 78        |
| 21 | Are the Most Distressing Concerns of Patients With Inoperable Lung Cancer Adequately Assessed? A<br>Mixed-Methods Analysis. Journal of Clinical Oncology, 2010, 28, 1942-1949.   | 1.6 | 77        |
| 22 | Innovations and Dilemmas in Psychosocial Oncology: Contributions from the 10th Conference of the European Society for Psychosocial Oncology. Acta Oncológica, 1999, 38, 685-687.   | 1.8 | 72        |
| 23 | Self-reported symptom distress in cancer patients: Reflections of disease, illness or sickness?. Social<br>Science and Medicine, 1991, 33, 1229-1240.  | 3.8 | 71        |
| 24 | Four Essential Drugs Needed for Quality Care of the Dying: A Delphi-Study Based International Expert<br>Consensus Opinion. Journal of Palliative Medicine, 2013, 16, 38-43.  | 1.1 | 70        |
| 25 | Nurses' Practice Environment and Work-Family Conflict in Relation to Burn Out: A Multilevel<br>Modelling Approach. PLoS ONE, 2014, 9, e96991.  | 2.5 | 70        |
| 26 | Staffing and resource adequacy strongly related to RNs' assessment of patient safety: a national study of RNs working in acute-care hospitals in Sweden. BMJ Quality and Safety, 2014, 23, 242-249.                                  | 3.7 | 63        |
| 27 | Measuring Symptom Distress in Patients With Lung Cancer. Cancer Nursing, 2000, 23, 82-90.  | 1.5 | 61        |
| 28 | Increasing Stringency in Symptom Cluster Research: A Methodological Exploration of Symptom<br>Clusters in Patients With Inoperable Lung Cancer. Oncology Nursing Forum, 2009, 36, E282-E292.   | 1.2 | 60        |
| 29 | What do we know about facilitating patient communication in the cancer care setting?.<br>Psycho-Oncology, 2005, 14, 848-858.   | 2.3 | 56        |
| 30 | Gender and rural–urban differences in reported health status by older people in Bangladesh. Archives of Gerontology and Geriatrics, 2003, 37, 77-91.   | 3.0 | 55        |
| 31 | Taste and Smell Changes in Patients Receiving Cancer Chemotherapy. Cancer Nursing, 2009, 32, 45-54.  | 1.5 | 53        |
| 32 | Public awareness of palliative care in Sweden. Scandinavian Journal of Public Health, 2018, 46, 478-487.   | 2.3 | 53        |
| 33 | Differences according to socioeconomic status in the management and mortality in men with high risk prostate cancer. European Journal of Cancer, 2012, 48, 75-84.  | 2.8 | 52        |
| 34 | Characteristics of taste and smell alterations reported by patients after starting treatment for lung cancer. Supportive Care in Cancer, 2014, 22, 2635-2644.  | 2.2 | 52        |
| 35 | Complexity in Non-Pharmacological Caregiving Activities at the End of Life: An International Qualitative Study. PLoS Medicine, 2012, 9, e1001173.  | 8.4 | 51        |
| 36 | Agile, a guiding principle for health care improvement?. International Journal of Health Care Quality<br>Assurance, 2015, 28, 468-493.   | 0.9 | 50        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Factors related to participation in a cervical cancer screening programme in urban Sweden. European<br>Journal of Cancer Prevention, 2005, 14, 459-466.  | 1.3 | 49        |
| 38 | Experiences of engagement in creative activity at a palliative care facility. Palliative and Supportive Care, 2007, 5, 241-250.  | 1.0 | 48        |
| 39 | Women's experiences of cervical cellular changes: an unintentional transition from health to liminality?. Sociology of Health and Illness, 2004, 26, 306-325.  | 2.1 | 47        |
| 40 | Discrepancies and Similarities in How Patients with Lung Cancer and Their Professional and Family<br>Caregivers Assess Symptom Occurrence and Symptom Distress. Journal of Pain and Symptom<br>Management, 2005, 29, 572-583.        | 1.2 | 47        |
| 41 | Developing communication competency in the context of cancer: a critical interpretive analysis of provider training programs. Psycho-Oncology, 2005, 14, 861-872.  | 2.3 | 46        |
| 42 | How do women who choose not to participate in populationâ€based cervical cancer screening reason<br>about their decision?. Psycho-Oncology, 2008, 17, 561-569.   | 2.3 | 46        |
| 43 | A study of Swedish midwives' encounters with infibulated African women in Sweden. Midwifery, 2002, 18, 113-125.  | 2.3 | 45        |
| 44 | Factors Influencing Agreement in Symptom Ratings By Lung Cancer Patients and Their Significant<br>Others. Journal of Pain and Symptom Management, 2007, 33, 146-155.   | 1.2 | 44        |
| 45 | Symptoms and problems with functioning among women and men with inoperable lung cancer—A<br>longitudinal study. Lung Cancer, 2008, 60, 113-124.  | 2.0 | 44        |
| 46 | ?I got a letter?? A qualitative study of women's reasoning about attendance in a cervical cancer screening programme in urban Sweden. Psycho-Oncology, 2001, 10, 76-87.  | 2.3 | 43        |
| 47 | Structural characteristics of hospitals and nurseâ€reported care quality, work environment, burnout and leaving intentions. Journal of Nursing Management, 2015, 23, 263-274.  | 3.4 | 42        |
| 48 | Complexity in caring for patients with advanced cancer. Journal of Advanced Nursing, 2004, 45, 420-429.  | 3.3 | 41        |
| 49 | Considerations in Developing and Delivering a Nonpharmacological Intervention for Symptom<br>Management in Lung Cancer: The Views of Patients and Informal Caregivers. Journal of Pain and<br>Symptom Management, 2012, 44, 831-842. | 1.2 | 41        |
| 50 | Framing the onset of lung cancer biographically: narratives of continuity and disruption.<br>Psycho-Oncology, 2007, 16, 466-473.   | 2.3 | 40        |
| 51 | Patient-professional communication research in cancer: an integrative review of research methods in the context of a conceptual framework. Psycho-Oncology, 2005, 14, 812-828.   | 2.3 | 39        |
| 52 | How do interventions designed to improve provider-patient communication work? Illustrative applications of a framework for communication. Acta OncolÃ <sup>3</sup> gica, 2010, 49, 136-143.  | 1.8 | 39        |
| 53 | Intention to leave the workplace among nurses working with cancer patients in acute care hospitals in Sweden. European Journal of Oncology Nursing, 2015, 19, 629-637.   | 2.1 | 39        |
| 54 | Nutritional support and risk status among cancer patients in palliative home care services. Supportive<br>Care in Cancer, 2009, 17, 153-161.   | 2.2 | 37        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Smoking Cessation for Patients With Head and Neck Cancer. Cancer Nursing, 2005, 28, 226???235.  | 1.5 | 35        |
| 56 | Time spans from first symptom to treatment in patients with lung cancer – The influence of symptoms and demographic characteristics. Acta Oncológica, 2008, 47, 397-405.  | 1.8 | 34        |
| 57 | Obstetric care at the intersection of science and culture: Swedish doctors' perspectives on obstetric care of women who have undergone female genital cutting. Journal of Obstetrics and Gynaecology, 2010, 30, 553-558.  | 0.9 | 34        |
| 58 | Self-reported taste and smell alterations in patients under investigation for lung cancer. Acta OncolA <sup>3</sup> gica, 2014, 53, 1405-1412.  | 1.8 | 34        |
| 59 | RN assessments of excellent quality of care and patient safety are associated with significantly lower<br>odds of 30-day inpatient mortality: A national cross-sectional study of acute-care hospitals.<br>International Journal of Nursing Studies, 2016, 61, 117-124. | 5.6 | 34        |
| 60 | Rationales for attending or not attending mammography screening – a focus group study among women in Sweden. European Journal of Cancer Prevention, 2001, 10, 429-442.  | 1.3 | 33        |
| 61 | Clock Time and Embodied Time Experienced by Patients With Inoperable Lung Cancer. Cancer Nursing, 2010, 33, 55-63.  | 1.5 | 33        |
| 62 | Community patterns of stigma towards persons living with HIV: A population-based latent class analysis from rural Vietnam. BMC Public Health, 2011, 11, 705.  | 2.9 | 33        |
| 63 | Awareness of risk factors for cancer: a comparative study of Sweden and Denmark. BMC Public Health, 2015, 15, 1156.   | 2.9 | 33        |
| 64 | Organization of nursing care in three Nordic countries: relationships between nurses' workload,<br>level of involvement in direct patient care, job satisfaction, and intention to leave. BMC Nursing, 2014,<br>13, 27.   | 2.5 | 32        |
| 65 | Hospital organizational factors influence work–family conflict in registered nurses: Multilevel<br>modeling of a nation-wide cross-sectional survey in Sweden. International Journal of Nursing<br>Studies, 2014, 51, 744-751.  | 5.6 | 31        |
| 66 | The Diagnostic Process and the Boundaries of Normality. Qualitative Health Research, 1998, 8, 48-60.  | 2.1 | 30        |
| 67 | Mapping patterns of complementary and alternative medicine use in cancer: An explorative cross-sectional study of individuals with reported positive "exceptional" experiences. BMC Complementary and Alternative Medicine, 2008, 8, 48.                                | 3.7 | 30        |
| 68 | A longitudinal study of changing characteristics of self-reported taste and smell alterations in patients treated for lung cancer. European Journal of Oncology Nursing, 2016, 21, 232-241.   | 2.1 | 30        |
| 69 | Perception of quality of care: comparison of the views of patients' with lung cancer and their family members. Journal of Clinical Nursing, 2012, 21, 585-594.  | 3.0 | 29        |
| 70 | A National Observational Study of the Prevalence and Use of Enteral Tube Feeding, Parenteral<br>Nutrition and Intravenous Glucose in Cancer Patients Enrolled in Specialized Palliative Care.<br>Nutrients, 2013, 5, 267-282.   | 4.1 | 29        |
| 71 | Cancer patients' hopes and expectations of nursing practice in Stockholm. Scandinavian Journal of<br>Caring Sciences, 1994, 8, 213-222.   | 2.1 | 28        |
| 72 | The experience of cough in patients diagnosed with lung cancer. Supportive Care in Cancer, 2011, 19, 1997-2004.   | 2.2 | 28        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Research in public health and end-of-life care – Building on the past and developing the new. Progress<br>in Palliative Care, 2016, 24, 25-30.   | 1.2 | 28        |
| 74 | Support in old age in the changing society of Bangladesh. Ageing and Society, 2002, 22, 615-636.   | 1.7 | 27        |
| 75 | Olfactory changes among patients receiving chemotherapy. European Journal of Oncology Nursing, 2009, 13, 9-15.   | 2.1 | 27        |
| 76 | Nursing and euthanasia: A narrative review of the nursing ethics literature. Nursing Ethics, 2020, 27, 152-167.  | 3.4 | 27        |
| 77 | Push or pull? Relationships between lung cancer patients' perceptions of quality of care and use of complementary and alternative medicine. European Journal of Oncology Nursing, 2011, 15, 311-317.                             | 2.1 | 26        |
| 78 | How can young women be encouraged to attend cervical cancer screening? Suggestions from<br>face-to-face and internet focus group discussions with 30-year-old women in Stockholm, Sweden.<br>Acta Oncológica, 2011, 50, 112-120. | 1.8 | 26        |
| 79 | Beyond the visual and verbal: Using participant-produced photographs in research on the surroundings for care at the end-of-life. Social Science and Medicine, 2016, 168, 120-129.   | 3.8 | 26        |
| 80 | Nursing diagnosis: a critical analysis of underlying assumptions. International Journal of Nursing Studies, 1996, 33, 190-200.   | 5.6 | 25        |
| 81 | Applying Best–Worst scaling methodology to establish delivery preferences of a symptom supportive care intervention in patients with lung cancer. Lung Cancer, 2012, 77, 199-204.  | 2.0 | 25        |
| 82 | Interventions to improve cervical cancer screening uptake amongst young women: A systematic review. Acta OncolA <sup>3</sup> gica, 2014, 53, 445-451.  | 1.8 | 25        |
| 83 | Going public: reflections on developing the DöBra research program for health-promoting palliative care in Sweden. Progress in Palliative Care, 2016, 24, 19-24.   | 1.2 | 25        |
| 84 | Effectiveness of the Liverpool care pathway for the dying in residential care homes: An exploratory, controlled before-and-after study. Palliative Medicine, 2016, 30, 54-63.  | 3.1 | 25        |
| 85 | Hopes and expectations of swedish cancer patients: Contradictions surrounding patient satisfaction with care. Psycho-Oncology, 1992, 1, 253-268.   | 2.3 | 24        |
| 86 | THE ENCOUNTERS THAT RUPTURE THE MYTH: CONTRADICTIONS IN MIDWIVES' DESCRIPTIONS AND EXPLANATIONS OF CIRCUMCISED WOMEN IMMIGRANTS' SEXUALITY. Health Care for Women International, 2004, 25, 743-760.                              | 1.1 | 24        |
| 87 | The use of artificial nutrition among cancer patients enrolled in palliative home care services.<br>Palliative Medicine, 2009, 23, 556-564.  | 3.1 | 24        |
| 88 | "We noticed that suddenly the country has become full of MRI". Policy makers' views on diffusion and use of health technologies in Iran. Health Research Policy and Systems, 2010, 8, 9.   | 2.8 | 24        |
| 89 | Research on Risk and Risk in Research: Theoretical and Practical Experiences from a Multidisciplinary<br>Study on Cervical Cancer Screening in Urban Sweden. Qualitative Health Research, 1999, 9, 45-60.                        | 2.1 | 23        |
| 90 | Treatment of Nausea and Emesis During Cancer Chemotherapy. Journal of Pain and Symptom<br>Management, 2002, 24, 345-358.   | 1.2 | 23        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Patients' initial steps to cancer diagnosis in Denmark, England and Sweden: what can a qualitative,<br>cross-country comparison of narrative interviews tell us about potentially modifiable factors?. BMJ<br>Open, 2017, 7, e018210.                                    | 1.9 | 23        |
| 92  | Reflections on Using Biographical Approaches in End-of-Life Care. Qualitative Health Research, 2015, 25, 40-50.  | 2.1 | 22        |
| 93  | From â€~silent' to â€~heard': Professional mediation, manipulation and women's experiences of their body after an abnormal Pap smear. Social Science and Medicine, 2009, 68, 479-486.  | 3.8 | 21        |
| 94  | Risk in Numbers—Difficulties in the Transformation of Genetic Knowledge from Research to<br>People—The Case of Hereditary Cancer. Acta Oncológica, 2001, 40, 445-453.  | 1.8 | 21        |
| 95  | Considerations in developing and delivering a non-pharmacological intervention for symptom<br>management in lung cancer: the views of health care professionals. Supportive Care in Cancer, 2012,<br>20, 2565-2574.  | 2.2 | 20        |
| 96  | Room for Death – International museum-visitors' preferences regarding the end of their life. Social Science and Medicine, 2015, 139, 1-8.  | 3.8 | 20        |
| 97  | Symptoms Before, During, and 14 Months After the Beginning of Treatment as Perceived by Patients<br>With Lymphoma. Oncology Nursing Forum, 2010, 37, E105-E113.  | 1.2 | 18        |
| 98  | Family members´ experiences of the end-of-life care environments in acute care settings – a<br>photo-elicitation study. International Journal of Qualitative Studies on Health and Well-being, 2018,<br>13, 1511767.   | 1.6 | 18        |
| 99  | Expanding HIV Testing Efforts in Concentrated Epidemic Settings: A Population-Based Survey from<br>Rural Vietnam. PLoS ONE, 2011, 6, e16017.   | 2.5 | 18        |
| 100 | Opportunities and burdens for nurse-midwives working in primary health care An example from<br>population-based cervical cancer screening in urban sweden. Journal of Nurse-midwifery, 1998, 43,<br>530-540.   | 0.5 | 17        |
| 101 | Do Internal Standards of Quality of Life Change in Lung Cancer Patients?. Nursing Research, 2006, 55, 274-282.   | 1.7 | 17        |
| 102 | Developing and using a structured, conversation-based intervention for clarifying values and<br>preferences for end-of-life in the advance care planning-naÃ⁻ve Swedish context: Action research<br>within the DöBra research program. Death Studies, 2022, 46, 803-815. | 2.7 | 17        |
| 103 | Using narrative analysis to understand the combined use of complementary therapies and bio-medically oriented health care. Social Science and Medicine, 2007, 65, 1642-1653.   | 3.8 | 16        |
| 104 | Spontaneous reports of most distressing concerns in patients with inoperable lung cancer: at present, in retrospect and in comparison with EORTC-QLQ-C30+LC13. Quality of Life Research, 2007, 16, 1635-1645.  | 3.1 | 16        |
| 105 | 12â€hr shifts in nursing: Do they remove unproductive time and information loss or do they reduce<br>education and discussion opportunities for nurses? A crossâ€sectional study in 12 European countries.<br>Journal of Clinical Nursing, 2020, 29, 53-59.              | 3.0 | 16        |
| 106 | Dealing with taste and smell alterations—A qualitative interview study of people treated for lung cancer. PLoS ONE, 2018, 13, e0191117.  | 2.5 | 16        |
| 107 | Getting sick and getting well: a qualitative study of aetiologic explanations of people with cancer.<br>Journal of Advanced Nursing, 1997, 25, 60-67.  | 3.3 | 15        |
| 108 | Experiences of living with a deteriorating body in late palliative phases of cancer. Current Opinion in Supportive and Palliative Care, 2010, 4, 153-157.  | 1.3 | 15        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 109 | Constructing Good Nursing Practice for Medical Assistance in Dying in Canada: An Interpretive<br>Descriptive Study. Global Qualitative Nursing Research, 2020, 7, 233339362093868.   | 1.4         | 15        |
| 110 | "Shopping" for Sexually Transmitted Disease Treatment. Sexually Transmitted Diseases, 2000, 27, 496-503.   | 1.7         | 15        |
| 111 | Aging trends making an invisible population visible: the elderly in Bangladesh. Journal of<br>Cross-Cultural Gerontology, 1998, 13, 361-378.   | 1.0         | 14        |
| 112 | Reflections on Cancer in the Context of Women's Health: Focus Group Discussions with Iranian<br>Immigrant Women in Sweden. Women and Health, 2004, 39, 75-96.  | 1.0         | 14        |
| 113 | Using undergraduate nursing students as mediators in a knowledge transfer programme for care for patients with advanced cancer. European Journal of Cancer Care, 2008, 17, 253-260.  | 1.5         | 14        |
| 114 | Patients?? descriptions of age-related aspects of cancer and care in Stockholm. Cancer Nursing, 1993, 16, 270???282.   | 1.5         | 13        |
| 115 | The â€~hows', â€~whos', and â€~whens' of screening: gynaecologists' perspectives on cervical can screening in urban Sweden. Social Science and Medicine, 2004, 58, 1097-1108.  | ncer<br>3.8 | 13        |
| 116 | Between Youth and Adulthood. Cancer Nursing, 2011, 34, E11-E20.  | 1.5         | 13        |
| 117 | Do perceived barriers to clinical presentation affect anticipated time to presenting with cancer symptoms: an ICBP study. European Journal of Public Health, 2017, 27, 808-813.  | 0.3         | 13        |
| 118 | Midwives' Descriptions of Their Familiarity With Cancer. Cancer Nursing, 2000, 23, 392-400.  | 1.5         | 12        |
| 119 | Quality of Care from a Patient Perspective in Population-based Cervical Cancer Screening. Acta OncolÅ <sup>3</sup> gica, 2002, 41, 253-261.  | 1.8         | 12        |
| 120 | Early symptoms and sensations as predictors of lung cancer: a machine learning multivariate model.<br>Scientific Reports, 2019, 9, 16504.  | 3.3         | 12        |
| 121 | Influence of Sociocultural and Structural Factors on Functional Ability. Journal of Aging and Health, 2001, 13, 355-378.   | 1.7         | 11        |
| 122 | Nurses' experiences of clinical use of a quality of life instrument in palliative care. Contemporary<br>Nurse, 2007, 27, 29-38.  | 1.0         | 11        |
| 123 | Using a retrospective pretest instead of a conventional pretest is replacing biases: a qualitative study of cognitive processes underlying responses to thentest items. Quality of Life Research, 2016, 25, 1327-1337.     | 3.1         | 11        |
| 124 | Exploring Community-Dwelling Older Adults' Considerations About Values and Preferences for<br>Future End-of-Life Care: A Study from Sweden. Gerontologist, The, 2020, 60, 1332-1342.                                       | 3.9         | 11        |
| 125 | Not just things: the roles of objects at the end of life. Sociology of Health and Illness, 2018, 40, 735-749.  | 2.1         | 10        |
| 126 | Navigating power dynamics in engaging communities in end-of-lifeÂissues – Lessons learned from<br>developing community-based intergenerational arts initiatives about death and loss. Death Studies,<br>2021, 45, 651-664. | 2.7         | 10        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Tishelman et al's Response to Morrison: Advance Directives/Care Planning: Clear, Simple, and Wrong<br>(DOI: 10.1089/jpm.2020.0272). Journal of Palliative Medicine, 2021, 24, 16-17.  | 1.1 | 10        |
| 128 | Towards a basic drug kit for the dying patient. Current Opinion in Supportive and Palliative Care, 2012, 6, 386-390.  | 1.3 | 9         |
| 129 | Patients' Perceptions of Nursing Practice. Scandinavian Journal of Caring Sciences, 1991, 5, 179-186.   | 2.1 | 8         |
| 130 | Nursing's knowledge base: does it have to be unique?. British Journal of Nursing, 1998, 7, 270-276.   | 0.7 | 8         |
| 131 | Cancer screening in the context of women's health: Perceptions of body and self among women of different ages in urban Sweden. International Journal of Qualitative Studies on Health and Well-being, 2008, 3, 89-102.          | 1.6 | 8         |
| 132 | Opening the black box of cancer patients' quality-of-life change assessments: A think-aloud study<br>examining the cognitive processes underlying responses to transition items. Psychology and Health,<br>2011, 26, 1414-1428. | 2.2 | 8         |
| 133 | Awareness of sunburn in childhood, use of sunbeds and change of moles in Denmark, Northern<br>Ireland, Norway and Sweden. European Journal of Public Health, 2016, 26, 29-35.   | 0.3 | 8         |
| 134 | The past is present: Death systems among the Indigenous Sámi in Northern Scandinavia today.<br>Mortality, 2020, 25, 470-489.  | 0.5 | 8         |
| 135 | Somatically ill persons' self-nominated quality of life domains: review of the literature and guidelines for future studies. Quality of Life Research, 2010, 19, 253-291.   | 3.1 | 7         |
| 136 | Death, loss and community—Perspectives from children, their parents and older adults on<br>intergenerational communityâ€based arts initiatives in Sweden. Health and Social Care in the<br>Community, 2020, 28, 2025-2036.      | 1.6 | 7         |
| 137 | †Information on the fly': Challenges in professional communication in high technological nursing. A<br>focus group study from a radiotherapy department in Sweden. BMC Nursing, 2012, 11, 10.                                   | 2.5 | 6         |
| 138 | Between a rock and a hard place: Registered nurses' accounts of their work situation in cancer care<br>in Swedish acute care hospitals. European Journal of Oncology Nursing, 2020, 47, 101778.                                 | 2.1 | 6         |
| 139 | Sensations, symptoms, and then what? Early bodily experiences prior to diagnosis of lung cancer. PLoS ONE, 2021, 16, e0249114.  | 2.5 | 6         |
| 140 | Continuums of Change in a Competence-Building Initiative Addressing End-of-Life Communication in Swedish Elder Care. Qualitative Health Research, 2021, 31, 1904-1917.  | 2.1 | 5         |
| 141 | Lay perspectives on the use of biologically based therapies in the context of cancer: a qualitative study from Sweden. Journal of Clinical Pharmacy and Therapeutics, 2011, 36, 367-375.  | 1.5 | 4         |
| 142 | Dissemination, use, and impact of a community-based, conversational advance care planning<br>intervention: ripple effects of the Swedish DöBra cards. Palliative Care and Social Practice, 2021, 15,<br>263235242110329.        | 1.1 | 4         |
| 143 | Play Elements as Mechanisms in Intergenerational Arts Activities to Support Community Engagement with End-of-Life Issues. Healthcare (Switzerland), 2021, 9, 764.   | 2.0 | 4         |
| 144 | Nurses' experiences of clinical use of a quality of life instrument in palliative care. Contemporary<br>Nurse, 2007, 27, 29-38.   | 1.0 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | What Is an Exceptional Cancer Trajectory?: Multiple Stakeholder Perspectives on Cancer Trajectories<br>in Relation to Complementary and Alternative Medicine Use. Integrative Cancer Therapies, 2009, 8, 153-163.  | 2.0 | 3         |
| 146 | Awareness of cancer symptoms and anticipated patient interval for healthcare seeking. A comparative study of Denmark and Sweden. Acta OncolÃ <sup>3</sup> gica, 2016, 55, 917-924.   | 1.8 | 3         |
| 147 | Using narrative analysis to explore traditional Sámi knowledge through storytelling about<br>End-of-Life. Health and Place, 2020, 65, 102424.  | 3.3 | 3         |
| 148 | Use, usability, and impact of a card-based conversation tool to support communication about<br>end-of-life preferences in residential elder care – a qualitative study of staff experiences. BMC<br>Geriatrics, 2022, 22, 274.                                 | 2.7 | 3         |
| 149 | State of Science Conference in Cancer Care – identification of front line research topics. Acta<br>Oncológica, 2010, 49, 134-135.  | 1.8 | 2         |
| 150 | Opening the doors a crack wider: palliative care research data in the public domain. BMJ Supportive and Palliative Care, 2016, 6, 113-115.   | 1.6 | 2         |
| 151 | A Salutogenic Perspective on End-of-Life Care among the Indigenous Sámi of Northern Fennoscandia.<br>Healthcare (Switzerland), 2021, 9, 766.   | 2.0 | 2         |
| 152 | Fearing fear itself: Crowdsourced longitudinal data on Covid-19-related fear in Sweden. PLoS ONE, 2021, 16, e0253371.  | 2.5 | 2         |
| 153 | Same, same, but different? A longitudinal, mixed-methods study of stability in values and preferences for future end-of-life care among community-dwelling, older adults. BMC Palliative Care, 2021, 20, 148.  | 1.8 | 2         |
| 154 | Values and preferences for future endâ€ofâ€life care among the indigenous Sámi. Scandinavian Journal of<br>Caring Sciences, 2021, , .  | 2.1 | 2         |
| 155 | Engagement of specialized palliative care services with the general public: A population-level survey in three European countries. Palliative Medicine, 2022, , 026921632210795.   | 3.1 | 2         |
| 156 | Merryn Gott and Christine Ingleton (eds), Living with Ageing and Dying: Palliative and End of Life Care<br>for Older People, Oxford University Press, Oxford, 2011, 304 pp., pbk A£32.95, ISBN 13: 978 0 19 956993 9<br>Ageing and Society, 2012, 32, 901-903. | 1.7 | 1         |
| 157 | WA3â€Room for death – international museum – visitors' preferences regarding the end of their life.<br>BMJ Supportive and Palliative Care, 2015, 5, A1.3-A1.   | 1.6 | 1         |
| 158 | D11-C Exploring Objects at the End of Life. Journal of Pain and Symptom Management, 2016, 52, e37.   | 1.2 | 1         |
| 159 | Using patients' own knowledge of early sensations and symptoms to develop an interactive,<br>individualized e-questionnaire to facilitate early diagnosis of lung cancer. BMC Cancer, 2021, 21, 544.   | 2.6 | 1         |
| 160 | Measuring Symptom Distress in Patients With Lung Cancer. Cancer Nursing, 2000, 23, 163.  | 1.5 | 1         |
| 161 | Taste and Smell Changes in Patients Receiving Cancer Chemotherapy. Cancer Nursing, 2008, PAP, .  | 1.5 | 1         |
| 162 | Conceptualizing impact in community-based participatory action research to engage communities in end-of-life issues. Palliative Care and Social Practice, 2022, 16, 263235242210951  | 1.1 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | A Qualitative Serial Analysis of Drawings by Thirteen-to Fifteen-Year-Old Adolescents in Sweden About<br>the First Wave of the Covid-19 Pandemic. Qualitative Health Research, 0, , 104973232211019.   | 2.1 | 1         |
| 164 | The call-bell in residential care homes: Experiences of residents and staff. Journal of Aging Studies, 2022, 62, 101056.   | 1.4 | 1         |
| 165 | The challenging complexities of cancer care. Scandinavian Journal of Caring Sciences, 2002, 16, 207-208.   | 2.1 | 0         |
| 166 | Editorial comment on $\hat{a} \in \mathbb{R}$ How do interventions design to improve provider-patient communication work? Illustrative applications of a framework for communication $\hat{a} \in \mathbb{R}$ and $\hat{a} \in \mathbb{R}$ . Informing choices across the cancer journey with public health mechanisms and decision processes $\hat{a} \in \mathbb{R}$ . Acta Oncol $\tilde{A}^3$ gica, 2010, 49, 153-154. | 1.8 | 0         |
| 167 | PA33â€Reflections from the intersection of palliative care and design. BMJ Supportive and Palliative Care, 2015, 5, A29.3-A29.   | 1.6 | 0         |
| 168 | WA7â€Refining and sharing our methods – how to research the public health approach to palliative care?. BMJ Supportive and Palliative Care, 2015, 5, A2.4-A3.  | 1.6 | 0         |
| 169 | B08-B Going Public: Integrating Palliative Care, Health Promotion and Public Health in Sweden<br>Through the DöBra Research Program. Journal of Pain and Symptom Management, 2016, 52, e19.  | 1.2 | 0         |
| 170 | AB003. Lessons we are learning: using participatory action research to integrate palliative care, health<br>promotion and public health through the DöBra research program in Sweden. Annals of Palliative<br>Medicine, 2018, 7, AB003-AB003.  | 1.2 | 0         |
| 171 | Advances in contemporary palliative and supportive care. Contemporary Nurse, 2007, 27, 3-6.  | 1.0 | 0         |