
## Luis M Cintas

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9173557/publications.pdf Version: 2024-02-01



| #  | Article  | IF                  | CITATIONS             |
|----|--|---------------------|-----------------------|
| 1  | Draft Genome Sequence of Lactococcus lactis Subsp. cremoris WA2-67: A Promising Nisin-Producing<br>Probiotic Strain Isolated from the Rearing Environment of a Spanish Rainbow Trout (Oncorhynchus) Tj ETQq1 1   | 0.7 <b>86</b> 314 r | g <b>B</b> T /Overloo |
| 2  | Antimicrobial activity, molecular typing and in vitro safety assessment of Lactococcus garvieae<br>isolates from healthy cultured rainbow trout (Oncorhynchus mykiss, Walbaum) and rearing<br>environment. LWT - Food Science and Technology, 2022, 162, 113496. | 2.5                 | 6                     |
| 3  | Draft Genome Sequence of Weissella cibaria P71, a Promising Aquaculture Probiotic Strain Isolated<br>from Common Octopus (Octopus vulgaris). Microbiology Resource Announcements, 2021, 10, e0079221.  | 0.3                 | 1                     |
| 4  | Biochemical, genetic and transcriptional characterization of multibacteriocin production by the anti-pneumococcal dairy strain Streptococcus infantariusÂLP90. PLoS ONE, 2020, 15, e0229417.   | 1.1                 | 7                     |
| 5  | Title is missing!. , 2020, 15, e0229417.   |                     | 0                     |
| 6  | Title is missing!. , 2020, 15, e0229417.   |                     | 0                     |
| 7  | Title is missing!. , 2020, 15, e0229417.   |                     | 0                     |
| 8  | Title is missing!. , 2020, 15, e0229417.   |                     | 0                     |
| 9  | Biotechnological potential and in vitro safety assessment of Lactobacillus curvatus BCS35, a<br>multibacteriocinogenic strain isolated from dry-salted cod (Gadus morhua). LWT - Food Science and<br>Technology, 2019, 112, 108219.                              | 2.5                 | 3                     |
| 10 | CK11, a Teleost Chemokine with a Potent Antimicrobial Activity. Journal of Immunology, 2019, 202, 857-870.   | 0.4                 | 40                    |
| 11 | Cloning and expression of synthetic genes encoding native, hybrid- and bacteriocin-derived chimeras<br>from mature class lla bacteriocins, by Pichia pastoris (syn. Komagataella spp.). Food Research<br>International, 2019, 121, 888-899.                      | 2.9                 | 17                    |
| 12 | Evaluation of bacteriocinogenic activity, safety traits and biotechnological potential of fecal lactic<br>acid bacteria (LAB), isolated from Griffon Vultures (Gyps fulvus subsp. fulvus). BMC Microbiology,<br>2016, 16, 228.                                   | 1.3                 | 12                    |
| 13 | Draft Genome Sequence of the Bacteriocinogenic Strain <i>Enterococcus faecalis</i> DBH18, Isolated from Mallard Ducks ( <i>Anas platyrhynchos</i> ). Genome Announcements, 2016, 4, .  | 0.8                 | 2                     |
| 14 | Characterization of Pediococcus acidilactici strains isolated from rainbow trout (Oncorhynchus) Tj ETQq0 0 0 rg<br>Organisms, 2016, 119, 129-143.  | BT /Overloc<br>0.5  | k 10 Tf 50 2<br>29    |
| 15 | Draft Genome Sequence of the Bacteriocin-Producing Strain <i>Enterococcus faecium</i> M3K31,<br>Isolated from Griffon Vultures ( <i>Gyps fulvus</i> subsp. <i>fulvus</i> ). Genome Announcements,<br>2016, 4, .  | 0.8                 | 6                     |
| 16 | Strategies to increase the hygienic and economic value of fresh fish: Biopreservation using lactic acid bacteria of marine origin. International Journal of Food Microbiology, 2016, 223, 41-49.   | 2.1                 | 62                    |
| 17 | Safety assessment and molecular genetic profiling by pulsed-field gel electrophoresis (PFGE) and<br>PCR-based techniques of Enterococcus faecium strains of food origin. LWT - Food Science and<br>Technology, 2016, 65, 357-362.                                | 2.5                 | 10                    |
| 18 | Cloning and Expression of Synthetic Genes Encoding the Broad Antimicrobial Spectrum Bacteriocins<br>SRCAM 602, OR-7, E-760, and L-1077, by RecombinantPichia pastoris. BioMed Research International, 2015,<br>2015, 1-11.                                       | 0.9                 | 16                    |

LUIS M CINTAS

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Bacteriocin production by lactic acid bacteria isolated from fish, seafood and fish products.<br>European Food Research and Technology, 2015, 241, 341-356.   | 1.6 | 26        |
| 20 | Cloning strategies for heterologous expression of the bacteriocin enterocin A by Lactobacillus sakei<br>Lb790, Lb. plantarum NC8 and Lb. casei CECT475. Microbial Cell Factories, 2015, 14, 166.  | 1.9 | 38        |
| 21 | Evaluation of <i>Enterococcus</i> spp. from Rainbow Trout ( <i>Oncorhynchus mykiss</i> , Walbaum),<br>Feed, and Rearing Environment Against Fish Pathogens. Foodborne Pathogens and Disease, 2015, 12,<br>311-322.  | 0.8 | 26        |
| 22 | Safety assessment, genetic relatedness and bacteriocin activity of potential probiotic Lactococcus<br>lactis strains from rainbow trout (Oncorhynchus mykiss, Walbaum) and rearing environment.<br>European Food Research and Technology, 2015, 241, 647-662.   | 1.6 | 12        |
| 23 | Different impact of heat-inactivated and viable lactic acid bacteria of aquatic origin on turbot<br>(Scophthalmus maximus L.) head-kidney leucocytes. Fish and Shellfish Immunology, 2015, 44, 214-223.   | 1.6 | 25        |
| 24 | Nisin Z Production by Lactococcus lactis subsp. cremoris WA2-67 of Aquatic Origin as a Defense<br>Mechanism to Protect Rainbow Trout (Oncorhynchus mykiss, Walbaum) Against Lactococcus garvieae.<br>Marine Biotechnology, 2015, 17, 820-830.   | 1.1 | 21        |
| 25 | Solution Structure of Enterocin HF, an Antilisterial Bacteriocin Produced by <i>Enterococcus faecium</i> M3K31. Journal of Agricultural and Food Chemistry, 2015, 63, 10689-10695.  | 2.4 | 17        |
| 26 | Inhibition of fish pathogens by the microbiota from rainbow trout ( Oncorhynchus mykiss , Walbaum)<br>and rearing environment. Anaerobe, 2015, 32, 7-14.  | 1.0 | 42        |
| 27 | Controlled enterolysin A-mediated lysis and production of angiotensin converting enzyme-inhibitory<br>bovine skim milk hydrolysates by recombinant Lactococcus lactis. International Dairy Journal, 2014, 34,<br>100-103.   | 1.5 | 3         |
| 28 | Use of Synthetic Genes for Cloning, Production and Functional Expression of the Bacteriocins<br>Enterocin A and Bacteriocin E 50-52 by Pichia pastoris and Kluyveromyces lactis. Molecular<br>Biotechnology, 2014, 56, 571-583.   | 1.3 | 18        |
| 29 | Individual variability in fingerâ€ŧoâ€finger transmission efficiency of Enterococcus faecium clones.<br>MicrobiologyOpen, 2014, 3, 128-132.   | 1.2 | 9         |
| 30 | InÂvitro and inÂvivo evaluation of lactic acid bacteria of aquatic origin as probiotics for turbot<br>(Scophthalmus maximus L.) farming. Fish and Shellfish Immunology, 2014, 41, 570-580.  | 1.6 | 65        |
| 31 | Genetic and Biochemical Evidence That Recombinant <i>Enterococcus</i> spp. Strains Expressing<br>Gelatinase (GelE) Produce Bovine Milk-Derived Hydrolysates with High Angiotensin Converting<br>Enzyme-Inhibitory Activity (ACE-IA). Journal of Agricultural and Food Chemistry, 2014, 62, 5555-5564. | 2.4 | 11        |
| 32 | Cloning, production, and functional expression of the bacteriocin sakacin A (SakA) and two<br>SakA-derived chimeras in lactic acid bacteria (LAB) and the yeasts Pichia pastoris and Kluyveromyces<br>lactis. Journal of Industrial Microbiology and Biotechnology, 2013, 40, 977-993.                | 1.4 | 23        |
| 33 | Antimicrobial activity, antibiotic susceptibility and virulence factors of Lactic Acid Bacteria of aquatic origin intended for use as probiotics in aquaculture. BMC Microbiology, 2013, 13, 15.  | 1.3 | 168       |
| 34 | Enterococcus faecalis strains from food, environmental, and clinical origin produce ACE-inhibitory<br>peptides and other bioactive peptides during growth in bovine skim milk. International Journal of Food<br>Microbiology, 2013, 166, 93-101.  | 2.1 | 33        |
| 35 | Cloning, Production, and Functional Expression of the Bacteriocin Enterocin A, Produced by<br>Enterococcus faecium T136, by the Yeasts Pichia pastoris, Kluyveromyces lactis, Hansenula polymorpha,<br>and Arxula adeninivorans. Applied and Environmental Microbiology, 2012, 78, 5956-5961.         | 1.4 | 32        |
|    |   |     |           |

Natural and Heterologous Production of Bacteriocins. , 2011, , 115-143.

LUIS M CINTAS

| #  | Article  | IF          | CITATIONS        |
|----|--|-------------|------------------|
| 37 | Protein expression vector and secretion signal peptide optimization to drive the production,<br>secretion, and functional expression of the bacteriocin enterocin A in lactic acid bacteria. Journal of<br>Biotechnology, 2011, 156, 76-86.  | 1.9         | 46               |
| 38 | Phenotypic and genetic evaluations of biogenic amine production by lactic acid bacteria isolated from fish and fish products. International Journal of Food Microbiology, 2011, 146, 212-216.  | 2.1         | 34               |
| 39 | Use of the usp45 lactococcal secretion signal sequence to drive the secretion and functional expression of enterococcal bacteriocins in Lactococcus lactis. Applied Microbiology and Biotechnology, 2011, 89, 131-143.   | 1.7         | 36               |
| 40 | Target recognition, resistance, immunity and genome mining of class II bacteriocins from Gram-positive bacteria. Microbiology (United Kingdom), 2011, 157, 3256-3267.  | 0.7         | 104              |
| 41 | Characterization of Garvicin ML, a Novel Circular Bacteriocin Produced by <i>Lactococcus<br/>garvieae</i> DCC43, Isolated from Mallard Ducks ( <i>Anas platyrhynchos</i> ). Applied and<br>Environmental Microbiology, 2011, 77, 369-373.  | 1.4         | 98               |
| 42 | Identification of Bacteriocin Genes in Enterococci Isolated from Game Animals and Saltwater Fish.<br>Journal of Food Protection, 2011, 74, 1252-1260.  | 0.8         | 19               |
| 43 | Antimicrobial activity and occurrence of bacteriocin structural genes in Enterococcus spp. of human and animal origin isolated in Portugal. Archives of Microbiology, 2010, 192, 927-936.  | 1.0         | 28               |
| 44 | Use of the Yeast Pichia pastoris as an Expression Host for Secretion of Enterocin L50, a Leaderless<br>Two-Peptide (L50A and L50B) Bacteriocin from Enterococcus faecium L50. Applied and Environmental<br>Microbiology, 2010, 76, 3314-3324.  | 1.4         | 44               |
| 45 | Development of Bacteriocinogenic Strains of <i>Saccharomyces cerevisiae</i> Heterologously<br>Expressing and Secreting the Leaderless Enterocin L50 Peptides L50A and L50B from <i>Enterococcus<br/>faecium</i> L50. Applied and Environmental Microbiology, 2009, 75, 2382-2392.                                      | 1.4         | 27               |
| 46 | Antimicrobial activity of Enterococcus faecium L50, a strain producing enterocins L50 (L50A and L50B),<br>P and Q, against beer-spoilage lactic acid bacteria in broth, wort (hopped and unhopped), and<br>alcoholic and non-alcoholic lager beers. International Journal of Food Microbiology, 2008, 125,<br>293-307. | 2.1         | 41               |
| 47 | Molecular analysis of the replication region of the pCIZ2 plasmid from the multiple bacteriocin producer strain Enterococcus faecium L50. Plasmid, 2008, 60, 181-189.  | 0.4         | 4                |
| 48 | Cloning and Heterologous Production of Hiracin JM79, a Sec-Dependent Bacteriocin Produced by<br><i>Enterococcus hirae</i> DCH5, in Lactic Acid Bacteria and <i>Pichia pastoris</i> . Applied and<br>Environmental Microbiology, 2008, 74, 2471-2479.   | 1.4         | 52               |
| 49 | Chimeras of Mature Pediocin PA-1 Fused to the Signal Peptide of Enterocin P Permits the Cloning,<br>Production, and Expression of Pediocin PA-1 in Lactococcus lactis. Journal of Food Protection, 2007,<br>70, 2792-2798.   | 0.8         | 18               |
| 50 | Amino acid and nucleotide sequence, adjacent genes, and heterologous expression of hiracin JM79, a<br>sec-dependent bacteriocin produced byEnterococcus hiraeDCH5, isolated from Mallard ducks (Anas) Tj ETQqC   | 00 ng/BT /C | )versloock 10 Tf |
| 51 | Antimicrobial and safety aspects, and biotechnological potential of bacteriocinogenic enterococci<br>isolated from mallard ducks (Anas platyrhynchos). International Journal of Food Microbiology, 2007,<br>117, 295-305.  | 2.1         | 46               |
| 52 | Cloning, production and expression of the bacteriocin enterocin A produced by Enterococcus<br>faecium PLBC21 in Lactococcus lactis. Applied Microbiology and Biotechnology, 2007, 76, 667-675.   | 1.7         | 34               |
| 53 | Genes Encoding Bacteriocins and Their Expression and Potential Virulence Factors of Enterococci<br>Isolated from Wood Pigeons (Columba palumbus). Journal of Food Protection, 2006, 69, 520-531.   | 0.8         | 40               |
| 54 | Purification and sequencing of cerein 7B, a novel bacteriocin produced byBacillus cereusBc7. FEMS<br>Microbiology Letters, 2006, 254, 108-115.   | 0.7         | 32               |

LUIS M CINTAS

| #  | Article   | IF                  | CITATIONS                |
|----|---|---------------------|--------------------------|
| 55 | High-level heterologous production and functional expression of the sec-dependent enterocin P from<br>Enterococcus faecium P13 in Lactococcus lactis. Applied Microbiology and Biotechnology, 2006, 72,<br>41-51.   | 1.7                 | 44                       |
| 56 | Complete Sequence of the Enterocin Q-Encoding Plasmid pCIZ2 from the Multiple Bacteriocin<br>Producer Enterococcus faecium L50 and Genetic Characterization of Enterocin Q Production and<br>Immunity. Applied and Environmental Microbiology, 2006, 72, 6653-6666.         | 1.4                 | 45                       |
| 57 | Immunochemical Characterization of Temperature-Regulated Production of Enterocin L50 (EntL50A) Tj ETQq1 1<br>Microbiology, 2006, 72, 7634-7643.   | 0.784314<br>1.4     | 4 rgBT /Overlo<br>35     |
| 58 | Cloning, production and functional expression of enterocin P, a sec-dependent bacteriocin produced<br>by Enterococcus faecium P13, in Escherichia coli. International Journal of Food Microbiology, 2005,<br>103, 239-250.  | 2.1                 | 49                       |
| 59 | Heterologous extracellular production of enterocin P fromEnterococcus faeciumP13 in the<br>methylotrophic bacteriumMethylobacterium extorquens. FEMS Microbiology Letters, 2005, 248, 125-131.  | 0.7                 | 27                       |
| 60 | Production of Enterocin P, an Antilisterial Pediocin-Like Bacteriocin from Enterococcus faecium P13,<br>in Pichia pastoris. Antimicrobial Agents and Chemotherapy, 2005, 49, 3004-3008.   | 1.4                 | 43                       |
| 61 | Performance and Applications of Polyclonal Antipeptide Antibodies Specific for the Enterococcal<br>Bacteriocin Enterocin P. Journal of Agricultural and Food Chemistry, 2004, 52, 2247-2255.  | 2.4                 | 24                       |
| 62 | Genetics of Bacteriocin Production in Lactic Acid Bacteria. , 2003, , 225-260.  |                     | 3                        |
| 63 | Enterocin P Causes Potassium Ion Efflux from Enterococcus faecium T136 Cells. Antimicrobial Agents and Chemotherapy, 2001, 45, 901-904.   | 1.4                 | 37                       |
| 64 | Biochemical and Genetic Evidence that Enterococcus faecium L50 Produces Enterocins L50A and L50B,<br>the sec -Dependent Enterocin P, and a Novel Bacteriocin Secreted without an N-Terminal Extension<br>Termed Enterocin Q. Journal of Bacteriology, 2000, 182, 6806-6814. | 1.0                 | 238                      |
| 65 | Biochemical and Genetic Evidence of Enterocin P Production by Two Enterococcus faecium -Like<br>Strains Isolated from Fermented Sausages. Current Microbiology, 1999, 39, 282-290.  | 1.0                 | 40                       |
| 66 | Antibodies to a synthetic 1–9-N-terminal amino acid fragment of mature pediocin PA-1: sensitivity and specificity for pediocin PA-1 and cross-reactivity against Class IIa bacteriocins. Microbiology (United) Tj ETQq0 0   | 0 n <b>gB</b> 7T /O | ver <b>la</b> ck 10 Tf : |
| 67 | Enterocins L50A and L50B, Two Novel Bacteriocins from <i>Enterococcus faecium</i> L50, Are Related to Staphylococcal Hemolysins. Journal of Bacteriology, 1998, 180, 1988-1994.   | 1.0                 | 256                      |
| 68 | Generation of Polyclonal Antibodies of Predetermined Specificity against Pediocin PA-1. Applied and<br>Environmental Microbiology, 1998, 64, 4536-4545.   | 1.4                 | 30                       |

69 Enterocin B, a new bacteriocin from Enterococcus faecium T136 which can act synergistically with enterocin A. Microbiology (United Kingdom), 1997, 143, 2287-2294.