

# Mariko Goto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9173698/publications.pdf>

Version: 2024-02-01

19  
papers

301  
citations

1040056

9  
h-index

888059

17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

419  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrafast Dynamic Contrast-enhanced MRI of the Breast: How Is It Used?. <i>Magnetic Resonance in Medical Sciences</i> , 2022, 21, 83-94.	2.0	10
2	The diffusion MRI signature index is highly correlated with immunohistochemical status and molecular subtype of invasive breast carcinoma. <i>European Radiology</i> , 2022, 32, 4879-4888.	4.5	7
3	Effects of gadobutrol on background parenchymal enhancement and differential diagnosis between benign and malignant lesions in dynamic magnetic resonance imaging of the breast. <i>Breast Cancer</i> , 2021, 28, 927-936.	2.9	3
4	Value of intra-tumor heterogeneity evaluated by diffusion-weighted MRI for predicting pathological stages and therapeutic responses to chemoradiotherapy in lower rectal cancer. <i>Journal of Cancer</i> , 2020, 11, 168-176.	2.5	10
5	Diagnostic performance of initial enhancement analysis using ultra-fast dynamic contrast-enhanced MRI for breast lesions. <i>European Radiology</i> , 2019, 29, 1164-1174.	4.5	41
6	Effects of different fat-suppression methods on T1 values in dynamic contrast-enhanced magnetic resonance imaging: a phantom study. <i>Radiological Physics and Technology</i> , 2019, 12, 335-342.	1.9	3
7	Adding a Model-free Diffusion MRI Marker to BI-RADS Assessment Improves Specificity for Diagnosing Breast Lesions. <i>Radiology</i> , 2019, 292, 84-93.	7.3	24
8	Deformation of breast masses between supine ultrasound and prone magnetic resonance imaging. <i>Acta Radiologica</i> , 2019, 60, 1232-1240.	1.1	0
9	The split sign: The MRI equivalent of the bell clapper deformity. <i>British Journal of Radiology</i> , 2019, 92, 20180312.	2.2	6
10	Comparison of radiation dermatitis between hypofractionated and conventionally fractionated postoperative radiotherapy: objective, longitudinal assessment of skin color. <i>Scientific Reports</i> , 2018, 8, 12306.	3.3	13
11	Docetaxel, cyclophosphamide, and trastuzumab as neoadjuvant chemotherapy for HER2-positive primary breast cancer. <i>Breast Cancer</i> , 2017, 24, 92-97.	2.9	11
12	Clinical feasibility of simultaneous multi-slice imaging with blipped-CAIPI for diffusion-weighted imaging and diffusion-tensor imaging of the brain. <i>Acta Radiologica</i> , 2017, 58, 1500-1510.	1.1	7
13	Reading efficiency can be improved by minor modification of assigned duties; a pilot study on a small team of general radiologists. <i>Japanese Journal of Radiology</i> , 2017, 35, 262-268.	2.4	10
14	Appropriate imaging utilization in Japan: a survey of accredited radiology training hospitals. <i>Japanese Journal of Radiology</i> , 2017, 35, 648-654.	2.4	10
15	Which patients require or can skip biopsy for breast clustered microcysts? Predictive findings of breast cancer and mucocele-like tumor. <i>Breast Cancer</i> , 2016, 23, 590-596.	2.9	9
16	The role of breast MR imaging in pre-operative determination of invasive disease for ductal carcinoma in situ diagnosed by needle biopsy. <i>European Radiology</i> , 2012, 22, 1255-1264.	4.5	32
17	MR Imaging of Tubular Adenoma of Breast Associated with Lactating Change. <i>Breast Journal</i> , 2009, 15, 536-537.	1.0	2
18	Diagnosis of breast tumors by contrast-enhanced MR imaging: Comparison between the diagnostic performance of dynamic enhancement patterns and morphologic features. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 25, 104-112.	3.4	95

#	ARTICLE	IF	CITATIONS
19	Assessment of the solid-state gamma camera to depict axillary sentinel lymph nodes in breast cancer patients. <i>Annals of Nuclear Medicine</i> , 2005, 19, 627-631.	2.2	8