Franc Strle

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9174506/franc-strle-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers7,682
citations40
h-index84
g-index186
ext. papers9,324
ext. citations6.8
avg, IF5.92
L-index

#	Paper	IF	Citations
176	Rapid Viral Testing and Antibiotic Prescription in Febrile Children With Respiratory Symptoms Visiting Emergency Departments in Europe. <i>Pediatric Infectious Disease Journal</i> , 2022 , 41, 39-44	3.4	O
175	Clinical and Laboratory Characteristics and Outcome of Illness Caused by Tick-Borne Encephalitis Virus without Central Nervous System Involvement <i>Emerging Infectious Diseases</i> , 2022 , 28, 291-301	10.2	2
174	Unique Clinical, Immune, and Genetic Signature in Patients with Borrelial Meningoradiculoneuritis <i>Emerging Infectious Diseases</i> , 2022 , 28,	10.2	1
173	The History, Epidemiology, Clinical Manifestations and Treatment of Lyme Borreliosis 2022 , 77-105		
172	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis and Treatment of Lyme Disease. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1-8	11.6	5
171	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis and Treatment of Lyme Disease. <i>Clinical Infectious Diseases</i> , 2021 , 72, e1-e48	11.6	59
170	Development and validation of a prediction model for invasive bacterial infections in febrile children at European Emergency Departments: MOFICHE, a prospective observational study. <i>Archives of Disease in Childhood</i> , 2021 , 106, 641-647	2.2	3
169	Acrodermatitis chronica atrophicans: clinical and microbiological characteristics of a cohort of 693 Slovenian patients. <i>Journal of Internal Medicine</i> , 2021 , 290, 335-348	10.8	3
168	Characteristics of spirochetemic patients with a solitary erythema migrans skin lesion in Europe. <i>PLoS ONE</i> , 2021 , 16, e0250198	3.7	O
167	Comparison of Clinical, Laboratory and Immune Characteristics of the Monophasic and Biphasic Course of Tick-Borne Encephalitis. <i>Microorganisms</i> , 2021 , 9,	4.9	2
166	Clinical Characteristics of Patients with Tick-Borne Encephalitis (TBE): A European Multicentre Study from 2010 to 2017. <i>Microorganisms</i> , 2021 , 9,	4.9	6
165	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis, and Treatment of Lyme Disease. <i>Arthritis and Rheumatology</i> , 2021 , 73, 12-20	9.5	7
164	Clinical Practice Guidelines by the Infectious Diseases Society of America (IDSA), American Academy of Neurology (AAN), and American College of Rheumatology (ACR): 2020 Guidelines for the Prevention, Diagnosis, and Treatment of Lyme Disease. <i>Arthritis Care and Research</i> , 2021 , 73, 1-9	4.7	5
163	Human Oocytes Express Both ACE2 and BSG Genes and Corresponding Proteins: Is SARS-CoV-2 Infection Possible?. <i>Stem Cell Reviews and Reports</i> , 2021 , 17, 278-284	7.3	7
162	Upregulated Intrathecal Expression of VEGF-A and Long Lasting Global Upregulation of Proinflammatory Immune Mediators in Vaccine Breakthrough Tick-Borne Encephalitis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 696337	5.9	1
161	Comparison of Lyme Disease in the United States and Europe. <i>Emerging Infectious Diseases</i> , 2021 , 27, 2017-2024	10.2	18
160	A NICE combination for predicting hospitalisation at the Emergency Department: a European multicentre observational study of febrile children. <i>Lancet Regional Health - Europe, The</i> , 2021 , 8, 1001	73	O

159	Lyme Disease in Humans. Current Issues in Molecular Biology, 2021, 42, 333-384	2.9	8
158	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study. <i>PLoS ONE</i> , 2021 , 16, e0244810	3.7	4
157	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study 2021 , 16, e0244810		
156	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study 2021 , 16, e0244810		
155	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study 2021 , 16, e0244810		
154	Variation in hospital admission in febrile children evaluated at the Emergency Department (ED) in Europe: PERFORM, a multicentre prospective observational study 2021 , 16, e0244810		
153	Evaluation of the role of oral penicillin for treating Lyme disease patients with erythema migrans in the United States. <i>Diagnostic Microbiology and Infectious Disease</i> , 2020 , 97, 115071	2.9	1
152	Posttreatment Symptoms in Lyme Borreliosis. <i>Clinical Infectious Diseases</i> , 2020 , 71, 3125-3127	11.6	2
151	Effect of Statin Use on the Clinical Manifestations, Laboratory Test Results and Outcome of Lyme Neuroborreliosis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
150	Course and Outcome of Erythema Migrans in Pregnant Women. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
149	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): Almulticentrelbbservational study. <i>PLoS Medicine</i> , 2020 , 17, e1003208	11.6	23
148	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): A multicentre observational study 2020 , 17, e1003208		
147	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): A multicentre observational study 2020 , 17, e1003208		
146	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): A multicentre observational study 2020 , 17, e1003208		
145	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): A multicentre observational study 2020 , 17, e1003208		
144	Variation in antibiotic prescription rates in febrile children presenting to emergency departments across Europe (MOFICHE): A multicentre observational study 2020 , 17, e1003208		
143	Inflammatory Immune Responses in the Pathogenesis of Tick-Borne Encephalitis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
142	Erythema Migrans: Course and Outcome in Patients Treated With Rituximab. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz292	1	8

141	Early Lyme Borreliosis in Patients Treated with Tumour Necrosis Factor-Alfa Inhibitors. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
140	Inflammatory Immune Responses in Patients with Tick-Borne Encephalitis: Dynamics and Association with the Outcome of the Disease. <i>Microorganisms</i> , 2019 , 7,	4.9	7
139	Diversity in the emergency care for febrile children in Europe: a questionnaire study. <i>BMJ Paediatrics Open</i> , 2019 , 3, e000456	2.4	11
138	Is Doxycycline Appropriate for Routine Treatment of Young Children With Erythema Migrans?. <i>Pediatric Infectious Disease Journal</i> , 2019 , 38, 1113-1114	3.4	4
137	Cost-effectiveness of a potential anti-tick vaccine with combined protection against Lyme borreliosis and tick-borne encephalitis in Slovenia. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 63-71	3.6	2
136	Borrelia burgdorferi sensu lato infection in patients with peripheral facial palsy. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 398-406	3.6	8
135	Acrodermatitis chronica atrophicans in children: Report on two cases and review of the literature. <i>Ticks and Tick-borne Diseases</i> , 2019 , 10, 180-185	3.6	4
134	How safe is doxycycline for young children or for pregnant or breastfeeding women?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019 , 93, 238-242	2.9	19
133	Lyme borreliosis-from tick bite to diagnosis and treatment. FEMS Microbiology Reviews, 2018, 42, 233-2.	58 5.1	64
132	Is the risk of early neurologic Lyme borreliosis reduced by preferentially treating patients with erythema migrans with doxycycline?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 91, 156-160	2.9	10
131	CXCL13 concentrations in cerebrospinal fluid of patients with Lyme neuroborreliosis and other neurological disorders determined by Luminex and ELISA. <i>Ticks and Tick-borne Diseases</i> , 2018 , 9, 1137-1	1342	21
130	Oral doxycycline versus intravenous ceftriaxone for treatment of multiple erythema migrans: an open-label alternate-treatment observational trial. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1352-1358	5.1	16
129	The long-term outcome of tick-borne encephalitis in Central Europe. <i>Ticks and Tick-borne Diseases</i> , 2018 , 9, 369-378	3.6	23
128	Delayed Interferon Type 1-Induced Antiviral State Is a Potential Factor for Hemorrhagic Fever With Renal Syndrome Severity. <i>Journal of Infectious Diseases</i> , 2018 , 217, 926-932	7	9
127	To test or not to test? Laboratory support for the diagnosis of Lyme borreliosis - Author® reply. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 211-212	9.5	3
126	To test or not to test? Laboratory support for the diagnosis of Lyme borreliosis: a position paper of ESGBOR, the ESCMID study group for Lyme borreliosis. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 118	9:24	62
125	Sequential assessment of clinical and laboratory parameters in patients with hemorrhagic fever with renal syndrome. <i>PLoS ONE</i> , 2018 , 13, e0197661	3.7	9
124	Critical analysis of a doxycycline treatment trial of rhesus macaques infected with Borrelia burgdorferi. <i>Diagnostic Microbiology and Infectious Disease</i> , 2018 , 92, 183-188	2.9	3

(2016-2018)

123	Comparison of Clinical Course and Treatment Outcome for Patients With Early Disseminated or Early Localized Lyme Borreliosis. <i>JAMA Dermatology</i> , 2018 , 154, 1050-1056	5.1	18
122	Virus RNA Load in Patients with Tick-Borne Encephalitis, Slovenia. <i>Emerging Infectious Diseases</i> , 2018 , 24, 1315-1323	10.2	10
121	Clinical Course, Serologic Response, and Long-Term Outcome in Elderly Patients with Early Lyme Borreliosis. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	14
120	Factors associated with severity of tick-borne encephalitis: A prospective observational study. <i>Travel Medicine and Infectious Disease</i> , 2018 , 26, 25-31	8.4	15
119	Impact of pre-existing treatment with statins on the course and outcome of tick-borne encephalitis. <i>PLoS ONE</i> , 2018 , 13, e0204773	3.7	2
118	Doxycycline-induced photosensitivity in patients treated for erythema migrans. <i>BMC Infectious Diseases</i> , 2018 , 18, 365	4	2
117	Relationship between circulating vascular endothelial growth factor and its soluble receptor in patients with hemorrhagic fever with renal syndrome. <i>Emerging Microbes and Infections</i> , 2018 , 7, 89	18.9	7
116	Risk factors for bronchiolitis severity: A retrospective review of patients admitted to the university hospital from central region of Slovenia. <i>Influenza and Other Respiratory Viruses</i> , 2018 , 12, 765-771	5.6	14
115	Response letter to Drs. Halperin and Greenberg. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 88, 108-109	2.9	
114	Tick-borne encephalitis in patients vaccinated against this disease. <i>Journal of Internal Medicine</i> , 2017 , 282, 142-155	10.8	30
113	Pathogenetic implications of the age at time of diagnosis and skin location for acrodermatitis chronica atrophicans. <i>Ticks and Tick-borne Diseases</i> , 2017 , 8, 266-269	3.6	10
112	Should we consider faecal colonisation with extended-spectrum Elactamase-producing Enterobacteriaceae in empirical therapy of community-onset sepsis?. <i>International Journal of Antimicrobial Agents</i> , 2017 , 50, 564-571	14.3	4
111	Studies that report unexpected positive blood cultures for Lyme borrelia - are they valid?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 89, 178-181	2.9	5
110	EAN consensus review on prevention, diagnosis and management of tick-borne encephalitis. <i>European Journal of Neurology</i> , 2017 , 24, 1214-e61	6	76
109	A critical appraisal of the mild axonal peripheral neuropathy of late neurologic Lyme disease. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017 , 87, 163-167	2.9	21
108	Respiratory and Enteric Virus Detection in Children. <i>Journal of Child Neurology</i> , 2017 , 32, 84-93	2.5	14
107	Comparison of MKP and BSK-H media for the cultivation and isolation of Borrelia burgdorferi sensu lato. <i>PLoS ONE</i> , 2017 , 12, e0171622	3.7	6
106	Viral respiratory infections in a nursing home: a six-month prospective study. <i>BMC Infectious Diseases</i> , 2016 , 16, 637	4	14

105	Borrelial Lymphocytoma in Adult Patients. Clinical Infectious Diseases, 2016, 63, 914-21	11.6	16
104	The Role of Human Coronaviruses in Children Hospitalized for Acute Bronchiolitis, Acute Gastroenteritis, and Febrile Seizures: A 2-Year Prospective Study. <i>PLoS ONE</i> , 2016 , 11, e0155555	3.7	30
103	Differences in Genotype, Clinical Features, and Inflammatory Potential of Borrelia burgdorferi sensu stricto Strains from Europe and the United States. <i>Emerging Infectious Diseases</i> , 2016 , 22, 818-27	10.2	58
102	Comparison of Growth of Borrelia afzelii, Borrelia garinii, and Borrelia burgdorferi Sensu Stricto at Five Different Temperatures. <i>PLoS ONE</i> , 2016 , 11, e0157706	3.7	6
101	Lyme borreliosis. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16090	51.1	322
100	Course and Outcome of Early European Lyme Neuroborreliosis (Bannwarth Syndrome): Clinical and Laboratory Findings. <i>Clinical Infectious Diseases</i> , 2016 , 63, 346-53	11.6	71
99	Cluster of ulceroglandular tularemia cases in Slovenia. <i>Ticks and Tick-borne Diseases</i> , 2016 , 7, 1193-1197	3.6	4
98	Intelligent System for Diagnosis of Erythema Migrans. <i>Applied Artificial Intelligence</i> , 2015 , 29, 134-147	2.3	
97	Course and outcome of Early Lyme borreliosis in patients with hematological malignancies. <i>Clinical Infectious Diseases</i> , 2015 , 61, 427-31	11.6	9
96	Lyme neuroborreliosis in a patient treated with TNF-alpha inhibitor. <i>Infection</i> , 2015 , 43, 759-62	5.8	6
95	Presence of human cytomegalovirus DNA in blood of patients with community-acquired pneumonia. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 97-102	9.5	1
94	The authors reply to comments on "The lymphocyte transformation test for the diagnosis of Lyme borreliosis has currently not been shown to be clinically useful." Clin Microbiol Infect 2014;20:0786-0787. Clinical Microbiology and Infection, 2015 , 21, e21	9.5	2
93	Simultaneous isolation of Borrelia burgdorferi sensu lato from blood and cerebrospinal fluid in three patients with multiple erythema migrans. <i>Journal of Pediatric Infectious Diseases</i> , 2015 , 01, 123-12	25°.4	
92	Tick-borne encephalitis: A review of epidemiology, clinical characteristics, and management. <i>World Journal of Clinical Cases</i> , 2015 , 3, 430-41	1.6	181
91	medplot: a web application for dynamic summary and analysis of longitudinal medical data based on R. <i>PLoS ONE</i> , 2015 , 10, e0121760	3.7	2
90	Comparison of clinical and laboratory characteristics of patients fulfilling criteria for proven and probable human granulocytic anaplasmosis. <i>Microbes and Infection</i> , 2015 , 17, 829-33	9.3	5
89	Oseltamivir prophylaxis in controlling influenza outbreak in nursing homes: a comparison between three different approaches. <i>Infection</i> , 2015 , 43, 73-81	5.8	12
88	Correlation of Culture Positivity, PCR Positivity, and Burden of Borrelia burgdorferi Sensu Lato in Skin Samples of Erythema Migrans Patients with Clinical Findings. <i>PLoS ONE</i> , 2015 , 10, e0136600	3.7	21

(2011-2014)

87	Elevated levels of IL-23 in a subset of patients with post-lyme disease symptoms following erythema migrans. <i>Clinical Infectious Diseases</i> , 2014 , 58, 372-80	11.6	64
86	Influence of MKP medium stored for prolonged periods on growth and morphology of Borrelia afzelii, Borrelia garinii, and Borrelia burgdorferi sensu stricto. <i>Apmis</i> , 2014 , 122, 230-5	3.4	3
85	Comparison of isolation rate of Borrelia burgdorferi sensu lato in two different culture media, MKP and BSK-H. <i>Clinical Microbiology and Infection</i> , 2014 , 20, 636-41	9.5	13
84	Reply to Seligman et Al. <i>Clinical Infectious Diseases</i> , 2014 , 59, 747-8	11.6	
83	Quantitative evaluation of the severity of acute illness in adult patients with tick-borne encephalitis. <i>BioMed Research International</i> , 2014 , 2014, 841027	3	12
82	Tick borne encephalitis without cerebrospinal fluid pleocytosis. <i>BMC Infectious Diseases</i> , 2014 , 14, 614	4	3
81	Are patients with erythema migrans who have leukopenia and/or thrombocytopenia coinfected with Anaplasma phagocytophilum or tick-borne encephalitis virus?. <i>PLoS ONE</i> , 2014 , 9, e103188	3.7	6
80	Suspected early Lyme neuroborreliosis in patients with erythema migrans. <i>Clinical Infectious Diseases</i> , 2013 , 57, 501-9	11.6	35
79	Tick-borne encephalitis associated with consumption of raw goat milk, Slovenia, 2012. <i>Emerging Infectious Diseases</i> , 2013 , 19, 806-8	10.2	59
78	Diagnostic value of cytokines and chemokines in lyme neuroborreliosis. <i>Vaccine Journal</i> , 2013 , 20, 1578	-84	46
77	Clinical characteristics associated with Borrelia burgdorferi sensu lato skin culture results in patients with erythema migrans. <i>PLoS ONE</i> , 2013 , 8, e82132	3.7	15
76	Quantitative detection of Borrelia burgdorferi sensu lato in erythema migrans skin lesions using internally controlled duplex real time PCR. <i>PLoS ONE</i> , 2013 , 8, e63968	3.7	31
75	Gender disparity between cutaneous and non-cutaneous manifestations of Lyme borreliosis. <i>PLoS ONE</i> , 2013 , 8, e64110	3.7	40
74	Lyme borreliosis. <i>Lancet, The</i> , 2012 , 379, 461-73	40	807
73	Treatment of erythema migrans with doxycycline for 10 days versus 15 days. <i>Clinical Infectious Diseases</i> , 2012 , 55, 343-50	11.6	54
72	Pregnant women with erythema migrans and isolation of borreliae from blood: course and outcome after treatment with ceftriaxone. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 71, 446	5- 8 .9	16
71	Lyme borreliosis: clinical case definitions for diagnosis and management in Europe. <i>Clinical Microbiology and Infection</i> , 2011 , 17, 69-79	9.5	369
70	Comparison of post-Lyme Borreliosis symptoms in erythema migrans patients with positive and negative Borrelia burgdorferi sensu lato skin culture. <i>Vector-Borne and Zoonotic Diseases</i> , 2011 , 11, 883	<u>-3</u> ·4	11

69	Isolation of Borrelia burgdorferi sensu lato from blood of adult patients with borrelial lymphocytoma, Lyme neuroborreliosis, Lyme arthritis and acrodermatitis chronica atrophicans. <i>Infection</i> , 2011 , 39, 35-40	5.8	24
68	Comparison of erythema migrans caused by Borrelia burgdorferi and Borrelia garinii. <i>Vector-Borne and Zoonotic Diseases</i> , 2011 , 11, 1253-8	2.4	30
67	Humoral immune responses in patients with Lyme neuroborreliosis. <i>Vaccine Journal</i> , 2010 , 17, 645-50		28
66	Evaluation of real-time PCR targeting hbb gene for Borrelia species identification. <i>Journal of Microbiological Methods</i> , 2010 , 82, 115-9	2.8	17
65	Subjective symptoms after treatment of early Lyme disease. <i>American Journal of Medicine</i> , 2010 , 123, 79-86	2.4	135
64	What tick-borne encephalitis may look like: clinical signs and symptoms. <i>Travel Medicine and Infectious Disease</i> , 2010 , 8, 246-50	8.4	36
63	Clinical manifestations and diagnosis of lyme borreliosis. <i>Current Problems in Dermatology</i> , 2009 , 37, 51-110		109
62	How do I manage tick bites and Lyme borreliosis in pregnant women?. <i>Current Problems in Dermatology</i> , 2009 , 37, 183-190		9
61	Borrelia burgdorferi stimulates macrophages to secrete higher levels of cytokines and chemokines than Borrelia afzelii or Borrelia garinii. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1936-43	7	66
60	Protein profile determination of Borrelia afzelii and Borrelia garinii isolated from skin and cerebrospinal fluid. <i>World Journal of Microbiology and Biotechnology</i> , 2009 , 25, 1287-1296	4.4	1
59	Concomitant human granulocytic anaplasmosis and Lyme neuroborreliosis. <i>Clinical Microbiology and Infection</i> , 2009 , 15 Suppl 2, 28-9	9.5	4
58	Comparison of PCR methods and culture for the detection of Borrelia spp. in patients with erythema migrans. <i>Clinical Microbiology and Infection</i> , 2008 , 14, 653-8	9.5	31
57	Tick-borne encephalitis after active immunization. <i>International Journal of Medical Microbiology</i> , 2008 , 298, 309-313	3.7	18
56	Characterization of Borrelia burgdorferi sensu lato isolates by pulsed-field gel electrophoresis after Mlul restriction of genomic DNA. <i>Research in Microbiology</i> , 2008 , 159, 441-8	4	31
55	Lyme disease: European perspective. <i>Infectious Disease Clinics of North America</i> , 2008 , 22, 327-39, vii	6.5	46
54	Validation of cultivation and PCR methods for diagnosis of Lyme neuroborreliosis. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 3375-9	9.7	73
53	Erythema migrans in solid-organ transplant recipients. <i>Clinical Infectious Diseases</i> , 2006 , 42, 1751-4	11.6	22
52	Comparison of findings for patients with Borrelia garinii and Borrelia afzelii isolated from cerebrospinal fluid. <i>Clinical Infectious Diseases</i> , 2006 , 43, 704-10	11.6	102

(2002-2006)

51	The clinical assessment, treatment, and prevention of lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Diseases Society of America. <i>Clinical Infectious Diseases</i> , 2006 , 43, 1089-134	11.6	1444
50	Comparison of immunofluorescence assay (IFA) and LIAISON in patients with different clinical manifestations of Lyme borreliosis. <i>Wiener Klinische Wochenschrift</i> , 2006 , 118, 686-90	2.3	10
49	Tick-borne encephalitis in Slovenia from 2000 to 2004: comparison of the course in adult and elderly patients. <i>Wiener Klinische Wochenschrift</i> , 2006 , 118, 702-7	2.3	35
48	Epidemiological, clinical and laboratory characteristics of patients with human granulocytic anaplasmosis in Slovenia. <i>Wiener Klinische Wochenschrift</i> , 2006 , 118, 708-13	2.3	23
47	The importance of tick-borne encephalitis virus RNA detection for early differential diagnosis of tick-borne encephalitis. <i>Journal of Clinical Virology</i> , 2005 , 33, 331-5	14.5	64
46	Intravenous ceftriaxone compared with oral doxycycline for the treatment of Lyme neuroborreliosis. <i>Scandinavian Journal of Infectious Diseases</i> , 2005 , 37, 449-54		86
45	Hemorrhagic fever with renal syndrome in the Pomurje region of Sloveniaan 18-year survey. Wiener Klinische Wochenschrift, 2005 , 117, 398-405	2.3	23
44	Concomitant tickborne encephalitis and human granulocytic ehrlichiosis. <i>Emerging Infectious Diseases</i> , 2005 , 11, 485-8	10.2	19
43	Comparison of Borrelia burgdorferi sensu lato strains isolated from specimens obtained simultaneously from two different sites of infection in individual patients. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2194-200	9.7	34
42	Comparison of erythema migrans caused by Borrelia afzelii and Borrelia garinii. <i>Infection</i> , 2004 , 32, 15-9	9 5.8	72
41	Human granulocytic ehrlichiosis in Europe. <i>International Journal of Medical Microbiology Supplements</i> , 2004 , 293 Suppl 37, 27-35		40
40	Solitary and multiple erythema migrans in children: comparison of demographic, clinical and laboratory findings. <i>Infection</i> , 2003 , 31, 404-9	5.8	27
39	Lyme borreliosis. <i>Lancet, The</i> , 2003 , 362, 1639-47	40	334
38	Clinical and epidemiological findings for patients with erythema migrans. Comparison of cohorts from the years 1993 and 2000. <i>Wiener Klinische Wochenschrift</i> , 2002 , 114, 493-7	2.3	15
37	Characterization of Borrelia burgdorferi sensu lato strains isolated from human material in Slovenia. Wiener Klinische Wochenschrift, 2002 , 114, 544-50	2.3	28
36	Evaluation of immunofluorescence test (IFT) and immuno (western) blot (WB) test in patients with erythema migrans. <i>Wiener Klinische Wochenschrift</i> , 2002 , 114, 586-90	2.3	13
35	Sensitivity of culture and polymerase chain reaction for the etiologic diagnosis of erythema migrans. <i>Wiener Klinische Wochenschrift</i> , 2002 , 114, 606-9	2.3	15
34	Is azithromycin treatment associated with prolongation of the Q-Tc interval?. Wiener Klinische Wochenschrift, 2002 , 114, 396-9	2.3	7

33	Isolation of Borrelia burgdorferi sensu lato from blood of patients with erythema migrans. <i>Infection</i> , 2001 , 29, 65-70	5.8	21
32	Analysis of Borrelia burgdorferi sensu lato isolated from cerebrospinal fluid. <i>Apmis</i> , 2001 , 109, 707-13	3.4	27
31	First European pediatric case of human granulocytic ehrlichiosis. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 4591-2	9.7	42
30	Prospective assessment of the etiology of acute febrile illness after a tick bite in Slovenia. <i>Clinical Infectious Diseases</i> , 2001 , 33, 503-10	11.6	38
29	Isolation of Borrelia burgdorferi sensu lato from blood of children with solitary erythema migrans. <i>Pediatric Infectious Disease Journal</i> , 2001 , 20, 251-5	3.4	34
28	Genotypic and phenotypic characterisation of Borrelia burgdorferi sensu lato strains isolated from human blood. <i>Journal of Medical Microbiology</i> , 2001 , 50, 896-901	3.2	28
27	Demographic features, clinical characteristics and laboratory findings in children with multiple erythema migrans in Slovenia. <i>Wiener Klinische Wochenschrift</i> , 2001 , 113, 98-101	2.3	7
26	Clinical distinction between human granulocytic ehrlichiosis and the initial phase of tick-borne encephalitis. <i>Journal of Infection</i> , 2000 , 40, 55-8	18.9	9
25	Characterisation of Borrelia burgdorferi sensu lato strains isolated from patients with skin manifestations of Lyme borreliosis residing in Slovenia. <i>Journal of Medical Microbiology</i> , 2000 , 49, 47-53	3.2	33
24	Comparison of culture-confirmed erythema migrans caused by Borrelia burgdorferi sensu stricto in New York State and by Borrelia afzelii in Slovenia. <i>Annals of Internal Medicine</i> , 1999 , 130, 32-6	8	123
23	Identity of ehrlichial DNA sequences derived from Ixodes ricinus ticks with those obtained from patients with human granulocytic ehrlichiosis in Slovenia. <i>Journal of Clinical Microbiology</i> , 1999 , 37, 209-	-167	64
22	Erythema migrans in the immunocompromised host. Wiener Klinische Wochenschrift, 1999 , 111, 923-32	2.3	6
21	Erythema migrans in pregnancy. Wiener Klinische Wochenschrift, 1999, 111, 933-40	2.3	6
20	Has the presence or absence of Borrelia burgdorferi sensu lato as detected by skin culture any influence on the course of erythema migrans?. <i>Wiener Klinische Wochenschrift</i> , 1999 , 111, 945-50	2.3	5
19	Concomitant infection with tick-borne encephalitis virus and Borrelia burgdorferi sensu lato in patients with acute meningitis or meningoencephalitis. <i>Infection</i> , 1998 , 26, 160-4	5.8	25
18	Identification of three species of Borrelia burgdorferi sensu lato (B. burgdorferi sensu stricto, B. garinii, and B. afzelii) among isolates from acrodermatitis chronica atrophicans lesions. <i>Journal of Investigative Dermatology</i> , 1998 , 110, 211-4	4.3	67
17	Human granulocytic ehrlichiosis in Europe: clinical and laboratory findings for four patients from Slovenia. <i>Clinical Infectious Diseases</i> , 1998 , 27, 424-8	11.6	106
16	A two year prospective study to compare culture and polymerase chain reaction amplification for the detection and diagnosis of Lyme borreliosis. <i>Journal of Clinical Pathology</i> , 1997 , 50, 186-93		45

LIST OF PUBLICATIONS

15	Molecular subtyping of Borrelia burgdorferi sensu lato isolates from five patients with solitary lymphocytoma. <i>Journal of Investigative Dermatology</i> , 1997 , 108, 92-7	4.3	46
14	Human disease in Europe caused by a granulocytic Ehrlichia species. <i>Journal of Clinical Microbiology</i> , 1997 , 35, 1556-9	9.7	209
13	European Lyme borreliosis: 231 culture-confirmed cases involving patients with erythema migrans. <i>Clinical Infectious Diseases</i> , 1996 , 23, 61-5	11.6	75
12	Azithromycin and doxycycline for treatment of Borrelia culture-positive erythema migrans. <i>Infection</i> , 1996 , 24, 64-8	5.8	64
11	Treatment of borrelial lymphocytoma. <i>Infection</i> , 1996 , 24, 80-4	5.8	28
10	Single-tube nested polymerase chain reaction assay based on Flagellin gene sequences for detection of Borrelia burgdorferi sensu lato. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1996 , 15, 489-98	5.3	39
9	Molecular characterization of Borrelia burgdorferi sensu lato from Slovenia revealing significant differences between tick and human isolates. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1996 , 15, 313-23	5.3	55
8	Treatment of erythema migrans in pregnancy. Clinical Infectious Diseases, 1996, 22, 788-93	11.6	40
7	Infection rate of Ixodes ricinus ticks with Borrelia afzelii, Borrelia garinii, and Borrelia burgdorferi sensu stricto in Slovenia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1995 , 14, 994	-∮001	40
6	Thrombocytopeniaa common finding in the initial phase of tick-borne encephalitis. <i>Infection</i> , 1995 , 23, 203-6	5.8	34
5	Persistence of Borrelia burgdorferi sensu lato in resolved erythema migrans lesions. <i>Clinical Infectious Diseases</i> , 1995 , 21, 380-9	11.6	34
4	Azithromycin versus doxycycline for treatment of erythema migrans: clinical and microbiological findings. <i>Infection</i> , 1993 , 21, 83-8	5.8	72
3	Erythema migrans: comparison of treatment with azithromycin, doxycycline and phenoxymethylpenicillin. <i>Journal of Antimicrobial Chemotherapy</i> , 1992 , 30, 543-50	5.1	58
2	Solitary borrelial lymphocytoma: report of 36 cases. <i>Infection</i> , 1992 , 20, 201-6	5.8	52
1	Comparison of laboratory and immune characteristics of the initial and second phase of tick-borne encephalitis. <i>Emerging Microbes and Infections</i> ,1-25	18.9	О