

David Z I Cherney

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9174998/publications.pdf>

Version: 2024-02-01

199
papers

12,917
citations

36203

51
h-index

27345

106
g-index

201
all docs

201
docs citations

201
times ranked

8716
citing authors

#	ARTICLE	IF	CITATIONS
1	Renal Hemodynamic Effect of Sodium-Glucose Cotransporter 2 Inhibition in Patients With Type 1 Diabetes Mellitus. <i>Circulation</i> , 2014, 129, 587-597.	1.6	1,045
2	Sodium Glucose Cotransporter 2 Inhibitors in the Treatment of Diabetes Mellitus. <i>Circulation</i> , 2016, 134, 752-772.	1.6	932
3	Cardiovascular Outcomes with Ertugliflozin in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2020, 383, 1425-1435.	13.9	927
4	Sotagliflozin in Patients with Diabetes and Chronic Kidney Disease. <i>New England Journal of Medicine</i> , 2021, 384, 129-139.	13.9	662
5	Association of SGLT2 Inhibitors With Cardiovascular and Kidney Outcomes in Patients With Type 2 Diabetes. <i>JAMA Cardiology</i> , 2021, 6, 148.	3.0	625
6	The effect of empagliflozin on arterial stiffness and heart rate variability in subjects with uncomplicated type 1 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2014, 13, 28.	2.7	381
7	Sodium Glucose Cotransporter-2 Inhibition in Heart Failure. <i>Circulation</i> , 2017, 136, 1643-1658.	1.6	340
8	Effects of empagliflozin on the urinary albumin-to-creatinine ratio in patients with type 2 diabetes and established cardiovascular disease: an exploratory analysis from the EMPA-REG OUTCOME randomised, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 610-621.	5.5	301
9	Renoprotective effects of sodium-glucose cotransporter-2 inhibitors. <i>Kidney International</i> , 2018, 94, 26-39.	2.6	262
10	Empagliflozin as Adjunctive to Insulin Therapy in Type 1 Diabetes: The EASE Trials. <i>Diabetes Care</i> , 2018, 41, 2560-2569.	4.3	239
11	The actions of SGLT2 inhibitors on metabolism, renal function and blood pressure. <i>Diabetologia</i> , 2018, 61, 2098-2107.	2.9	234
12	Sodium-Glucose Cotransporter 2 Inhibition and Glycemic Control in Type 1 Diabetes: Results of an 8-Week Open-Label Proof-of-Concept Trial. <i>Diabetes Care</i> , 2014, 37, 1480-1483.	4.3	211
13	Evaluation of Glomerular Hemodynamic Function by Empagliflozin in Diabetic Mice Using In Vivo Imaging. <i>Circulation</i> , 2019, 140, 303-315.	1.6	202
14	Pooled analysis of Phase III trials indicate contrasting influences of renal function on blood pressure, body weight, and HbA1c reductions with empagliflozin. <i>Kidney International</i> , 2018, 93, 231-244.	2.6	174
15	Rationale and protocol of the Dapagliflozin And Prevention of Adverse outcomes in Chronic Kidney Disease (DAPA-CKD) randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 274-282.	0.4	168
16	Efficacy of Ertugliflozin on Heart Failure-Related Events in Patients With Type 2 Diabetes Mellitus and Established Atherosclerotic Cardiovascular Disease. <i>Circulation</i> , 2020, 142, 2205-2215.	1.6	156
17	Effects of the SGLT2 inhibitor dapagliflozin on proteinuria in non-diabetic patients with chronic kidney disease (DIAMOND): a randomised, double-blind, crossover trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 582-593.	5.5	155
18	The effect of sodium glucose cotransporter 2 inhibition with empagliflozin on microalbuminuria and macroalbuminuria in patients with type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 1860-1870.	2.9	148

#	ARTICLE	IF	CITATIONS
19	Glycosuria-mediated urinary uric acid excretion in patients with uncomplicated type 1 diabetes mellitus. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F77-F83.	1.3	143
20	Characterisation of glomerular haemodynamic responses to SGLT2 inhibition in patients with type 1 diabetes and renal hyperfiltration. <i>Diabetologia</i> , 2014, 57, 2599-2602.	2.9	136
21	Management of patients with hypertensive urgencies and emergencies. <i>Journal of General Internal Medicine</i> , 2002, 17, 937-945.	1.3	135
22	The Metabolodiuretic Promise of Sodium-Dependent Glucose Cotransporter 2 Inhibition. <i>JAMA Cardiology</i> , 2017, 2, 939.	3.0	135
23	Sodium-glucose cotransporter-2 inhibition and the potential for renal protection in diabetic nephropathy. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 96-103.	1.0	134
24	Uric Acid Lowering to Prevent Kidney Function Loss in Diabetes: The Preventing Early Renal Function Loss (PERL) Allopurinol Study. <i>Current Diabetes Reports</i> , 2013, 13, 550-559.	1.7	127
25	Renal hyperfiltration related to diabetes mellitus and obesity in human disease. <i>World Journal of Diabetes</i> , 2012, 3, 1.	1.3	126
26	Impact of Renin Angiotensin System Modulation on the Hyperfiltration State in Type 1 Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 1703-1709.	3.0	117
27	Characterization and implications of the initial estimated glomerular filtration rate \hat{eGFR}^{TM} upon sodium-glucose cotransporter-2 inhibition with empagliflozin in the EMPA-REG OUTCOME trial. <i>Kidney International</i> , 2021, 99, 750-762.	2.6	111
28	The dapagliflozin and prevention of adverse outcomes in chronic kidney disease (DAPA-CKD) trial: baseline characteristics. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1700-1711.	0.4	107
29	Sodium-glucose cotransporter 2 inhibition and cardiovascular risk reduction in patients with type 2 diabetes: the emerging role of natriuresis. <i>Kidney International</i> , 2016, 89, 524-526.	2.6	105
30	Uric Acid as a Biomarker and a Therapeutic Target in Diabetes. <i>Canadian Journal of Diabetes</i> , 2015, 39, 239-246.	0.4	103
31	Effects of ertugliflozin on kidney composite outcomes, renal function and albuminuria in patients with type 2 diabetes mellitus: an analysis from the randomised VERTIS CV trial. <i>Diabetologia</i> , 2021, 64, 1256-1267.	2.9	103
32	Early diabetic nephropathy in type 1 diabetes. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2014, 21, 279-286.	1.2	101
33	Sodium-Glucose Cotransporter 2 Inhibitors and Risk of Hyperkalemia in People With Type 2 Diabetes: A Meta-Analysis of Individual Participant Data From Randomized, Controlled Trials. <i>Circulation</i> , 2022, 145, 1460-1470.	1.6	97
34	Sodium glucose cotransport-2 inhibition and intrarenal RAS activity in people with type 1 diabetes. <i>Kidney International</i> , 2014, 86, 1057-1058.	2.6	93
35	CCS/CHFS Heart Failure Guidelines: Clinical Trial Update on Functional Mitral Regurgitation, SGLT2 Inhibitors, ARNI in HFpEF, and Tafamidis in Amyloidosis. <i>Canadian Journal of Cardiology</i> , 2020, 36, 159-169.	0.8	89
36	The Effect of Cyclooxygenase-2 Inhibition on Renal Hemodynamic Function in Humans With Type 1 Diabetes. <i>Diabetes</i> , 2008, 57, 688-695.	0.3	84

#	ARTICLE	IF	CITATIONS
37	Effect of Direct Renin Inhibition on Renal Hemodynamic Function, Arterial Stiffness, and Endothelial Function in Humans With Uncomplicated Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 361-365.	4.3	84
38	Dipeptidyl Peptidase 4 Inhibition Stimulates Distal Tubular Natriuresis and Increases in Circulating SDF-1 \pm 1-67 in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2017, 40, 1073-1081.	4.3	82
39	Reference Values for Pulse Wave Doppler and Tissue Doppler Imaging in Pediatric Echocardiography. <i>Circulation: Cardiovascular Imaging</i> , 2015, 8, e002167.	1.3	77
40	Analysis from the EMPA-REG OUTCOME [®] trial indicates empagliflozin may assist in preventing the progression of chronic kidney disease in patients with type 2 diabetes irrespective of medications that alter intrarenal hemodynamics. <i>Kidney International</i> , 2019, 96, 489-504.	2.6	77
41	The New Biology of Diabetic Kidney Disease—Mechanisms and Therapeutic Implications. <i>Endocrine Reviews</i> , 2020, 41, 202-231.	8.9	77
42	Preventing CKD in Developed Countries. <i>Kidney International Reports</i> , 2020, 5, 263-277.	0.4	72
43	Gender differences in renal responses to hyperglycemia and angiotensin-converting enzyme inhibition in diabetes. <i>Kidney International</i> , 2005, 68, 1722-1728.	2.6	71
44	Dapagliflozin in focal segmental glomerulosclerosis: a combined human-rodent pilot study. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F412-F422.	1.3	68
45	Renal Hyperfiltration Is a Determinant of Endothelial Function Responses to Cyclooxygenase 2 Inhibition in Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1344-1346.	4.3	66
46	Clinical Implications of an Acute Dip in eGFR after SGLT2 Inhibitor Initiation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1278-1280.	2.2	65
47	Early changes in cardiovascular structure and function in adolescents with type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 31.	2.7	64
48	Hyperfiltration and effect of nitric oxide inhibition on renal and endothelial function in humans with uncomplicated type 1 diabetes mellitus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R710-R718.	0.9	60
49	Prescribing SGLT2 Inhibitors in Patients With CKD: Expanding Indications and Practical Considerations. <i>Kidney International Reports</i> , 2022, 7, 1463-1476.	0.4	59
50	Chronic Kidney Disease in Diabetes. <i>Canadian Journal of Diabetes</i> , 2018, 42, S201-S209.	0.4	57
51	Renal hyperfiltration defined by high estimated glomerular filtration rate: A risk factor for cardiovascular disease and mortality. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2368-2383.	2.2	56
52	Use of Canagliflozin in Kidney Transplant Recipients for the Treatment of Type 2 Diabetes: A Case Series. <i>Diabetes Care</i> , 2017, 40, e75-e76.	4.3	55
53	The Acute Effect of Clamped Hyperglycemia on the Urinary Excretion of Inflammatory Cytokines/Chemokines in Uncomplicated Type 1 Diabetes: A pilot study. <i>Diabetes Care</i> , 2011, 34, 177-180.	4.3	53
54	A pre-specified analysis of the Dapagliflozin and Prevention of Adverse Outcomes in Chronic Kidney Disease (DAPA-CKD) randomized controlled trial on the incidence of abrupt declines in kidney function. <i>Kidney International</i> , 2022, 101, 174-184.	2.6	53

#	ARTICLE	IF	CITATIONS
55	Insights into the Regulation of Renal Hemodynamic Function in Diabetic Mellitus. <i>Current Diabetes Reviews</i> , 2008, 4, 280-290.	0.6	51
56	Use of Sodium Glucose Cotransporter 2 Inhibitors in the Hands of Cardiologists. <i>Circulation</i> , 2016, 134, 1915-1917.	1.6	50
57	The Impact of Sotagliflozin on Renal Function, Albuminuria, Blood Pressure, and Hematocrit in Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2019, 42, 1921-1929.	4.3	47
58	Urinary adenosine excretion in type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F184-F191.	1.3	46
59	Cystatin C and acute changes in glomerular filtration rate. <i>Clinical Nephrology</i> , 2012, 78, 64-75.	0.4	45
60	The Effect of Direct Renin Inhibition Alone and in Combination With ACE Inhibition on Endothelial Function, Arterial Stiffness, and Renal Function in Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2324-2330.	4.3	44
61	Cardiorenal protection with SGLT2 inhibitors in patients with diabetes mellitus: from biomarkers to clinical outcomes in heart failure and diabetic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2022, 126, 154918.	1.5	42
62	Renal hemodynamic effect of cyclooxygenase 2 inhibition in young men and women with uncomplicated type 1 diabetes mellitus. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F1336-F1341.	1.3	41
63	Hyperfiltration, urinary albumin excretion, and ambulatory blood pressure in adolescents with Type 1 diabetes mellitus. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F667-F674.	1.3	41
64	Preventing Early Renal Loss in Diabetes (PERL) Study: A Randomized Double-Blinded Trial of Allopurinolâ€”Rationale, Design, and Baseline Data. <i>Diabetes Care</i> , 2019, 42, 1454-1463.	4.3	39
65	Effect of Protein Kinase C β Inhibition on Renal Hemodynamic Function and Urinary Biomarkers in Humans With Type 1 Diabetes: A Pilot Study. <i>Diabetes Care</i> , 2009, 32, 91-93.	4.3	38
66	Renin-angiotensin-aldosterone system activation in long-standing type 1 diabetes. <i>JCI Insight</i> , 2018, 3, .	2.3	38
67	Neuropathy and presence of emotional distress and depression in longstanding diabetes: Results from the Canadian study of longevity in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1318-1324.	1.2	37
68	Novel therapies for diabetic kidney disease. <i>Kidney International Supplements</i> , 2018, 8, 18-25.	4.6	37
69	Atherosclerosis and Microvascular Complications: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 2570-2578.	4.3	37
70	Sodium-Glucose Cotransporter 2 Inhibition in Type 1 Diabetes: Simultaneous Glucose Lowering and Renal Protection?. <i>Canadian Journal of Diabetes</i> , 2014, 38, 356-363.	0.4	35
71	The Gomez equations and renal hemodynamic function in kidney disease research. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F967-F975.	1.3	35
72	Sodium glucose cotransporter 2 inhibition and renal ischemia: implications for future clinical trials. <i>Kidney International</i> , 2018, 94, 459-462.	2.6	35

#	ARTICLE	IF	CITATIONS
73	Serum Uromodulin Predicts Less Coronary Artery Calcification and Diabetic Kidney Disease Over 12 Years in Adults With Type 1 Diabetes: The CACTI Study. <i>Diabetes Care</i> , 2019, 42, 297-302.	4.3	34
74	Relative Hypoxia and Early Diabetic Kidney Disease in Type 1 Diabetes. <i>Diabetes</i> , 2020, 69, 2700-2708.	0.3	34
75	The relationship between urinary renin-angiotensin system markers, renal function, and blood pressure in adolescents with type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F335-F342.	1.3	33
76	Effects of ertugliflozin on renal function over 104 weeks of treatment: a post hoc analysis of two randomised controlled trials. <i>Diabetologia</i> , 2020, 63, 1128-1140.	2.9	33
77	Renal Hyperfiltration and Arterial Stiffness in Humans With Uncomplicated Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 2068-2070.	4.3	32
78	New and old agents in the management of diabetic nephropathy. <i>Current Opinion in Nephrology and Hypertension</i> , 2016, 25, 232-239.	1.0	31
79	Impact of Cardio-Renal-Metabolic Comorbidities on Cardiovascular Outcomes and Mortality in Type 2 Diabetes Mellitus. <i>American Journal of Nephrology</i> , 2020, 51, 74-82.	1.4	31
80	We Can Finally Stop Worrying About SGLT2 Inhibitors and Acute Kidney Injury. <i>American Journal of Kidney Diseases</i> , 2020, 76, 454-456.	2.1	30
81	Efficacy and safety of sotagliflozin in patients with type 2 diabetes and severe renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2632-2642.	2.2	30
82	Cardiovascular disease guideline adherence and self-reported statin use in longstanding type 1 diabetes: results from the Canadian study of longevity in diabetes cohort. <i>Cardiovascular Diabetology</i> , 2016, 15, 14.	2.7	29
83	Renal hemodynamic effects of sodium-glucose cotransporter 2 inhibitors in hyperfiltering people with type 1 diabetes and people with type 2 diabetes and normal kidney function. <i>Kidney International</i> , 2020, 97, 631-635.	2.6	29
84	Renal and Vascular Effects of Uric Acid Lowering in Normouricemic Patients With Uncomplicated Type 1 Diabetes. <i>Diabetes</i> , 2017, 66, 1939-1949.	0.3	28
85	Diurnal Glycemic Patterns during an 8-Week Open-Label Proof-of-Concept Trial of Empagliflozin in Type 1 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0141085.	1.1	28
86	Effect of dapagliflozin on kidney and cardiovascular outcomes by baseline KDIGO risk categories: a post hoc analysis of the DAPA-CKD trial. <i>Diabetologia</i> , 2022, 65, 1085-1097.	2.9	28
87	Relationship between serum inflammatory markers and vascular function in a cohort of adolescents with type 1 diabetes. <i>Cytokine</i> , 2017, 99, 233-239.	1.4	27
88	Acute Effect of Empagliflozin on Fractional Excretion of Sodium and eGFR in Youth With Type 2 Diabetes. <i>Diabetes Care</i> , 2018, 41, e129-e130.	4.3	27
89	Antidiuretic Hormone and Serum Osmolarity Physiology and Related Outcomes: What Is Old, What Is New, and What Is Unknown?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 5406-5420.	1.8	27
90	Age is a determinant of acute hemodynamic responses to hyperglycemia and angiotensin II in humans with uncomplicated type 1 diabetes mellitus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 299, R206-R214.	0.9	26

#	ARTICLE	IF	CITATIONS
91	Ertugliflozin and Slope of Chronic eGFR. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1345-1354.	2.2	26
92	Natural history and outcome of incarcerated abdominal hernias in peritoneal dialysis patients. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2004, 20, 86-9.	0.1	26
93	Prevalence of Insulin Pump Therapy and Its Association with Measures of Glycemic Control: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 298-307.	2.4	25
94	Improvements in peripheral vascular function with vitamin D treatment in deficient adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2018, 19, 457-463.	1.2	24
95	Gradient of Risk and Associations With Cardiovascular Efficacy of Ertugliflozin by Measures of Kidney Function. <i>Circulation</i> , 2021, 143, 602-605.	1.6	24
96	Urinary ACE2 in healthy adults and patients with uncomplicated type 1 diabetes. <i>Canadian Journal of Physiology and Pharmacology</i> , 2014, 92, 703-706.	0.7	23
97	Perioperative Considerations for the Use of Sodium-Glucose Cotransporter-2 Inhibitors in Patients With Type 2 Diabetes. <i>Anesthesia and Analgesia</i> , 2018, 126, 699-704.	1.1	23
98	A Big Win for Diabetic Kidney Disease: CREDENCE. <i>Cell Metabolism</i> , 2019, 29, 1024-1027.	7.2	23
99	Markers of Kidney Injury, Inflammation, and Fibrosis Associated With Ertugliflozin in Patients With CKD and Diabetes. <i>Kidney International Reports</i> , 2021, 6, 2095-2104.	0.4	23
100	Renal Hyperfiltration and Systemic Blood Pressure in Patients with Uncomplicated Type 1 Diabetes Mellitus. <i>PLoS ONE</i> , 2013, 8, e68908.	1.1	23
101	Mediators of ertugliflozin effects on heart failure and kidney outcomes among patients with type 2 diabetes mellitus. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1829-1839.	2.2	23
102	Association Between Plasma Uric Acid Levels and Cardiorenal Function in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2016, 39, 611-616.	4.3	22
103	Influence of sex on hyperfiltration in patients with uncomplicated type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F599-F606.	1.3	22
104	Antihyperglycemic agents as novel natriuretic therapies in diabetic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F1406-F1415.	1.3	22
105	The impact of empagliflozin on kidney injury molecule-1: a subanalysis of the Effects of Empagliflozin on Cardiac Structure, Function, and Circulating Biomarkers in Patients with Type 2 Diabetes CardioLink-6 trial. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 895-897.	0.4	22
106	Effect of Uric Acid-Lowering Agents on Cardiovascular Outcome in Patients With Heart Failure: A Systematic Review and Meta-Analysis of Clinical Studies. <i>Angiology</i> , 2020, 71, 315-323.	0.8	22
107	Changes in Cardiovascular Biomarkers Associated With the Sodium-Glucose Cotransporter 2 (SGLT2) Inhibitor Ertugliflozin in Patients With Chronic Kidney Disease and Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, e45-e47.	4.3	22
108	The effect of sodium/glucose cotransporter 2 (SGLT2) inhibition on the urinary proteome. <i>PLoS ONE</i> , 2017, 12, e0186910.	1.1	21

#	ARTICLE	IF	CITATIONS
109	Molecular regulation of the renin-angiotensin system by sodium-glucose cotransporter 2 inhibition in type 1 diabetes mellitus. <i>Diabetologia</i> , 2019, 62, 1090-1093.	2.9	21
110	Bone mineral density in patients with longstanding type 1 diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107324.	1.2	21
111	What have we learned about renal protection from the cardiovascular outcome trials and observational analyses with SGLT2 inhibitors?. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 55-68.	2.2	20
112	Kidney outcomes using a sustained $\geq 40\%$ decline in $\langle \text{scp} \rangle \text{eGFR} \langle / \text{scp} \rangle$: A meta-analysis of $\langle \text{scp} \rangle \text{SGLT2} \langle / \text{scp} \rangle$ inhibitor trials. <i>Clinical Cardiology</i> , 2021, 44, 1139-1143.	0.7	20
113	Effect of sodium-glucose cotransporter 2 inhibitors on hemoglobin and hematocrit levels in type 2 diabetes: a systematic review and meta-analysis. <i>International Urology and Nephrology</i> , 2022, 54, 827-841.	0.6	20
114	The Urinary Cytokine/Chemokine Signature of Renal Hyperfiltration in Adolescents with Type 1 Diabetes. <i>PLoS ONE</i> , 2014, 9, e111131.	1.1	18
115	No Need to Sugarcoat the Message: Is Cardiovascular Risk Reduction From SGLT2 Inhibition Related to Natriuresis?. <i>American Journal of Kidney Diseases</i> , 2016, 68, 349-352.	2.1	18
116	Plasma biomarkers improve prediction of diabetic kidney disease in adults with type 1 diabetes over a 12-year follow-up: CACTI study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1189-1196.	0.4	18
117	Evolution of Renal Hyperfiltration and Arterial Stiffness From Adolescence Into Early Adulthood in Type 1 Diabetes. <i>Diabetes Care</i> , 2011, 34, 1821-1826.	4.3	17
118	Diabetes Care Disparities in Long-standing Type 1 Diabetes in Canada and the U.S.: A Cross-sectional Comparison. <i>Diabetes Care</i> , 2018, 41, 88-95.	4.3	17
119	Sodium glucose cotransporter (SGLT) $\neq 2$ inhibitors: Do we need them for glucose lowering, for cardiorenal protection or both?. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 24-33.	2.2	17
120	Changes in plasma and urine metabolites associated with empagliflozin in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2466-2475.	2.2	17
121	Cardiorenal mechanisms of action of glucagon-like-peptide-1 receptor agonists and sodium-glucose cotransporter 2 inhibitors. <i>Med</i> , 2021, 2, 1203-1230.	2.2	17
122	Retinopathy and RAAS Activation: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2019, 42, 273-280.	4.3	16
123	Renal Hemodynamic Function and RAAS Activation Over the Natural History of Type 1 Diabetes. <i>American Journal of Kidney Diseases</i> , 2019, 73, 786-796.	2.1	15
124	The relationships between markers of tubular injury and intrarenal haemodynamic function in adults with and without type 1 diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 575-583.	2.2	15
125	Sex Differences in Renal Responses to Hyperglycemia, $\langle \text{scp} \rangle \text{l} \langle / \text{scp} \rangle$ -Arginine, and $\langle \text{scp} \rangle \text{l} \langle / \text{scp} \rangle$ -NMMA in Humans With Uncomplicated Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 1290-1296.	4.3	14
126	GLP-1R Agonists and Endothelial Dysfunction: More Than Just Glucose Lowering?. <i>Diabetes</i> , 2015, 64, 2319-2321.	0.3	14

#	ARTICLE	IF	CITATIONS
127	Lower corneal nerve fibre length identifies diabetic neuropathy in older adults with diabetes: results from the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetologia</i> , 2017, 60, 2529-2531.	2.9	14
128	Glycemic efficacy and safety of the SGLT2 inhibitor ertugliflozin in patients with type 2 diabetes and stage 3 chronic kidney disease: an analysis from the VERTIS CV randomized trial. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002484.	1.2	14
129	The effect of aliskiren on urinary cytokine/chemokine responses to clamped hyperglycaemia in type 1 diabetes. <i>Diabetologia</i> , 2013, 56, 2308-2317.	2.9	13
130	Adiposity Impacts Intrarenal Hemodynamic Function in Adults With Long-standing Type 1 Diabetes With and Without Diabetic Nephropathy: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 831-839.	4.3	13
131	Renal Angiotensinogen and Sodium-Glucose Cotransporter-2 Inhibition: Insights from Experimental Diabetic Kidney Disease. <i>American Journal of Nephrology</i> , 2019, 49, 328-330.	1.4	13
132	The Effect of Urine pH and Urinary Uric Acid Levels on the Development of Contrast Nephropathy. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 131-141.	0.9	13
133	Kidney Effects of Empagliflozin in People with Type 1 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1715-1719.	2.2	13
134	Estimating GFR by Serum Creatinine, Cystatin C, and β 2-Microglobulin in Older Adults: Results From the Canadian Study of Longevity in Type 1 Diabetes. <i>Kidney International Reports</i> , 2019, 4, 786-796.	0.4	12
135	Association between uric acid, renal haemodynamics and arterial stiffness over the natural history of type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1388-1398.	2.2	12
136	Neurohormones, inflammatory mediators, and cardiovascular injury in the setting of heart failure. <i>Heart Failure Reviews</i> , 2020, 25, 685-701.	1.7	12
137	Discoveries from the study of longstanding type 1 diabetes. <i>Diabetologia</i> , 2021, 64, 1189-1200.	2.9	12
138	Hemodynamic and neurochemical determinates of renal function in chronic heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R167-R175.	0.9	11
139	Managing the Course of Kidney Disease in Adults With Type 2 Diabetes: From the Old to the New. <i>Canadian Journal of Diabetes</i> , 2018, 42, 325-334.	0.4	11
140	Cardiovascular Risk Reduction in Patients With Chronic Kidney Disease. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2415-2418.	1.2	11
141	Dulaglutide and renal protection in type 2 diabetes. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 588-590.	5.5	11
142	Transforming the Care of Patients with Diabetic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1590-1600.	2.2	11
143	Finerenone—A New Frontier in Renin-Angiotensin-Aldosterone System Inhibition in Diabetic Kidney Disease. <i>American Journal of Kidney Diseases</i> , 2021, 78, 309-311.	2.1	11
144	Fasting Blood Glucose—A Missing Variable for GFR-Estimation in Type 1 Diabetes?. <i>PLoS ONE</i> , 2014, 9, e96264.	1.1	11

#	ARTICLE	IF	CITATIONS
145	Effects of dapagliflozin on volume status and systemic haemodynamics in patients with chronic kidney disease without diabetes: Results from <scp>DAPASALT</scp> and <scp>DIAMOND</scp>. Diabetes, Obesity and Metabolism, 2022, 24, 1578-1587.	2.2	11
146	Exploring Patient Preferences for Adjunct-to-Insulin Therapy in Type 1 Diabetes. Diabetes Care, 2019, 42, 1716-1723.	4.3	10
147	Renal haemodynamic and protective effects of renoactive drugs in type 2 diabetes: Interaction with SGLT2 inhibitors. Nephrology, 2021, 26, 377-390.	0.7	10
148	Cardiorenal Protection in Diabetic Kidney Disease. Endocrinology and Metabolism, 2021, 36, 256-269.	1.3	10
149	The angiotensin II receptor type 2 polymorphism influences haemodynamic function and circulating RAS mediators in normotensive humans. Nephrology Dialysis Transplantation, 2010, 25, 4093-4096.	0.4	9
150	Systemic hemodynamic function in humans with type 1 diabetes treated with protein kinase C β inhibition and renin-angiotensin system blockade: a pilot study. Canadian Journal of Physiology and Pharmacology, 2012, 90, 113-121.	0.7	9
151	Long-term hemodynamic and molecular effects persist after discontinued renin-angiotensin system blockade in patients with type 1 diabetes mellitus. Kidney International, 2013, 84, 1246-1253.	2.6	9
152	Cross-sectional associations between central and general adiposity with albuminuria: observations from 400,000 people in UK Biobank. International Journal of Obesity, 2020, 44, 2256-2266.	1.6	9
153	Sodium-Glucose Cotransporter-2 Inhibitors in Nephrology Practice: A Narrative Review. Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812093570.	0.6	9
154	Prucalopride-associated acute tubular necrosis. World Journal of Clinical Cases, 2014, 2, 380.	0.3	9
155	Potential Use of SGLT-2 Inhibitors in Obstructive Sleep Apnea: A new treatment on the horizon. Sleep and Breathing, 2023, 27, 77-89.	0.9	9
156	The effect of sex on humanin levels in healthy adults and patients with uncomplicated type 1 diabetes mellitus. Canadian Journal of Physiology and Pharmacology, 2015, 93, 239-243.	0.7	8
157	DAPA-CKD. JACC Basic To Translational Science, 2021, 6, 74-77.	1.9	8
158	Vasopressin associated with renal vascular resistance in adults with longstanding type 1 diabetes with and without diabetic kidney disease. Journal of Diabetes and Its Complications, 2021, 35, 107807.	1.2	8
159	Relationships between inflammation, hemodynamic function and RAAS in longstanding type 1 diabetes and diabetic kidney disease. Journal of Diabetes and Its Complications, 2021, 35, 107880.	1.2	8
160	Gender, clamped hyperglycemia and arterial stiffness in patients with uncomplicated type 1 diabetes mellitus. Clinical and Experimental Hypertension, 2014, 36, 187-193.	0.5	7
161	Tubuloglomerular Feedback in Renal Glucosuria: Mimicking Long-term SGLT-2 Inhibitor Therapy. Kidney Medicine, 2020, 2, 76-79.	1.0	7
162	A Unique Multi- and Interdisciplinary Cardiology-Renal-Endocrine Clinic: A Description and Assessment of Outcomes. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812210812.	0.6	7

#	ARTICLE	IF	CITATIONS
163	Sex and Gender Related Differences in Diabetic Kidney Disease. <i>Seminars in Nephrology</i> , 2022, 42, 170-184.	0.6	7
164	Initial eGFR Changes with Ertugliflozin and Associations with Clinical Parameters: Analyses from the VERTIS CV Trial. <i>American Journal of Nephrology</i> , 2022, 53, 516-525.	1.4	7
165	Ability of Cystatin C to Detect Changes in Glomerular Filtration Rate After ACE Inhibition in Patients with Uncomplicated Type 1 Diabetes. <i>Clinical and Experimental Hypertension</i> , 2012, 34, 606-611.	0.5	6
166	Renal Hyperfiltration Is Associated With Glucose-Dependent Changes in Fractional Excretion of Sodium in Patients With Uncomplicated Type 1 Diabetes. <i>Diabetes Care</i> , 2014, 37, 2774-2781.	4.3	6
167	The urinary inflammatory profile in gluten free diet-adherent adolescents with type 1 diabetes and celiac disease. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 295-299.	1.2	6
168	Beta cell preservation in patients with type 1 diabetes. <i>Nature Medicine</i> , 2018, 24, 1089-1090.	15.2	6
169	Evaluation of the Pharmacokinetics and Exposure-Response Relationship of Dapagliflozin in Patients without Diabetes and with Chronic Kidney Disease. <i>Clinical Pharmacokinetics</i> , 2021, 60, 517-525.	1.6	6
170	Sodium-glucose cotransporter 2 inhibition in non-diabetic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2021, 30, 474-481.	1.0	6
171	Cardiometabolic and Kidney Protection in Kidney Transplant Recipients With Diabetes: Mechanisms, Clinical Applications, and Summary of Clinical Trials. <i>Transplantation</i> , 2022, 106, 734-748.	0.5	6
172	Tubular injury in diabetic ketoacidosis: Results from the diabetic kidney alarm study. <i>Pediatric Diabetes</i> , 2021, 22, 1031-1039.	1.2	6
173	Atherosclerotic Cardiovascular Disease and Chronic Kidney Disease. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2971-2975.	1.2	5
174	Renal haemodynamic response to sodium-glucose cotransporter-2 inhibition does not depend on protein intake: An analysis of three randomized controlled trials. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1961-1967.	2.2	5
175	The association between physical activity time and neuropathy in longstanding type 1 diabetes: A cross-sectional analysis of the Canadian study of longevity in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108134.	1.2	5
176	The differential effects of ertugliflozin on glucosuria and natriuresis biomarkers: Prespecified analyses from VERTIS CV. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 1114-1122.	2.2	5
177	Cardiorenal outcomes with ertugliflozin assessed according to baseline glucose-lowering agent: An analysis from VERTIS CV. <i>Diabetes, Obesity and Metabolism</i> , 2022, , .	2.2	5
178	Sodium-glucose cotransporter 2 inhibitors as adjunct therapy for type 1 diabetes and the benefit on cardiovascular and renal disease evaluated by Steno risk engines. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108257.	1.2	5
179	Risk factors for diabetic kidney disease in adults with longstanding type 1 diabetes: results from the Canadian Study of Longevity in Diabetes. <i>Renal Failure</i> , 2019, 41, 427-433.	0.8	4
180	Premature Death in Kidney Transplant Recipients: The Time for Trials is Now. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 665-673.	3.0	4

#	ARTICLE	IF	CITATIONS
181	Heart and Kidney Outcomes With Ertugliflozin in People with Non-albuminuric Diabetic Kidney Disease: A post hoc Analysis from the Randomized VERTIS CV Trial. <i>Kidney International Reports</i> , 2022, 7, 1782-1792.	0.4	4
182	SGLT2 Inhibition in Type 1 Diabetes with Diabetic Kidney Disease: Potential Cardiorenal Benefits Can Outweigh Preventable Risk of Diabetic Ketoacidosis. <i>Current Diabetes Reports</i> , 2022, 22, 317-332.	1.7	4
183	Calcium channel blockade blunts the renal effects of acute nitric oxide synthase inhibition in healthy humans. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F870-F878.	1.3	3
184	Biomarkers of Inflammation, Fibrosis, and Acute Kidney Injury in Patients with Heart Failure with and without Left Ventricular Assist Device Implantation. <i>CardioRenal Medicine</i> , 2019, 9, 108-116.	0.7	3
185	Allopurinol and Renal Outcomes in Adults With and Without Type 2 Diabetes: A Retrospective, Population-Based Cohort Study and Propensity Score Analysis. <i>Canadian Journal of Diabetes</i> , 2021, 45, 641-649.e4.	0.4	3
186	Case "Reflex anuria: A rare complication of retrograde pyelography. <i>Canadian Urological Association Journal</i> , 2020, 15, E380-E382.	0.3	3
187	The effect of sex on endothelial function responses to clamped hyperglycemia in type 1 diabetes. <i>Hypertension Research</i> , 2014, 37, 220-224.	1.5	2
188	The Effect of SGLT2 Inhibition on Urinary Adenosine Excretion in Patients with Type 1 Diabetes. <i>Canadian Journal of Diabetes</i> , 2016, 40, S64.	0.4	2
189	MO051EFFECTS OF SEMAGLUTIDE ON CHRONIC KIDNEY DISEASE OUTCOMES: A POST HOC POOLED ANALYSIS FROM THE SUSTAIN 6 AND PIONEER 6 TRIALS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	2
190	TO002REDUCTION IN THE RATE OF EGFR DECLINE WITH SEMAGLUTIDE VS PLACEBO: A POST HOC POOLED ANALYSIS OF SUSTAIN 6 AND PIONEER 6. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	2
191	126 - Prevalence of Detectable C-peptide in Longstanding Type 1 Diabetes (T1D). <i>Canadian Journal of Diabetes</i> , 2019, 43, S43.	0.4	1
192	LB005KIDNEY IMPLICATIONS OF THE INITIAL EGFR RESPONSE TO SGLT2 INHIBITION WITH EMPAGLIFLOZIN: THE "EGFR DIP"™ IN EMPA-REG OUTCOME. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	1
193	SGLT2 Inhibition in Patients With Type 2 Diabetes Mellitus Post-Nephrectomy: A Single-Center Case Series. <i>Canadian Journal of Kidney Health and Disease</i> , 2021, 8, 205435812110655.	0.6	1
194	FC083: Finerenone and Canagliflozin in the Treatment of Chronic Kidney Disease and Type 2 Diabetes: Matching-Adjusted Indirect Treatment Comparison of Fidelio-DKD and Credence. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.4	1
195	Response to Comment on Lovshin et al. Dipeptidyl Peptidase 4 Inhibition Stimulates Distal Tubular Natriuresis and Increases in Circulating SDF-1 α 1-67 in Patients With Type 2 Diabetes. <i>Diabetes Care</i> 2017;40:1073-1081. <i>Diabetes Care</i> , 2017, 40, e159-e160.	4.3	0
196	In Response. <i>Anesthesia and Analgesia</i> , 2018, 126, 1792-1793.	1.1	0
197	In Response. <i>Anesthesia and Analgesia</i> , 2018, 127, 307-308.	1.1	0
198	The authors reply. <i>Kidney International</i> , 2020, 97, 213-214.	2.6	0

#	ARTICLE	IF	CITATIONS
199	Ertugliflozin, renoprotection and potential confounding by muscle wasting. Reply to Groothof D, Post A, Gans ROB et al [letter]. Diabetologia, 2022, 65, 908-911.	2.9	0