

Louisa Goumidi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9175393/publications.pdf>

Version: 2024-02-01

34
papers

1,031
citations

430874

18
h-index

434195

31
g-index

36
all docs

36
docs citations

36
times ranked

2155
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Association between ABO haplotypes and the risk of venous thrombosis: impact on disease risk estimation. <i>Blood</i> , 2021, 137, 2394-2402. | 1.4 | 19 |
| 2 | An artificial neural network approach integrating plasma proteomics and genetic data identifies PLXNA4 as a new susceptibility locus for pulmonary embolism. <i>Scientific Reports</i> , 2021, 11, 14015. | 3.3 | 8 |
| 3 | Glucagon-like Peptide 1 Receptor Agonists, Diabetic Retinopathy and Angiogenesis: The AngioSafe Type 2 Diabetes Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1549-e1560. | 3.6 | 45 |
| 4 | Plasma Biomarkers and Identification of Resilient Metabolic Disruptions in Patients With Venous Thromboembolism Using a Metabolic Systems Approach. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2527-2538. | 2.4 | 21 |
| 5 | Bayesian network analysis of plasma microRNA sequencing data in patients with venous thrombosis. <i>European Heart Journal Supplements</i> , 2020, 22, C34-C45. | 0.1 | 9 |
| 6 | ABO blood group, glycosyltransferase activity and risk of venous thromboembolism. <i>Thrombosis Research</i> , 2020, 193, 31-35. | 1.7 | 10 |
| 7 | A Genome Wide Association Study on plasma FV levels identified PLXDC2 as a new modifier of the coagulation process. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1808-1814. | 3.8 | 6 |
| 8 | Associations between REV-ERB β , sleep duration and body mass index in European adolescents. <i>Sleep Medicine</i> , 2018, 46, 56-60. | 1.6 | 12 |
| 9 | Dietary linoleic acid interacts with FADS1 genetic variability to modulate HDL-cholesterol and obesity-related traits. <i>Clinical Nutrition</i> , 2018, 37, 1683-1689. | 5.0 | 25 |
| 10 | Prevalence of Metabolic Syndrome and its Related Risk Factors in the City of Oran, Algeria: the ISOR Study. <i>Ethnicity and Disease</i> , 2016, 26, 99. | 2.3 | 20 |
| 11 | Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. <i>Diabetes</i> , 2015, 64, 1841-1852. | 0.6 | 63 |
| 12 | Examination of the brain natriuretic peptide rs198389 single-nucleotide polymorphism on type 2 diabetes mellitus and related phenotypes in an Algerian population. <i>Gene</i> , 2015, 567, 159-163. | 2.2 | 5 |
| 13 | Associations of common SNPs in the SORT1, GCKR, LPL, APOA1, CETP, LDLR, APOE genes with lipid trait levels in an Algerian population sample. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7358-63. | 0.5 | 6 |
| 14 | Combined effect of established BMI loci on obesity-related traits in an Algerian population sample. <i>BMC Genetics</i> , 2014, 15, 128. | 2.7 | 5 |
| 15 | The TCF7L2rs7903146 polymorphism, dietary intakes and type 2 diabetes risk in an Algerian population. <i>BMC Genetics</i> , 2014, 15, 134. | 2.7 | 24 |
| 16 | Effects of established BMI-associated loci on obesity-related traits in a French representative population sample. <i>BMC Genetics</i> , 2014, 15, 62. | 2.7 | 19 |
| 17 | Impact of APOE gene polymorphisms on the lipid profile in an Algerian population. <i>Lipids in Health and Disease</i> , 2013, 12, 155. | 3.0 | 28 |
| 18 | CD36 and SR-BI Are Involved in Cellular Uptake of Provitamin A Carotenoids by Caco-2 and HEK Cells, and Some of Their Genetic Variants Are Associated with Plasma Concentrations of These Micronutrients in Humans. <i>Journal of Nutrition</i> , 2013, 143, 448-456. | 2.9 | 109 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Dietary saturated fat, gender and genetic variation at the TCF7L2 locus predict the development of metabolic syndrome. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 239-244. | 4.2 | 55 |
| 20 | Study of thyroid hormone receptor alpha gene polymorphisms on Alzheimer's disease. <i>Neurobiology of Aging</i> , 2011, 32, 624-630. | 3.1 | 16 |
| 21 | Gene-nutrient interactions and gender may modulate the association between ApoA1 and ApoB gene polymorphisms and metabolic syndrome risk. <i>Atherosclerosis</i> , 2011, 214, 408-414. | 0.8 | 43 |
| 22 | Association Between a Thyroid Hormone Receptor- β Gene Polymorphism and Blood Pressure but Not With Coronary Heart Disease Risk. <i>American Journal of Hypertension</i> , 2011, 24, 1027-1034. | 2.0 | 12 |
| 23 | Study of Estrogen Receptor- β and Receptor- α Gene Polymorphisms on Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2011, 26, 431-439. | 2.6 | 18 |
| 24 | Polymorphisms in the CD36/FAT gene are associated with plasma vitamin E concentrations in humans. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 644-651. | 4.7 | 43 |
| 25 | Leptin Receptor Polymorphisms Interact with Polyunsaturated Fatty Acids to Augment Risk of Insulin Resistance and Metabolic Syndrome in Adults. <i>Journal of Nutrition</i> , 2010, 140, 238-244. | 2.9 | 69 |
| 26 | Gene-nutrient interactions with dietary fat modulate the association between genetic variation of the ACSL1 gene and metabolic syndrome. <i>Journal of Lipid Research</i> , 2010, 51, 1793-1800. | 4.2 | 53 |
| 27 | ACC2 gene polymorphisms, metabolic syndrome, and gene-nutrient interactions with dietary fat. <i>Journal of Lipid Research</i> , 2010, 51, 3500-3507. | 4.2 | 27 |
| 28 | Additive Effect of Polymorphisms in the IL-6, LTA, and TNF- α Genes and Plasma Fatty Acid Level Modulate Risk for the Metabolic Syndrome and Its Components. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1386-1394. | 3.6 | 48 |
| 29 | Dietary Saturated Fat Modulates the Association between STAT3 Polymorphisms and Abdominal Obesity in Adults. <i>Journal of Nutrition</i> , 2009, 139, 2011-2017. | 2.9 | 44 |
| 30 | Complement component 3 polymorphisms interact with polyunsaturated fatty acids to modulate risk of metabolic syndrome. <i>American Journal of Clinical Nutrition</i> , 2009, 90, 1665-1673. | 4.7 | 59 |
| 31 | Study of the genetic variability of ZAC1 (PLAGL1) in French population-based samples. <i>Journal of Hypertension</i> , 2009, 27, 314-321. | 0.5 | 5 |
| 32 | Prediction of the metabolic syndrome status based on dietary and genetic parameters, using Random Forest. <i>Genes and Nutrition</i> , 2008, 3, 173-176. | 2.5 | 57 |
| 33 | Alzheimer disease is not associated with polymorphisms in the angiotensinogen and renin genes. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 761-764. | 2.4 | 16 |
| 34 | A FE65 polymorphism associated with risk of developing sporadic late-onset Alzheimer's disease but not with A β 2 loading in brains. <i>Neuroscience Letters</i> , 2000, 293, 29-32. | 2.1 | 31 |