

Koji Nakano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9176261/koji-nakano-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

3,677
citations

30
h-index

60
g-index

84
ext. papers

4,000
ext. citations

6.6
avg, IF

5.41
L-index

#	Paper	IF	Citations
72	Dibenzo[d,d']benzo[2,1-b:3,4-b']difurans with extended π -conjugated chains: synthetic approaches and properties. <i>New Journal of Chemistry</i> , 2022 , 46, 1003-1017	3.6	1
71	Transformation of Thia[7]helicene to Aza[7]helicenes and [7]Helicene-like Compounds via Aromatic Metamorphosis.. <i>Molecules</i> , 2022 , 27,	4.8	1
70	Synthesis and Properties of Spiro-double Sila[7]helicene: The LUMO Spiro-conjugation. <i>Chemistry - A European Journal</i> , 2021 , 27, 9342-9349	4.8	3
69	Polycarbonate-block-polycycloalkenes via epoxide/carbon dioxide copolymerization and ring-opening metathesis polymerization. <i>Polymer Journal</i> , 2021 , 53, 203-208	2.7	0
68	Aromatic Metamorphosis of Thiophenes by Means of Desulfurative Dilithiation. <i>Chemistry - A European Journal</i> , 2021 , 27, 4567-4572	4.8	7
67	Synthesis of π -extended oxacenes and their application to organic field-effect transistors. <i>Organic Electronics</i> , 2021 , 106335	3.5	1
66	Chiral Benzo[b]silole-Fused 9,9'-Spirobi[fluorene]: Synthesis, Chiroptical Properties, and Transformation to π -Extended Polycyclic Arene. <i>ChemPlusChem</i> , 2021 , 86, 171-175	2.8	1
65	Solvent-sensitive circularly polarized luminescent compounds bearing a 9,9'-Spirobi[fluorene] skeleton. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 2866-2876	3.9	4
64	Random copolymers of ethylene carbonate and ethylene oxide for Li-Ion conductive solid electrolytes. <i>Electrochimica Acta</i> , 2019 , 312, 342-348	6.7	9
63	Dinuclear Co-Salcy Complexes with a Dibenzofuran Linker for Copolymerizations of Epoxides with Cyclic Anhydrides or Carbon Dioxide. <i>Chemistry Letters</i> , 2019 , 48, 479-482	1.7	1
62	Synthesis of Pyrrole-Containing Chiral Spiro Molecules and Their Optical and Chiroptical Properties. <i>Bulletin of the Chemical Society of Japan</i> , 2019 , 92, 1008-1017	5.1	13
61	Block Copolymers of Aliphatic Polycarbonates: Combination of Immortal Epoxide/Carbon-dioxide Copolymerization and Atom Transfer Radical Polymerization of Vinyl Monomers. <i>Chemistry Letters</i> , 2018 , 47, 580-583	1.7	4
60	Synthesis and properties of [7]helicene and [7]helicene-like compounds with a cyclopenta[1,2-b:4,3-b']dithiophene or dithieno[2,3-b:3,2-b']heterole skeleton. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 3286-3295	3.6	11
59	Copolymerization of epoxides with cyclic anhydrides catalyzed by dinuclear cobalt complexes. <i>Beilstein Journal of Organic Chemistry</i> , 2018 , 14, 2779-2788	2.5	4
58	[1]Benzothiophene-Fused Chiral Spiro Polycyclic Aromatic Compounds: Optical Resolution, Functionalization, and Optical Properties. <i>Journal of Organic Chemistry</i> , 2018 , 83, 15057-15065	4.2	18
57	Ion-Conductive Properties of a Polymer Electrolyte Based on Ethylene Carbonate/Ethylene Oxide Random Copolymer. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1600652	4.8	45
56	Multinuclear cobalt π -salen complexes with phenylene linker for epoxide polymerizations. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 2150-2159	2.5	10

55	Circularly Polarized Luminescence from Chiral Spiro Molecules: Synthesis and Optical Properties of 10,10'-Spirobi(indeno[1,2-b][1]benzothiophene) Derivatives. <i>Organic Letters</i> , 2017 , 19, 5082-5085	6.2	30
54	Syntheses of dibenzo[d,h]benzo[2,1-b:3,4-b']dithiophene derivatives and their application to organic field-effect transistors. <i>Beilstein Journal of Organic Chemistry</i> , 2016 , 12, 805-12	2.5	12
53	Pyrazole Supported Zinc(II) Benzoates as Catalysts for the Ring Opening Copolymerization of Cyclohexene Oxide and Carbon Dioxide. <i>Catalysts</i> , 2016 , 6, 17	4	18
52	Synthesis and Properties of [7]Helicene-like Compounds Fused with a Fluorene Unit. <i>Organic Letters</i> , 2016 , 18, 3654-7	6.2	84
51	Syntheses and Properties of Ladder-type π -Conjugated Compounds Containing a Benzo[2,1-b:3,4-b']dithiophene Skeleton. <i>Bulletin of the Chemical Society of Japan</i> , 2016 , 89, 1034-1040	5.1	8
50	Synthesis and properties of benzophospholo[3,2-b]benzofuran derivatives. <i>Journal of Organic Chemistry</i> , 2015 , 80, 3790-7	4.2	23
49	Synthesis of Benzofuro- and Indolo[3,2-b]indoles via Palladium-Catalyzed Double N-Arylation and Their Physical Properties. <i>Journal of Organic Chemistry</i> , 2015 , 80, 11566-72	4.2	28
48	Higher-Order π -Electron Systems Based on Helicene Molecules 2015 , 37-46		
47	Facile estimation of catalytic activity and selectivities in copolymerization of propylene oxide with carbon dioxide mediated by metal complexes with planar tetradentate ligand. <i>Journal of the American Chemical Society</i> , 2014 , 136, 10728-35	16.4	82
46	Synthesis of Carbazoles and Related Compounds via C-E Bond-Forming Coupling Reactions 2013 , 617-644		
45	Facile synthetic route to highly luminescent sila[7]helicene. <i>Organic Letters</i> , 2013 , 15, 2104-7	6.2	184
44	Copolymerization of epoxides with carbon dioxide catalyzed by iron-corrole complexes: synthesis of a crystalline copolymer. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8456-9	16.4	109
43	Efficient catalyst removal and recycling in copolymerization of epoxides with carbon dioxide via simple liquid-liquid phase separation. <i>Chemical Communications</i> , 2013 , 49, 9332-4	5.8	12
42	β -Phospha[7]helicenes: synthesis, properties, and columnar aggregation with one-way chirality. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 695-9	16.4	144
41	β -Phospha[7]helicenes: Synthesis, Properties, and Columnar Aggregation with One-Way Chirality. <i>Angewandte Chemie</i> , 2012 , 124, 719-723	3.6	55
40	Stereocomplex of Poly(propylene carbonate): Synthesis of Stereogradient Poly(propylene carbonate) by Regio- and Enantioselective Copolymerization of Propylene Oxide with Carbon Dioxide. <i>Angewandte Chemie</i> , 2011 , 123, 4970-4973	3.6	30
39	Stereocomplex of poly(propylene carbonate): synthesis of stereogradient poly(propylene carbonate) by regio- and enantioselective copolymerization of propylene oxide with carbon dioxide. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 4868-71	16.4	149
38	Tetravalent metal complexes as a new family of catalysts for copolymerization of epoxides with carbon dioxide. <i>Journal of the American Chemical Society</i> , 2011 , 133, 10720-3	16.4	139

37	Bimetallic mechanism operating in the copolymerization of propylene oxide with carbon dioxide catalyzed by cobalt-salen complexes. <i>Chemical Science</i> , 2010 , 1, 369	9.4	136
36	New Class of Catalysts for Alternating Copolymerization of Alkylene Oxide and Carbon Dioxide. <i>Chemistry Letters</i> , 2010 , 39, 1066-1068	1.7	19
35	High-Yielding Tandem Hydroformylation/Hydrogenation of a Terminal Olefin to Produce a Linear Alcohol Using a Rh/Ru Dual Catalyst System. <i>Angewandte Chemie</i> , 2010 , 122, 4590-4592	3.6	53
34	Titelbild: High-Yielding Tandem Hydroformylation/Hydrogenation of a Terminal Olefin to Produce a Linear Alcohol Using a Rh/Ru Dual Catalyst System (Angew. Chem. 26/2010). <i>Angewandte Chemie</i> , 2010 , 122, 4411-4411	3.6	
33	High-yielding tandem hydroformylation/hydrogenation of a terminal olefin to produce a linear alcohol using a Rh/Ru dual catalyst system. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 4488-90	16.4	108
32	Cover Picture: High-Yielding Tandem Hydroformylation/Hydrogenation of a Terminal Olefin to Produce a Linear Alcohol Using a Rh/Ru Dual Catalyst System (Angew. Chem. Int. Ed. 26/2010). <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 4315-4315	16.4	
31	Alternating Copolymerization of Cyclohexene Oxide with Carbon Dioxide Catalyzed by (salalen)CrCl Complexes. <i>Macromolecules</i> , 2009 , 42, 6972-6980	5.5	156
30	Synthesis of π -conjugated copolymer with dibenzo[d,d']benzo[1,2-b:4,5-b']difuran unit in the main chain. <i>Synthetic Metals</i> , 2009 , 159, 939-942	3.6	5
29	Regioselective synthesis of halohydrin esters from epoxides: reaction with acyl halides and rhodium-catalyzed three-component coupling reaction with alkyl halides and carbon monoxide. <i>Chemical Communications</i> , 2009 , 6970-2	5.8	8
28	Synthesis, structures, and properties of unsymmetrical heteroacenes containing both pyrrole and furan rings. <i>Organic Letters</i> , 2008 , 10, 1199-202	6.2	38
27	Carbonylative polymerization of oxetanes initiated by acetyl cobalt complexes. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 710-8	4.5	13
26	Tandem hydroformylation-hydrogenation of 1-decene catalyzed by Rh-bidentate bis(trialkylphosphine)s. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 1722-8	4.5	28
25	Synthesis of alpha-heteroarylpropanoic acid via asymmetric hydroformylation catalyzed by Rh(I)-(R,S)-BINAPHOS and the subsequent oxidation. <i>Journal of Organic Chemistry</i> , 2007 , 72, 8671-6	4.2	31
24	Synthesis of sulfur-rich polymers: copolymerization of episulfide with carbon disulfide by using [PPN]Cl/(salph)Cr(III)Cl system. <i>Journal of the American Chemical Society</i> , 2007 , 129, 15116-7	16.4	87
23	Regioregular Polymerization of Fluorine-Containing Epoxides. <i>Macromolecules</i> , 2007 , 40, 6136-6142	5.5	17
22	Polymerization of Epoxides 2007 , 595-621		1
21	Synthesis of ladder-type π -conjugated heteroacenes via palladium-catalyzed double N-arylation and intramolecular O-arylation. <i>Journal of Organic Chemistry</i> , 2007 , 72, 5119-28	4.2	134
20	Selective formation of polycarbonate over cyclic carbonate: copolymerization of epoxides with carbon dioxide catalyzed by a cobalt(III) complex with a piperidinium end-capping arm. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 7274-7	16.4	299

19	Asymmetric Hydroformylation of Vinylfurans Catalyzed by $\{(11bS)-4-[[[(1R)-2\text{-Phosphino}[1,1\text{-binaphthalen}]-2\text{-yl]oxy]dinaphtho}[2,1\text{-d}:1',2'\text{-f}]-[1,3,2]\text{dioxaphosphin}]\text{rhodium(I)} [\text{Rh}\{(\text{R,S})\text{-binaphos}\}]\text{ Derivatives. } Helvetica Chimica Acta, 2006, 89, 1681-1686$	2	19
18	Selective Formation of Polycarbonate over Cyclic Carbonate: Copolymerization of Epoxides with Carbon Dioxide Catalyzed by a Cobalt(III) Complex with a Piperidinium End-Capping Arm. <i>Angewandte Chemie</i> , 2006 , 118, 7432-7435	3.6	54
17	Carbonylation of Epoxides 2006 , 223-238		12
16	Regio-controlled ring-opening polymerization of perfluoroalkyl-substituted epoxides. <i>Chemical Communications</i> , 2006 , 3334-6	5.8	13
15	Alternating copolymerization of fluoroalkenes with carbon monoxide. <i>Journal of the American Chemical Society</i> , 2006 , 128, 1968-75	16.4	31
14	Asymmetric amplification in asymmetric alternating copolymerization of cyclohexene oxide and carbon dioxide. <i>Chemical Communications</i> , 2005 , 1871-3	5.8	40
13	Double N-arylation of primary amines: carbazole synthesis from 2,2'-biphenyldiols. <i>Journal of Organic Chemistry</i> , 2005 , 70, 413-9	4.2	130
12	Asymmetric Alternating Copolymerization of Cyclohexene Oxide and Carbon Dioxide. <i>Kobunshi Ronbunshu</i> , 2005 , 62, 167-176	0	2
11	Stereospecific synthesis of hetero[7]helicenes by Pd-catalyzed double N-arylation and intramolecular O-arylation. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 7136-8	16.4	163
10	Stereospecific Synthesis of Hetero[7]helicenes by Pd-Catalyzed Double N-Arylation and Intramolecular O-Arylation. <i>Angewandte Chemie</i> , 2005 , 117, 7298-7300	3.6	62
9	Synthesis of a polyester macromonomer via the cobalt-catalyzed alternating copolymerization of propylene oxide and carbon monoxide. <i>Journal of Polymer Science Part A</i> , 2004 , 42, 4666-4670	2.5	21
8	The Double N-Arylation of Primary Amines: Toward Multisubstituted Carbazoles with Unique Optical Properties. <i>Angewandte Chemie</i> , 2003 , 115, 2097-2099	3.6	45
7	The double N-arylation of primary amines: toward multisubstituted carbazoles with unique optical properties. <i>Angewandte Chemie - International Edition</i> , 2003 , 42, 2051-3	16.4	153
6	Asymmetric alternating copolymerization of cyclohexene oxide and CO ₂ with dimeric zinc complexes. <i>Journal of the American Chemical Society</i> , 2003 , 125, 5501-10	16.4	152
5	Metal-catalyzed synthesis of stereoregular polyketones, polyesters, and polycarbonates. <i>Dalton Transactions</i> , 2003 , 4039-4050	4.3	143
4	Spectral Assignment of Poly[cyclohexene oxide-alt-carbon dioxide]. <i>Macromolecules</i> , 2001 , 34, 6325-6333	3.5	71
3	Optically Active Polycarbonates: Asymmetric Alternating Copolymerization of Cyclohexene Oxide and Carbon Dioxide. <i>Journal of the American Chemical Society</i> , 1999 , 121, 11008-11009	16.4	183
2	Model of neural visual system with self-organizing cells. <i>Biological Cybernetics</i> , 1989 , 60, 195-202	2.8	3

- 1 Self-organizing system obtaining communication ability. Primitive model for language generation. *Biological Cybernetics*, **1988**, 58, 417-25 2.8 4