

Yingzi Cong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9176746/publications.pdf>

Version: 2024-02-01

126
papers

10,711
citations

50276

46
h-index

33894

99
g-index

127
all docs

127
docs citations

127
times ranked

12782
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-33 activates mTORC1 and modulates glycolytic metabolism in CD8 ⁺ T cells. <i>Immunology</i> , 2022, 165, 61-73.	4.4	20
2	GPR120 Inhibits Colitis Through Regulation of CD4 ⁺ T Cell Interleukin 10 Production. <i>Gastroenterology</i> , 2022, 162, 150-165.	1.3	31
3	Gut microbiota and butyrate contribute to nonalcoholic fatty liver disease in premenopause due to estrogen deficiency. <i>PLoS ONE</i> , 2022, 17, e0262855.	2.5	21
4	TOB1 Blocks Intestinal Mucosal Inflammation Through Inducing ID2-Mediated Suppression of Th1/Th17 Cell Immune Responses in IBD. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022, 13, 1201-1221.	4.5	6
5	Sex-related Differences in Inflammatory Bowel Diseases: The Potential Role of Sex Hormones. <i>Inflammatory Bowel Diseases</i> , 2022, 28, 1766-1775.	1.9	10
6	Critical roles of G protein-coupled receptors in regulating intestinal homeostasis and inflammatory bowel disease. <i>Mucosal Immunology</i> , 2022, 15, 819-828.	6.0	6
7	The disruption of intestinal homeostasis when foods are colored red. , 2022, 19, 855-857.		1
8	Propionate Enhances Cell Speed and Persistence to Promote Intestinal Epithelial Turnover and Repair. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 1023-1044.	4.5	40
9	Lactate promotes intestinal epithelial cell migration to inhibit colitis. <i>FASEB Journal</i> , 2021, 35, e21554.	0.5	6
10	Gut microbiota-derived metabolites in the regulation of host immune responses and immune-related inflammatory diseases. <i>Cellular and Molecular Immunology</i> , 2021, 18, 866-877.	10.5	175
11	MicroRNA-10a Negatively Regulates CD4 ⁺ T Cell IL-10 Production through Suppression of Blimp1. <i>Journal of Immunology</i> , 2021, 207, 985-995.	0.8	4
12	Target-Based Small Molecule Drug Discovery Towards Novel Therapeutics for Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2021, 27, S38-S62.	1.9	14
13	Induction of Intestinal Inflammation by Adoptive Transfer of CBir1 TCR Transgenic CD4 ⁺ T Cells to Immunodeficient Mice. <i>Journal of Visualized Experiments</i> , 2021, , .	0.3	3
14	Enteroendocrine Cells: Sensing Gut Microbiota and Regulating Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2020, 26, 11-20.	1.9	79
15	Cycling Stem Cells Are Radioresistant and Regenerate the Intestine. <i>Cell Reports</i> , 2020, 32, 107952.	6.4	37
16	Acute stress disrupts intestinal homeostasis via GDNF-RET. <i>Cell Proliferation</i> , 2020, 53, e12889.	5.3	7
17	STING controls intestinal homeostasis through promoting antimicrobial peptide expression in epithelial cells. <i>FASEB Journal</i> , 2020, 34, 15417-15430.	0.5	16
18	IL-21 Promotes Intestinal Memory IgA Responses. <i>Journal of Immunology</i> , 2020, 205, 1944-1952.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Intestinal microbiota-derived short-chain fatty acids regulation of immune cell IL-22 production and gut immunity. <i>Nature Communications</i> , 2020, 11, 4457.	12.8	480
20	Increased Ileal Immunoglobulin A Production and Immunoglobulin A-Coated Bacteria in Diarrhea-Predominant Irritable Bowel Syndrome. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00146.	2.5	25
21	Mucoadhesive-to-penetrating controllable peptosomes-in-microspheres co-loaded with anti-miR-31 oligonucleotide and Curcumin for targeted colorectal cancer therapy. <i>Theranostics</i> , 2020, 10, 3594-3611.	10.0	40
22	Secreted stromal protein ISLR promotes intestinal regeneration by suppressing epithelial Hippo signaling. <i>EMBO Journal</i> , 2020, 39, e103255.	7.8	34
23	COVID-19 and the Digestive System. <i>American Journal of Gastroenterology</i> , 2020, 115, 1003-1006.	0.4	113
24	Neonatal Injury Increases Gut Permeability by Epigenetically Suppressing E-Cadherin in Adulthood. <i>Journal of Immunology</i> , 2020, 204, 980-989.	0.8	14
25	Matrix metalloproteinases cleave membrane-bound PD-L1 on CD90+ (myo-)fibroblasts in Crohn's disease and regulate Th1/Th17 cell responses. <i>International Immunology</i> , 2020, 32, 57-68.	4.0	26
26	Gut microbiota metabolite regulation of host defenses at mucosal surfaces: implication in precision medicine. <i>Precision Clinical Medicine</i> , 2019, 2, 110-119.	3.3	81
27	Dissemination of non-typhoidal Salmonella during Plasmodium chabaudi infection affects anti-malarial immunity. <i>Parasitology Research</i> , 2019, 118, 2277-2285.	1.6	10
28	Microbiota Metabolite Short-Chain Fatty Acids Facilitate Mucosal Adjuvant Activity of Cholera Toxin through GPR43. <i>Journal of Immunology</i> , 2019, 203, 282-292.	0.8	46
29	MicroRNA-125a suppresses intestinal mucosal inflammation through targeting ETS-1 in patients with inflammatory bowel diseases. <i>Journal of Autoimmunity</i> , 2019, 101, 109-120.	6.5	44
30	MicroRNA-31 Reduces Inflammatory Signaling and Promotes Regeneration in Colon Epithelium, and Delivery of Mimics in Microspheres Reduces Colitis in Mice. <i>Gastroenterology</i> , 2019, 156, 2281-2296.e6.	1.3	140
31	Interleukin-33 Promotes REG3 β Expression in Intestinal Epithelial Cells and Regulates Gut Microbiota. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 21-36.	4.5	38
32	Microbiota Metabolite Butyrate Differentially Regulates Th1 and Th17 Cells' Differentiation and Function in Induction of Colitis. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 1450-1461.	1.9	112
33	Critical Role of CD6highCD4+ T Cells in Driving Th1/Th17 Cell Immune Responses and Mucosal Inflammation in IBD. <i>Journal of Crohn's and Colitis</i> , 2019, 13, 510-524.	1.3	31
34	ROR γ t Represses IL-10 Production in Th17 Cells To Maintain Their Pathogenicity in Inducing Intestinal Inflammation. <i>Journal of Immunology</i> , 2019, 202, 79-92.	0.8	23
35	Different flavors of IL-21 in regulation of intestinal IgA to commensals. <i>Mucosal Immunology</i> , 2019, 12, 36-38.	6.0	2
36	IL-33 induces immunosuppressive neutrophils via a type 2 innate lymphoid cell/IL-13/STAT6 axis and protects the liver against injury in LCMV infection-induced viral hepatitis. <i>Cellular and Molecular Immunology</i> , 2019, 16, 126-137.	10.5	32

#	ARTICLE	IF	CITATIONS
37	GPR43 mediates microbiota metabolite SCFA regulation of antimicrobial peptide expression in intestinal epithelial cells via activation of mTOR and STAT3. <i>Mucosal Immunology</i> , 2018, 11, 752-762.	6.0	322
38	Critical role of ROCK2 activity in facilitating mucosal CD4 + T cell activation in inflammatory bowel disease. <i>Journal of Autoimmunity</i> , 2018, 89, 125-138.	6.5	33
39	CD177+ neutrophils suppress epithelial cell tumourigenesis in colitis-associated cancer and predict good prognosis in colorectal cancer. <i>Carcinogenesis</i> , 2018, 39, 272-282.	2.8	54
40	Anti-TNF Therapy Induces CD4+ T-Cell Production of IL-22 and Promotes Epithelial Repairs in Patients With Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 1733-1744.	1.9	39
41	CD177 ⁺ neutrophils as functionally activated neutrophils negatively regulate IBD. <i>Gut</i> , 2018, 67, 1052-1063.	12.1	159
42	Tripartite motif-containing (TRIM) 21 negatively regulates intestinal mucosal inflammation through inhibiting TH1/TH17 cell differentiation in patients with inflammatory bowel diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1218-1228.e12.	2.9	46
43	NIK signaling axis regulates dendritic cell function in intestinal immunity and homeostasis. <i>Nature Immunology</i> , 2018, 19, 1224-1235.	14.5	32
44	ALPK1: a pattern recognition receptor for bacterial ADP-heptose. <i>Precision Clinical Medicine</i> , 2018, 1, 57-59.	3.3	2
45	Microbiota dysbiosis and its pathophysiological significance in bowel obstruction. <i>Scientific Reports</i> , 2018, 8, 13044.	3.3	45
46	Neutrophils Promote Amphiregulin Production in Intestinal Epithelial Cells through TGF- β 2 and Contribute to Intestinal Homeostasis. <i>Journal of Immunology</i> , 2018, 201, 2492-2501.	0.8	34
47	Microbiota-derived short-chain fatty acids promote Th1 cell IL-10 production to maintain intestinal homeostasis. <i>Nature Communications</i> , 2018, 9, 3555.	12.8	380
48	Neonatal Colonic Inflammation Epigenetically Aggravates Epithelial Inflammatory Responses to Injury in Adult Life. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 65-78.	4.5	23
49	MicroRNA 301A Promotes Intestinal Inflammation and Colitis-Associated Cancer Development by Inhibiting BTG1. <i>Gastroenterology</i> , 2017, 152, 1434-1448.e15.	1.3	118
50	A tightly regulated IL-22 response maintains immune functions and homeostasis in systemic viral infection. <i>Scientific Reports</i> , 2017, 7, 3857.	3.3	12
51	Retinoic Acid Regulates Immune Responses by Promoting IL-22 and Modulating S100 Proteins in Viral Hepatitis. <i>Journal of Immunology</i> , 2017, 198, 3448-3460.	0.8	24
52	Microbiota metabolite short chain fatty acids, GPCR, and inflammatory bowel diseases. <i>Journal of Gastroenterology</i> , 2017, 52, 1-8.	5.1	632
53	Protective Immunity Elicited by Oral Immunization of Mice with <i>Salmonella enterica</i> Serovar Typhimurium Braun Lipoprotein (Lpp) and Acetyltransferase (MsbB) Mutants. <i>Frontiers in Cellular and Infection Microbiology</i> , 2016, 6, 148.	3.9	13
54	Immunisation of two rodent species with new live-attenuated mutants of <i>Yersinia pestis</i> CO92 induces protective long-term humoral- and cell-mediated immunity against pneumonic plague. <i>Npj Vaccines</i> , 2016, 1, 16020.	6.0	17

#	ARTICLE	IF	CITATIONS
55	mTOR Mediates IL-23 Induction of Neutrophil IL-17 and IL-22 Production. <i>Journal of Immunology</i> , 2016, 196, 4390-4399.	0.8	85
56	TLR5 mediates CD172 ⁺ intestinal lamina propria dendritic cell induction of Th17 cells. <i>Scientific Reports</i> , 2016, 6, 22040.	3.3	49
57	Commensal A4 bacteria inhibit intestinal Th2 cell responses through induction of dendritic cell TGF β ² production. <i>European Journal of Immunology</i> , 2016, 46, 1162-1167.	2.9	38
58	Microbiota-specific Th17 Cells. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 1473-1482.	1.9	36
59	Dysregulation of Toll-Like Receptor 7 Compromises Innate and Adaptive T Cell Responses and Host Resistance to an Attenuated West Nile Virus Infection in Old Mice. <i>Journal of Virology</i> , 2016, 90, 1333-1344.	3.4	27
60	miR-301a promotes intestinal mucosal inflammation through induction of IL-17A and TNF- α in IBD. <i>Gut</i> , 2016, 65, 1938-1950.	12.1	137
61	Divalent metal-ion transporter 1 is decreased in intestinal epithelial cells and contributes to the anemia in inflammatory bowel disease. <i>Scientific Reports</i> , 2015, 5, 16344.	3.3	23
62	Endomicroscopy Will Track Injected Mesenchymal Stem Cells in Rat Colitis Models. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 2068-2077.	1.9	12
63	Gut Homing Molecule Regulation of the Pathogenesis and Treatment of Inflammatory Bowel Diseases. <i>Inflammation and Allergy: Drug Targets</i> , 2015, 14, 4-12.	1.8	1
64	TGF- β ² converts Th1 cells into Th17 cells through stimulation of Runx1 expression. <i>European Journal of Immunology</i> , 2015, 45, 1010-1018.	2.9	84
65	Exchange protein directly activated by cAMP modulates regulatory T-cell-mediated immunosuppression. <i>Biochemical Journal</i> , 2015, 465, 295-303.	3.7	38
66	IL-17A promotes protective IgA responses and expression of other potential effectors against the lumen-dwelling enteric parasite <i>Giardia</i> . <i>Experimental Parasitology</i> , 2015, 156, 68-78.	1.2	70
67	miR-10a inhibits dendritic cell activation and Th1/Th17 cell immune responses in IBD. <i>Gut</i> , 2015, 64, 1755-1764.	12.1	143
68	Unexpected Regulatory Role of CCR9 in Regulatory T Cell Development. <i>PLoS ONE</i> , 2015, 10, e0134100.	2.5	29
69	Microbiota Regulation of Inflammatory Bowel Disease. <i>Inflammation and Allergy: Drug Targets</i> , 2014, 13, 65-73.	1.8	6
70	Deletion of Braun Lipoprotein and Plasminogen-Activating Protease-Encoding Genes Attenuates <i>Yersinia pestis</i> in Mouse Models of Bubonic and Pneumonic Plague. <i>Infection and Immunity</i> , 2014, 82, 2485-2503.	2.2	22
71	Downregulation of microRNA-107 in intestinal CD ^{11c} ⁺ myeloid cells in response to microbiota and proinflammatory cytokines increases IL-23p19 expression. <i>European Journal of Immunology</i> , 2014, 44, 673-682.	2.9	52
72	TLR4 regulates IFN- γ and IL-17 production by both thymic and induced Foxp3 ⁺ Tregs during intestinal inflammation. <i>Journal of Leukocyte Biology</i> , 2014, 96, 895-905.	3.3	41

#	ARTICLE	IF	CITATIONS
73	Intrahepatic Innate Lymphoid Cells Secrete IL-17A and IL-17F That Are Crucial for T Cell Priming in Viral Infection. <i>Journal of Immunology</i> , 2014, 192, 3289-3300.	0.8	40
74	Attenuation of Intestinal Inflammation in Interleukin-10-Deficient Mice Infected with <i>Citrobacter rodentium</i> . <i>Infection and Immunity</i> , 2014, 82, 1949-1958.	2.2	30
75	ERK differentially regulates Th17 and Th2 cell development and contributes to the pathogenesis of colitis. <i>European Journal of Immunology</i> , 2013, 43, 1716-1726.	2.9	94
76	Microbiota regulation of inflammatory bowel disease and colorectal cancer. <i>Seminars in Cancer Biology</i> , 2013, 23, 543-552.	9.6	45
77	A West Nile virus NS4B-P38G mutant strain induces adaptive immunity via TLR7-MyD88-dependent and independent signaling pathways. <i>Vaccine</i> , 2013, 31, 4143-4151.	3.8	15
78	Deletion of the Braun Lipoprotein-Encoding Gene and Altering the Function of Lipopolysaccharide Attenuate the Plague Bacterium. <i>Infection and Immunity</i> , 2013, 81, 815-828.	2.2	27
79	Immunomodulatory and Antibacterial Effects of Cystatin 9 against <i>Francisella tularensis</i> . <i>Molecular Medicine</i> , 2013, 19, 263-275.	4.4	11
80	Th17 Cells Upregulate Polymeric Ig Receptor and Intestinal IgA and Contribute to Intestinal Homeostasis. <i>Journal of Immunology</i> , 2012, 189, 4666-4673.	0.8	209
81	Host-microbiota interactions in inflammatory bowel disease. <i>Gut Microbes</i> , 2012, 3, 332-344.	9.8	100
82	Immunomodulation for gastrointestinal infections. <i>Expert Review of Anti-Infective Therapy</i> , 2012, 10, 391-400.	4.4	30
83	Regulation of Toll-like Receptor 5 Gene Expression and Function on Mucosal Dendritic Cells. <i>PLoS ONE</i> , 2012, 7, e35918.	2.5	24
84	Molecular Gastronomy: How to Make the Critical Intestinal Foxp3+ Treg Cell. <i>Gastroenterology</i> , 2011, 141, 1559-1562.	1.3	2
85	Interleukin-12 Converts Foxp3+ Regulatory T Cells to Interferon- γ -Producing Foxp3+ T Cells That Inhibit Colitis. <i>Gastroenterology</i> , 2011, 140, 2031-2043.	1.3	141
86	Treg cell-IgA axis in maintenance of host immune homeostasis with microbiota. <i>International Immunopharmacology</i> , 2011, 11, 589-592.	3.8	39
87	Luminal-Applied Flagellin Is Internalized by Polarized Intestinal Epithelial Cells and Elicits Immune Responses via the TLR5 Dependent Mechanism. <i>PLoS ONE</i> , 2011, 6, e24869.	2.5	21
88	Th17 Cells Induce Colitis and Promote Th1 Cell Responses through IL-17 Induction of Innate IL-12 and IL-23 Production. <i>Journal of Immunology</i> , 2011, 186, 6313-6318.	0.8	157
89	Microbiota Downregulates Dendritic Cell Expression of miR-10a, Which Targets IL-12/IL-23p40. <i>Journal of Immunology</i> , 2011, 187, 5879-5886.	0.8	137
90	Microbiota innate stimulation is a prerequisite for T cell spontaneous proliferation and induction of experimental colitis. <i>Journal of Experimental Medicine</i> , 2010, 207, 1321-1332.	8.5	200

#	ARTICLE	IF	CITATIONS
91	Microbiota innate stimulation is a prerequisite for T cell spontaneous proliferation and induction of experimental colitis. <i>Journal of Experimental Medicine</i> , 2010, 207, 1569-1569.	8.5	1
92	Generation of Mucosal Dendritic Cells from Bone Marrow Reveals a Critical Role of Retinoic Acid. <i>Journal of Immunology</i> , 2010, 185, 5915-5925.	0.8	93
93	Microbiota. <i>Gut Microbes</i> , 2010, 1, 388-391.	9.8	8
94	TGF- β 2 Promotes Th17 Cell Development through Inhibition of SOCS3. <i>Journal of Immunology</i> , 2009, 183, 97-105.	0.8	186
95	A dominant, coordinated T regulatory cell-IgA response to the intestinal microbiota. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19256-19261.	7.1	377
96	Curcumin induces the tolerogenic dendritic cell that promotes differentiation of intestine-protective regulatory T cells. <i>European Journal of Immunology</i> , 2009, 39, 3134-3146.	2.9	86
97	CXCL10-Producing Mucosal CD4 ⁺ T Cells, NK Cells, and NKT Cells Are Associated with Chronic Colitis in IL-10 ^{-/-} Mice, Which Can Be Abrogated by Anti-CXCL10 Antibody Inhibition. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 31-43.	1.2	47
98	Molecular Mechanism of Lipopolysaccharide-Induced SOCS-3 Gene Expression in Macrophages and Microglia. <i>Journal of Immunology</i> , 2007, 179, 5966-5976.	0.8	152
99	Monoclonal Anti-Interleukin 23 Reverses Active Colitis in a T Cell-Mediated Model in Mice. <i>Gastroenterology</i> , 2007, 132, 2359-2370.	1.3	414
100	Fenofibrate Represses Interleukin-17 and Interferon- γ Expression and Improves Colitis in Interleukin-10 ^{-/-} Mice. <i>Gastroenterology</i> , 2007, 133, 108-123.	1.3	117
101	Isolation of flagellated bacteria implicated in Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 1191-1201.	1.9	108
102	Tight Mucosal Compartmentation of the Murine Immune Response to Antigens of the Enteric Microbiota. <i>Gastroenterology</i> , 2006, 130, 2050-2059.	1.3	83
103	Molecular Approaches to the Role of the Microbiota in Inflammatory Bowel Disease. <i>Annals of the New York Academy of Sciences</i> , 2006, 1072, 39-51.	3.8	16
104	Alterations of T Lymphocytes in Inflammatory Bowel Diseases. <i>Advances in Experimental Medicine and Biology</i> , 2006, 579, 133-148.	1.6	0
105	Experimental models of inflammatory bowel disease reveal innate, adaptive, and regulatory mechanisms of host dialogue with the microbiota. <i>Immunological Reviews</i> , 2005, 206, 260-276.	6.0	449
106	Generation of Antigen-Specific, Foxp3-Expressing CD4 ⁺ Regulatory T Cells by Inhibition of APC Proteasome Function. <i>Journal of Immunology</i> , 2005, 174, 2787-2795.	0.8	48
107	Antibodies to CBir1 Flagellin Define a Unique Response That Is Associated Independently With Complicated Crohn's Disease. <i>Gastroenterology</i> , 2005, 128, 2020-2028.	1.3	439
108	Cdcs1, a Major Colitogenic Locus in Mice, Regulates Innate and Adaptive Immune Response to Enteric Bacterial Antigens. <i>Gastroenterology</i> , 2005, 129, 1473-1484.	1.3	69

#	ARTICLE	IF	CITATIONS
109	Gene Disruption and Immunity in Experimental Colitis. <i>Inflammatory Bowel Diseases</i> , 2004, 10, S25-S28.	1.9	8
110	New developments in experimental models of inflammatory bowel disease. <i>Current Opinion in Gastroenterology</i> , 2004, 20, 360-367.	2.3	18
111	Bacterial flagellin is a dominant antigen in Crohn disease. <i>Journal of Clinical Investigation</i> , 2004, 113, 1296-1306.	8.2	628
112	Bacterial flagellin is a dominant antigen in Crohn disease. <i>Journal of Clinical Investigation</i> , 2004, 113, 1296-1306.	8.2	377
113	The dominant immune response to intestinal bacterial antigens is ignorance, rather than tolerance. <i>Gastroenterology</i> , 2003, 124, A60.	1.3	1
114	Probiotics and Immune Regulation of Inflammatory Bowel Diseases. <i>Inflammation and Allergy: Drug Targets</i> , 2003, 2, 145-154.	3.1	29
115	Bacterial-Reactive T Regulatory Cells Inhibit Pathogenic Immune Responses to the Enteric Flora. <i>Journal of Immunology</i> , 2002, 169, 6112-6119.	0.8	195
116	Understanding Immune-Microbial Homeostasis in Intestine. <i>Immunologic Research</i> , 2002, 26, 087-094.	2.9	37
117	Immuno-bacterial homeostasis in the gut: new insights into an old enigma. <i>Seminars in Immunology</i> , 2001, 13, 187-194.	5.6	41
118	Effects of cholera toxin on macrophage production of co-stimulatory cytokines. <i>European Journal of Immunology</i> , 2001, 31, 64-71.	2.9	61
119	Heritable Susceptibility for Colitis in Mice Induced by IL-10 Deficiency. <i>Inflammatory Bowel Diseases</i> , 2000, 6, 290-302.	1.9	57
120	Heritable susceptibility for colitis in mice induced by IL-10 deficiency. <i>Inflammatory Bowel Diseases</i> , 2000, 6, 290-302.	1.9	67
121	Colitis Induced by Enteric Bacterial Antigen-Specific CD4+ T Cells Requires CD40-CD40 Ligand Interactions for a Sustained Increase in Mucosal IL-12. <i>Journal of Immunology</i> , 2000, 165, 2173-2182.	0.8	87
122	The C3H/HeJBir Mouse Model: A High Susceptibility Phenotype for Colitis. <i>International Reviews of Immunology</i> , 2000, 19, 63-75.	3.3	29
123	Regional differences in L-selectin expression in murine intestinal lymphocytes. <i>Gastroenterology</i> , 1998, 114, 965-974.	1.3	15
124	CD4+ T Cells Reactive to Enteric Bacterial Antigens in Spontaneously Colitic C3H/HeJBir Mice: Increased T Helper Cell Type 1 Response and Ability to Transfer Disease. <i>Journal of Experimental Medicine</i> , 1998, 187, 855-864.	8.5	365
125	Identification of an immunodominant T cell epitope on cholera toxin. <i>European Journal of Immunology</i> , 1996, 26, 2587-2594.	2.9	30
126	Proliferation and autoantibody production by mouse thyroglobulin (MTg)-specific B cells activated in vitro by MTg and MTg-specific T cells. <i>Immunology Letters</i> , 1995, 45, 189-193.	2.5	3