

Rosario Muñoz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9178272/publications.pdf>

Version: 2024-02-01

157
papers

7,474
citations

38720

50
h-index

66879

78
g-index

158
all docs

158
docs citations

158
times ranked

7012
citing authors

#	ARTICLE	IF	CITATIONS
1	Production and Digestibility Studies of β -Galactosyl Xylitol Derivatives Using Heterogeneous Catalysts of LacA β -Galactosidase from <i>Lactobacillus Plantarum</i> WCFS1. <i>Molecules</i> , 2022, 27, 1235.	1.7	1
2	Molecular Responses of <i>Lactobacilli</i> to Plant Phenolic Compounds: A Comparative Review of the Mechanisms Involved. <i>Antioxidants</i> , 2022, 11, 18.	2.2	7
3	Biosynthesis of Nondigestible Galactose-Containing Hetero-oligosaccharides by <i>Lactobacillus plantarum</i> WCFS1 MelA β -Galactosidase. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 955-965.	2.4	7
4	Degradation of phenolic compounds found in olive products by <i>Lactobacillus plantarum</i> strains. , 2021, , 133-144.		10
5	The commensal bacterium <i>Lactiplantibacillus plantarum</i> imprints innate memory-like responses in mononuclear phagocytes. <i>Gut Microbes</i> , 2021, 13, 1939598.	4.3	8
6	The use of <i>Lactobacillus plantarum</i> esterase genes: a biotechnological strategy to increase the bioavailability of dietary phenolic compounds in lactic acid bacteria. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 1035-1045.	1.3	11
7	Geranyl Functionalized Materials for Site-Specific Co-Immobilization of Proteins. <i>Molecules</i> , 2021, 26, 3028.	1.7	0
8	Production of β -rhamnosidases from <i>Lactobacillus plantarum</i> WCFS1 and their role in deglycosylation of dietary flavonoids naringin and rutin. <i>International Journal of Biological Macromolecules</i> , 2021, 193, 1093-1102.	3.6	15
9	Unravelling the carbohydrate specificity of MelA from <i>Lactobacillus plantarum</i> WCFS1: An β -galactosidase displaying regioselective transgalactosylation. <i>International Journal of Biological Macromolecules</i> , 2020, 153, 1070-1079.	3.6	9
10	A structurally unique <i>Fusobacterium nucleatum</i> tannase provides detoxicant activity against gallotannins and pathogen resistance. <i>Microbial Biotechnology</i> , 2020, , .	2.0	3
11	Hydrolysis of Lactose and Transglycosylation of Selected Sugar Alcohols by LacA β -Galactosidase from <i>Lactobacillus plantarum</i> WCFS1. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7040-7050.	2.4	14
12	Transcriptomic Evidence of Molecular Mechanisms Underlying the Response of <i>Lactobacillus plantarum</i> WCFS1 to Hydroxytyrosol. <i>Antioxidants</i> , 2020, 9, 442.	2.2	8
13	Oleuropein Transcriptionally Primes <i>Lactobacillus plantarum</i> to Interact With Plant Hosts. <i>Frontiers in Microbiology</i> , 2019, 10, 2177.	1.5	8
14	Unravelling the diversity of glycoside hydrolase family 13 β -amylases from <i>Lactobacillus plantarum</i> WCFS1. <i>Microbial Cell Factories</i> , 2019, 18, 183.	1.9	24
15	Chemical Modification of Novel Glycosidases from <i>Lactobacillus plantarum</i> Using Hyaluronic Acid: Effects on High Specificity against 6-Phosphate Glucopyranoside. <i>Coatings</i> , 2019, 9, 311.	1.2	5
16	Bacterial tannases: classification and biochemical properties. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 603-623.	1.7	39
17	Transcriptome-Based Analysis in <i>Lactobacillus plantarum</i> WCFS1 Reveals New Insights into Resveratrol Effects at System Level. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1700992.	1.5	11
18	Identification of a highly active tannase enzyme from the oral pathogen <i>Fusobacterium nucleatum</i> subsp. <i>polymorphum</i> . <i>Microbial Cell Factories</i> , 2018, 17, 33.	1.9	17

#	ARTICLE	IF	CITATIONS
19	Unravelling the Reduction Pathway as an Alternative Metabolic Route to Hydroxycinnamate Decarboxylation in <i>Lactobacillus plantarum</i> . <i>Applied and Environmental Microbiology</i> , 2018, 84, .	1.4	35
20	Ethylphenol Formation by <i>Lactobacillus plantarum</i> : Identification of the Enzyme Involved in the Reduction of Vinylphenols. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	1.4	47
21	A Diverse Range of Human Gut Bacteria Have the Potential To Metabolize the Dietary Component Gallic Acid. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	1.4	20
22	Differential Gene Expression by <i>Lactobacillus plantarum</i> WCFS1 in Response to Phenolic Compounds Reveals New Genes Involved in Tannin Degradation. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	35
23	Structural basis of the substrate specificity and instability in solution of a glycosidase from <i>Lactobacillus plantarum</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 1227-1236.	1.1	6
24	Enzymatic Synthesis and Structural Characterization of Theandrose through Transfructosylation Reaction Catalyzed by Levansucrase from <i>Bacillus subtilis</i> CECT 39. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10505-10513.	2.4	10
25	Biotransformation of Phenolics by <i>Lactobacillus plantarum</i> in Fermented Foods. , 2017, , 63-83.		14
26	Transcriptional Reprogramming at Genome-Scale of <i>Lactobacillus plantarum</i> WCFS1 in Response to Olive Oil Challenge. <i>Frontiers in Microbiology</i> , 2017, 8, 244.	1.5	12
27	The Lp_3561 and Lp_3562 Enzymes Support a Functional Divergence Process in the Lipase/Esterase Toolkit from <i>Lactobacillus plantarum</i> . <i>Frontiers in Microbiology</i> , 2016, 7, 1118.	1.5	22
28	Synthesis and structural characterization of raffinose-oligofructosides upon transfructosylation by <i>Lactobacillus gasseri</i> DSM 20604 inulosucrase. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 6251-6263.	1.7	17
29	Bioactivation of Phytoestrogens: Intestinal Bacteria and Health. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 1826-1843.	5.4	148
30	Molecular adaptation of <i>Lactobacillus plantarum</i> WCFS1 to gallic acid revealed by genome-scale transcriptomic signature and physiological analysis. <i>Microbial Cell Factories</i> , 2015, 14, 160.	1.9	28
31	Improving Properties of a Novel β -Galactosidase from <i>Lactobacillus plantarum</i> by Covalent Immobilization. <i>Molecules</i> , 2015, 20, 7874-7889.	1.7	19
32	Valorization of Cheese and Tofu Whey through Enzymatic Synthesis of Lactosucrose. <i>PLoS ONE</i> , 2015, 10, e0139035.	1.1	17
33	Enantioselective oxidation of galactitol 1-phosphate by galactitol-1-phosphate 5-dehydrogenase from <i>Escherichia coli</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015, 71, 1540-1554.	2.5	6
34	A <i>Lactobacillus plantarum</i> Esterase Active on a Broad Range of Phenolic Esters. <i>Applied and Environmental Microbiology</i> , 2015, 81, 3235-3242.	1.4	75
35	Effect of soaking and fermentation on content of phenolic compounds of soybean (<i>Glycine max</i>) and Nutrition, 2015, 66, 203-209.	1.3	27
36	Synthesis of potentially-bioactive lactosyl-oligofructosides by a novel bi-enzymatic system using bacterial fructansucrases. <i>Food Research International</i> , 2015, 78, 258-265.	2.9	9

#	ARTICLE	IF	CITATIONS
37	Characterization of a halotolerant lipase from the lactic acid bacteria <i>Lactobacillus plantarum</i> useful in food fermentations. <i>LWT - Food Science and Technology</i> , 2015, 60, 246-252.	2.5	56
38	Esterase LpEst1 from <i>Lactobacillus plantarum</i> : A Novel and Atypical Member of the $\hat{1}\hat{2}$ Hydrolase Superfamily of Enzymes. <i>PLoS ONE</i> , 2014, 9, e92257.	1.1	23
39	Bioactive compounds produced by gut microbial tannase: implications for colorectal cancer development. <i>Frontiers in Microbiology</i> , 2014, 5, 684.	1.5	29
40	Production and characterization of a tributyrin esterase from <i>Lactobacillus plantarum</i> suitable for cheese lipolysis. <i>Journal of Dairy Science</i> , 2014, 97, 6737-6744.	1.4	23
41	Genetic and biochemical approaches towards unravelling the degradation of gallotannins by <i>Streptococcus galloyticus</i> . <i>Microbial Cell Factories</i> , 2014, 13, 154.	1.9	15
42	Characterization of a bacterial tannase from <i>Streptococcus galloyticus</i> UCN34 suitable for tannin biodegradation. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 6329-37.	1.7	20
43	Tannin Degradation by a Novel Tannase Enzyme Present in Some <i>Lactobacillus plantarum</i> Strains. <i>Applied and Environmental Microbiology</i> , 2014, 80, 2991-2997.	1.4	97
44	Characterisation of a cold-active and salt-tolerant esterase from <i>Lactobacillus plantarum</i> with potential application during cheese ripening. <i>International Dairy Journal</i> , 2014, 39, 312-315.	1.5	19
45	Characterization of a Versatile Arylesterase from <i>Lactobacillus plantarum</i> Active on Wine Esters. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5118-5125.	2.4	19
46	Sequencing, Characterization, and Gene Expression Analysis of the Histidine Decarboxylase Gene Cluster of <i>Morganella morganii</i> . <i>Current Microbiology</i> , 2014, 68, 404-411.	1.0	17
47	Contribution of a tannase from <i>Atopobium parvulum</i> DSM 20469T in the oral processing of food tannins. <i>Food Research International</i> , 2014, 62, 397-402.	2.9	9
48	Characterization of a Cold-Active Esterase from <i>Lactobacillus plantarum</i> Suitable for Food Fermentations. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 5126-5132.	2.4	36
49	Bioproduction of 4-vinylphenol from corn cob alkaline hydrolyzate in two-phase extractive fermentation using free or immobilized recombinant <i>E. coli</i> expressing pad gene. <i>Enzyme and Microbial Technology</i> , 2014, 58-59, 22-28.	1.6	27
50	Aryl glycosidases from <i>Lactobacillus plantarum</i> increase antioxidant activity of phenolic compounds. <i>Journal of Functional Foods</i> , 2014, 7, 322-329.	1.6	74
51	Integrated Amperometric Affinity Biosensors Using Co^{2+} -Tetradentate Nitrilotriacetic Acid Modified Disposable Carbon Electrodes: Application to the Determination of $\hat{2}$ -Lactam Antibiotics. <i>Analytical Chemistry</i> , 2013, 85, 3246-3254.	3.2	22
52	Characterization of a Feruloyl Esterase from <i>Lactobacillus plantarum</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 5130-5136.	1.4	120
53	Technological and safety properties of lactic acid bacteria isolated from Spanish dry-cured sausages. <i>Meat Science</i> , 2013, 95, 272-280.	2.7	75
54	An amperometric affinity penicillin-binding protein magnetosensor for the detection of $\hat{2}$ -lactam antibiotics in milk. <i>Analyst</i> , 2013, 138, 2013.	1.7	33

#	ARTICLE	IF	CITATIONS
55	Characterization of coagulase-negative staphylococci isolated from Spanish dry cured meat products. <i>Meat Science</i> , 2013, 93, 387-396.	2.7	58
56	Enzymatic Synthesis and Characterization of Fructooligosaccharides and Novel Maltosylfructosides by Inulosucrase from <i>Lactobacillus gasser</i> DSM 20604. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4129-4140.	1.4	42
57	Uncovering the <i>Lactobacillus plantarum</i> WCFS1 Gallate Decarboxylase Involved in Tannin Degradation. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4253-4263.	1.4	72
58	Structure, biochemical characterization and analysis of the pleomorphism of carboxylesterase Cest-2923 from <i>Lactobacillus plantarum</i> WCFS1. <i>FEBS Journal</i> , 2013, 280, 6658-6671.	2.2	32
59	Tannic Acid-Dependent Modulation of Selected <i>Lactobacillus plantarum</i> Traits Linked to Gastrointestinal Survival. <i>PLoS ONE</i> , 2013, 8, e66473.	1.1	28
60	Tyramine and Phenylethylamine Biosynthesis by Food Bacteria. <i>Critical Reviews in Food Science and Nutrition</i> , 2012, 52, 448-467.	5.4	139
61	Bioactive Phenolic Compounds of Soybean (<i>Glycine max</i> cv. Merit): Modifications by Different Microbiological Fermentations. <i>Polish Journal of Food and Nutrition Sciences</i> , 2012, 62, 241-250.	0.6	44
62	Genome-wide transcriptomic responses of a human isolate of <i>Lactobacillus plantarum</i> exposed to p-coumaric acid stress. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1848-1859.	1.5	42
63	The crystal structure of galactitol-1-phosphate 5-dehydrogenase from <i>Escherichia coli</i> K12 provides insights into its anomalous behavior on IMAC processes. <i>FEBS Letters</i> , 2012, 586, 3127-3133.	1.3	7
64	Food-Derived Peptides Stimulate Mucin Secretion and Gene Expression in Intestinal Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 8600-8605.	2.4	57
65	Biogenic amine production by bacteria isolated from ice-preserved sardine and mackerel. <i>Food Control</i> , 2012, 25, 89-95.	2.8	38
66	Rational Co-immobilization of Bi-Enzyme Cascades on Porous Supports and their Applications in Bio-Redox Reactions with In-Situ Recycling of Soluble Cofactors. <i>ChemCatChem</i> , 2012, 4, 1279-1288.	1.8	123
67	Does <i>Oenococcus oeni</i> produce histamine?. <i>International Journal of Food Microbiology</i> , 2012, 157, 121-129.	2.1	24
68	Production of vinyl derivatives from alkaline hydrolysates of corn cobs by recombinant <i>Escherichia coli</i> containing the phenolic acid decarboxylase from <i>Lactobacillus plantarum</i> CECT 748T. <i>Bioresource Technology</i> , 2012, 117, 274-285.	4.8	21
69	Production of Wine Starter Cultures. , 2011, , 279-302.		3
70	Degradation of Ochratoxin A by <i>Brevibacterium</i> Species. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10755-10760.	2.4	53
71	Production of biogenic amines by lactic acid bacteria and enterobacteria isolated from fresh pork sausages packaged in different atmospheres and kept under refrigeration. <i>Meat Science</i> , 2011, 88, 368-373.	2.7	53
72	The pURI family of expression vectors: A versatile set of ligation independent cloning plasmids for producing recombinant His-fusion proteins. <i>Protein Expression and Purification</i> , 2011, 76, 44-53.	0.6	45

#	ARTICLE	IF	CITATIONS
73	Use of recA gene sequence analysis for the identification of <i>Staphylococcus equorum</i> strains predominant on dry-cured hams. <i>Food Microbiology</i> , 2011, 28, 1205-1210.	2.1	14
74	Phenotypic and genetic evaluations of biogenic amine production by lactic acid bacteria isolated from fish and fish products. <i>International Journal of Food Microbiology</i> , 2011, 146, 212-216.	2.1	34
75	PCR methods for the detection of biogenic amine-producing bacteria on wine. <i>Annals of Microbiology</i> , 2011, 61, 159-166.	1.1	21
76	Preliminary X-ray analysis of twinned crystals of the Q88Y25_Lacpl esterase from <i>Lactobacillus plantarum</i> WCFS1. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2011, 67, 1436-1439.	0.7	3
77	Response of a <i>Lactobacillus plantarum</i> human isolate to tannic acid challenge assessed by proteomic analyses. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1454-1465.	1.5	24
78	Synthesis of propyl gallate by transesterification of tannic acid in aqueous media catalysed by immobilised derivatives of tannase from <i>Lactobacillus plantarum</i> . <i>Food Chemistry</i> , 2011, 128, 214-217.	4.2	26
79	<i>Lactic Acid Bacteria</i> . , 2011, , 191-226.		5
80	High-resolution structural insights on the sugar-recognition and fusion tag properties of a versatile Î²-trefoil lectin domain from the mushroom <i>Laetiporus sulphureus</i> . <i>Glycobiology</i> , 2011, 21, 1349-1361.	1.3	34
81	Gene cloning, expression, and characterization of phenolic acid decarboxylase from <i>Lactobacillus brevis</i> RM84. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2010, 37, 617-624.	1.4	55
82	Effect of growth phase on the adherence to and invasion of Caco-2 epithelial cells by <i>Campylobacter</i> . <i>International Journal of Food Microbiology</i> , 2010, 140, 14-18.	2.1	15
83	Ability of <i>Lactobacillus brevis</i> strains to degrade food phenolic acids. <i>Food Chemistry</i> , 2010, 120, 225-229.	4.2	71
84	Coumaric acid decarboxylase from <i>Lactobacillus plantarum</i> : Structural insights into the active site and decarboxylation catalytic mechanism. <i>Proteins: Structure, Function and Bioinformatics</i> , 2010, 78, 1662-1676.	1.5	52
85	Improvement of the fermentation performance of <i>Lactobacillus plantarum</i> by the flavanol catechin is uncoupled from its degradation. <i>Journal of Applied Microbiology</i> , 2010, 109, 687-697.	1.4	14
86	Degradation of Phenolic Compounds Found in Olive Products by <i>Lactobacillus plantarum</i> Strains. , 2010, , 387-396.		8
87	Improvement of Enzyme Properties with a Two-Step Immobilization Process on Novel Heterofunctional Supports. <i>Biomacromolecules</i> , 2010, 11, 3112-3117.	2.6	93
88	Delaying Effect of a Wine <i>Lactobacillus plantarum</i> Strain on the Coloration and Xanthylum Pigment Formation Occurring in (+)-Catechin and (âˆ’)-Epicatechin Wine Model Solutions. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11318-11324.	2.4	5
89	pH and dose-dependent effects of quercetin on the fermentation capacity of <i>Lactobacillus plantarum</i> . <i>LWT - Food Science and Technology</i> , 2010, 43, 926-933.	2.5	12
90	Integrated multienzyme electrochemical biosensors for monitoring malolactic fermentation in wines. <i>Talanta</i> , 2010, 81, 925-933.	2.9	46

#	ARTICLE	IF	CITATIONS
91	Hydrolysis of Tannic Acid Catalyzed by Immobilized Stabilized Derivatives of Tannase from <i>Lactobacillus plantarum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 6403-6409.	2.4	33
92	Multilocus sequence typing of oenological <i>Saccharomyces cerevisiae</i> strains. <i>Food Microbiology</i> , 2009, 26, 841-846.	2.1	35
93	Food phenolics and lactic acid bacteria. <i>International Journal of Food Microbiology</i> , 2009, 132, 79-90.	2.1	494
94	Characterization of a Nitroreductase with Selective Nitroreduction Properties in the Food and Intestinal Lactic Acid Bacterium <i>Lactobacillus plantarum</i> WCFS1. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 10457-10465.	2.4	27
95	Cloning, production, purification and preliminary crystallographic analysis of a glycosidase from the food lactic acid bacterium <i>Lactobacillus plantarum</i> CECT 748T. <i>Protein Expression and Purification</i> , 2009, 68, 177-182.	0.6	22
96	Evaluation of bioprocesses to improve the antioxidant properties of chickpeas. <i>LWT - Food Science and Technology</i> , 2009, 42, 885-892.	2.5	34
97	Crystal Structure of the Hexameric Catabolic Ornithine Transcarbamylase from <i>Lactobacillus hilgardii</i> : Structural Insights into the Oligomeric Assembly and Metal Binding. <i>Journal of Molecular Biology</i> , 2009, 393, 425-434.	2.0	17
98	Molecular Screening of Wine Lactic Acid Bacteria Degrading Hydroxycinnamic Acids. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 490-494.	2.4	54
99	Production and Physicochemical Properties of Recombinant <i>Lactobacillus plantarum</i> Tannase. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6224-6230.	2.4	79
100	Effect of fermentation conditions on the antioxidant compounds and antioxidant capacity of <i>Lupinus angustifolius</i> cv. zapaton. <i>European Food Research and Technology</i> , 2008, 227, 979-988.	1.6	22
101	Study of the inhibitory activity of phenolic compounds found in olive products and their degradation by <i>Lactobacillus plantarum</i> strains. <i>Food Chemistry</i> , 2008, 107, 320-326.	4.2	84
102	Degradation of tannic acid by cell-free extracts of <i>Lactobacillus plantarum</i> . <i>Food Chemistry</i> , 2008, 107, 664-670.	4.2	94
103	Metabolism of food phenolic acids by <i>Lactobacillus plantarum</i> CECT 748T. <i>Food Chemistry</i> , 2008, 107, 1393-1398.	4.2	134
104	Expression Vectors for Enzyme Restriction- and Ligation-Independent Cloning for Producing Recombinant His-Fusion Proteins. <i>Biotechnology Progress</i> , 2008, 23, 680-686.	1.3	23
105	Evaluation of Exopolysaccharide Production by <i>Leuconostoc mesenteroides</i> Strains Isolated from Wine. <i>Journal of Food Science</i> , 2008, 73, M196-M199.	1.5	26
106	Characterization of tannase activity in cell-free extracts of <i>Lactobacillus plantarum</i> CECT 748T. <i>International Journal of Food Microbiology</i> , 2008, 121, 92-98.	2.1	74
107	Biogenic amine production by Gram-positive bacteria isolated from Spanish dry-cured chorizo sausage treated with high pressure and kept in chilled storage. <i>Meat Science</i> , 2008, 80, 272-277.	2.7	32
108	Updated Molecular Knowledge about Histamine Biosynthesis by Bacteria. <i>Critical Reviews in Food Science and Nutrition</i> , 2008, 48, 697-714.	5.4	117

#	ARTICLE	IF	CITATIONS
109	Characterization of the <i>p</i> -Coumaric Acid Decarboxylase from <i>Lactobacillus plantarum</i> CECT 748T. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 3068-3072.	2.4	81
110	Characterization of a Benzyl Alcohol Dehydrogenase from <i>Lactobacillus plantarum</i> WCFS1. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 4497-4503.	2.4	15
111	Characterization of a Second Ornithine Decarboxylase Isolated from <i>Morganella morganii</i> . <i>Journal of Food Protection</i> , 2008, 71, 657-661.	0.8	20
112	Biogenic amine production in Spanish dry-cured <i>chorizo</i> sausage treated with high-pressure and kept in chilled storage. <i>Meat Science</i> , 2007, 77, 365-371.	2.7	54
113	Screening of biogenic amine production by coagulase-negative staphylococci isolated during industrial Spanish dry-cured ham processes. <i>Meat Science</i> , 2007, 77, 556-561.	2.7	41
114	Fermentation as a Bio-Process To Obtain Functional Soybean Flours. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 8972-8979.	2.4	59
115	High-Added-Value Antioxidants Obtained from the Degradation of Wine Phenolics by <i>Lactobacillus plantarum</i> . <i>Journal of Food Protection</i> , 2007, 70, 2670-2675.	0.8	50
116	In Vitro Removal of Ochratoxin A by Wine Lactic Acid Bacteria. <i>Journal of Food Protection</i> , 2007, 70, 2155-2160.	0.8	77
117	Overexpression, purification, crystallization and preliminary structural studies of <i>p</i> -coumaric acid decarboxylase from <i>Lactobacillus plantarum</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2007, 63, 300-303.	0.7	8
118	Overexpression, purification, crystallization and preliminary structural studies of catabolic ornithine transcarbamylase from <i>Lactobacillus hilgardii</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2007, 63, 563-567.	0.7	3
119	Gene organization of the ornithine decarboxylase-encoding region in <i>Morganella morganii</i> . <i>Journal of Applied Microbiology</i> , 2007, 102, 1551-1560.	1.4	14
120	Molecular cloning and functional characterization of a histidine decarboxylase from <i>Staphylococcus capitis</i> . <i>Journal of Applied Microbiology</i> , 2007, 104, 071003000434006-???	1.4	22
121	Efficacy of <i>recA</i> gene sequence analysis in the identification and discrimination of <i>Lactobacillus hilgardii</i> strains isolated from stuck wine fermentations. <i>International Journal of Food Microbiology</i> , 2007, 115, 70-78.	2.1	16
122	Molecular methods for the detection of biogenic amine-producing bacteria on foods. <i>International Journal of Food Microbiology</i> , 2007, 117, 258-269.	2.1	195
123	A multifactorial design for studying factors influencing growth and tyramine production of the lactic acid bacteria <i>Lactobacillus brevis</i> CECT 4669 and <i>Enterococcus faecium</i> BIFI-58. <i>Research in Microbiology</i> , 2006, 157, 417-424.	1.0	55
124	PCR Detection of Foodborne Bacteria Producing the Biogenic Amines Histamine, Tyramine, Putrescine, and Cadaverine. <i>Journal of Food Protection</i> , 2006, 69, 2509-2514.	0.8	112
125	First genetic characterization of a bacterial β^2 -phenylethylamine biosynthetic enzyme in <i>Enterococcus faecium</i> RM58. <i>FEMS Microbiology Letters</i> , 2006, 258, 144-149.	0.7	77
126	Development of a multilocus sequence typing method for analysis of <i>Lactobacillus plantarum</i> strains. <i>Microbiology (United Kingdom)</i> , 2006, 152, 85-93.	0.7	100

#	ARTICLE	IF	CITATIONS
127	Deletion of BCY1 from the <i>Saccharomyces cerevisiae</i> Genome Is Semidominant and Induces Autolytic Phenotypes Suitable for Improvement of Sparkling Wines. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2351-2358.	1.4	45
128	Evidence for Horizontal Gene Transfer as Origin of Putrescine Production in <i>Oenococcus oeni</i> RM83. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7954-7958.	1.4	59
129	Molecular characterization of the safracin biosynthetic pathway from <i>Pseudomonas fluorescens</i> A2-2: designing new cytotoxic compounds. <i>Molecular Microbiology</i> , 2005, 56, 144-154.	1.2	99
130	Bioactive phenolic compounds of cowpeas (<i>Vigna sinensis</i> L.). Modifications by fermentation with natural microflora and with <i>Lactobacillus plantarum</i> ATCC 14917. <i>Journal of the Science of Food and Agriculture</i> , 2005, 85, 297-304.	1.7	158
131	Improved multiplex-PCR method for the simultaneous detection of food bacteria producing biogenic amines. <i>FEMS Microbiology Letters</i> , 2005, 244, 367-372.	0.7	92
132	Multiplex PCR Method for the Simultaneous Detection of Histamine-, Tyramine-, and Putrescine-Producing Lactic Acid Bacteria in Foods. <i>Journal of Food Protection</i> , 2005, 68, 874-878.	0.8	80
133	A Rapid and Inexpensive Method for the Determination of Biogenic Amines from Bacterial Cultures by Thin-Layer Chromatography. <i>Journal of Food Protection</i> , 2005, 68, 625-629.	0.8	59
134	Characterization of ISLpl4, a functional insertion sequence in <i>Lactobacillus plantarum</i> . <i>Gene</i> , 2005, 363, 202-210.	1.0	8
135	Effect of Processing on the Antioxidant Vitamins and Antioxidant Capacity of <i>Vigna sinensis</i> Var. Carilla. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 1215-1222.	2.4	51
136	Cloning of the Authentic Bovine Gene Encoding Pepsinogen A and Its Expression in Microbial Cells. <i>Applied and Environmental Microbiology</i> , 2004, 70, 2588-2595.	1.4	14
137	Allelic Diversity and Population Structure in <i>Oenococcus oeni</i> as Determined from Sequence Analysis of Housekeeping Genes. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7210-7219.	1.4	101
138	Complete nucleotide sequence and structural organization of pPB1, a small <i>Lactobacillus plantarum</i> cryptic plasmid that originated by modular exchange. <i>Plasmid</i> , 2004, 52, 203-211.	0.4	26
139	The Tyrosine Decarboxylation Test Does Not Differentiate <i>Enterococcus faecalis</i> from <i>Enterococcus faecium</i> . <i>Systematic and Applied Microbiology</i> , 2004, 27, 423-426.	1.2	21
140	Tannase activity by lactic acid bacteria isolated from grape must and wine. <i>International Journal of Food Microbiology</i> , 2004, 96, 199-204.	2.1	133
141	Identification of the ornithine decarboxylase gene in the putrescine-producer <i>Oenococcus oeni</i> BIFI-83. <i>FEMS Microbiology Letters</i> , 2004, 239, 213-220.	0.7	88
142	Screening of biogenic amine production by lactic acid bacteria isolated from grape must and wine. <i>International Journal of Food Microbiology</i> , 2003, 84, 117-123.	2.1	224
143	Fermentation of <i>Vigna sinensis</i> var. carilla Flours by Natural Microflora and <i>Lactobacillus</i> Species. <i>Journal of Food Protection</i> , 2003, 66, 2313-2320.	0.8	51
144	The arginine deiminase pathway in the wine lactic acid bacterium <i>Lactobacillus hilgardii</i> X 1 B: structural and functional study of the arcABC genes. <i>Gene</i> , 2002, 301, 61-66.	1.0	52

#	ARTICLE	IF	CITATIONS
145	Current trends in capsular polysaccharide biosynthesis of <i>Streptococcus pneumoniae</i> . <i>Research in Microbiology</i> , 2000, 151, 429-435.	1.0	53
146	A Single Gene (<i>tts</i>) Located outside the <i>cap</i> Locus Directs the Formation of <i>Streptococcus pneumoniae</i> Type 37 Capsular Polysaccharide. <i>Journal of Experimental Medicine</i> , 1999, 190, 241-252.	4.2	96
147	First molecular characterization of a uridine diphosphate galacturonate 4-epimerase: an enzyme required for capsular biosynthesis in <i>Streptococcus pneumoniae</i> type 1. <i>Molecular Microbiology</i> , 1999, 31, 703-713.	1.2	40
148	Molecular structure of the gene cluster responsible for the synthesis of the polysaccharide capsule of <i>Streptococcus pneumoniae</i> type 33F. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1443, 217-224.	2.4	32
149	Evidence for horizontal transfer from <i>Streptococcus</i> to <i>Escherichia coli</i> of the <i>kfid</i> gene encoding the K5-specific UDP-glucose dehydrogenase. <i>Journal of Molecular Evolution</i> , 1998, 46, 432-436.	0.8	19
150	Molecular Bases of Three Characteristic Phenotypes of <i>Pneumococcus</i> : Optochin-Sensitivity, Coumarin-Sensitivity, and Quinolone-Resistance. <i>Microbial Drug Resistance</i> , 1997, 3, 177-193.	0.9	15
151	A Functional Analysis of the <i>Streptococcus pneumoniae</i> Genes Involved in the Synthesis of Type 1 and Type 3 Capsular Polysaccharides. <i>Microbial Drug Resistance</i> , 1997, 3, 73-88.	0.9	25
152	Molecular organization of the genes required for the synthesis of type 1 capsular polysaccharide of <i>Streptococcus pneumoniae</i> : formation of binary encapsulated pneumococci and identification of cryptic dTDP- ϵ -rhamnose biosynthesis genes. <i>Molecular Microbiology</i> , 1997, 25, 79-92.	1.2	94
153	β -Lactam Antibiotic Resistance in Gram-Positive Bacterial Pathogens of the Upper Respiratory Tract: A Brief Overview of Mechanisms. <i>Microbial Drug Resistance</i> , 1995, 1, 103-109.	0.9	34
154	Molecular basis of the optochin-sensitive phenotype of pneumococcus: characterization of the genes encoding the F ₀ complex of the <i>Streptococcus pneumoniae</i> <i>Streptococcus oralis</i> H ⁺ -ATPases. <i>Molecular Microbiology</i> , 1994, 12, 587-598.	1.2	71
155	Extremely High Incidence of Antibiotic Resistance in Clinical Isolates of <i>Streptococcus pneumoniae</i> in Hungary. <i>Journal of Infectious Diseases</i> , 1991, 163, 542-548.	1.9	281
156	Identification of atypical strains of <i>Streptococcus pneumoniae</i> by a specific DNA probe. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1990, 9, 396-401.	1.3	43
157	Optochin-resistant variants of <i>Streptococcus pneumoniae</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 1990, 13, 63-66.	0.8	39