

Else C Vellinga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9178327/publications.pdf>

Version: 2024-02-01

23
papers

959
citations

759233

12
h-index

642732

23
g-index

23
all docs

23
docs citations

23
times ranked

1171
citing authors

#	ARTICLE	IF	CITATIONS
1	Description of Lepiotaceous Fungal Species of the Genera Chlorophyllum, Clarkeinda, Macrolepiota, Pseudolepiota, and Xanthagaricus, from Laos and Thailand. Diversity, 2021, 13, 666.	1.7	3
2	(2749) Proposal to conserve <i>Chlorophyllum</i> nom. cons. against the additional name <i>Secotium</i> (<i>Agaricaceae</i>). Taxon, 2020, 69, 819-820.	0.7	1
3	<p>Lepiota condylospora, a new species with nodulose spores in section Lilaceae from northern Thailand</p>. Phytotaxa, 2020, 455, 61-69.	0.3	2
4	Survey of corticioid fungi in North American pinaceous forests reveals hyperdiversity, underpopulated sequence databases, and species that are potentially ectomycorrhizal. Mycologia, 2017, 109, 115-127.	1.9	31
5	Phylogenetic assessment of global Suillus ITS sequences supports morphologically defined species and reveals synonymous and undescribed taxa. Mycologia, 2016, 108, 1216-1228.	1.9	22
6	Lepiota albogranulosa sp.nov. (Agaricales, Agaricaceae) from Lahore, Pakistan. Mycological Progress, 2015, 14, 1.	1.4	12
7	Lepiota coloratipes, a new species for Lepiota rufipes ss. Auct. europ. non ss. orig.. Mycological Progress, 2014, 13, 171-179.	1.4	7
8	Three new species of Lentinus from northern Thailand. Mycological Progress, 2011, 10, 389-398.	1.4	26
9	The genus Macrolepiota (Agaricaceae, Basidiomycota) in China. Fungal Diversity, 2010, 45, 81-98.	12.3	36
10	Making a case for the original spelling of an epithet: 'Correction' of the original spelling of <i>Agaricus rachodes</i> to <i>Agaricus rhacodes</i> (<i>Basidiomycota</i>) is unjustified. Taxon, 2010, 59, 623-627.	0.7	1
11	(1927) Proposal to conserve the name Agaricus rachodes (Basidiomycota) with that spelling. Taxon, 2010, 59, 644-644.	0.7	3
12	<i>Lepiota</i> in California: species with a hymeniform pileus covering. Mycologia, 2010, 102, 664-674.	1.9	19
13	<i>Leucoagaricus decipiens</i> and <i>La. erythrophaeus</i>, a new species pair in sect. <i>Piloselli</i>. Mycologia, 2010, 102, 447-454.	1.9	11
14	<i>Pseudobaeospora aphana</i>, a new species from California. Mycologia, 2009, 101, 243-246.	1.9	4
15	Global patterns of ectomycorrhizal introductions. New Phytologist, 2009, 181, 960-973.	7.3	173
16	Taxonomy of displaced species of Tubaria. Mycologia, 2007, 99, 569-585.	1.9	12
17	Major clades of Agaricales: a multilocus phylogenetic overview. Mycologia, 2006, 98, 982-995.	1.9	268
18	Last Chance to Know? Using Literature to Explore the Biogeography and Invasion Biology of the Death Cap Mushroom Amanita phalloides (Vaill. ex Fr. :Fr.) Link. Biological Invasions, 2006, 8, 1131-1144.	2.4	51

#	ARTICLE	IF	CITATIONS
19	Genera in the family Agaricaceae: evidence from nrITS and nrLSU sequences. <i>Mycological Research</i> , 2004, 108, 354-377.	2.5	124
20	Phylogeny of <i>Lepiota</i> (Agaricaceae) – Evidence from nrITS and nrLSU sequences. <i>Mycological Progress</i> , 2003, 2, 305-322.	1.4	58
21	Phylogeny and taxonomy of <i>Macrolepiota</i> (Agaricaceae). <i>Mycologia</i> , 2003, 95, 442-456.	1.9	70
22	Phylogeny and taxonomy of <i>Macrolepiota</i> (Agaricaceae). <i>Mycologia</i> , 2003, 95, 442-56.	1.9	12
23	(1539) Proposal to conserve the name <i>Chlorophyllum</i> Masee against <i>Endoptychum</i> Czern. (Agaricaceae) Tj ETQq1,1,0.784314 rgBT	0.7	13