
Gisli H Sigurdsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9178727/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of intensive upright mobilisation on outcomes of mechanically ventilated patients in the intensive care unit: a randomised controlled trial with 12-months follow-up. European Journal of Physiotherapy, 2021, 23, 68-78.	0.7	9
2	Sequence variants in malignant hyperthermia genes in Iceland: classification and actionable findings in a population database. European Journal of Human Genetics, 2021, 29, 1819-1824.	1.4	4
3	Longâ€ŧerm survival after intensive care: A retrospective cohort study. Acta Anaesthesiologica Scandinavica, 2020, 64, 75-84.	0.7	4
4	Predictive variables for poor longâ€ŧerm physical recovery after intensive care unit stay: An exploratory study. Acta Anaesthesiologica Scandinavica, 2020, 64, 1477-1490.	0.7	2
5	A retrospective cohort study on the association between elevated preoperative red cell distribution width and all-cause mortality after noncardiac surgery. British Journal of Anaesthesia, 2020, 124, 718-725.	1.5	11
6	Postoperative Acute Kidney Injury: Focus on Renal Recovery Definitions, Kidney Disease Progression and Survival. American Journal of Nephrology, 2019, 49, 175-185.	1.4	13
7	Association Between Preoperative Opioid and Benzodiazepine Prescription Patterns and Mortality After Noncardiac Surgery. JAMA Surgery, 2019, 154, e191652.	2.2	35
8	Physical Therapists' Clinical Reasoning and Decision-Making Processes When Mobilizing Patients Who Are Critically Ill: A Qualitative Study. Cardiopulmonary Physical Therapy Journal, 2018, 29, 13-25.	0.2	8
9	Structured nurseâ€led followâ€up for patients after discharge from the intensive care unit: Prospective quasiâ€experimental study. Journal of Advanced Nursing, 2018, 74, 709-723.	1.5	8
10	Prospective study on longâ€ŧerm outcome after abdominal surgery. Acta Anaesthesiologica Scandinavica, 2018, 62, 147-158.	0.7	2
11	Psychological recovery after intensive care: Outcomes of a long-term quasi-experimental study of structured nurse-led follow-up. Intensive and Critical Care Nursing, 2018, 44, 59-66.	1.4	24
12	Acute kidney injury following coronary angiography: a nationwide study of incidence, risk factors and long-term outcomes. Journal of Nephrology, 2018, 31, 721-730.	0.9	19
13	Severe vitamin D deficiency is common in critically ill patients at a high northern latitude. Acta Anaesthesiologica Scandinavica, 2016, 60, 1289-1296.	0.7	7
14	Improved longâ€ŧerm survival and renal recovery after acute kidney injury in hospitalized patients: A 20 year experience. Nephrology, 2016, 21, 1027-1033.	0.7	18
15	Intravenous fluid management in critically ill patients: for everybody or for a dedicated team?. Acta Anaesthesiologica Scandinavica, 2016, 60, 831-831.	0.7	1
16	The importance of recovery of renal function following acute kidney injury after <scp>CABG</scp> . Acta Anaesthesiologica Scandinavica, 2016, 60, 1483-1483.	0.7	0
17	Fluid management in the critically ill: science or invention?. Acta Anaesthesiologica Scandinavica, 2016, 60, 142-143.	0.7	2
18	Renal recovery and longâ€ŧerm survival following acute kidney injury after coronary artery surgery: a nationwide study. Acta Anaesthesiologica Scandinavica, 2016, 60, 1230-1240	0.7	29

GISLI H SIGURDSSON

#	Article	IF	CITATIONS
19	Prediction of survival in patients suspected of disseminated intravascular coagulation. Acta Anaesthesiologica Scandinavica, 2015, 59, 870-880.	0.7	10
20	Point prevalence of surgical checklist use in Europe: relationship with hospital mortality. British Journal of Anaesthesia, 2015, 114, 801-807.	1.5	35
21	Quality Pain Management Practices in a University Hospital. Pain Management Nursing, 2015, 16, 198-210.	0.4	12
22	Acute respiratory distress syndrome: nationwide changes in incidence, treatment and mortality over 23 years. Acta Anaesthesiologica Scandinavica, 2013, 57, 37-45.	0.7	86
23	Acute kidney injury in intensive care units according to <scp>RIFLE</scp> classification: a populationâ€based study. Acta Anaesthesiologica Scandinavica, 2012, 56, 1291-1297.	0.7	13
24	Epidural pain management after open lateral thoracotomy: Female patients have better pain relief and need smaller amounts of analgesics than males. Scandinavian Journal of Pain, 2012, 3, 108-111.	0.5	3
25	Severe sepsis and septic shock: a prospective population-based study in Icelandic intensive care units. Acta Anaesthesiologica Scandinavica, 2011, 55, 722-731.	0.7	18
26	Anesthesiologists Should Be Familiar with the Management of Victims of Terrorist Attacks. Anesthesia and Analgesia, 2004, 98, 1743-1745.	1.1	5
27	Multiple organ platelet sequestration, hemodynamics, and gas exchange in endotoxin shock and the effects of aspirin-terbutaline treatment. American Journal of Physiologic Imaging, 1992, 7, 66-72.	0.1	3
28	Use of indium-111 oxine to study pulmonary and hepatic leukocyte sequestration in endotoxin shock and effects of the beta-2 receptor agonist terbutaline. American Journal of Physiologic Imaging, 1989, 4, 136-42.	0.1	10
29	Effects of the beta-2 receptor agonist terbutaline on hemodynamics and gas-exchange in endotoxin shock. Acta Chirurgica Scandinavica, 1989, 155, 369-75.	0.2	6
30	Influence of aspirin and steroids on acute lung injury after i.v. Injection of a sclerosing agent. Acta Chirurgica Scandinavica, 1989, 155, 163-70.	0.2	11
31	Influence of terbutaline on endotoxin-induced lung injury. Circulatory Shock, 1988, 25, 153-63.	0.6	13
32	Terbutaline increases survival after endotoxin shock. A comparative study of methyl prednisolone, isoprenaline and terbutaline in rats. Microcirculation, Endothelium, and Lymphatics, 1986, 3, 231-40.	0.0	1