

Zhi-Qiang Zhang, Frsnz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9178798/zhi-qiang-zhang-frsnz-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

234
papers

2,750
citations

22
h-index

43
g-index

313
ext. papers

3,211
ext. citations

1.1
avg, IF

6.14
L-index

#	Paper	IF	Citations
234	Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 1-82	0.5	282
233	Biodiversity data should be published, cited, and peer reviewed. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 454-61	10.9	157
232	Animal biodiversity: An introduction to higher-level classification and taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 7	0.5	144
231	Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness (COVER). <i>Zootaxa</i> , 2011 , 3148, 1	0.5	121
230	Taxonomy based on science is necessary for global conservation. <i>PLoS Biology</i> , 2018 , 16, e2005075	9.7	93
229	Repositories for mite and tick specimens: acronyms and their nomenclature. <i>Systematic and Applied Acarology</i> , 2018 , 23, 2432	0.8	70
228	Relative Toxicity of Abamectin to the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) and Twospotted Spider Mite (Acari: Tetranychidae). <i>Journal of Economic Entomology</i> , 1990 , 83, 1783-1790 ²	2.2	67
227	Animal biodiversity: An update of classification and diversity in 2013. In: Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 5	0.5	65
226	When the cure kills-CBD limits biodiversity research. <i>Science</i> , 2018 , 360, 1405-1406	33.3	63
225	Phylum Athropoda. In: Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 17	0.5	56
224	Order Trombidiformes Reuter, 1909. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 129	0.5	52
223	Phylum Arthropoda von Siebold, 1848 In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 99	0.5	49
222	Review Biology and ecology of trombidiid mites (Acari: Trombidioidea) 1998 , 22, 139-155		40
221	The making of a mega-journal in taxonomy. <i>Zootaxa</i> , 2006 , 1385, 67-68	0.5	36
220	Plant-feeding and non-plant feeding phytoseiids: differences in behavior and cheliceral morphology. <i>Experimental and Applied Acarology</i> , 2012 , 58, 341-57	2.1	32
219	Describing unexplored biodiversity: Zootaxa in the International Year of Biodiversity. <i>Zootaxa</i> , 2011 , 2768, 1	0.5	29
218	Principles for creating a single authoritative list of the world's species. <i>PLoS Biology</i> , 2020 , 18, e30007369.7		28

217	Interspecific competition and predation between immature <i>Amblyseius fallacis</i> , <i>Amblyseius andersoni</i> , <i>Typhlodromus occidentalis</i> and <i>Typhlodromus pyri</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1995 , 19, 247-257	2.1	27
216	<i>Euseiusfinlandicus</i> (Acari: Phytoseiidae) as a potential biocontrol agent against <i>Tetranychus urticae</i> (Acari: Tetranychidae): life history and feeding habits on three different types of food. <i>Experimental and Applied Acarology</i> , 2001 , 25, 833-47	2.1	26
215	Using adult female morphological characters for differentiating <i>Tetranychus urticae</i> complex (Acari: Tetranychidae) from greenhouse tomato crops in UK. <i>Systematic and Applied Acarology</i> , 2000 , 5, 69	0.8	25
214	Spatial scale of aggregation in three acarine predator species with different degrees of polyphagy. <i>Oecologia</i> , 1993 , 96, 24-31	2.9	25
213	From taxonomic literature to cybertaxonomic content. <i>BMC Biology</i> , 2012 , 10, 87	7.3	23
212	Twospotted Spider Mite (Acari: Tetranychidae) and <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) on Greenhouse Roses: Spatial Distribution and Predator Efficacy. <i>Journal of Economic Entomology</i> , 1995 , 88, 352-357	2.2	22
211	New <i>Erythraeus</i> larvae (Acari: Erythraeidae) ectoparasitic on Aphidoidea (Homoptera) and Anthocoridae (Heteroptera). <i>Systematic and Applied Acarology</i> , 1998 , 3, 149	0.8	22
210	Distribution and damage of recent invasive eriophyoid mites (Acari: Eriophyoidea) in mainland China. <i>International Journal of Acarology</i> , 2006 , 32, 227-240	0.6	21
209	Short-Distance Location of Spider Mite Colonies by Three Predatory Mites (Acari: Tetranychidae, Phytoseiidae): Predator Responses to Prey- and Predator- Associated Stimuli. <i>Environmental Entomology</i> , 1992 , 21, 799-807	2.1	21
208	Biology of <i>Allothrombium pulvinum</i> (Acariformes: Trombidiidae), a potential biological control agent of aphids in China. <i>Experimental and Applied Acarology</i> , 1989 , 6, 101-108	2.1	20
207	Development, survival and reproduction of a New Zealand strain of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae) on <i>Typha orientalis</i> pollen, <i>Ephestia kuehniella</i> eggs, and an artificial diet. <i>International Journal of Acarology</i> , 2017 , 43, 153-159	0.6	19
206	Accelerating biodiversity descriptions and transforming taxonomic publishing: the first decade of Zootaxa. <i>Zootaxa</i> , 2011 , 2896, 1	0.5	19
205	Intraspecific competition in immature <i>Amblyseius fallacis</i> , <i>Amblyseius andersoni</i> , <i>Typhlodromus occidentalis</i> and <i>Typhlodromus pyri</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1995 , 19, 65-77	2.1	18
204	Review of larval <i>Allothrombium</i> (Acari: Trombidoidea), with description of a new species ectoparasitic on aphids in China. <i>Journal of Natural History</i> , 1992 , 26, 383-393	0.5	18
203	Foraging time and spatial patterns of predation in experimental populations : A comparative study of three mite predator-prey systems (Acari: Phytoseiidae, Tetranychidae). <i>Oecologia</i> , 1992 , 90, 185-196	2.9	18
202	The natural enemies of <i>Aphis gossypii</i> Glover (Hom., Aphididae) in China. <i>Journal of Applied Entomology</i> , 1992 , 114, 251-262	1.7	18
201	<i>Abrolophus</i> and <i>Grandjeanella</i> larvae (Acari: Erythraeidae) ectoparasitic on thrips (Thysanoptera: Thripidae). <i>Systematic and Applied Acarology</i> , 1996 , 1, 127	0.8	18
200	Systematics and generic relationships of the mites in the subfamily Diptilomiopinae (Acari: Eriophyoidea: Diptilomiopidae). <i>Systematic Entomology</i> , 1997 , 22, 313-331	3.4	17

199	Parasitism of <i>Acyrtosiphon pisum</i> by <i>Allothrombium pulvinum</i> (Acariformes: Trombidiidae): Host attachment site, host size selection, superparasitism and effect on host. <i>Experimental and Applied Acarology</i> , 1991 , 11, 137-147	2.1	17
198	Prey preference and reproduction of predatory mites, <i>Amblybromalus limonicus</i> and <i>Neoseiulus cucumeris</i> , on eggs and 1st instar nymphs of the tomato/potato psyllid. <i>International Journal of Acarology</i> , 2017 , 43, 468-474	0.6	16
197	Two new species of <i>Austrophthiracarus</i> (Acari: Oribatida: phthiracaridae) from New Zealand. <i>Zootaxa</i> , 2013 , 3682, 385-91	0.5	16
196	Dispersion, Sampling, and Potential for Integrated Control of Twospotted Spider Mite (Acari: Tetranychidae) on Greenhouse Roses. <i>Journal of Economic Entomology</i> , 1995 , 88, 343-351	2.2	16
195	Biology of <i>Allothrombium pulvinum</i> Ewing (Acari, Trombidiidae) and its impact on twospotted spider mite (Acari, Tetranychidae) in cotton fields. <i>Journal of Applied Entomology</i> , 1991 , 112, 31-37	1.7	16
194	Functional and numerical responses of <i>Amblydromalus limonicus</i> and <i>Neoseiulus cucumeris</i> to eggs and first instar nymph of tomato/potato psyllid (<i>Bactericera cockerelli</i>) <i>Systematic and Applied Acarology</i> , 2017 , 22, 1476	0.8	15
193	<i>Amblydromalus limonicus</i> : a new association of predatory mite against an invasive psyllid (<i>Bactericera cockerelli</i>) in New Zealand. <i>Systematic and Applied Acarology</i> , 2015 , 20, 375	0.8	15
192	Comments on the identity of <i>Neoseiulus californicus</i> sensu lato (Acari: Phytoseiidae) with a redescription of this species from southern China. <i>Systematic and Applied Acarology</i> , 2013 , 18, 329	0.8	14
191	A new species and a new record of ectoparasitic mites from thrips in Turkey (Acari: Trombidiidae and Erythraeidae). <i>Systematic Parasitology</i> , 2000 , 45, 75-80	1	14
190	Some factors affecting the development, survival and prey consumption of <i>Neoseiulus cucumeris</i> (Acari: Phytoseiidae) feeding on <i>Tetranychus urticae</i> eggs (Acari: Tetranychidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 555	0.8	13
189	The genus <i>Notophthiracarus</i> of New Zealand (Acari: Oribatida: Phthiracaridae): three new species and a key to 24 described species. <i>Zootaxa</i> , 2013 , 3682, 392-400	0.5	12
188	Patterns, mechanisms and spatial scale of aggregation in generalist and specialist predatory mites (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1997 , 21, 393-404	2.1	12
187	Overdispersion of <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae) parasitic on <i>Aphis gossypii</i> (Homoptera: Aphididae) in cotton fields. <i>Ecological Entomology</i> , 1993 , 18, 379-384	2.1	12
186	Behavioral responses to prey density by three acarine predator species with different degrees of polyphagy. <i>Oecologia</i> , 1993 , 96, 147-156	2.9	12
185	<i>Prolixus</i> (Acari: Trombidiformes: Tenuipalpidae) newly recorded from New Zealand: A new species from Cyperaceae and its ontogenetic patterns in chaetotaxy. <i>Zootaxa</i> , 2014 , 3900, 1-20	0.5	11
184	A new international journal for rapid publication of botanical taxonomy. <i>Phytotaxa</i> , 2009 , 1, 1	0.7	11
183	A review of Schizotetranychus-like mites (Acari: Tetranychidae) from New Zealand. <i>Journal of the Royal Society of New Zealand</i> , 2001 , 31, 307-325	2	11
182	Neothrombiidae (Acari: Trombidioroea) of the World: Systematic review with a phylogenetic analysis and descriptions of two new genera. <i>Oriental Insects</i> , 1994 , 28, 205-237	0.3	11

181	Walking, feeding and intraspecific interaction of larvae of <i>Metaseiulus occidentalis</i> , <i>Typhlodromus pyri</i> , <i>Neoseiulus fallacis</i> and <i>Amblyseius andersoni</i> held with and without eggs of <i>Tetranychus urticae</i> . <i>Experimental and Applied Acarology</i> , 1994 , 18, 567-580	2.1	11
180	Responses of ragwort flea beetle <i>Longitarsus jacobaeae</i> (Coleoptera: Chrysomelidae) to signals from host plants. <i>Bulletin of Entomological Research</i> , 1995 , 85, 437-444	1.7	11
179	Redescription of <i>Austrotritia lebronneci</i> (Oribotritiidae) and descriptions of two new species of Euphthiracaridae (Acari, Oribatida) from Australian Region. <i>International Journal of Acarology</i> , 2014 , 40, 43-51	0.6	10
178	Can exotic phytoseiids be considered 'benevolent invaders' in perennial cropping systems?. <i>Experimental and Applied Acarology</i> , 2013 , 59, 11-26	2.1	10
177	Recommendations about nomenclature for papers submitted to Zootaxa. <i>Zootaxa</i> , 2011 , 2943, 58	0.5	10
176	Two new species of <i>Pyemotes</i> closely related to <i>P. tritici</i> (Acari: Pyemotidae). <i>Zootaxa</i> , 2010 , 2723, 1	0.5	10
175	Contributing to the progress of descriptive taxonomy. <i>Zootaxa</i> , 2008 , 1968, 65-68	0.5	10
174	Eriophyoid mites (Acari: Prostigmata) in Southeast Asia: a synopsis of 104 genera, with an illustrated key to genera and checklist of species. <i>Zootaxa</i> , 2009 , 2257, 1-128	0.5	10
173	An unusual early-derivative larva of <i>Parasitengona</i> (Acari: Prostigmata) and proposal of a new superfamily. <i>Systematic and Applied Acarology</i> , 1998 , 3, 159	0.8	10
172	Biology of <i>Schizotetranychus nanjingensis</i> (Acari: Tetranychidae) with reference to effects of temperature on and importance of nests to its survival and development. <i>Systematic and Applied Acarology</i> , 1999 , 4, 75	0.8	10
171	Biology of <i>Allothrombium pulvinum</i> Ewing (Acari: Trombidiidae) in West Mazandran, Iran. <i>Experimental and Applied Acarology</i> , 1996 , 20, 137-142	2.1	10
170	Hunger and age effects on searching behavior of three species of predatory mites (Acari: Phytoseiidae). <i>Canadian Journal of Zoology</i> , 1993 , 71, 1997-2004	1.5	10
169	Review of the systematics and biology of the Otopheidomenidae (Acari: Mesostigmata) with a description of <i>Eickwortius</i> gen.n. from a termite (Isoptera: Termitidae). <i>Systematic Entomology</i> , 1995 , 20, 239-246	3.4	10
168	Functional response of <i>Allothrombium pulvinum</i> deutonymphs (Acari: Trombidiidae) on two-spotted spider mites (Acari: Tetranychidae). <i>Experimental and Applied Acarology</i> , 1992 , 15, 249-257	2.1	10
167	Assessing the augmentation of <i>Amblydromalus limonicus</i> with the supplementation of pollen, thread, and substrates to combat greenhouse whitefly populations. <i>Scientific Reports</i> , 2018 , 8, 12189	4.9	10
166	Review of the genus <i>Austrophthiracarus</i> (Acari, Oribatida, Phthiracaridae) with a description of a new species from Australia, a key to known species of the Australian Region and a world checklist. <i>International Journal of Acarology</i> , 2016 , 42, 41-55	0.6	9
165	Three new species of the genus <i>Austrophthiracarus</i> from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Zootaxa</i> , 2014 , 3780, 585-93	0.5	9
164	Hotspots of new species discovery: new mite species described during 2007 to 2012. <i>Zootaxa</i> , 2013 , 3663, 1-102	0.5	9

163	Population dynamics of phytophagous and predatory mites (Acari: Tetranychidae, Eriophyidae, Phytoseiidae) on bamboo plants in Fujian, China. <i>Experimental and Applied Acarology</i> , 2001 , 25, 383-91	2.1	9
162	Variance and covariance of ovipositional rates and developmental rates in the Phytoseiidae (Acari: Mesostigmata): a phylogenetic consideration. <i>Experimental and Applied Acarology</i> , 1995 , 19, 139-146	2.1	9
161	A cladistic analysis of Trombidiidae (Acari: Parasitengona): congruence of larval and adult character sets. <i>Canadian Journal of Zoology</i> , 1995 , 73, 96-103	1.5	9
160	Parasitism of aphids (Homoptera: Aphididae) by larvae of <i>Allothrombium pulvinum</i> (Acari: Trombidiidae): Host species selection, host size selection, and superparasitism. <i>Systematic and Applied Acarology</i> , 1996 , 1, 55	0.8	9
159	New Zealand Austrophthiracarus (Acari: Oribatida: Phthiracaridae): three new species from North Island and offshore islands. <i>Systematic and Applied Acarology</i> , 2015 , 20, 263	0.8	9
158	A novel use of predatory mites for dissemination of fungal pathogen for insect biocontrol: The case of <i>Amblyseius swirskii</i> and <i>Neoseiulus cucumeris</i> (Phytoseiidae) as vectors of <i>Beauveria bassiana</i> against <i>Diaphorina citri</i> (Psyllidae). <i>Systematic and Applied Acarology</i> , 2015 , 20, 177	0.8	8
157	New Zealand Tenuipalpidae (Acari: Trombidiformes): A new species of <i>Acaricis</i> from Cyperaceae and its ontogenetic patterns in chaetotaxy. <i>Systematic and Applied Acarology</i> , 2013 , 18, 357	0.8	8
156	New Zealand species of <i>Oribotritia</i> (Acari: Oribatida: Oribotritiidae): descriptions of two new species and a key to eight species. <i>Systematic and Applied Acarology</i> , 2013 , 18, 153	0.8	8
155	Notes on larvae of <i>Allothrombium</i> (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasitic on aphids (Homoptera: Aphididae). <i>Systematic and Applied Acarology</i> , 1997 , 2, 219	0.8	8
154	First record of larval <i>Grandjeanella</i> (Acari: Erythraeidae) from Heteroptera and description of a new species from Spain. <i>Systematic and Applied Acarology</i> , 1997 , 2, 231	0.8	8
153	Effects of mating rates on oviposition, sex ratio and longevity in a predatory mite <i>Neoseiulus cucumeris</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 2007 , 43, 171-80	2.1	8
152	<i>Wetapolipus jamiesoni</i> gen. nov., spec. nov. (Acari: Podapolipidae), an ectoparasite of the mountain stone weta, <i>Hemideina maori</i> (Orthoptera: Anostostomatidae) from New Zealand. <i>Zootaxa</i> , 2002 , 125, 1	0.5	8
151	Arrestment response of the predatory mite <i>Amblyseius longispinosus</i> to <i>Schizotetranychus nanjingensis</i> webnets on bamboo leaves (Acari: Phytoseiidae, Tetranychidae). <i>Experimental and Applied Acarology</i> , 2000 , 24, 227-33	2.1	8
150	Parasitism of <i>Aphis gossypii</i> (Homoptera: Aphididae) by <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae) in cotton fields: spatial dispersion and density dependence. <i>Experimental and Applied Acarology</i> , 1993 , 17, 905-912	2.1	8
149	<i>Neocypholaelaps novaehollandiae</i> Evans (Acari: Ameroseiidae) rediscovered: experiments on its life history and behaviour. <i>New Zealand Entomologist</i> , 2015 , 38, 126-133	0.3	7
148	Habitat structure and its influence on populations of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1361	0.8	7
147	New Zealand <i>Pneumolaelaps</i> (Acari: Laelapidae): description of a new species, key to species and notes on biology. <i>Systematic and Applied Acarology</i> , 2016 , 21, 119	0.8	7
146	A new genus and species of larval Chyzeriidae (Acari: Prostigmata: Chyzeroidea) from Iran. <i>International Journal of Acarology</i> , 2005 , 31, 51-56	0.6	7

145	Attraction of <i>Longitarsus jacobaeae</i> Males to Cues Associated with Conspecific Females (Coleoptera: Chrysomelidae). <i>Environmental Entomology</i> , 1994 , 23, 732-737	2.1	7
144	Effects of Host Plant Experience on Foraging Behavior of the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae). <i>Annals of the Entomological Society of America</i> , 1992 , 85, 775-783	2	7
143	Phototactic and geotactic responses in <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae). <i>Experimental and Applied Acarology</i> , 1992 , 15, 41-47	2.1	7
142	Notes on the occurrence and distribution of the biocontrol agent, <i>Allothrombium pulvinum</i> Ewing (Acari, Trombidiidae), in a peach orchard in China. <i>Journal of Applied Entomology</i> , 1992 , 113, 13-17	1.7	7
141	Host feeding, damage and control of the mushroom pest, <i>Brennandania lambi</i> (Acari: Pygmephoridae) in China. <i>Experimental and Applied Acarology</i> , 1993 , 17, 233-240	2.1	7
140	A faunistic summary of acarine diversity in New Zealand. <i>Systematic and Applied Acarology</i> , 2003 , 8, 75	0.8	7
139	A novel use of predatory mites for dissemination of fungal pathogen for insect biocontrol: The case of <i>Amblyseius swirskii</i> and <i>Neoseiulus cucumeris</i> (Phytoseiidae) as vectors of <i>Beauveria bassiana</i> against <i>Diaphorina citri</i> (Psyllidae). <i>Systematic and Applied Acarology</i> , 2015 , 20, 177	0.8	7
138	<i>Atropacarus</i> (<i>Atropacarus</i>) <i>niedbalai</i> sp. nov., an extreme case of neotrichy in oribatid mites (Acari: Oribatida: Phthiracaridae). <i>International Journal of Acarology</i> , 2013 , 39, 507-512	0.6	6
137	Eriophyoidea and allies: where do they belong?. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1091	0.8	6
136	Two new peculiar ptyctimous mites (Acari: Oribatida: Phthiracaridae) from the Australian region, with a key to 54 described species of <i>Notophthiracarus</i> Ramsay in Australia. <i>Austral Entomology</i> , 2014 , 53, 159-166	1.1	6
135	Ontogenetic development and redescription of <i>Tribolonychus collyerae</i> (Acari: Tetranychidae). <i>Zootaxa</i> , 2013 , 3721, 301-33	0.5	6
134	A cladistic analysis of the Eriophyoidea (Acari: Prostigmata): tests of monophyly of families. <i>Systematic and Applied Acarology</i> , 1996 , 1, 107	0.8	6
133	A new record of the little known genus <i>Ralphaudyna</i> (Acari: Chyzeriidae) from Iran, with description of a new species. <i>International Journal of Acarology</i> , 1995 , 21, 11-15	0.6	6
132	The genus <i>Neophanolophus</i> (Acari: Smarididae) and description of a new species parasitic on an <i>Erythroneura</i> leafhopper (Hemiptera: Cicadellidae) in India. <i>Oriental Insects</i> , 1995 , 29, 371-379	0.3	6
131	The Adaptive Significance of Superparasitism in a Protelean Parasite, <i>Allothrombium Pulvinum</i> (Acari: Trombidiidae). <i>Oikos</i> , 1992 , 65, 167	4	6
130	Spring populations of <i>Aphis gossypii</i> (Homoptera: Aphididae) in cotton fields: to spray or not to spray?. <i>Agriculture, Ecosystems and Environment</i> , 1991 , 35, 349-351	5.7	6
129	Genomic insights into mite phylogeny, fitness, development, and reproduction. <i>BMC Genomics</i> , 2019 , 20, 954	4.5	6
128	Species names based on photographs: debate closed. <i>Zootaxa</i> , 2017 , 4269, 451-452	0.5	5

127	Development, lifespan and reproduction of spider mites exposed to predator-induced stress across generations. <i>Biogerontology</i> , 2019 , 20, 871-882	4.5	5
126	Provisioning predatory mites with entomopathogenic fungi or pollen improves biological control of a greenhouse psyllid pest. <i>Pest Management Science</i> , 2019 , 75, 3200-3209	4.6	5
125	Predation, prey preference and reproduction of predatory mites <i>Amblydromalus limonicus</i> (Garman), <i>Amblyseius herbicolus</i> (Chant) and <i>Neoseiulus cucumeris</i> (Oudemans) (Mesostigmata: Phytoseiidae) on immature <i>Sericothrips staphylinus</i> Haliday (Thysanoptera: Thripidae), a biocontrol agent of gorse. <i>Systematic and Applied Acarology</i> , 2019 , 24, 508	0.8	5
124	Three new species of the genus <i>Notophthiracarus</i> (Acari: Oribatida: Phthiracaridae), with an updated key to its known species in New Zealand. <i>International Journal of Acarology</i> , 2015 , 41, 232-240	0.6	5
123	Two new species of the family Phthiracaridae (Acari, Oribatida) from New Zealand, including keys to all species of <i>Plonaphacarus</i> and <i>Arphthacarus</i> of the Australian region. <i>International Journal of Acarology</i> , 2015 , 41, 584-589	0.6	5
122	A new species of the genus <i>Sonotetranychus</i> (Acari: Tetranychidae) from New Zealand. <i>Zootaxa</i> , 2013 , 3721, 334-50	0.5	5
121	A new genus of Neothrombiidae (Acari: Trombidioidea) from New Zealand. <i>Systematic and Applied Acarology</i> , 2005 , 10, 155	0.8	5
120	<i>Ramsayella</i> , new genus of Erythraeinae (Acari: Erythraeidae) parasitic on grasshoppers in New Zealand. <i>International Journal of Acarology</i> , 2000 , 26, 33-40	0.6	5
119	Seasonal abundance of <i>Abrolophus neobrevicollis</i> larvae (Acari: Erythraeidae) ectoparasitic on <i>Thrips trehernei</i> (Thysanoptera: Thripidae) in the Basque Country (Spain). <i>Systematic and Applied Acarology</i> , 1998 , 3, 93	0.8	5
118	Blattisociidae of China: a review, with a checklist. <i>Zoosymposia</i> , 2010 , 4, 280-287	0.7	5
117	Revision of raphignathoid mites (Acari: Prostigmata) in the collection of H. Habeeb. <i>Zootaxa</i> , 2004 , 763, 1	0.5	5
116	Can supplementary food (pollen) modulate the functional response of a generalist predatory mite (<i>Neoseiulus cucumeris</i>) to its prey (<i>Tetranychus urticae</i>)?. <i>BioControl</i> , 2020 , 65, 165-174	2.3	5
115	Towards a global list of accepted species III. Independence and stakeholder inclusion. <i>Organisms Diversity and Evolution</i> , 1	1.7	5
114	Towards a global list of accepted species I. Why taxonomists sometimes disagree, and why this matters. <i>Organisms Diversity and Evolution</i> , 1	1.7	5
113	The making of world's largest journal in systematic botany. <i>Phytotaxa</i> , 2014 , 191, 1	0.7	4
112	Age and size at maturity in <i>Tyrophagus curvipenis</i> (Acari: Acaridae) when fed on three different diets. <i>Systematic and Applied Acarology</i> , 2014 , 19, 506	0.8	4
111	Acarological publications in the last 150 years: historical trends and an assessment of current journals. <i>Systematic and Applied Acarology</i> , 2014 , 19, 250	0.8	4
110	Reviving Descriptive Taxonomy after 250 Years 2010 , 95-108		4

109	Linnaeus tercentenary and invertebrate taxonomy: an introduction*. <i>Zootaxa</i> , 2007 , 1668, 7-10	0.5	4
108	Revision of some species of Tyrophagus (Acari: Acaridae) in the Oudemans Collection. <i>Systematic and Applied Acarology</i> , 2007 , 12, 253	0.8	4
107	Redescription of Dolichotetranychus ancistrus Baker & Pritchard (Acari: Tenuipalpidae) from New Zealand. <i>Systematic and Applied Acarology</i> , 2004 , 9, 111	0.8	4
106	New Zealand species of Steneotarsonemus Beer (Acari: Tarsonemidae). <i>Zootaxa</i> , 2005 , 1028, 1	0.5	4
105	The adult and larva of a new species of Podothrombium (Acari: Trombididae) associated with aphids in oregon. <i>International Journal of Acarology</i> , 1995 , 21, 3-9	0.6	4
104	A phylogenetic study of the tribe Cecidophyini Keifer (Acari: Eriophyidae). <i>Oriental Insects</i> , 1996 , 30, 279-300	0.8	4
103	A new host record of Allothrombium triticism larvae (Acari: Trombididae) ectoparasitic on Coccinella septempunctata (Coleoptera: Coccinellidae). <i>Systematic and Applied Acarology</i> , 1996 , 1, 207	0.8	4
102	Terrestrial Parasitengona (except chiggers) of China: a review of progress in systematics and biology, with a checklist of species. <i>Zoosymposia</i> , 2010 , 4, 94-105	0.7	4
101	Lethal and sublethal effects of entomopathogenic fungi on tomato/potato psyllid, Bactericera cockerelli (Uluc) (Hemiptera: Triozidae) in capsicum. <i>Crop Protection</i> , 2020 , 129, 105023	2.7	4
100	Towards a global list of accepted species IV: Overcoming fragmentation in the governance of taxonomic lists. <i>Organisms Diversity and Evolution</i> , 1	1.7	4
99	Phthiracarus species (Acari: Oribatida: Phthiracaridae) from New Zealand, with description of a new species, redescription of Phthiracarus pellucidus and a key to 19 described species from the Australian Region. <i>Journal of Natural History</i> , 2016 , 50, 1463-1472	0.5	4
98	Tri-partite complexity: odour from a psyllid's mutualist ant increased predation by a predatory mite on the psyllid. <i>Pest Management Science</i> , 2019 , 75, 1317-1327	4.6	4
97	Sex-specific response to delayed and repeated mating in spider mite. <i>Bulletin of Entomological Research</i> , 2021 , 111, 49-56	1.7	4
96	A survey of descriptions of immature instars of mites during the last three years. <i>Zootaxa</i> , 2018 , 4540, 211-224	0.5	4
95	Morphological ontogeny of Amblydromalus limonicus (Acari: Phytoseiidae) <i>Systematic and Applied Acarology</i> , 2018 , 23, 1741	0.8	4
94	Development, survival and reproduction of Stratiolaelaps scimitus (Acari: Laelapidae) on four diets <i>Systematic and Applied Acarology</i> , 2018 , 23, 779	0.8	3
93	Three new species of the genus Notophthiracarus from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Systematic and Applied Acarology</i> , 2014 , 19, 189	0.8	3
92	A new era in zoological nomenclature and taxonomy: ICZN accepts e-publication and launches ZooBank. <i>Zootaxa</i> , 2012 , 3450, 8	0.5	3

91	Phytotaxa 100: The rise of a major journal in systematic and taxonomic botany. <i>Phytotaxa</i> , 2013 , 100, 1	0.7	3
90	A new species of Ultratenuipalpus (Acari: Tenuipalpidae) from Cook Islands, with a key to the known species. <i>Zootaxa</i> , 2013 , 3731, 223-33	0.5	3
89	The first five years of Zootaxa. <i>Zootaxa</i> , 2006 , 1111, 68	0.5	3
88	Taxonomic status of Veithia Oudemans, 1941 and redescription of two species described by Oudemans (Acari: Smarididae). <i>Zootaxa</i> , 2003 , 145, 1	0.5	3
87	Taxonomy of Tetranychus ludeni (Acari: Tetranychidae) in New Zealand and its ecology on Sechium edule. <i>New Zealand Entomologist</i> , 2002 , 25, 27-34	0.3	3
86	Biology and ecology of trombidiid mites (Acari: Trombidioidea) 1999 , 277-289		3
85	Notes on Abrolophus neobrevicollis z. and g. and Grandjeanella multisetosa z. and g. (Acari: Erythraeidae) with the seasonal abundance in Mediterranean Spain. <i>International Journal of Acarology</i> , 1999 , 25, 29-36	0.6	3
84	Caloric restriction extends lifespan of mothers at the expense of offspring survival in a predatory mite (Neoseiulus cucumeris). <i>Systematic and Applied Acarology</i> , 2020 , 25, 1948-1962	0.8	3
83	Towards a global list of accepted species V. The devil is in the detail. <i>Organisms Diversity and Evolution</i> , 2021 , 21, 657	1.7	3
82	Paratrombium welbourni sp. nov. (Acari: Trombidiidae), an ectoparasite of aphids (Homoptera: Aphididae) in Spain. <i>Systematic and Applied Acarology</i> , 1997 , 2, 227	0.8	3
81	Description of a new species of Prolixus (Acari: Trombidiformes: Tenuipalpidae) from Austroderia splendens (Poaceae) in New Zealand, with discussion of its ontogenetic patterns in chaetotaxy. <i>Zootaxa</i> , 2018 , 4540, 158-177	0.5	3
80	Megataxa for big science questions in taxonomy. <i>Megataxa</i> , 2020 , 1, 1-3	3.8	2
79	Effects of short-term exposure to low temperature on survival, development and reproduction of banana-associated Oulenziella bakeri (Acari: Winterschmidtidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1078	0.8	2
78	Establishment of Oulenziella gen. nov. for Oulenzia bakeri (Hughes, 1962) (Acari: Winterschmidtidae). <i>Zootaxa</i> , 2015 , 3949, 191-202	0.5	2
77	Two new species of the genus Phrathicarus from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Systematic and Applied Acarology</i> , 2013 , 18, 233	0.8	2
76	Mites of Schizotetranychus (Acari: Tetranychidae) from moso bamboo in Fujian, China. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2
75	Two new species of phthiracarid mites (Acari, Oribatida, Phthiracaridae) from Queensland, Australia. <i>International Journal of Acarology</i> , 2014 , 40, 247-253	0.6	2
74	Potential of Amblyseius cucumeris (Acari: Phytoseiidae) as a biocontrol agent against Schizotetranychus nanjingensis (Acari: Tetranychidae) in Fujian, China. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2

73	Notes on <i>Varroa destructor</i> (Acari: Varroidae) parasitic on honeybees in New Zealand. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 5,		2
72	Causes of mite pest outbreaks in bamboo forests in Fujian, China: analyses of mite damage in monoculture versus polyculture stands. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2
71	A key to <i>Tarsonemus</i> females (Acari: Tarsonemidae) in China and description of a new species intercepted in New Zealand. <i>Systematic and Applied Acarology</i> , 2006 , 11, 181	0.8	2
70	Tetranychidae (Acari: Prostigmata) of Malay Peninsula: checklist, key to genera and species and description of three new species. <i>Systematic and Applied Acarology</i> , 2003 , 8, 149	0.8	2
69	Discovery of <i>Tenuipalponychus</i> (Acari: Tetranychidae) in Malaysia and description of a new species. <i>Zootaxa</i> , 2003 , 231, 1	0.5	2
68	<i>Primagistemus</i> gen. nov. (Acari: Prostigmata: Stigmaeidae). <i>Zootaxa</i> , 2002 , 29, 1	0.5	2
67	Seasonal abundance of <i>Allothrombium monochaetum</i> and <i>Allothrombium pulvinum</i> in Navarra-Nafarroa (northern Spain), with notes on larval host preference and rate of parasitism. <i>Experimental and Applied Acarology</i> , 1999 , 23, 987-93	2.1	2
66	The genus <i>Rhinothrombium</i> (Acari: Tanaupodidae) from China. <i>Oriental Insects</i> , 1993 , 27, 373-377	0.3	2
65	Control of <i>Brennandania lambi</i> (Acari: Pygmephoroidae) by freezing: evaluation of its efficacy and effects on mushroom growth and yield. <i>Experimental and Applied Acarology</i> , 1993 , 17, 531-540	2.1	2
64	Notes on <i>Allothrombium pulvinum</i> (Acari: Trombidiidae), a species new to the fauna of Spain. <i>Systematic and Applied Acarology</i> , 1996 , 1, 209	0.8	2
63	Infestation of <i>Drosophila</i> cultures (Diptera: Drosophilidae) by mites of <i>Proctolaelaps</i> (Acari: Ascidae) and experiments on mite feeding habits. <i>Systematic and Applied Acarology</i> , 1996 , 1, 41	0.8	2
62	Bdelloidea of China: a review of progress on systematics and biology, with a checklist of species. <i>Zoosymposia</i> , 2010 , 4, 42-50	0.7	2
61	Towards a global list of accepted species II. Consequences of inadequate taxonomic list governance. <i>Organisms Diversity and Evolution</i> , 2021 , 21, 623	1.7	2
60	Descriptions of the larva, deutonymph and adult of <i>Trombidium southcotti</i> sp. nov. (Acari: Trombidiidae) from Iran. <i>Systematic and Applied Acarology</i> , 1996 , 1, 157	0.8	2
59	Twenty years of Dipterology through the pages of <i>Zootaxa</i> . <i>Zootaxa</i> , 2021 , 4979, 166189	0.5	2
58	Contributions of <i>Zootaxa</i> to biodiversity discovery: an overview of the first twenty years. <i>Zootaxa</i> , 2021 , 4979, 616	0.5	2
57	Discovering and documenting Acari: the first twenty years in <i>Zootaxa</i> . <i>Zootaxa</i> , 2021 , 4979, 115130	0.5	2
56	Hotspots of mite new species discovery: Sarcoptiformes (2013-2015). <i>Zootaxa</i> , 2016 , 4208, zootaxa.4208.2.1	2.1	2

55	Ontogeny and morphological diversity in immature mites (Part II) [Cover & Copyright page]. <i>Zootaxa</i> , 2019 , 4717, zootaxa.4717.1.1	0.5	2
54	Immature development and survival of <i>Neoseiulus cucumeris</i> (Oudemans) (Acari: Phytoseiidae) on eggs of <i>Tyrophagus curvipenis</i> (Fain & Fauvel) (Acari: Acaridae). <i>Acarologia</i> , 2021 , 61, 84-93	0.7	2
53	Ontogeny and morphological diversity in immature mites (Part I) [Cover & Copyright page]. <i>Zootaxa</i> , 2018 , 4540, 1	0.5	2
52	Accelerating studies on the ontogeny and morphological diversity in immature mites. <i>Zootaxa</i> , 2018 , 4540, 5-6	0.5	2
51	Does size matter? Fecundity and longevity of spider mites (<i>Tetranychus urticae</i>) in relation to mating and food availability. <i>Systematic and Applied Acarology</i> , 2018 , 23, 1796	0.8	2
50	New Zealand <i>Austrophthiracarus</i> (Acari, Oribatida, Steganacaridae): two new species from the North Island. <i>Zootaxa</i> , 2018 , 4500, 443-450	0.5	2
49	Population development of the predatory mite <i>Amblydromalus limonicus</i> is modulated by habitat dispersion, diet and density of conspecifics. <i>Experimental and Applied Acarology</i> , 2018 , 76, 109-121	2.1	2
48	Amblyseiinae of New Zealand (Acari: Phytoseiidae): redescrptions, rediscoveries, new records, new combinations and keys to species. <i>Zootaxa</i> , 2019 , 4658, zootaxa.4658.2.1	0.5	1
47	<i>Hoplophthiracarus sidorchukae</i> sp. nov. (Acari, Oribatida, Phthiracaridae) from the North Island, New Zealand. <i>Zootaxa</i> , 2019 , 4647, zootaxa.4647.1.15	0.5	1
46	Influence of pathogenic fungi on the life history and predation rate of mites attacking a psyllid pest. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 183, 109585	7	1
45	Ontogenetic changes in the morphology of <i>Phytoseius leaki</i> Schicha, 1977 (Acari: Phytoseiidae). <i>International Journal of Acarology</i> , 2019 , 45, 56-68	0.6	1
44	New Zealand Pyemotes (Trombidiformes: Pyemotidae). <i>Systematic and Applied Acarology</i> , 2019 , 24, 1014-1047	1.047	1
43	The sex- and duration-dependent effects of intermittent fasting on lifespan and reproduction of spider mite. <i>Frontiers in Zoology</i> , 2019 , 16, 10	2.8	1
42	Identification of <i>Aceria genistae</i> species complex (Acari: Eriophyidae) from broom, gorse and related plants (Fabaceae: Genisteae) in western US and a new record of <i>Aculops hussongi</i> . <i>Systematic and Applied Acarology</i> , 2016 , 21, 1525	0.8	1
41	Recognizing high impact in acarological research. <i>Systematic and Applied Acarology</i> , 2018 , 23, 1494	0.8	1
40	Phytotaxa ten years on the success of the foremost journal in botanical and mycological taxonomy. <i>Phytotaxa</i> , 2019 , 423, 1-9	0.7	1
39	<i>Tenuipalpus mansoniculus</i> (Acari: Tenuipalpidae) of Australia: redescription of the holotype. <i>Systematic and Applied Acarology</i> , 2014 , 19, 322	0.8	1
38	Correct identification and biosecurity decision-making: Two species instead of one in <i>Aceria genistae</i> complex (Acari: Eriophyidae) in New Zealand. <i>Systematic and Applied Acarology</i> , 2015 , 30, 71	0.8	1

37	Tuckerella japonica (Acari: Tuckerellidae) in China and New Zealand: new data and an alternative hypothesis for its route of invasion. <i>Systematic and Applied Acarology</i> , 2013 , 18, 99	0.8	1
36	Proposed amendment of Articles 8, 9, 10, 21 and 78 of the International Code of Zoological Nomenclature to expand and refine methods of publication. <i>Zoological Journal of the Linnean Society</i> , 2008 , 154, 848-855	2.4	1
35	New Zealand Eriophyoidea (Acari: Prostigmata): an update with descriptions of one new genus and six new species. <i>Zootaxa</i> , 2008 , 1962, 1-32	0.5	1
34	Sex dimorphism of life-history traits and their response to environmental factors in spider mites. <i>Experimental and Applied Acarology</i> , 2021 , 84, 497-527	2.1	1
33	Hotspots of mite new species discovery: Parasitiformes (2013-2015). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1693	0.8	1
32	An assemblage of predatory mites (Phytoseiidae) associated with a potential biocontrol agent (Cecidophyes rouhollahi; Eriophyidae) for weed Galium spurium (Rubiaceae). <i>Systematic and Applied Acarology</i> , 2018 , 23, 2082	0.8	1
31	A new genus and three new species of eriophyoid mites from New Zealand Coprosma (Rubiaceae). <i>Zootaxa</i> , 2019 , 4550, 101-114	0.5	0
30	Responses of Tyrophagus putrescentiae (Acaride) to odour associated with its predator Neoseiulus cucumeris (Phytoseiidae) □ <i>Systematic and Applied Acarology</i> , 2018 , 23, 401	0.8	0
29	Continued growth of Systematic and Applied Acarology, and hot spots and shelf life of new species in 2013. <i>Systematic and Applied Acarology</i> , 2014 , 19, 110	0.8	0
28	Case 3780 □ Typhlodromus californicus McGregor, 1954 (currently Neoseiulus californicus; Arachnida, Acari, Mesostigmata, Phytoseiidae): proposed conservation of current usage by designation of a neotype. <i>Bulletin of Zoological Nomenclature</i> , 2019 , 76, 103	0.2	0
27	Functional response of Amblyseius herbicolus (Acari: Phytoseiidae) on Sericothrips staphylinus (Thysanoptera: Thripidae), an ineffective biocontrol agent of gorse. <i>Biological Control</i> , 2021 , 152, 104468	3.8	0
26	Suitability of pollen as an alternative food source for different developmental stages of Amblyseius herbicolus (Chant) (Acari: Phytoseiidae) to facilitate predation on whitefly eggs. <i>Acarologia</i> , 2021 , 61, 790-801	0.7	0
25	Phytoseiid mites (Acari: Phytoseiidae) of the Cook Islands. <i>Zootaxa</i> , 2019 , 4646, zootaxa.4646.3.5	0.5	
24	A bibliometric survey of Systematic & Applied Acarology (2006-2015). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1710	0.8	
23	Significant impact of developing countries and emerging markets in Systematic and Applied Acarology. <i>Systematic and Applied Acarology</i> , 2019 , 24, 1121-1123	0.8	
22	Preface to a special volume of acarological papers in memory of Ekaterina Alekseevna Sidorchuk (1981-2019). <i>Zootaxa</i> , 2019 , 4647, zootaxa.4647.1.3	0.5	
21	Two new species of Prolixus (Acari: Trombidiformes: Tenuipalpidae) on Gahnia (Cyperaceae) from New Zealand. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1521	0.8	
20	A new species of Sonotetranychus (Acariformes: Tetranychidae) from China. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1378	0.8	

- 19 Where are primary type specimens of new mite species deposited?. *Zootaxa*, **2017**, 4363, 1-54 0.5
- 18 Review of a new guide to the identification, biology and control of citrus mites. *Systematic and Applied Acarology*, **2015**, 15, 36 0.8
- 17 New development and scope for Systematic & Applied Acarology. *Systematic and Applied Acarology*, **2015**, 30, 153 0.8
- 16 Defragmentation of journals enhances access and collaboration: commentary on the occasion of Zootaxa 4,000. *Zootaxa*, **2015**, 4000, 596-600 0.5
- 15 In memory of Robert Campbell Dalgleish (1940-2009). *Zootaxa*, **2010**, 2336, 67 0.5
- 14 Review of a new Fauna Sinica volume on Phytoseiidae. *Systematic and Applied Acarology*, **2009**, 14, 254 0.8
- 13 Filling the gap in distribution of the genus *Sonotetranychus* (Acari: Tetranychidae) with a description of a new species from New Zealand. *Systematic and Applied Acarology*, **2009**, 12, 161 0.8
- 12 An analysis of and index to new Acari described in Systematic & Applied Acarology (1996-2007). *Systematic and Applied Acarology*, **2008**, 13, 279 0.8
- 11 Responses to stimuli from *Schizotetranychus nanjingensis* on bamboo leaves by two predatory mite species (Acari: Tetranychidae, Phytoseiidae). *Systematic and Applied Acarology*, **2002**, 7, 49 0.8
- 10 Notes on *Paratrombium welbourni* g. and z. (Acari: Trombidiidae) and *Grandjeanella haitlingeri* g. and z. (Acari: Erythraeidae) with information about their hosts and biometrical data. *International Journal of Acarology*, **1999**, 25, 23-28 0.6
- 9 Factors affecting the response of *Longitarsus jacobaeae* (Coleoptera: Chrysomelidae) to upwind plant odours. *Bulletin of Entomological Research*, **1996**, 86, 307-313 1.7
- 8 Ontogeny and morphological diversity in immature mites (Part III): Preface. *Zootaxa*, **2020**, 4857, 4-4 0.5
- 7 Zootaxa 5000: dates and frequencies of publications with notes on monographs and special collections. *Zootaxa*, **2021**, 5000, 1-158 0.5
- 6 Introducing the second volume on the ontogeny and morphological diversity in immature mites. *Zootaxa*, **2019**, 4717, zootaxa.4717.1.3 0.5
- 5 Ontogenetic changes in the morphology of *Eharius chergui* (Acari: Phytoseiidae). *Zootaxa*, **2018**, 4540, 23-39 0.5
- 4 Systematic & Applied Acarology in 2017: new milestones. *Systematic and Applied Acarology*, **2018**, 23, 196 0.8
- 3 Ontogeny and morphological diversity in immature mites (Part V) (Title page).. *Zootaxa*, **2021**, 5086, 1-2 0.5
- 2 Ontogeny and morphological diversity in immature mites: Preface to Part V with a summary of contributions so far.. *Zootaxa*, **2021**, 5086, 4-6 0.5

- 1 Ontogeny and morphological diversity in immature mites (Part V) (Table of contents).. *Zootaxa*,
2021, 5086, 3 0.5