

Zhi-Qiang Zhang, Frsnz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9178798/zhi-qiang-zhang-frsnz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

234
papers

2,750
citations

22
h-index

43
g-index

313
ext. papers

3,211
ext. citations

1.1
avg, IF

6.14
L-index

#	Paper	IF	Citations
234	Towards a global list of accepted species II. Consequences of inadequate taxonomic list governance. <i>Organisms Diversity and Evolution</i> , 2021 , 21, 623	1.7	2
233	Towards a global list of accepted species V. The devil is in the detail. <i>Organisms Diversity and Evolution</i> , 2021 , 21, 657	1.7	3
232	Twenty years of Dipterology through the pages of Zootaxa. <i>Zootaxa</i> , 2021 , 4979, 166189	0.5	2
231	Contributions of Zootaxa to biodiversity discovery: an overview of the first twenty years. <i>Zootaxa</i> , 2021 , 4979, 616	0.5	2
230	Discovering and documenting Acari: the first twenty years in Zootaxa. <i>Zootaxa</i> , 2021 , 4979, 115130	0.5	2
229	Sex dimorphism of life-history traits and their response to environmental factors in spider mites. <i>Experimental and Applied Acarology</i> , 2021 , 84, 497-527	2.1	1
228	Zootaxa 5000: dates and frequencies of publications with notes on monographs and special collections. <i>Zootaxa</i> , 2021 , 5000, 1-158	0.5	
227	Sex-specific response to delayed and repeated mating in spider mite. <i>Bulletin of Entomological Research</i> , 2021 , 111, 49-56	1.7	4
226	Functional response of <i>Amblyseius herbicolus</i> (Acari: Phytoseiidae) on <i>Sericothrips staphylinus</i> (Thysanoptera: Thripidae), an ineffective biocontrol agent of gorse. <i>Biological Control</i> , 2021 , 152, 104468	3.8	0
225	Immature development and survival of <i>Neoseiulus cucumeris</i> (Oudemans) (Acari: Phytoseiidae) on eggs of <i>Tyrophagus curvipenis</i> (Fain & Fauvel) (Acari: Acaridae). <i>Acarologia</i> , 2021 , 61, 84-93	0.7	2
224	Suitability of pollen as an alternative food source for different developmental stages of <i>Amblyseius herbicolus</i> (Chant) (Acari: Phytoseiidae) to facilitate predation on whitefly eggs. <i>Acarologia</i> , 2021 , 61, 790-801	0.7	0
223	Ontogeny and morphological diversity in immature mites (Part V) (Title page).. <i>Zootaxa</i> , 2021 , 5086, 1-2	0.5	
222	Ontogeny and morphological diversity in immature mites: Preface to Part V with a summary of contributions so far.. <i>Zootaxa</i> , 2021 , 5086, 4-6	0.5	
221	Ontogeny and morphological diversity in immature mites (Part V) (Table of contents).. <i>Zootaxa</i> , 2021 , 5086, 3	0.5	
220	Megataxa for big science questions in taxonomy. <i>Megataxa</i> , 2020 , 1, 1-3	3.8	2
219	Principles for creating a single authoritative list of the world's species. <i>PLoS Biology</i> , 2020 , 18, e30007369	7	28
218	Caloric restriction extends lifespan of mothers at the expense of offspring survival in a predatory mite (<i>Neoseiulus cucumeris</i>). <i>Systematic and Applied Acarology</i> , 2020 , 25, 1948-1962	0.8	3

217	Can supplementary food (pollen) modulate the functional response of a generalist predatory mite (<i>Neoseiulus cucumeris</i>) to its prey (<i>Tetranychus urticae</i>)?. <i>BioControl</i> , 2020 , 65, 165-174	2.3	5
216	Lethal and sublethal effects of entomopathogenic fungi on tomato/potato psyllid, <i>Bactericera cockerelli</i> (Lülc) (Hemiptera: Triozidae) in capsicum. <i>Crop Protection</i> , 2020 , 129, 105023	2.7	4
215	Ontogeny and morphological diversity in immature mites (Part III): Preface. <i>Zootaxa</i> , 2020 , 4857, 4-4	0.5	
214	Amblyseiinae of New Zealand (Acari: Phytoseiidae): redescription, rediscoveries, new records, new combinations and keys to species. <i>Zootaxa</i> , 2019 , 4658, zootaxa.4658.2.1	0.5	1
213	Phytoseiid mites (Acari: Phytoseiidae) of the Cook Islands. <i>Zootaxa</i> , 2019 , 4646, zootaxa.4646.3.5	0.5	
212	<i>Hoplophthiracarus sidorchukae</i> sp. nov. (Acari, Oribatida, Phthiracaridae) from the North Island, New Zealand. <i>Zootaxa</i> , 2019 , 4647, zootaxa.4647.1.15	0.5	1
211	Development, lifespan and reproduction of spider mites exposed to predator-induced stress across generations. <i>Biogerontology</i> , 2019 , 20, 871-882	4.5	5
210	Influence of pathogenic fungi on the life history and predation rate of mites attacking a psyllid pest. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 183, 109585	7	1
209	A new genus and three new species of eriophyoid mites from New Zealand <i>Coprosma</i> (Rubiaceae). <i>Zootaxa</i> , 2019 , 4550, 101-114	0.5	0
208	Ontogenetic changes in the morphology of <i>Phytoseius leaki</i> Schicha, 1977 (Acari: Phytoseiidae). <i>International Journal of Acarology</i> , 2019 , 45, 56-68	0.6	1
207	New Zealand Pyemotes (Trombidiformes: Pyemotidae). <i>Systematic and Applied Acarology</i> , 2019 , 24, 1014-1047	1.047	1
206	The sex- and duration-dependent effects of intermittent fasting on lifespan and reproduction of spider mite. <i>Frontiers in Zoology</i> , 2019 , 16, 10	2.8	1
205	Provisioning predatory mites with entomopathogenic fungi or pollen improves biological control of a greenhouse psyllid pest. <i>Pest Management Science</i> , 2019 , 75, 3200-3209	4.6	5
204	Predation, prey preference and reproduction of predatory mites <i>Amblydromalus limonicus</i> (Garman), <i>Amblyseius herbicolus</i> (Chant) and <i>Neoseiulus cucumeris</i> (Oudemans) (Mesostigmata: Phytoseiidae) on immature <i>Sericothrips staphylinus</i> Haliday (Thysanoptera: Thripidae), a biocontrol agent of gorse. <i>Systematic and Applied Acarology</i> , 2019 , 24, 568	0.8	5
203	Significant impact of developing countries and emerging markets in Systematic and Applied Acarology. <i>Systematic and Applied Acarology</i> , 2019 , 24, 1121-1123	0.8	
202	Preface to a special volume of acarological papers in memory of Ekaterina Alekseevna Sidorchuk (1981-2019). <i>Zootaxa</i> , 2019 , 4647, zootaxa.4647.1.3	0.5	
201	Phytotaxa ten years on: the success of the foremost journal in botanical and mycological taxonomy. <i>Phytotaxa</i> , 2019 , 423, 1-9	0.7	1
200	Case 3780 <i>Typhlodromus californicus</i> McGregor, 1954 (currently <i>Neoseiulus californicus</i> ; Arachnida, Acari, Mesostigmata, Phytoseiidae): proposed conservation of current usage by designation of a neotype. <i>Bulletin of Zoological Nomenclature</i> , 2019 , 76, 103	0.2	0

199	Genomic insights into mite phylogeny, fitness, development, and reproduction. <i>BMC Genomics</i> , 2019 , 20, 954	4.5	6
198	Ontogeny and morphological diversity in immature mites (Part II) [Cover & Copyright page]. <i>Zootaxa</i> , 2019 , 4717, zootaxa.4717.1.1	0.5	2
197	Introducing the second volume on the ontogeny and morphological diversity in immature mites. <i>Zootaxa</i> , 2019 , 4717, zootaxa.4717.1.3	0.5	
196	Tri-partite complexity: odour from a psyllid's mutualist ant increased predation by a predatory mite on the psyllid. <i>Pest Management Science</i> , 2019 , 75, 1317-1327	4.6	4
195	Responses of Tyrophagus putrescentiae (Acaride) to odour associated with its predator Neoseiulus cucumeris (Phytoseiidae) [Systematic and Applied Acarology, 2018 , 23, 401	0.8	0
194	Development, survival and reproduction of Stratiolaelaps scimitus (Acari: Laelapidae) on four diets [Systematic and Applied Acarology, 2018 , 23, 779	0.8	3
193	Recognizing high impact in acarological research. <i>Systematic and Applied Acarology</i> , 2018 , 23, 1494	0.8	1
192	Taxonomy based on science is necessary for global conservation. <i>PLoS Biology</i> , 2018 , 16, e2005075	9.7	93
191	Repositories for mite and tick specimens: acronyms and their nomenclature. <i>Systematic and Applied Acarology</i> , 2018 , 23, 2432	0.8	70
190	Description of a new species of Prolixus (Acari: Trombidiformes: Tenuipalpidae) from Austroderia splendens (Poaceae) in New Zealand, with discussion of its ontogenetic patterns in chaetotaxy. <i>Zootaxa</i> , 2018 , 4540, 158-177	0.5	3
189	Ontogeny and morphological diversity in immature mites (Part I) [Cover & Copyright page]. <i>Zootaxa</i> , 2018 , 4540, 1	0.5	2
188	Accelerating studies on the ontogeny and morphological diversity in immature mites. <i>Zootaxa</i> , 2018 , 4540, 5-6	0.5	2
187	A survey of descriptions of immature instars of mites during the last three years. <i>Zootaxa</i> , 2018 , 4540, 211-224	0.5	4
186	Ontogenetic changes in the morphology of Eharius chergui (Acari: Phytoseiidae). <i>Zootaxa</i> , 2018 , 4540, 23-39	0.5	
185	Does size matter? Fecundity and longevity of spider mites (Tetranychus urticae) in relation to mating and food availability. <i>Systematic and Applied Acarology</i> , 2018 , 23, 1796	0.8	2
184	Assessing the augmentation of Amblydromalus limonicus with the supplementation of pollen, thread, and substrates to combat greenhouse whitefly populations. <i>Scientific Reports</i> , 2018 , 8, 12189	4.9	10
183	New Zealand Austrophthiracarus (Acari, Oribatida, Steganacaridae): two new species from the North Island. <i>Zootaxa</i> , 2018 , 4500, 443-450	0.5	2
182	An assemblage of predatory mites (Phytoseiidae) associated with a potential biocontrol agent (Cecidophyes rouhollahi; Eriophyidae) for weed Galium spurium (Rubiaceae). <i>Systematic and Applied Acarology</i> , 2018 , 23, 2082	0.8	1

181	Population development of the predatory mite <i>Amblydromalus limonicus</i> is modulated by habitat dispersion, diet and density of conspecifics. <i>Experimental and Applied Acarology</i> , 2018 , 76, 109-121	2.1	2
180	Morphological ontogeny of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae) <i>Systematic and Applied Acarology</i> , 2018 , 23, 1741	0.8	4
179	Systematic & Applied Acarology in 2017: new milestones. <i>Systematic and Applied Acarology</i> , 2018 , 23, 196	0.8	
178	When the cure kills-CBD limits biodiversity research. <i>Science</i> , 2018 , 360, 1405-1406	33.3	63
177	Development, survival and reproduction of a New Zealand strain of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae) on <i>Typha orientalis</i> pollen, <i>Ephestia kuehniella</i> eggs, and an artificial diet. <i>International Journal of Acarology</i> , 2017 , 43, 153-159	0.6	19
176	Species names based on photographs: debate closed. <i>Zootaxa</i> , 2017 , 4269, 451-452	0.5	5
175	Functional and numerical responses of <i>Amblydromalus limonicus</i> and <i>Neoseiulus cucumeris</i> to eggs and first instar nymph of tomato/potato psyllid (<i>Bactericera cockerelli</i>) <i>Systematic and Applied Acarology</i> , 2017 , 22, 1476	0.8	15
174	Two new species of <i>Prolixus</i> (Acari: Trombidiformes: Tenuipalpidae) on <i>Gahnia</i> (Cyperaceae) from New Zealand. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1521	0.8	
173	Eriophyoidea and allies: where do they belong?. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1091	0.8	6
172	A new species of <i>Sonotetranychus</i> (Acariformes: Tetranychidae) from China. <i>Systematic and Applied Acarology</i> , 2017 , 22, 1378	0.8	
171	Prey preference and reproduction of predatory mites, <i>Amblydromalus limonicus</i> and <i>Neoseiulus cucumeris</i> , on eggs and 1st instar nymphs of the tomato/potato psyllid. <i>International Journal of Acarology</i> , 2017 , 43, 468-474	0.6	16
170	Where are primary type specimens of new mite species deposited?. <i>Zootaxa</i> , 2017 , 4363, 1-54	0.5	
169	A bibliometric survey of Systematic & Applied Acarology (2006-2015). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1710	0.8	
168	Identification of <i>Aceria genistae</i> species complex (Acari: Eriophyoidea) from broom, gorse and related plants (Fabaceae: Genisteae) in western US and a new record of <i>Aculops hussongi</i> . <i>Systematic and Applied Acarology</i> , 2016 , 21, 1525	0.8	1
167	Habitat structure and its influence on populations of <i>Amblydromalus limonicus</i> (Acari: Phytoseiidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1361	0.8	7
166	Effects of short-term exposure to low temperature on survival, development and reproduction of banana-associated <i>Oulenzia bakeri</i> (Acari: Winterschmidtidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1078	0.8	2
165	Review of the genus <i>Austrophthiracarus</i> (Acari, Oribatida, Phthiracaridae) with a description of a new species from Australia, a key to known species of the Australian Region and a world checklist. <i>International Journal of Acarology</i> , 2016 , 42, 41-55	0.6	9
164	New Zealand <i>Pneumolaelaps</i> (Acari: Laelapidae): description of a new species, key to species and notes on biology. <i>Systematic and Applied Acarology</i> , 2016 , 21, 119	0.8	7

163	Hotspots of mite new species discovery: Parasitiformes (2013-2015). <i>Systematic and Applied Acarology</i> , 2016 , 21, 1693	0.8	1
162	Hotspots of mite new species discovery: Sarcoptiformes (2013-2015). <i>Zootaxa</i> , 2016 , 4208, zootaxa.4208.2.1	0.5	2
161	Phthiracarus species (Acari: Oribatida: Phthiracaridae) from New Zealand, with description of a new species, redescription of Phthiracarus pellucidus and a key to 19 described species from the Australian Region. <i>Journal of Natural History</i> , 2016 , 50, 1463-1472	0.5	4
160	Some factors affecting the development, survival and prey consumption of Neoseiulus cucumeris (Acari: Phytoseiidae) feeding on Tetranychus urticae eggs (Acari: Tetranychidae). <i>Systematic and Applied Acarology</i> , 2016 , 21, 555	0.8	13
159	Three new species of the genus Notophthiracarus (Acari: Oribatida: Phthiracaridae), with an updated key to its known species in New Zealand. <i>International Journal of Acarology</i> , 2015 , 41, 232-240	0.6	5
158	Neocypholaelaps novaehollandiae Evans (Acari: Ameroseiidae) rediscovered: experiments on its life history and behaviour. <i>New Zealand Entomologist</i> , 2015 , 38, 126-133	0.3	7
157	Two new species of the family Phthiracaridae (Acari, Oribatida) from New Zealand, including keys to all species of Plonaphacarus and Arphthiracarus of the Australian region. <i>International Journal of Acarology</i> , 2015 , 41, 584-589	0.6	5
156	Correct identification and biosecurity decision-making: Two species instead of one in Aceria genistae complex (Acari: Eriophyidae) in New Zealand. <i>Systematic and Applied Acarology</i> , 2015 , 30, 71	0.8	1
155	Review of a new guide to the identification, biology and control of citrus mites. <i>Systematic and Applied Acarology</i> , 2015 , 15, 36	0.8	
154	New development and scope for Systematic & Applied Acarology. <i>Systematic and Applied Acarology</i> , 2015 , 30, 153	0.8	
153	Establishment of Oulenziella gen. nov. for Oulenzia bakeri (Hughes, 1962) (Acari: Winterschmidtidae). <i>Zootaxa</i> , 2015 , 3949, 191-202	0.5	2
152	Defragmentation of journals enhances access and collaboration: commentary on the occasion of Zootaxa 4,000. <i>Zootaxa</i> , 2015 , 4000, 596-600	0.5	
151	A novel use of predatory mites for dissemination of fungal pathogen for insect biocontrol: The case of Amblyseius swirskii and Neoseiulus cucumeris (Phytoseiidae) as vectors of Beauveria bassiana against Diaphorina citri (Psyllidae). <i>Systematic and Applied Acarology</i> , 2015 , 20, 177	0.8	8
150	Amblydromalus limonicus: a new association of predatory mite against an invasive psyllid (Bactericera cockerelli) in New Zealand. <i>Systematic and Applied Acarology</i> , 2015 , 20, 375	0.8	15
149	New Zealand Austrophthiracarus (Acari: Oribatida: Phthiracaridae): three new species from North Island and offshore islands. <i>Systematic and Applied Acarology</i> , 2015 , 20, 263	0.8	9
148	A novel use of predatory mites for dissemination of fungal pathogen for insect biocontrol: The case of Amblyseius swirskii and Neoseiulus cucumeris (Phytoseiidae) as vectors of Beauveria bassiana against Diaphorina citri (Psyllidae). <i>Systematic and Applied Acarology</i> , 2015 , 20, 177	0.8	7
147	Redescription of Austrotritia lebronneci (Oribotritiidae) and descriptions of two new species of Euphthiracaridae (Acari, Oribatida) from Australian Region. <i>International Journal of Acarology</i> , 2014 , 40, 43-51	0.6	10
146	Tenuipalpus mansoniculus (Acari: Tenuipalpidae) of Australia: redescription of the holotype. <i>Systematic and Applied Acarology</i> , 2014 , 19, 322	0.8	1

145	Prolixus (Acari: Trombidiformes: Tenuipalpidae) newly recorded from New Zealand: A new species from Cyperaceae and its ontogenetic patterns in chaetotaxy. <i>Zootaxa</i> , 2014 , 3900, 1-20	0.5	11
144	The making of world's largest journal in systematic botany. <i>Phytotaxa</i> , 2014 , 191, 1	0.7	4
143	Age and size at maturity in Tyrophagus curvipenis (Acari: Acaridae) when fed on three different diets. <i>Systematic and Applied Acarology</i> , 2014 , 19, 506	0.8	4
142	Continued growth of Systematic and Applied Acarology, and hot spots and shelf life of new species in 2013. <i>Systematic and Applied Acarology</i> , 2014 , 19, 110	0.8	0
141	Three new species of the genus Notophthiracarus from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Systematic and Applied Acarology</i> , 2014 , 19, 189	0.8	3
140	Acarological publications in the last 150 years: historical trends and an assessment of current journals. <i>Systematic and Applied Acarology</i> , 2014 , 19, 250	0.8	4
139	Three new species of the genus Austrophthiracarus from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Zootaxa</i> , 2014 , 3780, 585-93	0.5	9
138	Two new species of phthiracarid mites (Acari, Oribatida, Phthiracaridae) from Queensland, Australia. <i>International Journal of Acarology</i> , 2014 , 40, 247-253	0.6	2
137	Two new peculiar ptyctimous mites (Acari: Oribatida: Phthiracaridae) from the Australian region, with a key to 54 described species of Notophthiracarus Ramsay in Australia. <i>Austral Entomology</i> , 2014 , 53, 159-166	1.1	6
136	Atropacarus (Atropacarus) niedbalai sp. nov., an extreme case of neotrichy in oribatid mites (Acari: Oribatida: Phthiracaridae). <i>International Journal of Acarology</i> , 2013 , 39, 507-512	0.6	6
135	Can exotic phytoseiids be considered 'benevolent invaders' in perennial cropping systems?. <i>Experimental and Applied Acarology</i> , 2013 , 59, 11-26	2.1	10
134	Two new species of the genus Phrathicarus from New Zealand (Acari: Oribatida: Phthiracaridae). <i>Systematic and Applied Acarology</i> , 2013 , 18, 233	0.8	2
133	Mites of Schizotetranychus (Acari: Tetranychidae) from moso bamboo in Fujian, China. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2
132	Biodiversity data should be published, cited, and peer reviewed. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 454-61	10.9	157
131	Phytotaxa 100: The rise of a major journal in systematic and taxonomic botany. <i>Phytotaxa</i> , 2013 , 100, 1	0.7	3
130	Animal biodiversity: An update of classification and diversity in 2013. In: Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 5	0.5	65
129	Comments on the identity of Neoseiulus californicus sensu lato (Acari: Phytoseiidae) with a redescription of this species from southern China. <i>Systematic and Applied Acarology</i> , 2013 , 18, 329	0.8	14
128	Potential of Amblyseius cucumeris (Acari: Phytoseiidae) as a biocontrol agent against Schizotetranychus nanjingensis (Acari: Tetranychidae) in Fujian, China. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2

127	Notes on <i>Varroa destructor</i> (Acari: Varroidae) parasitic on honeybees in New Zealand. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 5,		2
126	A new species of <i>Ultratenuipalpus</i> (Acari: Tenuipalpidae) from Cook Islands, with a key to the known species. <i>Zootaxa</i> , 2013 , 3731, 223-33	0.5	3
125	Ontogenetic development and redescription of <i>Tribolonychus collyerae</i> (Acari: Tetranychidae). <i>Zootaxa</i> , 2013 , 3721, 301-33	0.5	6
124	A new species of the genus <i>Sonotetranychus</i> (Acari: Tetranychidae) from New Zealand. <i>Zootaxa</i> , 2013 , 3721, 334-50	0.5	5
123	<i>Tuckerella japonica</i> (Acari: Tuckerellidae) in China and New Zealand: new data and an alternative hypothesis for its route of invasion. <i>Systematic and Applied Acarology</i> , 2013 , 18, 99	0.8	1
122	New Zealand Tenuipalpidae (Acari: Trombidiformes): A new species of <i>Acaricis</i> from Cyperaceae and its ontogenetic patterns in chaetotaxy. <i>Systematic and Applied Acarology</i> , 2013 , 18, 357	0.8	8
121	New Zealand species of <i>Oribotritia</i> (Acari: Oribatida: Oribotritiidae): descriptions of two new species and a key to eight species. <i>Systematic and Applied Acarology</i> , 2013 , 18, 153	0.8	8
120	Hotspots of new species discovery: new mite species described during 2007 to 2012. <i>Zootaxa</i> , 2013 , 3663, 1-102	0.5	9
119	Two new species of <i>Austrophthiracarus</i> (Acari: Oribatida: phthiracaridae) from New Zealand. <i>Zootaxa</i> , 2013 , 3682, 385-91	0.5	16
118	The genus <i>Notophthiracarus</i> of New Zealand (Acari: Oribatida: Phthiracaridae): three new species and a key to 24 described species. <i>Zootaxa</i> , 2013 , 3682, 392-400	0.5	12
117	Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 1-82	0.5	282
116	Phylum Athropoda. In: Zhang, Z.-Q. (Ed.) Animal Biodiversity: An Outline of Higher-level Classification and Survey of Taxonomic Richness (Addenda 2013). <i>Zootaxa</i> , 2013 , 3703, 17	0.5	56
115	Causes of mite pest outbreaks in bamboo forests in Fujian, China: analyses of mite damage in monoculture versus polyculture stands. <i>Systematic & Applied Acarology Special Publications</i> , 2013 , 4,		2
114	Plant-feeding and non-plant feeding phytoseiids: differences in behavior and cheliceral morphology. <i>Experimental and Applied Acarology</i> , 2012 , 58, 341-57	2.1	32
113	From taxonomic literature to cybertaxonomic content. <i>BMC Biology</i> , 2012 , 10, 87	7.3	23
112	A new era in zoological nomenclature and taxonomy: ICZN accepts e-publication and launches ZooBank. <i>Zootaxa</i> , 2012 , 3450, 8	0.5	3
111	Animal biodiversity: An introduction to higher-level classification and taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 7	0.5	144
110	Phylum Arthropoda von Siebold, 1848 In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 99	0.5	49

109	Order Trombidiformes Reuter, 1909. In: Zhang, Z.-Q. (Ed.) Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. <i>Zootaxa</i> , 2011 , 3148, 129	0.5	52
108	Accelerating biodiversity descriptions and transforming taxonomic publishing: the first decade of <i>Zootaxa</i> . <i>Zootaxa</i> , 2011 , 2896, 1	0.5	19
107	Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness (COVER). <i>Zootaxa</i> , 2011 , 3148, 1	0.5	121
106	Recommendations about nomenclature for papers submitted to <i>Zootaxa</i> . <i>Zootaxa</i> , 2011 , 2943, 58	0.5	10
105	Describing unexplored biodiversity: <i>Zootaxa</i> in the International Year of Biodiversity. <i>Zootaxa</i> , 2011 , 2768, 1	0.5	29
104	Two new species of Pyemotes closely related to <i>P. tritici</i> (Acari: Pyemotidae). <i>Zootaxa</i> , 2010 , 2723, 1	0.5	10
103	In memory of Robert Campbell Dalgleish (1940–2009). <i>Zootaxa</i> , 2010 , 2336, 67	0.5	
102	Reviving Descriptive Taxonomy after 250 Years 2010 , 95-108		4
101	Blattisociidae of China: a review, with a checklist. <i>Zoosymposia</i> , 2010 , 4, 280-287	0.7	5
100	Bdelloidea of China: a review of progress on systematics and biology, with a checklist of species. <i>Zoosymposia</i> , 2010 , 4, 42-50	0.7	2
99	Terrestrial Parasitengona (except chiggers) of China: a review of progress in systematics and biology, with a checklist of species. <i>Zoosymposia</i> , 2010 , 4, 94-105	0.7	4
98	Review of a new Fauna Sinica volume on Phytoseiidae. <i>Systematic and Applied Acarology</i> , 2009 , 14, 254	0.8	
97	Filling the gap in distribution of the genus <i>Sonotetranychus</i> (Acari: Tetranychidae) with a description of a new species from New Zealand. <i>Systematic and Applied Acarology</i> , 2009 , 12, 161	0.8	
96	A new international journal for rapid publication of botanical taxonomy. <i>Phytotaxa</i> , 2009 , 1, 1	0.7	11
95	Eriophyoid mites (Acari: Prostigmata) in Southeast Asia: a synopsis of 104 genera, with an illustrated key to genera and checklist of species. <i>Zootaxa</i> , 2009 , 2257, 1-128	0.5	10
94	Proposed amendment of Articles 8, 9, 10, 21 and 78 of the International Code of Zoological Nomenclature to expand and refine methods of publication. <i>Zoological Journal of the Linnean Society</i> , 2008 , 154, 848-855	2.4	1
93	New Zealand Eriophyoidea (Acari: Prostigmata): an update with descriptions of one new genus and six new species. <i>Zootaxa</i> , 2008 , 1962, 1-32	0.5	1
92	Contributing to the progress of descriptive taxonomy. <i>Zootaxa</i> , 2008 , 1968, 65-68	0.5	10

91	An analysis of and index to new Acari described in Systematic & Applied Acarology (1996-2007). <i>Systematic and Applied Acarology</i> , 2008 , 13, 279	0.8	
90	Linnaeus tercentenary and invertebrate taxonomy: an introduction*. <i>Zootaxa</i> , 2007 , 1668, 7-10	0.5	4
89	Effects of mating rates on oviposition, sex ratio and longevity in a predatory mite <i>Neoseiulus cucumeris</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 2007 , 43, 171-80	2.1	8
88	Revision of some species of <i>Tyrophagus</i> (Acari: Acaridae) in the Oudemans Collection. <i>Systematic and Applied Acarology</i> , 2007 , 12, 253	0.8	4
87	A key to <i>Tarsonemus</i> females (Acari: Tarsonemidae) in China and description of a new species intercepted in New Zealand. <i>Systematic and Applied Acarology</i> , 2006 , 11, 181	0.8	2
86	Distribution and damage of recent invasive eriophyoid mites (Acari: Eriophyoidea) in mainland China. <i>International Journal of Acarology</i> , 2006 , 32, 227-240	0.6	21
85	The first five years of <i>Zootaxa</i> . <i>Zootaxa</i> , 2006 , 1111, 68	0.5	3
84	The making of a mega-journal in taxonomy. <i>Zootaxa</i> , 2006 , 1385, 67-68	0.5	36
83	New Zealand species of <i>Steneotarsonemus</i> Beer (Acari: Tarsonemidae). <i>Zootaxa</i> , 2005 , 1028, 1	0.5	4
82	A new genus of Neothrombiidae (Acari: Trombidioidea) from New Zealand. <i>Systematic and Applied Acarology</i> , 2005 , 10, 155	0.8	5
81	A new genus and species of larval Chyzeriidae (Acari: Prostigmata: Chyzeroidea) from Iran. <i>International Journal of Acarology</i> , 2005 , 31, 51-56	0.6	7
80	Redescription of <i>Dolichotetranychus ancistrus</i> Baker & Pritchard (Acari: Tenuipalpidae) from New Zealand. <i>Systematic and Applied Acarology</i> , 2004 , 9, 111	0.8	4
79	Revision of raphignathoid mites (Acari: Prostigmata) in the collection of H. Habeeb. <i>Zootaxa</i> , 2004 , 763, 1	0.5	5
78	Tetranychidae (Acari: Prostigmata) of Malay Peninsula: checklist, key to genera and species and description of three new species. <i>Systematic and Applied Acarology</i> , 2003 , 8, 149	0.8	2
77	Discovery of <i>Tenuipalponychus</i> (Acari: Tetranychidae) in Malaysia and description of a new species. <i>Zootaxa</i> , 2003 , 231, 1	0.5	2
76	Taxonomic status of <i>Veithia</i> Oudemans, 1941 and redescriptions of two species described by Oudemans (Acari: Smarididae). <i>Zootaxa</i> , 2003 , 145, 1	0.5	3
75	A faunistic summary of acarine diversity in New Zealand. <i>Systematic and Applied Acarology</i> , 2003 , 8, 75	0.8	7
74	<i>Wetapolipus jamiesoni</i> gen. nov., spec. nov. (Acari: Podapolipidae), an ectoparasite of the mountain stone weta, <i>Hemideina maori</i> (Orthoptera: Anostostomatidae) from New Zealand. <i>Zootaxa</i> , 2002 , 125, 1	0.5	8

73	Primagistemus gen. nov. (Acari: Prostigmata: Stigmaeidae). <i>Zootaxa</i> , 2002 , 29, 1	0.5	2
72	Responses to stimuli from Schizotetranychus nanjingensis on bamboo leaves by two predatory mite species (Acari: Tetranychidae, Phytoseiidae). <i>Systematic and Applied Acarology</i> , 2002 , 7, 49	0.8	
71	Taxonomy of Tetranychus ludeni (Acari: Tetranychidae) in New Zealand and its ecology on Sechium edule. <i>New Zealand Entomologist</i> , 2002 , 25, 27-34	0.3	3
70	Euseiusfinlandicus (Acari: Phytoseiidae) as a potential biocontrol agent against Tetranychus urticae (Acari: Tetranychidae): life history and feeding habits on three different types of food. <i>Experimental and Applied Acarology</i> , 2001 , 25, 833-47	2.1	26
69	Population dynamics of phytophagous and predatory mites (Acari: Tetranychidae, Eriophyiidae, Phytoseiidae) on bamboo plants in Fujian, China. <i>Experimental and Applied Acarology</i> , 2001 , 25, 383-91	2.1	9
68	A review of Schizotetranychus-like mites (Acari: Tetranychidae) from New Zealand. <i>Journal of the Royal Society of New Zealand</i> , 2001 , 31, 307-325	2	11
67	A new species and a new record of ectoparasitic mites from thrips in Turkey (Acari: Trombidiidae and Erythraeidae). <i>Systematic Parasitology</i> , 2000 , 45, 75-80	1	14
66	Arrestment response of the predatory mite Amblyseius longispinosus to Schizotetranychus nanjingensis webnests on bamboo leaves (Acari: Phytoseiidae, Tetranychidae). <i>Experimental and Applied Acarology</i> , 2000 , 24, 227-33	2.1	8
65	Using adult female morphological characters for differentiating Tetranychus urticae complex (Acari: Tetranychidae) from greenhouse tomato crops in UK. <i>Systematic and Applied Acarology</i> , 2000 , 5, 69	0.8	25
64	Ramsayella, new genus of Erythraeinae (Acari: Erythraeidae) parasitic on grasshoppers in New Zealand. <i>International Journal of Acarology</i> , 2000 , 26, 33-40	0.6	5
63	Biology of Schizotetranychus nanjingensis (Acari: Tetranychidae) with reference to effects of temperature on and importance of nests to its survival and development. <i>Systematic and Applied Acarology</i> , 1999 , 4, 75	0.8	10
62	Notes on Paratrombium welbourni g. and z. (Acari: Trombidiidae) and Grandjeanella haitlingeri g. and z. (Acari: Erythraeidae) with information about their hosts and biometrical data. <i>International Journal of Acarology</i> , 1999 , 25, 23-28	0.6	
61	Seasonal abundance of Allothrombium monochaetum and Allothrombium pulvinum in Navarra-Nafarroa (northern Spain), with notes on larval host preference and rate of parasitism. <i>Experimental and Applied Acarology</i> , 1999 , 23, 987-93	2.1	2
60	Biology and ecology of trombidiid mites (Acari: Trombidoidea) 1999 , 277-289		3
59	Notes on Abrolophus neobrevicollis z. and g. and Grandjeanella multisetosa z. and g. (Acari: Erythraeidae) with the seasonal abundance in Mediterranean Spain. <i>International Journal of Acarology</i> , 1999 , 25, 29-36	0.6	3
58	Review Biology and ecology of trombidiid mites (Acari: Trombidoidea) 1998 , 22, 139-155		40
57	An unusual early-derivative larva of Parasitengona (Acari: Prostigmata) and proposal of a new superfamily. <i>Systematic and Applied Acarology</i> , 1998 , 3, 159	0.8	10
56	Seasonal abundance of Abrolophus neobrevicollis larvae (Acari: Erythraeidae) ectoparasitic on Thrips trehernei (Thysanoptera: Thripidae) in the Basque Country (Spain). <i>Systematic and Applied Acarology</i> , 1998 , 3, 93	0.8	5

55	New Erythraeus larvae (Acari: Erythraeidae) ectoparasitic on Aphidoidea (Homoptera) and Anthocoridae (Heteroptera). <i>Systematic and Applied Acarology</i> , 1998 , 3, 149	0.8	22
54	Notes on larvae of Allothrombium (Acari: Trombidiidae) in Navarra-Nafarroa (northern Spain) with description of a new species ectoparasitic on aphids (Homoptera: Aphididae). <i>Systematic and Applied Acarology</i> , 1997 , 2, 219	0.8	8
53	First record of larval Grandjeanella (Acari: Erythraeidae) from Heteroptera and description of a new species from Spain. <i>Systematic and Applied Acarology</i> , 1997 , 2, 231	0.8	8
52	Systematics and generic relationships of the mites in the subfamily Diptilomiopinae (Acari: Eriophyoidea: Diptilomiopidae). <i>Systematic Entomology</i> , 1997 , 22, 313-331	3.4	17
51	Patterns, mechanisms and spatial scale of aggregation in generalist and specialist predatory mites (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1997 , 21, 393-404	2.1	12
50	Paratrombium welbourni sp. nov. (Acari: Trombidiidae), an ectoparasite of aphids (Homoptera: Aphididae) in Spain. <i>Systematic and Applied Acarology</i> , 1997 , 2, 227	0.8	3
49	A cladistic analysis of the Eriophyoidea (Acari: Prostigmata): tests of monophyly of families. <i>Systematic and Applied Acarology</i> , 1996 , 1, 107	0.8	6
48	A phylogenetic study of the tribe Cecidophyini Keifer (Acari: Eriophyidae). <i>Oriental Insects</i> , 1996 , 30, 279-300	3.0	4
47	A new host record of Allothrombium triticium larvae (Acari: Trombididae) ectoparasitic on Coccinella septempunctata (Coleoptera: Coccinellidae). <i>Systematic and Applied Acarology</i> , 1996 , 1, 207	0.8	4
46	Factors affecting the response of Longitarsus jacobaeae (Coleoptera: Chrysomelidae) to upwind plant odours. <i>Bulletin of Entomological Research</i> , 1996 , 86, 307-313	1.7	
45	Parasitism of aphids (Homoptera: Aphididae) by larvae of Allothrombium pulvinum (Acari: Trombidiidae): Host species selection, host size selection, and superparasitism. <i>Systematic and Applied Acarology</i> , 1996 , 1, 55	0.8	9
44	Biology of Allothrombium pulvinum Ewing (Acari: Trombidiidae) in West Mazandran, Iran. <i>Experimental and Applied Acarology</i> , 1996 , 20, 137-142	2.1	10
43	Abrolophus and Grandjeanella larvae (Acari: Erythraeidae) ectoparasitic on thrips (Thysanoptera: Thripidae). <i>Systematic and Applied Acarology</i> , 1996 , 1, 127	0.8	18
42	Notes on Allothrombium pulvinum (Acari: Trombidiidae), a species new to the fauna of Spain. <i>Systematic and Applied Acarology</i> , 1996 , 1, 209	0.8	2
41	Infestation of Drosophila cultures (Diptera: Drosophilidae) by mites of Proctolaelaps (Acari: Ascidae) and experiments on mite feeding habits. <i>Systematic and Applied Acarology</i> , 1996 , 1, 41	0.8	2
40	Descriptions of the larva, deutonymph and adult of Trombidium southcottii sp. nov. (Acari: Trombidiidae) from Iran. <i>Systematic and Applied Acarology</i> , 1996 , 1, 157	0.8	2
39	Variance and covariance of ovipositional rates and developmental rates in the Phytoseiidae (Acari: Mesostigmata): a phylogenetic consideration. <i>Experimental and Applied Acarology</i> , 1995 , 19, 139-146	2.1	9
38	Intraspecific competition in immature Amblyseius fallacis, Amblyseius andersoni, Typhlodromus occidentalis and Typhlodromus pyri (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1995 , 19, 65-77	2.1	18

37	Interspecific competition and predation between immature <i>Amblyseius fallacis</i> , <i>Amblyseius andersoni</i> , <i>Typhlodromus occidentalis</i> and <i>Typhlodromus pyri</i> (Acari: Phytoseiidae). <i>Experimental and Applied Acarology</i> , 1995 , 19, 247-257	2.1	27
36	The adult and larva of a new species of <i>Podothrombium</i> (Acari: Trombidiidae) associated with aphids in oregon. <i>International Journal of Acarology</i> , 1995 , 21, 3-9	0.6	4
35	A new record of the little known genus <i>Ralphaudyna</i> (Acari: Chyzeriidae) from iran, with description of a new species. <i>International Journal of Acarology</i> , 1995 , 21, 11-15	0.6	6
34	Twospotted Spider Mite (Acari: Tetranychidae) and <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) on Greenhouse Roses: Spatial Distribution and Predator Efficacy. <i>Journal of Economic Entomology</i> , 1995 , 88, 352-357	2.2	22
33	The genus <i>Neophanolophus</i> (Acari: Smarididae) and description of a new species parasitic on an <i>Erythroneura</i> leafhopper (Hemiptera: Cicadellidae) in India. <i>Oriental Insects</i> , 1995 , 29, 371-379	0.3	6
32	A cladistic analysis of Trombidiidae (Acari: Parasitengona): congruence of larval and adult character sets. <i>Canadian Journal of Zoology</i> , 1995 , 73, 96-103	1.5	9
31	Responses of ragwort flea beetle <i>Longitarsus jacobaeae</i> (Coleoptera: Chrysomelidae) to signals from host plants. <i>Bulletin of Entomological Research</i> , 1995 , 85, 437-444	1.7	11
30	Dispersion, Sampling, and Potential for Integrated Control of Twospotted Spider Mite (Acari: Tetranychidae) on Greenhouse Roses. <i>Journal of Economic Entomology</i> , 1995 , 88, 343-351	2.2	16
29	Review of the systematics and biology of the Otopheidomenidae (Acari: Mesostigmata) with a description of <i>Eickwortius</i> gen.n. from a termite (Isoptera: Termitidae). <i>Systematic Entomology</i> , 1995 , 20, 239-246	3.4	10
28	Neothrombiidae (Acari: Trombidioidea) of the World: Systematic review with a phylogenetic analysis and descriptions of two new genera. <i>Oriental Insects</i> , 1994 , 28, 205-237	0.3	11
27	Walking, feeding and intraspecific interaction of larvae of <i>Metaseiulus occidentalis</i> , <i>Typhlodromus pyri</i> , <i>Neoseiulus fallacis</i> and <i>Amblyseius andersoni</i> held with and without eggs of <i>Tetranychus urticae</i> . <i>Experimental and Applied Acarology</i> , 1994 , 18, 567-580	2.1	11
26	Attraction of <i>Longitarsus jacobaeae</i> Males to Cues Associated with Conspecific Females (Coleoptera: Chrysomelidae). <i>Environmental Entomology</i> , 1994 , 23, 732-737	2.1	7
25	Hunger and age effects on searching behavior of three species of predatory mites (Acari: Phytoseiidae). <i>Canadian Journal of Zoology</i> , 1993 , 71, 1997-2004	1.5	10
24	The genus <i>Rhinothrombium</i> (Acari: Tanaupodidae) from China. <i>Oriental Insects</i> , 1993 , 27, 373-377	0.3	2
23	Overdispersion of <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae) parasitic on <i>Aphis gossypii</i> (Homoptera: Aphididae) in cotton fields. <i>Ecological Entomology</i> , 1993 , 18, 379-384	2.1	12
22	Control of <i>Brennandania lambi</i> (Acari: Pygmephoridae) by freezing: evaluation of its efficacy and effects on mushroom growth and yield. <i>Experimental and Applied Acarology</i> , 1993 , 17, 531-540	2.1	2
21	Host feeding, damage and control of the mushroom pest, <i>Brennandania lambi</i> (Acari: Pygmephoridae) in China. <i>Experimental and Applied Acarology</i> , 1993 , 17, 233-240	2.1	7
20	Behavioral responses to prey density by three acarine predator species with different degrees of polyphagy. <i>Oecologia</i> , 1993 , 96, 147-156	2.9	12

19	Spatial scale of aggregation in three acarine predator species with different degrees of polyphagy. <i>Oecologia</i> , 1993 , 96, 24-31	2.9	25
18	Parasitism of <i>Aphis gossypii</i> (Homoptera: Aphididae) by <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae) in cotton fields: spatial dispersion and density dependence. <i>Experimental and Applied Acarology</i> , 1993 , 17, 905-912	2.1	8
17	Short-Distance Location of Spider Mite Colonies by Three Predatory Mites (Acari: Tetranychidae, Phytoseiidae): Predator Responses to Prey- and Predator- Associated Stimuli. <i>Environmental Entomology</i> , 1992 , 21, 799-807	2.1	21
16	Review of larval <i>Allothrombium</i> (Acari: Trombidoidea), with description of a new species ectoparasitic on aphids in China. <i>Journal of Natural History</i> , 1992 , 26, 383-393	0.5	18
15	The Adaptive Significance of Superparasitism in a Protelean Parasite, <i>Allothrombium Pulvinum</i> (Acari: Trombidiidae). <i>Oikos</i> , 1992 , 65, 167	4	6
14	Effects of Host Plant Experience on Foraging Behavior of the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae). <i>Annals of the Entomological Society of America</i> , 1992 , 85, 775-783	2	7
13	Foraging time and spatial patterns of predation in experimental populations : A comparative study of three mite predator-prey systems (Acari: Phytoseiidae, Tetranychidae). <i>Oecologia</i> , 1992 , 90, 185-196	2.9	18
12	Phototactic and geotactic responses in <i>Allothrombium pulvinum</i> larvae (Acari: Trombidiidae). <i>Experimental and Applied Acarology</i> , 1992 , 15, 41-47	2.1	7
11	Functional response of <i>Allothrombium pulvinum</i> deutonymphs (Acari: Trombidiidae) on two-spotted spider mites (Acari: Tetranychidae). <i>Experimental and Applied Acarology</i> , 1992 , 15, 249-257	2.1	10
10	Notes on the occurrence and distribution of the biocontrol agent, <i>Allothrombium pulvinum</i> Ewing (Acari, Trombidiidae), in a peach orchard in China. <i>Journal of Applied Entomology</i> , 1992 , 113, 13-17	1.7	7
9	The natural enemies of <i>Aphis gossypii</i> Glover (Hom., Aphididae) in China. <i>Journal of Applied Entomology</i> , 1992 , 114, 251-262	1.7	18
8	Biology of <i>Allothrombium pulvinum</i> Ewing (Acari, Trombidiidae) and its impact on twospotted spider mite (Acari, Tetranychidae) in cotton fields. <i>Journal of Applied Entomology</i> , 1991 , 112, 31-37	1.7	16
7	Parasitism of <i>Acyrtosiphon pisum</i> by <i>Allothrombium pulvinum</i> (Acariformes: Trombidiidae): Host attachment site, host size selection, superparasitism and effect on host. <i>Experimental and Applied Acarology</i> , 1991 , 11, 137-147	2.1	17
6	Spring populations of <i>Aphis gossypii</i> (Homoptera: Aphididae) in cotton fields: to spray or not to spray?. <i>Agriculture, Ecosystems and Environment</i> , 1991 , 35, 349-351	5.7	6
5	Relative Toxicity of Abamectin to the Predatory Mite <i>Phytoseiulus persimilis</i> (Acari: Phytoseiidae) and Twospotted Spider Mite (Acari: Tetranychidae). <i>Journal of Economic Entomology</i> , 1990 , 83, 1783-1790	2.2	67
4	Biology of <i>Allothrombium pulvinum</i> (Acariformes: Trombidiidae), a potential biological control agent of aphids in China. <i>Experimental and Applied Acarology</i> , 1989 , 6, 101-108	2.1	20
3	Towards a global list of accepted species III. Independence and stakeholder inclusion. <i>Organisms Diversity and Evolution</i> , 1	1.7	5
2	Towards a global list of accepted species IV: Overcoming fragmentation in the governance of taxonomic lists. <i>Organisms Diversity and Evolution</i> , 1	1.7	4

- 1 Towards a global list of accepted species I. Why taxonomists sometimes disagree, and why this matters. *Organisms Diversity and Evolution*, 1 1.7 5