Panniyammakal Jeemon

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/9178964/panniyammakal-jeemon-publications-by-citations.pdf$

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers **12,803** citations

30 h-index 102 g-index

1O2 ext. papers

15,894 ext. citations

8.5 avg, IF

5.07 L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 94 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210 | 40 | 2542 |
| 93 | Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017 , 70, 1-25 | 15.1 | 1804 |
| 92 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422 | 40 | 1378 |
| 91 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91 | 40 | 1203 |
| 90 | Global, regional, and national burden of neurological disorders during 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017 , 16, 877-897 | 24.1 | 984 |
| 89 | Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70 | 40 | 653 |
| 88 | Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812 | 40 | 476 |
| 87 | Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774 | 40 | 413 |
| 86 | Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387 | 7.8 | 382 |
| 85 | Cardiovascular Diseases in India: Current Epidemiology and Future Directions. <i>Circulation</i> , 2016 , 133, 1605-20 | 16.7 | 349 |
| 84 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87 | 8.3 | 347 |
| 83 | The impact of air pollution on deaths, disease burden, and life expectancy across the states of India: the Global Burden of Disease Study 2017. <i>Lancet Planetary Health, The</i> , 2019 , 3, e26-e39 | 9.8 | 335 |
| 82 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459 | 40 | 224 |
| 81 | The increasing burden of diabetes and variations among the states of India: the Global Burden of Disease Study 1990-2016. <i>The Lancet Global Health</i> , 2018 , 6, e1352-e1362 | 13.6 | 184 |
| 80 | The changing patterns of cardiovascular diseases and their risk factors in the states of India: the Global Burden of Disease Study 1990-2016. <i>The Lancet Global Health</i> , 2018 , 6, e1339-e1351 | 13.6 | 166 |
| 79 | Educational status and cardiovascular risk profile in Indians. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 16263-8 | 11.5 | 130 |
| 78 | Clinical presentation, management, in-hospital and 90-day outcomes of heart failure patients in Trivandrum, Kerala, India: the Trivandrum Heart Failure Registry. <i>European Journal of Heart Failure</i> , 2015 , 17, 794-800 | 12.3 | 72 |

(2012-2013)

| 77 | Long-term and ultra long-term blood pressure variability during follow-up and mortality in 14,522 patients with hypertension. <i>Hypertension</i> , 2013 , 62, 698-705 | 8.5 | 68 |
|----|---|------|----|
| 76 | Task sharing with non-physician health-care workers for management of blood pressure in low-income and middle-income countries: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2019 , 7, e761-e771 | 13.6 | 62 |
| 75 | Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1224-1236 | 40 | 61 |
| 74 | Impact of a worksite intervention program on cardiovascular risk factors: a demonstration project in an Indian industrial population. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1718-28 | 15.1 | 61 |
| 73 | Status of epidemiology in the WHO South-East Asia region: burden of disease, determinants of health and epidemiological research, workforce and training capacity. <i>International Journal of Epidemiology</i> , 2012 , 41, 847-60 | 7.8 | 55 |
| 72 | Serum chloride is an independent predictor of mortality in hypertensive patients. <i>Hypertension</i> , 2013 , 62, 836-43 | 8.5 | 51 |
| 71 | Differences in the prevalence of metabolic syndrome in urban and rural India: a problem of urbanization. <i>Chronic Illness</i> , 2007 , 3, 8-19 | 1.4 | 50 |
| 70 | Implications of discoveries from genome-wide association studies in current cardiovascular practice. <i>World Journal of Cardiology</i> , 2011 , 3, 230-47 | 2.1 | 50 |
| 69 | Blood pressure response to patterns of weather fluctuations and effect on mortality. <i>Hypertension</i> , 2013 , 62, 190-6 | 8.5 | 40 |
| 68 | Independent and interactive effects of plant sterols and fish oil n-3 long-chain polyunsaturated fatty acids on the plasma lipid profile of mildly hyperlipidaemic Indian adults. <i>British Journal of Nutrition</i> , 2009 , 102, 722-32 | 3.6 | 36 |
| 67 | Prevalence and incidence of hypertension: Results from a representative cohort of over 16,000 adults in three cities of South Asia. <i>Indian Heart Journal</i> , 2017 , 69, 434-441 | 1.6 | 34 |
| 66 | Serum uric acid level, longitudinal blood pressure, renal function, and long-term mortality in treated hypertensive patients. <i>Hypertension</i> , 2013 , 62, 105-11 | 8.5 | 31 |
| 65 | Social determinants of cardiovascular disease outcomes in Indians. <i>Indian Journal of Medical Research</i> , 2010 , 132, 617-22 | 2.9 | 30 |
| 64 | Quality Improvement for Cardiovascular Disease Care in Low- and Middle-Income Countries: A Systematic Review. <i>PLoS ONE</i> , 2016 , 11, e0157036 | 3.7 | 29 |
| 63 | Distribution of 10-year and lifetime predicted risk for cardiovascular disease in the Indian Sentinel Surveillance Study population (cross-sectional survey results). <i>BMJ Open</i> , 2011 , 1, e000068 | 3 | 27 |
| 62 | Association between gender, process of care measures, and outcomes in ACS in India: results from the detection and management of coronary heart disease (DEMAT) registry. <i>PLoS ONE</i> , 2013 , 8, e62061 | 3.7 | 26 |
| 61 | Hematocrit predicts long-term mortality in a nonlinear and sex-specific manner in hypertensive adults. <i>Hypertension</i> , 2012 , 60, 631-8 | 8.5 | 25 |
| 60 | Tobacco use and nicotine dependency in a cross-sectional representative sample of 18,018 individuals in Andaman and Nicobar Islands, India. <i>BMC Public Health</i> , 2012 , 12, 515 | 4.1 | 24 |

| 59 | Family history of premature cardiovascular disease: blood pressure control and long-term mortality outcomes in hypertensive patients. <i>European Heart Journal</i> , 2014 , 35, 563-70 | 9.5 | 23 |
|----|--|------|----|
| 58 | Commentary: Poverty and cardiovascular disease in India: do we need more evidence for action?. <i>International Journal of Epidemiology</i> , 2013 , 42, 1431-5 | 7.8 | 22 |
| 57 | Diagnostic accuracy of diffuse reflectance imaging for early detection of pre-malignant and malignant changes in the oral cavity: a feasibility study. <i>BMC Cancer</i> , 2013 , 13, 278 | 4.8 | 21 |
| 56 | Should your family history of coronary heart disease scare you?. <i>Mount Sinai Journal of Medicine</i> , 2012 , 79, 721-32 | | 21 |
| 55 | One-year mortality outcomes and hospital readmissions of patients admitted with acute heart failure: Data from the Trivandrum Heart Failure Registry in Kerala, India. <i>American Heart Journal</i> , 2017 , 189, 193-199 | 4.9 | 20 |
| 54 | Prevalence of risk factors of non-communicable diseases in Kerala, India: results of a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e027880 | 3 | 20 |
| 53 | A PROgramme of Lifestyle Intervention in Families for Cardiovascular risk reduction (PROLIFIC Study): design and rationale of a family based randomized controlled trial in individuals with family history of premature coronary heart disease. <i>BMC Public Health</i> , 2017 , 17, 10 | 4.1 | 19 |
| 52 | In-Hospital and Three-Year Outcomes of Heart Failure Patients in South India: The Trivandrum Heart Failure Registry. <i>Journal of Cardiac Failure</i> , 2018 , 24, 842-848 | 3.3 | 19 |
| 51 | Chronic disease concordance within Indian households: A cross-sectional study. <i>PLoS Medicine</i> , 2017 , 14, e1002395 | 11.6 | 18 |
| 50 | Task shifting of frontline community health workers for cardiovascular risk reduction: design and rationale of a cluster randomised controlled trial (DISHA study) in India. <i>BMC Public Health</i> , 2016 , 16, 264 | 4.1 | 18 |
| 49 | Diastolic Blood Pressure J-Curve Phenomenon in a Tertiary-Care Hypertension Clinic. <i>Hypertension</i> , 2019 , 74, 767-775 | 8.5 | 18 |
| 48 | Paying for Hemodialysis in Kerala, India: AlDescription of Household Financial Hardship in the Context of Medical Subsidy. <i>Kidney International Reports</i> , 2019 , 4, 390-398 | 4.1 | 17 |
| 47 | World Heart Federation Roadmap for Hypertension - A 2021 Update. <i>Global Heart</i> , 2021 , 16, 63 | 2.9 | 13 |
| 46 | Does uric acid qualify as an independent risk factor for cardiovascular mortality?. <i>Clinical Science</i> , 2013 , 124, 255-7 | 6.5 | 12 |
| 45 | Association of high sensitive C-reactive protein (hsCRP) with established cardiovascular risk factors in the Indian population. <i>Nutrition and Metabolism</i> , 2011 , 8, 19 | 4.6 | 12 |
| 44 | Contrasting mortality risks among subgroups of treated hypertensive patients developing new-onset diabetes. <i>European Heart Journal</i> , 2016 , 37, 968-74 | 9.5 | 10 |
| 43 | Impact of comprehensive cardiovascular risk reduction programme on risk factor clustering associated with elevated blood pressure in an Indian industrial population. <i>Indian Journal of Medical Research</i> , 2012 , 135, 485-93 | 2.9 | 10 |
| 42 | The association between blood pressure and long-term outcomes of patients with ischaemic cardiomyopathy with and without surgical revascularization: an analysis of the STICH trial. <i>European Heart Journal</i> 2018 39 3464-3471 | 9.5 | 9 |

(2011-2019)

| 41 | Perceived facilitators and barriers of enrolment, participation and adherence to a family based structured lifestyle modification interventions in Kerala, India: A qualitative study. <i>Wellcome Open Research</i> , 2019 , 4, 131 | 4.8 | 8 |
|----|---|------|---|
| 40 | Serum Omega-6/Omega-3 Ratio and Risk Markers for Cardiovascular Disease in an Industrial Population of Delhi. <i>Food and Nutrition Sciences (Print)</i> , 2013 , 4, 94-97 | 0.4 | 8 |
| 39 | Task-sharing interventions for improving control of diabetes in low-income and middle-income countries: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2021 , 9, e170-e180 | 13.6 | 8 |
| 38 | Task-sharing interventions for cardiovascular risk reduction and lipid outcomes in low- and middle-income countries: A systematic review and meta-analysis. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 626-642 | 4.9 | 6 |
| 37 | Association between serum phosphate and calcium, long-term blood pressure, and mortality in treated hypertensive adults. <i>Journal of Hypertension</i> , 2015 , 33, 2046-53 | 1.9 | 6 |
| 36 | Management of Hypertension and Dyslipidemia for Primary Prevention of Cardiovascular Disease 2017 , 389-404 | | 6 |
| 35 | Perceived facilitators and barriers of enrolment, participation and adherence to a family based structured lifestyle modification interventions in Kerala, India: A qualitative study. <i>Wellcome Open Research</i> , 2019 , 4, 131 | 4.8 | 6 |
| 34 | Prevalence and patterns of multi-morbidity in the productive age group of 30-69 years: A cross-sectional study in Pathanamthitta District, Kerala. <i>Wellcome Open Research</i> , 2020 , 5, 233 | 4.8 | 6 |
| 33 | Five-year mortality and readmission rates in patients with heart failure in India: Results from the Trivandrum heart failure registry. <i>International Journal of Cardiology</i> , 2021 , 326, 139-143 | 3.2 | 6 |
| 32 | Family history of cardiovascular disease and risk of premature coronary heart disease: A matched case-control study. <i>Wellcome Open Research</i> , 2020 , 5, 70 | 4.8 | 5 |
| 31 | Role of family support and self-care practices in blood pressure control in individuals with hypertension: results from a cross-sectional study in Kollam District, Kerala. <i>Wellcome Open Research</i> , 2020 , 5, 180 | 4.8 | 4 |
| 30 | Technology enabled non-physician health workers extending telemedicine to rural homes to control hypertension and diabetes (TETRA): A pre-post demonstration project in Telangana, India. <i>PLoS ONE</i> , 2019 , 14, e0211551 | 3.7 | 4 |
| 29 | Efficacy of a family-based cardiovascular risk reduction intervention in individuals with a family history of premature coronary heart disease in India (PROLIFIC): an open-label, single-centre, cluster randomised controlled trial. <i>The Lancet Global Health</i> , 2021 , 9, e1442-e1450 | 13.6 | 4 |
| 28 | Prevalence and patterns of multi-morbidity in the productive age group of 30-69 years: A cross-sectional study in Pathanamthitta District, Kerala <i>Wellcome Open Research</i> , 2020 , 5, 233 | 4.8 | 3 |
| 27 | Malformation risk of new anti-epileptic drugs in women with epilepsy; observational data from the Kerala registry of epilepsy and pregnancy (KREP). <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 93, 127-132 | 3.2 | 3 |
| 26 | Early and long-term outcomes of decompensated heart failure patients in a tertiary-care centre in India. <i>ESC Heart Failure</i> , 2020 , 7, 467-473 | 3.7 | 2 |
| 25 | Pulmonary hypertension registry of Kerala, India (PRO-KERALA) - Clinical characteristics and practice patterns. <i>International Journal of Cardiology</i> , 2018 , 265, 212-217 | 3.2 | 2 |
| 24 | Socio-economic status and cardiovascular risk among Indians. <i>Preventive Medicine</i> , 2011 , 52, 471-2 | 4.3 | 2 |

| 23 | Family history of cardiovascular disease and risk of premature coronary heart disease: A matched case-control study. <i>Wellcome Open Research</i> , 2020 , 5, 70 | 4.8 | 2 |
|----|--|--------------|---|
| 22 | Enduring language deficits in children of women with epilepsy and the potential role of intrauterine exposure to antiepileptic drugs. <i>Epilepsia</i> , 2020 , 61, 2442-2451 | 6.4 | 2 |
| 21 | Task sharing with non-physician health-care workers for management of blood pressure - AuthorsR reply. <i>The Lancet Global Health</i> , 2019 , 7, e1327 | 13.6 | 1 |
| 20 | Quality Improvement in Cardiovascular Disease Care 2017 , 327-348 | | 1 |
| 19 | Systematic review on the use of patient-held health records in low-income and middle-income countries. <i>BMJ Open</i> , 2021 , 11, e046965 | 3 | 1 |
| 18 | Using Peer Educators to Deliver a Worksite-Based Lifestyle Program to Reduce Cardiometabolic Risk in India. <i>Current Developments in Nutrition</i> , 2020 , 4, 1343-1343 | 0.4 | 1 |
| 17 | Prevalence of multimorbidity and associated treatment burden in primary care settings in Kerala: a cross-sectional study in Malappuram District, Kerala, India. <i>Wellcome Open Research</i> ,7, 67 | 4.8 | 1 |
| 16 | Association of trans fatty acids with lipids and other cardiovascular risk factors in an Indian industrial population. <i>BMC Research Notes</i> , 2019 , 12, 342 | 2.3 | O |
| 15 | A Sustainable Community-Based Model of Noncommunicable Disease Risk Factor Surveillance (Shraddha-Jagrithi Project): Protocol for a Cohort Study. <i>JMIR Research Protocols</i> , 2021 , 10, e27299 | 2 | 0 |
| 14 | Secondary prevention of stroke by a primary health care approach: An open-label cluster randomised trial. <i>Journal of Clinical Neuroscience</i> , 2021 , 84, 53-59 | 2.2 | O |
| 13 | Structured Lifestyle Modification Interventions Involving Frontline Health Workers for Population-Level Blood Pressure Reduction: Results of a Cluster Randomized Controlled Trial in India (DISHA Study) <i>Journal of the American Heart Association</i> , 2022 , e023526 | 6 | 0 |
| 12 | Determining the frequency and level of task-sharing for hypertension management in LMICs: A systematic review and meta-analysis <i>EClinicalMedicine</i> , 2022 , 47, 101388 | 11.3 | O |
| 11 | Cardiovascular health promotion in adolescents: a vital investment. <i>Lancet Diabetes and Endocrinology,the</i> , 2015 , 3, 493-4 | 18.1 | |
| 10 | Response to Effect of serum chloride on mortality in hypertensive patients. <i>Hypertension</i> , 2014 , 63, e1 | 5 8.5 | |
| 9 | AuthorsR esponse to: Mortality estimates for South East Asia, and INDEPTH mortality surveillance: necessary, but not sufficient. <i>International Journal of Epidemiology</i> , 2013 , 42, 1200-1 | 7.8 | |
| 8 | Tamil Nadu Pregnancy and Heart Disease Registry (TNPHDR): design and methodology <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 80 | 3.2 | |
| 7 | Determinants of very low birth weight in India: The National Family Health Survey [4. Wellcome Open Research,7, 20 | 4.8 | |
| 6 | Assessment of the impact of heart failure on household economic well-being: a protocol. <i>Wellcome Open Research</i> ,6, 167 | 4.8 | |

LIST OF PUBLICATIONS

| 5 | Patient, caregiver, and health care provider perspectives on barriers and facilitators to heart failure care in Kerala, India: A qualitative study. <i>Wellcome Open Research</i> , 2020 , 5, 250 | 4.8 |
|---|--|-----|
| 4 | Patient, caregiver, and health care provider perspectives on barriers and facilitators to heart failure care in Kerala, India: A qualitative study. <i>Wellcome Open Research</i> , 2020 , 5, 250 | 4.8 |
| 3 | Assessment of the impact of heart failure on household economic well-being: a protocol. <i>Wellcome Open Research</i> , 2021 , 6, 167 | 4.8 |
| 2 | Prevalence of multimorbidity and associated treatment burden in primary care settings in Kerala: a cross-sectional study in Malappuram District, Kerala, India <i>Wellcome Open Research</i> , 2022 , 7, 67 | 4.8 |
| 1 | Determinants of very low birth weight in India: The National Family Health Survey [4. Wellcome Open Research,7, 20 | 4.8 |