

Priv-Doz Dr Peter Weinberger

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/9179054/priv-do-dr-peter-weinberger-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,237
citations

18
h-index

33
g-index

82
ext. papers

1,330
ext. citations

4
avg, IF

3.73
L-index

#	Paper	IF	Citations
72	Highly reactive oxygen species: detection, formation, and possible functions. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 2067-79	10.3	115
71	Structure and physical properties of [micro-tris(1,4-bis(tetrazol-1-yl)butane-N4,N4')iron(II)] bis(hexafluorophosphate), a new Fe(II) spin-crossover compound with a three-dimensional threefold interlocked crystal lattice. <i>Inorganic Chemistry</i> , 2004 , 43, 155-65	5.1	114
70	Clinically available iron chelators induce neuroprotection in the 6-OHDA model of Parkinson's disease after peripheral administration. <i>Journal of Neural Transmission</i> , 2011 , 118, 223-31	4.3	99
69	Monodispersed nanocrystalline Co _{1-x} Zn _x Fe ₂ O ₄ particles by forced hydrolysis: Synthesis and characterization. <i>Journal of Magnetism and Magnetic Materials</i> , 2007 , 311, 46-50	2.8	76
68	catena-[Tris(1,2-bis(tetrazol-1-yl)ethane-N4,N4')iron(II)] bis(tetrafluoroborate): synthesis, structure, spectroscopic and magnetic characterization of a chain-type coordination polymer spin-crossover compound. <i>Inorganica Chimica Acta</i> , 2002 , 339, 297-306	2.7	76
67	Both spacer length and parity influence the thermal and light-induced properties of iron(II) alpha,omega-bis(tetrazole-1-yl)alkane coordination polymers. <i>Chemistry - A European Journal</i> , 2006 , 12, 2235-43	4.8	75
66	[Fe(mu-btzmp) ₂ (btzmp) ₂](ClO ₄) ₂ : a doubly-bridged 1D spin-transition bistetrazole-based polymer showing thermal hysteresis behaviour. <i>Dalton Transactions</i> , 2007 , 5434-40	4.3	51
65	Synthesis and characterisation of tetrazole compounds: 3 series of new ligands representing versatile building blocks for iron(II) spin-crossover compounds. <i>Journal of Molecular Structure</i> , 2005 , 733, 41-52	3.4	44
64	Magnetic, ⁵⁷ Fe Mössbauer, and IR Monitoring of the Thermal Spin Transition in a New Family of Iron(II) Spin-Transition Complexes. <i>European Journal of Inorganic Chemistry</i> , 2003 , 2003, 2273-2282	2.3	35
63	Systematic search algorithm for potential thermochemical energy storage systems. <i>Applied Energy</i> , 2016 , 183, 113-120	10.7	35
62	High-Temperature Energy Storage: Kinetic Investigations of the CuO/Cu ₂ O Reaction Cycle. <i>Energy & Fuels</i> , 2017 , 31, 2324-2334	4.1	32
61	Combining in-situ X-ray diffraction with thermogravimetry and differential scanning calorimetry – An investigation of Co ₃ O ₄ , MnO ₂ and PbO ₂ for thermochemical energy storage. <i>Solar Energy</i> , 2017 , 153, 11-24	6.8	23
60	Synthesis and thermal studies on iron(III) complexes of 4-N-(4?-antipyrylmethylidene)aminoantipyrene with varying counter ions. <i>Thermochimica Acta</i> , 2003 , 407, 73-84	2.9	23
59	A Novel Salt Formed by Mixed-Valence Vanadium(IV, V) [(VO) ₂ O(bpy) ₂ (C ₂ O ₄) ₂] Anions and Ferromagnetic [Cu ₂ (bpy) ₄ (C ₂ O ₄)] Cations: Structure, Spectroscopic Characterization and Magnetic Properties. <i>European Journal of Inorganic Chemistry</i> , 2001 , 2001, 2061-2966	2.3	23
58	Variable temperature far and mid FT-IR as a valuable tool to determine the spin transition temperature of iron(II) spin-crossover coordination compounds. <i>Vibrational Spectroscopy</i> , 2004 , 34, 175-186	2.1	22
57	Synthesis and characterisation of new ditetrazole-ligands as more rigid building blocks of envisaged iron(II) spin-crossover coordination polymers. <i>Journal of Molecular Structure</i> , 2005 , 741, 159-169	3.4	20
56	Theoretical description of phenomena observed in a systematic study of the spin crossover in Fe(II) complexes with halogenated ethyltetrazoles. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 3676	3.6	18

55	Theoretical description of phenomena observed in a systematic study of the spin crossover in Fe(II) complexes with halogenated ethyltetrazoles. <i>Physical Chemistry Chemical Physics</i> , 2003 , 5, 3666	3.6	18
54	Probing cycle stability and reversibility in thermochemical energy storage $[CaCO_3] \cdot H_2O$ as perfect match?. <i>Applied Energy</i> , 2017 , 187, 1-9	10.7	17
53	Synthesis, structure, spectroscopic and magnetic characterization of a novel spin-crossover iron(II) complex with 1-cyclopropyltetrazole ligands. <i>Inorganica Chimica Acta</i> , 2007 , 360, 3987-3996	2.7	17
52	Antipyrine and its Derivatives with First Row Transition Metals. <i>Reviews in Inorganic Chemistry</i> , 2003 , 23, 1-24	2.4	17
51	Comparative investigations on a series of [hexakis(1-(tetrazol-1-yl)alkane-N4)iron(II)] bis(tetrafluoroborate) spin crossover complexes: Methyl- to butyl-substituted species. <i>Inorganica Chimica Acta</i> , 2008 , 361, 1291-1297	2.7	16
50	Spin Transition of 1D, 2D and 3D Iron(II) Complex Polymers The Tug-of-War between Elastic Interaction and a Shock-Absorber Effect. <i>Monatshefte für Chemie</i> , 2003 , 134, 183-198	1.4	16
49	A Modified Synthetic Pathway for the Synthesis of so far Inaccessible N1-Functionalized Tetrazole Ligands - Synthesis and Characterization of the 1D Chain-Type Spin Crossover Compound [Fe(3ditz)](BF ₄). <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 984-991	2.3	14
48	Two new Fe(II) spin crossover complexes with tetrazol-1-yl-cycloalkane ligands. <i>Inorganica Chimica Acta</i> , 2009 , 362, 3629-3636	2.7	14
47	Tuning the performance of MgO for thermochemical energy storage by dehydration [From fundamentals to phase impurities. <i>Applied Energy</i> , 2019 , 253, 113562	10.7	13
46	A thermal decomposition study on cobalt(II) complexes of 1,2-di(imino-4?-antipyrinyl)ethane. <i>Thermochimica Acta</i> , 2003 , 400, 29-36	2.9	13
45	Peer review versus editorial review and their role in innovative science. <i>Theoretical Medicine and Bioethics</i> , 2012 , 33, 359-76	0.9	12
44	Calcium Doping Facilitates Water Dissociation in Magnesium Oxide. <i>Advanced Sustainable Systems</i> , 2018 , 2, 1700096	5.9	12
43	Spectroscopic, structural and magnetic investigations of iron(II) complexes based on 1-isopropyl- and 1-isobutyl-substituted tetrazole ligands. <i>Inorganica Chimica Acta</i> , 2013 , 396, 92-100	2.7	11
42	Nitrogen-rich compounds of the actinoids: dioxouranium(VI) 5,5'-azobis[tetrazolide] pentahydrate and its unusually small uranyl angle. <i>Inorganic Chemistry</i> , 2012 , 51, 6739-45	5.1	11
41	Halide-bridged tetranuclear copper(II) complexes: structural, vibrational and magnetic properties of (μ-oxo)-hexakis(μ-chloro)-tetrakis[(morpholine)-copper(II)]. <i>Journal of Molecular Structure</i> , 1998 , 446, 115-126	3.4	11
40	Cycle Stability and Hydration Behavior of Magnesium Oxide and Its Dependence on the Precursor-Related Particle Morphology. <i>Nanomaterials</i> , 2018 , 8,	5.4	11
39	Six-coordinate high-spin iron(ii) complexes with bidentate PN ligands based on 2-aminopyridine - new Fe(ii) spin crossover systems. <i>Dalton Transactions</i> , 2014 , 43, 11152-64	4.3	10
38	A novel mixed valence copper(I)–copper(II) bis(antipyril-methyl)-piperazine complex: synthesis, molecular structure and spectroscopic characterization. <i>Journal of Molecular Structure</i> , 2000 , 519, 21-31	3.4	10

37	Synthesis, Spectral and Magnetic Investigation of 4-(2-pyridyl)-1-salicylaldehyde-3-thiosemicarbazone. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2000 , 30, 1759-1772		9
36	Vibrational spectroscopy to analyze peripheral isomerism in tetranuclear mixed halide copper(II)-complexes. <i>Vibrational Spectroscopy</i> , 1993 , 5, 101-108	2.1	9
35	Pressure effects on the carbonation of MeO (Me = Co, Mn, Pb, Zn) for thermochemical energy storage. <i>Applied Energy</i> , 2019 , 252, 113451	10.7	7
34	An unusually water-poor 5,5'-azobistetrazolate of dysprosium: stabilization of a nitrogen-rich heterocycle by a minimum of hydrogen bonds. <i>New Journal of Chemistry</i> , 2013 , 37, 3840	3.6	7
33	Medium-temperature thermochemical energy storage with transition metal ammoniates [A systematic material comparison. <i>Applied Energy</i> , 2021 , 285, 116470	10.7	7
32	Hexakis (propargyl-1H-tetrazole) Iron(II) X ₂ [X = BF ₄ , ClO ₄]pin Switchable Complexes with Functionalization Potential and the Myth of the Explosive SCO Compound. <i>Magnetochemistry</i> , 2016 , 2, 12	3.1	6
31	Halogenated Alkyltetrazoles for the Rational Design of Fe Spin-Crossover Materials: Fine-Tuning of the Ligand Size. <i>Chemistry - A European Journal</i> , 2018 , 24, 5271-5280	4.8	6
30	Azobis[tetrazolide]-Carbonates of the Lanthanides [Breaking the Gadolinium Break. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 1969-1975	2.3	5
29	Picomolar Traces of Americium(III) Introduce Drastic Changes in the Structural Chemistry of Terbium(III): A Break in the "Gadolinium Break". <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 13264-13269	16.4	5
28	Enzyme-mimetic model compounds: conformational analysis and far-IR study of Cu(TAAB) ₂ ⁺ . <i>Journal of Inorganic Biochemistry</i> , 2000 , 79, 53-7	4.2	5
27	Thermal Energy Storage Materials (TESMs) [What Does It Take to Make Them Fly?. <i>Crystals</i> , 2021 , 11, 1276	2.3	5
26	Methodology to determine the apparent specific heat capacity of metal hydroxides for thermochemical energy storage. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 133, 207-215	4.1	5
25	Magnesium oxide from natural magnesite samples as thermochemical energy storage material. <i>Energy Procedia</i> , 2019 , 158, 4861-4869	2.3	4
24	Cooperativity in spin crossover materials as ligand's responsibility - investigations of the Fe(II) - 1,3-bis((1H-tetrazol-1-yl)methyl)bicyclo[1.1.1]pentane system. <i>Dalton Transactions</i> , 2018 , 47, 5553-5557	4.3	4
23	Direct Synthesis of Polynuclear Complexes. <i>Reviews in Inorganic Chemistry</i> , 2000 , 20, 255-282	2.4	4
22	Aryl and Heteroaryl N1-Tetrazoles through Ligand-Free Suzuki-Reaction under Aerobic, Aqueous Conditions. <i>European Journal of Organic Chemistry</i> , 2017 , 2017, 2416-2424	3.2	3
21	Low-temperature carbonatization of metal oxides. <i>Energy Procedia</i> , 2019 , 158, 4870-4881	2.3	3
20	ATR or transmission [A variable temperature study comparing both techniques using [Fe(3ditz) ₃](BF ₄) ₂ as model system. <i>Vibrational Spectroscopy</i> , 2016 , 86, 198-205	2.1	3

19	Microwave alkylation of lithium tetrazolate. <i>Monatshefte Für Chemie</i> , 2017 , 148, 131-137	1.4	2
18	Bifunctional Fe(II) spin crossover-complexes based on π (1-tetrazol-1-yl) carboxylic acids. <i>Dalton Transactions</i> , 2020 , 49, 17183-17193	4.3	2
17	Structural and vibrational properties of dichlorobis (triphenylphosphineoxide) copper(ii). <i>Journal of Coordination Chemistry</i> , 1997 , 42, 171-180	1.6	2
16	Tetranuclear mixed halide copper-complexes: A far-FTIR investigation of peripheric isomerism. <i>Journal of Molecular Structure</i> , 1993 , 293, 71-74	3.4	2
15	CuSO/[Cu(NH)]SO-Composite Thermochemical Energy Storage Materials. <i>Nanomaterials</i> , 2020 , 10,	5.4	2
14	Unsaturated Aryl and Heteroaryl N1-Tetrazoles from 1-Allyl-1H-tetrazole. <i>Synthesis</i> , 2018 , 50, 1007-1014	2.9	1
13	Pikomolare Spuren von AmIII verursachen drastische Unterschiede in der Koordinationschemie von TbIII: ein Sprung über die Gadoliniumecke <i>Angewandte Chemie</i> , 2017 , 129, 13448-13453	3.6	1
12	Measuring Sodium Migration in Mold Compounds Using a Sodium Amalgam Electrode as an Infinite Source 2017 ,		1
11	Tetranuclear copper(II)-complexes with bridging bromo- and chloro-ligands and terminal iodo-ligands. <i>Journal of Molecular Structure</i> , 1995 , 348, 437-440	3.4	1
10	Ammonium bis(salicylaldehyde thiosemicarbazonato)ferrate(III), a supramolecular material containing low-spin Fe. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2020 , 76, 625-631	0.8	1
9	Pressure Dependence of the Low Temperature Carbonation Kinetics of Calcium Oxide for Potential Thermochemical Energy Storage Purposes and Sustainable CO2 Fixation. <i>Advanced Sustainable Systems</i> , 2021 , 5, 2100022	5.9	1
8	Controlling Complexation Behavior of Early Lanthanides via the Subtle Interplay of their Lewis Acidity with the Chemical Stability of 5,5'-(Azobis)tetrazolide. <i>Zeitschrift Für Anorganische Und Allgemeine Chemie</i> , 2020 , 646, 1882-1885	1.3	0
7	Azobis[tetrazolide]-Carbonates of the Lanthanides π Breaking the Gadolinium Break. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 1954-1954	2.3	
6	Innentitelbild: Pikomolare Spuren von AmIII verursachen drastische Unterschiede in der Koordinationschemie von TbIII: ein Sprung über die Gadoliniumecke π (Angew. Chem. 43/2017). <i>Angewandte Chemie</i> , 2017 , 129, 13334-13334	3.6	
5	Fe(II) spin-crossover compounds based on the extremely versatile ligand system of 1-substituted tetrazoles: a comparative study. <i>Hyperfine Interactions</i> , 2009 , 191, 81-86	0.8	
4	Spin Transition of 1D, 2D and 3D Iron(II) Complex Polymers The Tug-of-War between Elastic Interaction and a Shock-Absorber Effect 2002 , 67-82		
3	200 Jahre Chemiestudium. Vom K. K. Polytechnischen Institut Zur Technischen Universität Wien 2015 , 17-34		
2	Fe(II) spin-crossover compounds based on the extremely versatile ligand system of 1-substituted tetrazoles: a comparative study 2009 , 411-416		

- 1 Thermochemical Energy Storage: Calcium Doping Facilitates Water Dissociation in Magnesium Oxide (Adv. Sustainable Syst. 1/2018). *Advanced Sustainable Systems*, **2018**, 2, 1870004

5.9