

Ivana Rabbone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9179314/publications.pdf>

Version: 2024-02-01

148
papers

3,346
citations

185998

28
h-index

189595

50
g-index

155
all docs

155
docs citations

155
times ranked

4614
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term complications of type 1 diabetes: what do we know and what do we need to understand?. <i>Minerva Pediatrics</i> , 2022, 73, .	0.2	8
2	Adherence to the Mediterranean Diet Is Associated with Better Metabolic Features in Youths with Type 1 Diabetes. <i>Nutrients</i> , 2022, 14, 596.	1.7	15
3	If you can't explain it simply, you don't understand it well enough (Albert Einstein): the role of postgraduate schools in the careers of young pediatric endocrinologists. <i>Minerva Pediatrics</i> , 2022, 73, 471-473.	0.2	0
4	Significant and persistent improvements in time in range and positive emotions in children and adolescents with type 1 diabetes using a closed-loop control system after attending a virtual educational camp. <i>Acta Diabetologica</i> , 2022, 59, 837-842.	1.2	10
5	Comment on "Real-World Use of a New Hybrid Closed Loop Improves Glycemic Control in Youth with Type 1 Diabetes" by Messer et al.. <i>Diabetes Technology and Therapeutics</i> , 2022, 24, 455-457.	2.4	2
6	Case Report: Role of Ketone Monitoring in Diabetic Ketoacidosis With Acute Kidney Injury: Better Safe Than Sorry. <i>Frontiers in Pediatrics</i> , 2022, 10, .	0.9	1
7	Management of a suspected case of 2019 novel coronavirus infection in a 4-year old child: A simulation scenario. <i>Journal of Paediatrics and Child Health</i> , 2021, 57, 743-746.	0.4	0
8	Seasonal flu and COVID-19 recommendations for children, adolescents and young adults with diabetes. <i>Diabetic Medicine</i> , 2021, 38, e14427.	1.2	5
9	Differences between transient neonatal diabetes mellitus subtypes can guide diagnosis and therapy. <i>European Journal of Endocrinology</i> , 2021, 184, 575-585.	1.9	13
10	Impact of lockdown during COVID-19 emergency on glucose metrics of children and adolescents with type 1 diabetes in Piedmont, Italy. <i>Acta Diabetologica</i> , 2021, 58, 959-961.	1.2	14
11	Parent and patient knowledge of nasal glucagon use and efficacy in a large cohort of Italian children and adolescents with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2004-2005.	2.2	3
12	Diabetes and Prediabetes in Children With Cystic Fibrosis: A Systematic Review of the Literature and Recommendations of the Italian Society for Pediatric Endocrinology and Diabetes (ISPED). <i>Frontiers in Endocrinology</i> , 2021, 12, 673539.	1.5	18
13	IMPACT OF 2017 AAP AND 2016 ESH GUIDELINES ON PAEDIATRIC HYPERTENSION PREVALENCE. <i>Journal of Hypertension</i> , 2021, 39, e188.	0.3	0
14	The best is the enemy of the good: Time for a biopsy-sparing approach for <i>Helicobacter pylori</i> diagnosis and treatment in children in the COVID-19 era?. <i>Helicobacter</i> , 2021, 26, e12826.	1.6	2
15	Pediatric admissions to emergency departments of North-Western Italy during COVID-19 pandemic: A retrospective observational study. <i>Lancet Regional Health - Europe</i> , The, 2021, 5, 100081.	3.0	22
16	Multidisciplinary Approach for Hypothalamic Obesity in Children and Adolescents: A Preliminary Study. <i>Children</i> , 2021, 8, 531.	0.6	3
17	The perception of Italian pregnant women and new mothers about their psychological wellbeing, lifestyle, delivery, and neonatal management experience during the COVID-19 pandemic lockdown: a web-based survey. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 473.	0.9	37
18	A Global Overview of COVID-19 Research in the Pediatric Field: Bibliometric Review. <i>JMIR Pediatrics and Parenting</i> , 2021, 4, e24791.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Type 2 diabetes in pediatrics. <i>Minerva Pediatrics</i> , 2021, , .	0.2	2
20	Retrospective Diagnosis of a Novel ACAN Pathogenic Variant in a Family With Short Stature: A Case Report and Review of the Literature. <i>Frontiers in Genetics</i> , 2021, 12, 708864.	1.1	5
21	Effectiveness of a closed-loop control system and a virtual educational camp for children and adolescents with type 1 diabetes: A prospective, multicentre, real-life study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 2484-2491.	2.2	18
22	Changing Admission Patterns in Pediatric Emergency Departments during the COVID-19 Pandemic in Italy Were Due to Reductions in Inappropriate Accesses. <i>Children</i> , 2021, 8, 962.	0.6	8
23	Rethinking Carbohydrate Intake and Time in Range in Children and Adolescents with Type 1 Diabetes. <i>Nutrients</i> , 2021, 13, 3869.	1.7	7
24	MIS-C Treatment: Is IVIG Always Necessary?. <i>Frontiers in Pediatrics</i> , 2021, 9, 753123.	0.9	17
25	Factors Associated With Severe Gastrointestinal Diagnoses in Children With SARS-CoV-2 Infection or Multisystem Inflammatory Syndrome. <i>JAMA Network Open</i> , 2021, 4, e2139974.	2.8	24
26	Data-Driven Disturbance Estimation and Control With Application to Blood Glucose Regulation. <i>IEEE Transactions on Control Systems Technology</i> , 2020, 28, 48-62.	3.2	5
27	Sparse Reconstruction of Glucose Fluxes Using Continuous Glucose Monitors. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020, 17, 1797-1809.	1.9	5
28	Diabetic ketoacidosis at the onset of disease during a national awareness campaign: a 2-year observational study in children aged 0-18 years. <i>Archives of Disease in Childhood</i> , 2020, 105, 363-366.	1.0	25
29	Mini-doses of glucagon to prevent hypoglycemia in children with type 1 diabetes refusing food: a case series. <i>Acta Diabetologica</i> , 2020, 57, 359-365.	1.2	2
30	Treatment with rapamycin can restore regulatory T-cell function in IPEX patients. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1262-1271.e13.	1.5	48
31	Risk factors for type 1 diabetes, including environmental, behavioural and gut microbial factors: a case-control study. <i>Scientific Reports</i> , 2020, 10, 17566.	1.6	17
32	Adherence to the Gluten-Free Diet during the Lockdown for COVID-19 Pandemic: A Web-Based Survey of Italian Subjects with Celiac Disease. <i>Nutrients</i> , 2020, 12, 3467.	1.7	23
33	Socioeconomic Inequalities Increase the Probability of Ketoacidosis at Diagnosis of Type 1 Diabetes: A 2014-2016 Nationwide Study of 2,679 Italian Children. <i>Frontiers in Pediatrics</i> , 2020, 8, 575020.	0.9	19
34	All that glitters is not COVID: Low prevalence of seroconversion against SARS-CoV-2 in a pediatric cohort of patients with chilblain-like lesions. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1751-1753.	0.6	10
35	COVID-19 Pandemic: Perspective From Italian Pediatric Emergency Physicians. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, 14, 648-651.	0.7	10
36	Has COVID-19 Delayed the Diagnosis and Worsened the Presentation of Type 1 Diabetes in Children?. <i>Diabetes Care</i> , 2020, 43, 2870-2872.	4.3	182

#	ARTICLE	IF	CITATIONS
37	Control-IQ technology enhanced by educative path in diabetes children. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108525.	1.1	1
38	High Frequency of Dermatological Complications in Children and Adolescents with Type 1 Diabetes: A Web-Based Survey. <i>Journal of Diabetes Science and Technology</i> , 2020, 15, 193229682094707.	1.3	11
39	Cardiovascular risk factors in children and adolescents with type 1 diabetes in Italy: a multicentric observational study. <i>Pediatric Diabetes</i> , 2020, 21, 1546-1555.	1.2	18
40	Vitamin D Supplementation Modulates ICOS+ and ICOS ^{hi} Regulatory T Cell in Siblings of Children With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4767-e4777.	1.8	9
41	Management and Nutrition of Neonates during the COVID-19 Pandemic: A Review of the Existing Guidelines and Recommendations. <i>American Journal of Perinatology</i> , 2020, 37, S46-S53.	0.6	8
42	Caring for children and adolescents with type 1 diabetes mellitus: Italian Society for Pediatric Endocrinology and Diabetology (ISPED) statements during COVID-19 pandemia. <i>Diabetes Research and Clinical Practice</i> , 2020, 168, 108372.	1.1	42
43	Vitamin D and Cardiovascular Risk: Which Implications in Children?. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3536.	1.8	16
44	Changing admission patterns in paediatric emergency departments during the COVID-19 pandemic. <i>Archives of Disease in Childhood</i> , 2020, 105, 704.2-706.	1.0	68
45	Microbiota, epidemiological and nutritional factors related to ketoacidosis at the onset of type 1 diabetes. <i>Acta Diabetologica</i> , 2020, 57, 1337-1349.	1.2	4
46	Enhanced expression of human endogenous retroviruses in new-onset type 1 diabetes: Potential pathogenetic and therapeutic implications. <i>Autoimmunity</i> , 2020, 53, 283-288.	1.2	20
47	Time In Range in Children with Type 1 Diabetes Using Treatment Strategies Based on Nonautomated Insulin Delivery Systems in the Real World. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 509-515.	2.4	43
48	Multicentre Italian study of SARS-CoV-2 infection in children and adolescents, preliminary data as at 10 April 2020. <i>Eurosurveillance</i> , 2020, 25, .	3.9	222
49	Il diabete mellito di tipo 2 dell'adolescente. <i>Il Diabete</i> , 2020, 32, .	0.0	0
50	1636-P: Transient Neonatal Diabetes: Clinical Differences between Patients Bearing KATP Mutations and 6q24 Defects May Guide Genetic Screening. <i>Diabetes</i> , 2020, 69, 1636-P.	0.3	1
51	Congenital diabetes mellitus. <i>Minerva Pediatrica</i> , 2020, 72, 240-249.	2.6	4
52	Vitamin D effects and endocrine diseases. <i>Minerva Pediatrica</i> , 2020, 72, 326-339.	2.6	4
53	Incidence of severe hypoglycemia and possible associated factors in pediatric patients with type 1 diabetes mellitus in the real-life, post-CCT setting: a systematic review. <i>Pediatric Diabetes</i> , 2019, 20, 678-692.	1.2	7
54	The use of real time continuous glucose monitoring or flash glucose monitoring in the management of diabetes: A consensus view of Italian diabetes experts using the Delphi method. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 421-431.	1.1	52

#	ARTICLE	IF	CITATIONS
55	CARDIOVASCULAR CHANGES DUE TO PHYSICAL ACTIVITY IN OBESE AND/OR HYPERTENSIVE CHILDREN. <i>Journal of Hypertension</i> , 2019, 37, e179.	0.3	0
56	Optimal predictive low glucose management settings during physical exercise in adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2019, 20, 107-112.	1.2	11
57	Nutritional behavior in Italian and immigrant children. <i>Minerva Pediatrica</i> , 2019, 71, 481-487.	2.6	2
58	2405-PUB: Minimed 640G vs. Minimed 670G, a Comparison in Children and Adolescents with Diabetes Type 1. <i>Diabetes</i> , 2019, 68, .	0.3	0
59	Metabolic control and complications in Italian people with diabetes treated with continuous subcutaneous insulin infusion. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 335-342.	1.1	8
60	Parental evaluation of a telemonitoring service for children with Type 1 Diabetes. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 230-237.	1.4	15
61	Can HbA1c combined with fasting plasma glucose help to assess priority for GCK-MODY vs HNF1A-MODY genetic testing?. <i>Acta Diabetologica</i> , 2018, 55, 981-983.	1.2	14
62	Effectiveness and safety of long-term treatment with sulfonylureas in patients with neonatal diabetes due to KCNJ11 mutations: an international cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 637-646.	5.5	120
63	Adjusting insulin doses in patients with type 1 diabetes who use insulin pump and continuous glucose monitoring: Variations among countries and physicians. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2458-2466.	2.2	44
64	Insulin pump breakdown and infusion set failure in Italian children with type 1 diabetes: A 1-year prospective observational study with suggestions to minimize clinical impact. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2551-2556.	2.2	11
65	Data-driven polynomial MPC and application to blood glucose regulation in a diabetic patient. , 2018, , .		1
66	The role of socio-economic and clinical factors on HbA1c in children and adolescents with type 1 diabetes: an Italian multicentre survey. <i>Pediatric Diabetes</i> , 2017, 18, 241-248.	1.2	28
67	Recommendations for the use of sensor-augmented pumps with predictive low-glucose suspend features in children: The importance of education. <i>Pediatric Diabetes</i> , 2017, 18, 883-889.	1.2	8
68	Insulin therapy in neonatal diabetes mellitus: a review of the literature. <i>Diabetes Research and Clinical Practice</i> , 2017, 129, 126-135.	1.1	25
69	Accuracy of a CGM Sensor in Pediatric Subjects With Type 1 Diabetes. Comparison of Three Insertion Sites: Arm, Abdomen, and Gluteus. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 1147-1154.	1.3	27
70	Comment on Craig et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. <i>Diabetes Care</i> 2017;40:1034-1040. <i>Diabetes Care</i> , 2017, 40, e167-e167.	4.3	11
71	Neonatal diabetes in a patient with IPEX syndrome: an attempt at balancing insulin therapy. <i>Acta Diabetologica</i> , 2017, 54, 1139-1141.	1.2	5
72	Gut microbiota diversity and T1DM onset: Preliminary data of a case-control study. <i>Human Microbiome Journal</i> , 2017, 5-6, 11-13.	3.8	9

#	ARTICLE	IF	CITATIONS
73	An Unexplained Congenital Disorder of Glycosylation-II in a Child with Neurohepatic Involvement, Hypercholesterolemia and Hypoceruloplasminemia. <i>JIMD Reports</i> , 2017, 38, 97-100.	0.7	0
74	Whole lipid profile and not only HDL cholesterol is impaired in children with coexisting type 1 diabetes and untreated celiac disease. <i>Acta Diabetologica</i> , 2017, 54, 889-894.	1.2	14
75	Fine tuning of nutritional therapy by using continuous glucose monitoring in an infant with a gastrointestinal malformation. <i>Acta Diabetologica</i> , 2017, 54, 607-609.	1.2	0
76	Use of the predictive low glucose management (PLGM) algorithm in Italian adolescents with type 1 diabetes: CareLink [®] data download in a real-world setting. <i>Acta Diabetologica</i> , 2017, 54, 317-319.	1.2	23
77	Diabetes Ketoacidosis Management in Children and Adolescents. <i>ISPAD Versus ISPED: Similarities and Differences.</i> , 2017, , 11-19.		1
78	Insulin pump failures in Italian children with Type 1 diabetes: retrospective 1-year cohort study. <i>Diabetic Medicine</i> , 2017, 34, 621-624.	1.2	13
79	Monogenic Diabetes Accounts for 6.3% of Cases Referred to 15 Italian Pediatric Diabetes Centers During 2007 to 2012. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1826-1834.	1.8	88
80	A Multicenter Retrospective Survey regarding Diabetic Ketoacidosis Management in Italian Children with Type 1 Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-6.	1.0	28
81	High frequency of diabetic ketoacidosis at diagnosis of type 1 diabetes in Italian children: a nationwide longitudinal study, 2004-2013. <i>Scientific Reports</i> , 2016, 6, 38844.	1.6	26
82	Randomized Summer Camp Crossover Trial in 5- to 9-Year-Old Children: Outpatient Wearable Artificial Pancreas Is Feasible and Safe. <i>Diabetes Care</i> , 2016, 39, 1180-1185.	4.3	79
83	Evaluating the Experience of Children With Type 1 Diabetes and Their Parents Taking Part in an Artificial Pancreas Clinical Trial Over Multiple Days in a Diabetes Camp Setting. <i>Diabetes Care</i> , 2016, 39, 2158-2164.	4.3	30
84	Celiac Disease Negatively Influences Lipid Profiles in Young Children With Type 1 Diabetes: Effect of the Gluten-Free Diet. <i>Diabetes Care</i> , 2016, 39, e119-e120.	4.3	9
85	Successful treatment of young infants presenting neonatal diabetes mellitus with continuous subcutaneous insulin infusion before genetic diagnosis. <i>Acta Diabetologica</i> , 2016, 53, 559-565.	1.2	28
86	Survey on the use of insulin pumps in Italy: comparison between pediatric and adult age groups (IMITA). <i>Journal of Diabetes Research</i> , 2015, 2015, 1-6.	1.2	20
87	Continuous Subcutaneous Insulin Infusion and Sensor-Augmented Pump Therapy in Children and Adolescents. <i>Frontiers in Diabetes</i> , 2015, , 143-150.	0.4	1
88	Vitamin D levels at birth and risk of type 1 diabetes in childhood: a case-control study. <i>Acta Diabetologica</i> , 2015, 52, 1077-1081.	1.2	31
89	Functional Evaluation of the Reusable JuniorSTAR [®] Half-Unit Insulin Pen. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 625-631.	1.3	6
90	Continuous Subcutaneous Insulin Infusion in Italy: Third National Survey. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 96-104.	2.4	18

#	ARTICLE	IF	CITATIONS
91	Case Report: When an Induced Illness Looks Like a Rare Disease. <i>Pediatrics</i> , 2015, 136, e1361-e1365.	1.0	12
92	Stato vitaminico D alla nascita e comparsa di diabete tipo 1: studio caso-controllo in italiani e immigrati residenti in Piemonte. <i>Working Paper of Public Health</i> , 2014, 3, .	0.0	0
93	No Sign of Proliferative Retinopathy in 15 Patients With Permanent Neonatal Diabetes With a Median Diabetes Duration of 24 Years. <i>Diabetes Care</i> , 2014, 37, e181-e182.	4.3	8
94	Combined Therapy with Insulin and Growth Hormone in 17 Patients with Type-1 Diabetes and Growth Disorders. <i>Hormone Research in Paediatrics</i> , 2014, 82, 53-58.	0.8	4
95	Carbohydrate counting with an automated bolus calculator helps to improve glycaemic control in children with type 1 diabetes using multiple daily injection therapy: An 18-month observational study. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, 388-394.	1.1	17
96	Geographic variation in the frequency of abdominal adiposity and metabolic syndrome in Italian adolescents with type 1 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 163-165.	1.2	8
97	Health-related quality of life and treatment preferences in adolescents with type 1 diabetes. The VIPKIDS study. <i>Acta Diabetologica</i> , 2014, 51, 43-51.	1.2	36
98	Recommendations for self-monitoring in pediatric diabetes: a consensus statement by the ISPED. <i>Acta Diabetologica</i> , 2014, 51, 173-184.	1.2	25
99	Italian translation, cultural adaptation and validation of the PedsQL [®] , [®] 3.0 Diabetes Module questionnaire in children with type 1 diabetes and their parents. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 115.	1.0	17
100	Increasing burden, younger age at onset and worst metabolic control in migrant than in Italian children with type 1 diabetes: an emerging problem in pediatric clinics. <i>Acta Diabetologica</i> , 2014, 51, 263-267.	1.2	14
101	Six cases with severe insulin resistance (SIR) associated with mutations of insulin receptor: Is a Bartter-like syndrome a feature of congenital SIR?. <i>Acta Diabetologica</i> , 2013, 50, 951-957.	1.2	37
102	Identification of Candidate Children for Maturity-Onset Diabetes of the Young Type 2 (MODY2) Gene Testing: A Seven-Item Clinical Flowchart (7-iF). <i>PLoS ONE</i> , 2013, 8, e79933.	1.1	33
103	Comparison among Different Screening Tests for Diagnosis of Adolescent Hypertension. <i>ISRN Hypertension</i> , 2013, 2013, 1-3.	0.2	5
104	Sensor-Augmented Pump Therapy in Very Young Children with Type 1 Diabetes: An Efficacy and Feasibility Observational Study. <i>Diabetes Technology and Therapeutics</i> , 2012, 14, 762-764.	2.4	30
105	Continuous subcutaneous hydrocortisone infusion (CSHI) in a young adolescent with congenital adrenal hyperplasia (CAH). <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 561-3.	0.4	17
106	Use of Integrated Real-Time Continuous Glucose Monitoring/Insulin Pump System in Children and Adolescents with Type 1 Diabetes: A 3-Year Follow-Up Study. <i>Diabetes Technology and Therapeutics</i> , 2011, 13, 99-103.	2.4	26
107	Pandemic influenza vaccination coverage in children with type 1 diabetes: Analysis from seven Italian centers. <i>Hum Vaccin</i> , 2011, 7, 1291-1292.	2.4	7
108	Prevalence, Presentation and Clinical Evolution of Graves [®] ™ Disease in Children and Adolescents with Type 1 Diabetes Mellitus. <i>Hormone Research in Paediatrics</i> , 2011, 76, 221-225.	0.8	22

#	ARTICLE	IF	CITATIONS
109	Evaluation of blood pressure/height ratio as an index to simplify diagnostic criteria of hypertension in Caucasian adolescents. <i>Journal of Human Hypertension</i> , 2011, 25, 623-624.	1.0	32
110	Cushing syndrome due to ectopic adrenocorticotrophic hormone secretion in a 3-year-old child. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 219-22.	0.4	9
111	Impairment of cardiovascular autonomic pattern in obese adolescents with Type 2 diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2010, 33, 539-543.	1.8	12
112	Evaluation of the JuniorSTAR® Half-unit Insulin Pen in Young People with Type 1 Diabetes – User Perspectives. <i>European Endocrinology</i> , 2010, 9, 82.	0.8	5
113	Insulin Pump Therapy Management in Very Young Children with Type 1 Diabetes Using Continuous Subcutaneous Insulin Infusion. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 707-709.	2.4	16
114	The incidence of type 1 diabetes is increasing in both children and young adults in Northern Italy: 1984–2004 temporal trends. <i>Diabetologia</i> , 2009, 52, 2531-2535.	2.9	43
115	Early cardiovascular autonomic dysfunction, beta cell function and insulin resistance in obese adolescents. <i>Acta Biomedica</i> , 2009, 80, 29-35.	0.2	12
116	Establishing glycaemic control with continuous subcutaneous insulin infusion in children and adolescents with type 1 diabetes: experience of the PedPump Study in 17 countries. <i>Diabetologia</i> , 2008, 51, 1594-1601.	2.9	121
117	Intensive insulin therapy in preschool-aged diabetic children: From multiple daily injections to continuous subcutaneous insulin infusion through indwelling catheters. <i>Journal of Endocrinological Investigation</i> , 2008, 31, RC193-RC195.	1.8	7
118	Adolescent Use of Insulin and Patient-Controlled Analgesia Pump Technology: A 10-Year Food and Drug Administration Retrospective Study of Adverse Events. <i>Pediatrics</i> , 2008, 122, 473-474.	1.0	4
119	Insulin pump therapy in children and adolescents with type 1 diabetes: the Italian viewpoint. <i>Acta Biomedica</i> , 2008, 79, 57-64.	0.2	21
120	Age-related differences in metabolic response to continuous subcutaneous insulin infusion in pre-pubertal and pubertal children with Type 1 diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2007, 30, 477-483.	1.8	11
121	Defective Function of the Fas Apoptotic Pathway in Type 1 Diabetes Mellitus Correlates with Age at Onset. <i>International Journal of Immunopathology and Pharmacology</i> , 2007, 20, 567-576.	1.0	8
122	Blood ketone bodies in patients with recent-onset type 1 diabetes (a multicenter study). <i>Pediatric Diabetes</i> , 2006, 7, 223-228.	1.2	29
123	A cross-sectional international survey of continuous subcutaneous insulin infusion in 377 children and adolescents with type 1 diabetes mellitus from 10 countries. <i>Pediatric Diabetes</i> , 2005, 6, 193-198.	1.2	77
124	The Molecular Basis of Lecithin:Cholesterol Acyltransferase Deficiency Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1972-1978.	1.1	158
125	Role of health care providers in educational training of patients with diabetes. <i>Acta Biomedica</i> , 2005, 76 Suppl 3, 63-5.	0.2	3
126	Assessment of Cardiac Autonomic Modulation during Adolescent Obesity. <i>Obesity</i> , 2003, 11, 541-548.	4.0	148

#	ARTICLE	IF	CITATIONS
127	Waist circumference as a predictor of cardiovascular and metabolic risk factors in obese girls. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 566-572.	1.3	67
128	Glutamic acid decarboxylase and ICA512/IA-2 autoantibodies as disease markers and relationship to residual β -cell function and glycemic control in young type 1 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 25-29.	1.5	18
129	Enhanced blood insulin overcomes pyruvate dehydrogenase derangements that reflect systemic insulin resistance in obese adolescents. <i>Clinical Science</i> , 2002, 103, 93-99.	1.8	2
130	Enhanced blood insulin overcomes pyruvate dehydrogenase derangements that reflect systemic insulin resistance in obese adolescents. <i>Clinical Science</i> , 2002, 103, 93.	1.8	2
131	Heart rate variability pattern in adolescent obesity. <i>American Journal of Hypertension</i> , 2002, 15, A196.	1.0	0
132	Defective Function of Fas in Patients With Type 1 Diabetes Associated With Other Autoimmune Diseases. <i>Diabetes</i> , 2001, 50, 483-488.	0.3	45
133	Low-density lipoprotein apheresis in a patient aged 3.5 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2001, 90, 694-701.	0.7	1
134	Risk for silent celiac disease is higher in diabetic children with a diabetic sibling than in sporadic cases. <i>Diabetes Care</i> , 2000, 23, 1027-1028.	4.3	1
135	In obese individuals dexfenfluramine corrects molecular derangements reflecting insulin resistance. <i>International Journal of Obesity</i> , 2000, 24, 735-741.	1.6	2
136	Clinical Expression of Familial Hypercholesterolemia in Clusters of Mutations of the LDL Receptor Gene That Cause a Receptor-Defective or Receptor-Negative Phenotype. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, E41-52.	1.1	122
137	Derangements of pyruvate dehydrogenase in circulating lymphocytes of NIDDM patients and their healthy offspring. <i>Journal of Endocrinological Investigation</i> , 1999, 22, 519-526.	1.8	11
138	Molecular effects of sulphonylurea agents in circulating lymphocytes of patients with non-insulin-dependent diabetes mellitus. <i>British Journal of Clinical Pharmacology</i> , 1998, 45, 291-299.	1.1	6
139	Autonomic function and autoantibodies to autonomic nervous structures, glutamic acid decarboxylase and islet tyrosine phosphatase in adolescent patients with IDDM. <i>Journal of Neuroimmunology</i> , 1998, 87, 1-10.	1.1	15
140	Insulin secretion and hepatic insulin clearance as determinants of hyperinsulinaemia in normotolerant grossly obese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1998, 87, 1045-1050.	0.7	17
141	Insulin secretion and hepatic insulin clearance as determinants of hyperinsulinaemia in normotolerant grossly obese adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1998, 87, 1045-50.	0.7	7
142	G proteins and regulation of pyruvate dehydrogenase activity by insulin in human circulating lymphocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 1997, 29, 1207-1217.	1.2	9
143	Insulin resistance in obese subjects and newly diagnosed NIDDM patients and derangements of pyruvate dehydrogenase in their circulating lymphocytes. <i>International Journal of Obesity</i> , 1997, 21, 1137-1142.	1.6	14
144	Nonenzymatically glycosylated albumin (Amadori adducts) enhances nitric oxide synthase activity and gene expression in endothelial cells. <i>Kidney International</i> , 1997, 51, 27-35.	2.6	72

#	ARTICLE	IF	CITATIONS
145	Derangement of pyruvate dehydrogenase activity in circulating lymphocytes of a newborn with fetal alcohol syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 640-640.	0.7	1
146	Effect of sulfonylurea agents on pyruvate dehydrogenase activity in circulating lymphocytes from patients with non-insulin-dependent diabetes mellitus (NIDDM). <i>Journal of Diabetes and Its Complications</i> , 1994, 8, 221-225.	1.2	6
147	The insulin signal and its effects on the pyruvate dehydrogenase complex in circulating lymphocytes of obese children. <i>International Journal of Biochemistry & Cell Biology</i> , 1992, 24, 831-837.	0.8	8
148	The Silent Epidemic of Diabetic Ketoacidosis at Diagnosis of Type 1 Diabetes in Children and Adolescents in Italy During the COVID-19 Pandemic in 2020. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	9