

Yves Roquelaure

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/917937/publications.pdf>

Version: 2024-02-01

170
papers

4,816
citations

101384

36
h-index

123241

61
g-index

197
all docs

197
docs citations

197
times ranked

4107
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of Physical Activity Interventions on Return to Work After a Cancer Diagnosis: A Systematic Review and Meta-analysis. <i>Journal of Occupational Rehabilitation</i> , 2023, 33, 4-19.	1.2	5
2	Return to work of breast cancer survivors: toward an integrative and transactional conceptual model. <i>Journal of Cancer Survivorship</i> , 2022, 16, 590-603.	1.5	30
3	Content validity of a novel resistance training program for secondary prevention of work-related shoulder musculoskeletal disorders. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101585.	1.1	0
4	Physical exertion at work and addictive behaviors: tobacco, cannabis, alcohol, sugar and fat consumption: longitudinal analyses in the CONSTANCES cohort. <i>Scientific Reports</i> , 2022, 12, 661.	1.6	2
5	Marge de manœuvre et prévention des troubles musculo-squelettiques: quelles perspectives? <i>Travail Humain</i> , 2022, Vol. 85, 3-31.	0.5	3
6	Risk factors for shoulder disorders among French workers: prospective cohort study. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1511-1519.	1.1	1
7	Supporting the Return to Work of Breast Cancer Survivors: From a Theoretical to a Clinical Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5124.	1.2	16
8	Cannabis Use Increases the Risk of Sickness Absence: Longitudinal Analyses From the CONSTANCES Cohort. <i>Frontiers in Public Health</i> , 2022, 10, .	1.3	0
9	Association between physical limitations and working life exposure to carrying heavy loads assessed using a job-exposure matrix: CONSTANCES cohort. <i>Archives of Environmental and Occupational Health</i> , 2021, 76, 243-247.	0.7	4
10	Contribution of situational operational leeway for ergonomic assessment in the evaluation of work situations. <i>Theoretical Issues in Ergonomics Science</i> , 2021, 22, 139-160.	1.0	3
11	Diagnostic criteria for musculoskeletal disorders for use in occupational healthcare or research: a scoping review of consensus- and synthesised-based case definitions. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 169.	0.8	11
12	Differences between risk situations identified using a self-reported questionnaire and an observational method. <i>Work</i> , 2021, 68, 759-769.	0.6	0
13	Proportion and Number of Upper-Extremity Musculoskeletal Disorders Attributable to the Combined Effect of Biomechanical and Psychosocial Risk Factors in a Working Population. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3858.	1.2	3
14	Return-to-work, disabilities and occupational health in the age of COVID-19. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 408-409.	1.7	130
15	Proposal for a neurotoxic classification for chemicals at work. <i>Archives of Environmental and Occupational Health</i> , 2021, 76, 393-405.	0.7	1
16	Towards harmonisation of case definitions for eight work-related musculoskeletal disorders - an international multi-disciplinary Delphi study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 1018.	0.8	5
17	Musculoskeletal symptoms associated with workplace physical exposures estimated by a job exposure matrix and by self-report. <i>American Journal of Industrial Medicine</i> , 2020, 63, 51-59.	1.0	4
18	Ergonomics interventions to reduce musculoskeletal risk factors in a truck manufacturing plant. <i>International Journal of Industrial Ergonomics</i> , 2020, 75, 102896.	1.5	29

#	ARTICLE	IF	CITATIONS
19	Occupational co-exposure to biomechanical factors and neurotoxic chemicals in a representative sample of French employees. <i>Journal of Occupational Health</i> , 2020, 62, e12090.	1.0	9
20	Carpal Tunnel Syndrome Among Male French Farmers and Agricultural Workers: Is It Only Associated With Physical Exposure?. <i>Safety and Health at Work</i> , 2020, 11, 33-40.	0.3	2
21	Personal, biomechanical, psychosocial, and organizational risk factors for carpal tunnel syndrome: a structural equation modeling approach. <i>Pain</i> , 2020, 161, 749-757.	2.0	14
22	Self-efficacy and return to work in cancer survivors: Current knowledge and future prospects. <i>European Journal of Cancer Care</i> , 2020, 29, e13304.	0.7	6
23	Quality of life among district hospital nurses with multisite musculoskeletal symptoms in Vietnam. <i>Journal of Occupational Health</i> , 2020, 62, e12161.	1.0	5
24	Prevalence and Characteristics of Multisite Musculoskeletal Symptoms among District Hospital Nurses in Haiphong, Vietnam. <i>BioMed Research International</i> , 2020, 2020, 1-11.	0.9	9
25	Lifetime Duration of Exposure to Biomechanical Factors at Work as a Mediator of the Relationship Between Socioeconomic Position and Walking Speed. <i>Frontiers in Public Health</i> , 2020, 8, 412.	1.3	0
26	Quantification of Exposure to Risk Postures in Truck Assembly Operators: Neck, Back, Arms and Wrists. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6062.	1.2	4
27	Cumulative Exposure to Long Working Hours and Occurrence of Ischemic Heart Disease: Evidence From the CONSTANCES Cohort at Inception. <i>Journal of the American Heart Association</i> , 2020, 9, e015753.	1.6	13
28	The effect of exposure to long working hours on stroke: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2020, 142, 105746.	4.8	78
29	Carpal tunnel syndrome and exposure to work-related biomechanical stressors and chemicals: Findings from the Constances cohort. <i>PLoS ONE</i> , 2020, 15, e0235051.	1.1	3
30	Shoulder pain among male industrial workers: Validation of a conceptual model in two independent French working populations. <i>Applied Ergonomics</i> , 2020, 85, 103075.	1.7	19
31	Comparison Between a Job-Exposure Matrix (JEM) Score and Self-Reported Exposures for Carrying Heavy Loads Over the Working Lifetime in the CONSTANCES Cohort. <i>Annals of Work Exposures and Health</i> , 2020, 64, 455-460.	0.6	5
32	Proportion of upper extremity musculoskeletal disorders attributable to personal and occupational factors: results from the French Pays de la Loire study. <i>BMC Public Health</i> , 2020, 20, 456.	1.2	10
33	Applying two general population job exposure matrices to predict incident carpal tunnel syndrome: A cross-national approach to improve estimation of workplace physical exposures. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 248-258.	1.7	7
34	Upper-extremity musculoskeletal disorders: how many cases can be prevented? Estimates from the COSALI cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 618-629.	1.7	4
35	Occupational Determinants of Musculoskeletal Disorders. , 2020, , 169-188.		8
36	Cross-national comparison of two general population job exposure matrices for physical work exposures. <i>Occupational and Environmental Medicine</i> , 2019, 76, 567-572.	1.3	16

#	ARTICLE	IF	CITATIONS
37	Assessment of psychosocial dimensions of return to work after a cancer diagnosis: Current perspectives and future opportunities. <i>Psycho-Oncology</i> , 2019, 28, 2429-2431.	1.0	9
38	Association between occupational exposure and Dupuytren's contracture using a job-exposure matrix and self-reported exposure in the CONSTANCES cohort. <i>Occupational and Environmental Medicine</i> , 2019, 76, 845-848.	1.3	11
39	Alcohol, tobacco and cannabis use are associated with job loss at follow-up: Findings from the CONSTANCES cohort. <i>PLoS ONE</i> , 2019, 14, e0222361.	1.1	37
40	Association Between Reported Long Working Hours and History of Stroke in the CONSTANCES Cohort. <i>Stroke</i> , 2019, 50, 1879-1882.	1.0	26
41	Prevalence of prescribed benzodiazepine long-term use in the French general population according to sociodemographic and clinical factors: findings from the CONSTANCES cohort. <i>BMC Public Health</i> , 2019, 19, 566.	1.2	40
42	The CONSTANCES job exposure matrix based on self-reported exposure to physical risk factors: development and evaluation. <i>Occupational and Environmental Medicine</i> , 2019, 76, 398-406.	1.3	25
43	Effort-reward imbalance and long-term benzodiazepine use: longitudinal findings from the CONSTANCES cohort. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 993-1001.	2.0	6
44	JEMINI (Job Exposure Matrix InterNational) Initiative. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e320-e321.	0.9	9
45	Comparison Between a Self-Reported Job Exposure Matrix (JEM CONSTANCES) to an Expertise-Based Job Exposure Matrix (MADE) for Biomechanical Exposures. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e399-e400.	0.9	2
46	T Cell Dysregulation in Non-silicotic Silica Exposed Workers: A Step Toward Immune Tolerance Breakdown. <i>Frontiers in Immunology</i> , 2019, 10, 2743.	2.2	13
47	Theoretical impact of workplace-based primary prevention of lumbar disc surgery in a French region: A pilot study. <i>Work</i> , 2019, 62, 13-20.	0.6	1
48	Work-Related Stressors and Increased Risk of Benzodiazepine Long-Term Use: Findings From the CONSTANCES Population-Based Cohort. <i>American Journal of Public Health</i> , 2019, 109, 119-125.	1.5	6
49	Functional incapacity related to rotator cuff syndrome in workers. Is it influenced by social characteristics and medical management?. <i>Journal of Hand Therapy</i> , 2019, 32, 322-327.	0.7	0
50	Factors influencing physiotherapists' attitudes and beliefs toward chronic low back pain: Impact of a care network belonging. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 437-443.	0.6	13
51	Occupational Determinants of Musculoskeletal Disorders. , 2019, , 1-20.		3
52	Operational leeway in work situations: do ergonomic risk assessment tools consider operational leeway for job analysis?. <i>International Journal of Occupational Safety and Ergonomics</i> , 2019, 25, 429-442.	1.1	8
53	Occupational health and valid work exposure tools are keys to improving the health of ageing workers. <i>Occupational and Environmental Medicine</i> , 2018, 75, 398-398.	1.3	5
54	Use of Multiple Data Sources for Surveillance of Work-Related Chronic Low-Back Pain and Disc-Related Sciatica in a French Region. <i>Annals of Work Exposures and Health</i> , 2018, 62, 530-546.	0.6	10

#	ARTICLE	IF	CITATIONS
55	Theoretical impact of simulated workplace-based primary prevention of carpal tunnel syndrome in a French region. <i>BMC Public Health</i> , 2018, 18, 426.	1.2	5
56	Multiple Exposures and Coexposures to Occupational Hazards Among Agricultural Workers: A Systematic Review of Observational Studies. <i>Safety and Health at Work</i> , 2018, 9, 239-248.	0.3	36
57	Return to work after rehabilitation in chronic low back pain workers. Does the interprofessional collaboration work?. <i>Journal of Interprofessional Care</i> , 2018, 32, 521-524.	0.8	8
58	Risk Factors for Shoulder Pain in a Cohort of French Workers: A Structural Equation Model. <i>American Journal of Epidemiology</i> , 2018, 187, 206-213.	1.6	20
59	Risk factors for episodic neck pain in workers: a 5-year prospective study of a general working population. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 251-261.	1.1	12
60	Job exposure to the public in relation with alcohol, tobacco and cannabis use: Findings from the CONSTANCES cohort study. <i>PLoS ONE</i> , 2018, 13, e0196330.	1.1	19
61	Within and between Individual Variability of Exposure to Work-Related Musculoskeletal Disorder Risk Factors. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1003.	1.2	21
62	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on stroke. <i>Environment International</i> , 2018, 119, 366-378.	4.8	44
63	Étude de l'efficacité d'un programme de rééducation libérale avec approche pluridisciplinaire dans le retour au travail des lombalgiques chroniques. <i>Douleurs</i> , 2018, 19, 92-100.	0.0	0
64	Efficiency of three treatment strategies on occupational and quality of life impairments for chronic low back pain patients: is the multidisciplinary approach the key feature to success?. <i>Clinical Rehabilitation</i> , 2017, 31, 1364-1373.	1.0	17
65	Comparison of three methods for evaluation of work postures in a truck assembly plant. <i>Ergonomics</i> , 2017, 60, 1551-1563.	1.1	11
66	Occupational prognosis factors for ulnar nerve entrapment at the elbow: A systematic review. <i>Hand Surgery and Rehabilitation</i> , 2017, 36, 244-249.	0.2	9
67	Chronic low back pain and the transdiagnostic process: How do cognitive and emotional dysregulations contribute to the intensity of risk factors and pain?. <i>Scandinavian Journal of Pain</i> , 2017, 17, 309-315.	0.5	15
68	CONSTANCES: a general prospective population-based cohort for occupational and environmental epidemiology: cohort profile. <i>Occupational and Environmental Medicine</i> , 2017, 74, 66-71.	1.3	107
69	Forms of work organization and associations with shoulder disorders: Results from a French working population. <i>Applied Ergonomics</i> , 2017, 59, 1-10.	1.7	14
70	Time trends in incidence and prevalence of carpal tunnel syndrome over eight years according to multiple data sources: Pays de la Loire study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 75-85.	1.7	20
71	Evaluation of ergonomic physical risk factors in a truck manufacturing plant: case study in SCANIA Production Angers. <i>Industrial Health</i> , 2016, 54, 163-176.	0.4	20
72	French good practice guidelines for management of the risk of low back pain among workers exposed to manual material handling: Hierarchical strategy of risk assessment of work situations. <i>Work</i> , 2016, 53, 845-850.	0.6	18

#	ARTICLE	IF	CITATIONS
73	Promoting a Shared Representation of Workers' Activities to Improve Integrated Prevention of Work-Related Musculoskeletal Disorders. <i>Safety and Health at Work</i> , 2016, 7, 171-174.	0.3	36
74	Wellbeing and occupational risk perception among health care workers: a multicenter study in Morocco and France. <i>Journal of Occupational Medicine and Toxicology</i> , 2016, 11, 20.	0.9	22
75	Lateral Epicondylitis and Physical Exposure at Work? A Review of Prospective Studies and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016, 68, 1681-1687.	1.5	54
76	An epidemiological surveillance network of lumbar disc surgery to help prevention of and compensation for low back pain. <i>European Journal of Public Health</i> , 2016, 26, 543-548.	0.1	8
77	Does Ergonomics Improve Product Quality and Reduce Costs? A Review Article. <i>Human Factors and Ergonomics in Manufacturing</i> , 2016, 26, 205-223.	1.4	48
78	Pre-employment examination for low back risk in workers exposed to manual handling of loads: French guidelines. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1-6.	1.1	4
79	Psychosocial and occupational risk perception among health care workers: a Moroccan multicenter study. <i>BMC Research Notes</i> , 2015, 8, 408.	0.6	16
80	Using Causal Models for the Calculation of Direct and Indirect Effects. <i>Journal of Occupational and Environmental Medicine</i> , 2015, 57, e62-e63.	0.9	0
81	Occupational contact urticaria: lessons from the French National Network for Occupational Disease Vigilance and Prevention (RNV3P). <i>British Journal of Dermatology</i> , 2015, 173, 1453-1461.	1.4	40
82	Psychosocial Risk Factors, Interventions, and Comorbidity in Patients with Non-Specific Low Back Pain in Primary Care: Need for Comprehensive and Patient-Centered Care. <i>Frontiers in Medicine</i> , 2015, 2, 73.	1.2	36
83	Carpal tunnel syndrome and computer exposure at work in two large complementary cohorts. <i>BMJ Open</i> , 2015, 5, e008156.	0.8	29
84	A comparison of neck bending and flexion measurement methods for assessment of ergonomic risk. <i>International Journal of Occupational Safety and Ergonomics</i> , 2015, 21, 330-335.	1.1	5
85	Lateral epicondylitis: New evidence for work relatedness. <i>Joint Bone Spine</i> , 2015, 82, 5-7.	0.8	13
86	Low back pain, intervertebral disc and occupational diseases. <i>International Journal of Occupational Safety and Ergonomics</i> , 2015, 21, 15-19.	1.1	35
87	Prevalence of thoracic spine pain in a surveillance network. <i>Occupational Medicine</i> , 2015, 65, 122-125.	0.8	20
88	Evaluation of ergonomic approach and musculoskeletal disorders in two different organizations in a truck assembly plant. <i>International Journal of Industrial Ergonomics</i> , 2015, 50, 34-42.	1.5	21
89	Interest of the Ergo-Kit® for the clinical practice of the occupational physician. A study of 149 patients recruited in a rehabilitation program. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 289-297.	1.1	2
90	French good practice guidelines for medical and occupational surveillance of the low back pain risk among workers exposed to manual handling of loads. <i>Annals of Occupational and Environmental Medicine</i> , 2015, 27, 18.	0.3	3

#	ARTICLE	IF	CITATIONS
91	Pre-return-to-work medical consultation for low back pain workers. Good practice recommendations based on systematic review and expert consensus. <i>Annals of Physical and Rehabilitation Medicine</i> , 2015, 58, 298-304.	1.1	7
92	Incidence of Chronic and Other Knee Pain in Relation to Occupational Risk Factors in a Large Working Population. <i>Annals of Occupational Hygiene</i> , 2015, 59, 797-811.	1.9	9
93	Biomechanical constraints remain major risk factors for low back pain. Results from a prospective cohort study in French male employees. <i>Spine Journal</i> , 2015, 15, 559-569.	0.6	23
94	Risk factors for carpal tunnel syndrome related to the work organization: A prospective surveillance study in a large working population. <i>Applied Ergonomics</i> , 2015, 47, 1-10.	1.7	37
95	Chronic low back pain, chronic disability at work, chronic management issues. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 107-110.	1.7	15
96	Results of a feasibility study: barriers and facilitators in implementing the Sherbrooke model in France. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 223-233.	1.7	24
97	Effectiveness of three treatment strategies on occupational limitations and quality of life for patients with non-specific chronic low back pain: Is a multidisciplinary approach the key feature to success: study protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 131.	0.8	12
98	Long-term persistence of knee pain and occupational exposure in two large prospective cohorts of workers. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 411.	0.8	7
99	Incidence and Risk Factors for Thoracic Spine Pain in the Working Population: The French Pays de la Loire Study. <i>Arthritis Care and Research</i> , 2014, 66, 1695-1702.	1.5	18
100	Is Carpal Tunnel Syndrome Related to Computer Exposure at Work? A Review and Meta-Analysis. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 204-208.	0.9	38
101	Organizational and psychosocial risk factors for carpal tunnel syndrome: a cross-sectional study of French workers. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 147-154.	1.1	8
102	Épicondylalgies latérales dans une cohorte de salariés ligériens: Évolution et déterminants. <i>Revue Du Rhumatisme (Edition Française)</i> , 2014, 81, 328-332.	0.0	3
103	Interventions focusing on psychosocial risk factors for patients with non-chronic low back pain in primary care—a systematic review. <i>Family Practice</i> , 2014, 31, 379-388.	0.8	37
104	Considération critique sur l'extension de la bipolarité, psychopathologie des mouvements d'humeur et de l'euphorie morbide. <i>Annales Medico-Psychologiques</i> , 2014, 172, 599-605.	0.2	1
105	Underreporting of musculoskeletal disorders in 10 regions in France in 2009. <i>American Journal of Industrial Medicine</i> , 2014, 57, 1174-1180.	1.0	14
106	Natural course of rotator cuff syndrome in a French working population. <i>American Journal of Industrial Medicine</i> , 2014, 57, 683-694.	1.0	5
107	Association among work exposure, alcohol intake, smoking and Dupuytren's disease in a large cohort study (GAZEL). <i>BMJ Open</i> , 2014, 4, e004214.	0.8	37
108	Personal, Biomechanical, Organizational and Psychosocial Risk Factors for Neck Disorders in a Working Population. <i>Journal of Occupational Health</i> , 2014, 56, 134-140.	1.0	13

#	ARTICLE	IF	CITATIONS
109	Les difficultés d'un suivi épidémiologique longitudinal dans les services de santé au travail. Sante Publique, 2014, Vol. 26, 33-43.	0.0	4
110	The effect of introducing IGRA to screen French healthcare workers for tuberculosis and potential conclusions for the work organisation. Journal of Occupational Medicine and Toxicology, 2013, 8, 12.	0.9	14
111	Work-related risk factors for lateral epicondylitis and other cause of elbow pain in the working population. American Journal of Industrial Medicine, 2013, 56, 400-409.	1.0	59
112	Employment and occupational outcomes of workers with musculoskeletal pain in a French region. Occupational and Environmental Medicine, 2013, 70, 143-148.	1.3	21
113	Description of Musculoskeletal Disorders and Occupational Exposure From a Field Pilot Study of Large Population-Based Cohort (CONSTANCES). Journal of Occupational and Environmental Medicine, 2013, 55, 859-861.	0.9	4
114	Work-related risk factors for incidence of lateral epicondylitis in a large working population. Scandinavian Journal of Work, Environment and Health, 2013, 39, 578-588.	1.7	48
115	Stress perception among employees in a French University Hospital. Occupational Medicine, 2012, 62, 216-219.	0.8	18
116	Heavy manual work, exposure to vibration and Dupuytren's disease? Results of a surveillance program for musculoskeletal disorders: Table 1. Occupational and Environmental Medicine, 2012, 69, 296-299.	1.3	32
117	Working in temporary employment and exposure to musculoskeletal constraints. Occupational Medicine, 2012, 62, 514-518.	0.8	19
118	Prevalence of knee bursitis in the workforce. Occupational Medicine, 2012, 62, 658-660.	0.8	13
119	Software for Unbiased Estimation of Attributable Risk. Epidemiology, 2012, 23, 646-647.	1.2	1
120	Prevalence of multisite musculoskeletal symptoms: a French cross-sectional working population-based study. BMC Musculoskeletal Disorders, 2012, 13, 122.	0.8	48
121	Effects of Individual and Work-related Factors on Incidence of Shoulder Pain in a Large Working Population. Journal of Occupational Health, 2012, 54, 278-288.	1.0	56
122	Risk factors for Raynaud's phenomenon in the workforce. Arthritis Care and Research, 2012, 64, 898-904.	1.5	16
123	Comparison of risk factors for shoulder pain and rotator cuff syndrome in the working population. American Journal of Industrial Medicine, 2012, 55, 605-615.	1.0	53
124	Chronic sciatic nerve injury impairs the local cutaneous neurovascular interaction in rats. Pain, 2012, 153, 149-157.	2.0	11
125	Biases and Power for Groups Comparison on Subjective Health Measurements. PLoS ONE, 2012, 7, e44695.	1.1	8
126	Risk factors for incidence of rotator cuff syndrome in a large working population. Scandinavian Journal of Work, Environment and Health, 2012, 38, 436-446.	1.7	62

#	ARTICLE	IF	CITATIONS
127	Long-term effects of biomechanical exposure on severe shoulder pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 568-576.	1.7	16
128	8. Comprendre et intervenir: enquêtes épidémiologiques et approches ergonomiques à propos des troubles musculosquelettiques des membres supérieurs. , 2012, , 173-187.		4
129	Factors Affecting Return to Work After Carpal Tunnel Syndrome Surgery in a Large French Cohort. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1863-1869.	0.5	39
130	Occupational health indicators from the French epidemiological surveillance programme for work-related musculoskeletal disorders. <i>Occupational and Environmental Medicine</i> , 2011, 68, A31-A31.	1.3	1
131	Multidisciplinary Intensive Functional Restoration Versus Outpatient Active Physiotherapy in Chronic Low Back Pain. <i>Spine</i> , 2011, 36, 2235-2242.	1.0	55
132	Epidemiological surveillance of lumbar disc surgery in the general population: A pilot study in a French region. <i>Joint Bone Spine</i> , 2011, 78, 298-302.	0.8	8
133	Thoracic Outlet Syndrome: Definition, Aetiological Factors, Diagnosis, Management and Occupational Impact. <i>Journal of Occupational Rehabilitation</i> , 2011, 21, 366-373.	1.2	93
134	Lombalgie et prise en charge hiérarchisée: une obligation démographique. <i>Revue Du Rhumatisme (Edition Française)</i> , 2011, 78, 95-96.	0.0	0
135	Should we consider Dupuytren's contracture as work-related? A review and meta-analysis of an old debate. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 96.	0.8	58
136	Psychosocial risk factors for chronic low back pain in primary care—a systematic review. <i>Family Practice</i> , 2011, 28, 12-21.	0.8	298
137	Long-term effects of biomechanical exposure on severe knee pain in the Gazel cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 37-44.	1.7	15
138	Risk factors for de Quervain's disease in a French working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 394-401.	1.7	47
139	Personal, biomechanical, and psychosocial risk factors for rotator cuff syndrome in a working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 502-511.	1.7	60
140	Programmed health surveillance and detection of emerging diseases in occupational health: contribution of the French national occupational disease surveillance and prevention network (RNV3P). <i>Occupational and Environmental Medicine</i> , 2010, 67, 178-186.	1.3	47
141	Risk factors for upper extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2009, 61, 1425-1434.	6.7	128
142	Self-administered questionnaire and direct observation by checklist: Comparing two methods for physical exposure surveillance in a highly repetitive tasks plant. <i>Applied Ergonomics</i> , 2009, 40, 194-198.	1.7	17
143	Description of Outcomes of Upper-Extremity Musculoskeletal Disorders in Workers Highly Exposed to Repetitive Work. <i>Journal of Hand Surgery</i> , 2009, 34, 890-895.	0.7	26
144	Attributable risk of carpal tunnel syndrome in the general population: implications for intervention programs in the workplace. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 342-348.	1.7	30

#	ARTICLE	IF	CITATIONS
145	Work increases the incidence of carpal tunnel syndrome in the general population. <i>Muscle and Nerve</i> , 2008, 37, 477-482.	1.0	73
146	Attributable risk of carpal tunnel syndrome according to industry and occupation in a general population. <i>Arthritis and Rheumatism</i> , 2008, 59, 1341-1348.	6.7	49
147	Dupuytren's disease: Personal factors and occupational exposure. <i>American Journal of Industrial Medicine</i> , 2008, 51, 9-15.	1.0	47
148	Is the intersection syndrome is an occupational disease?. <i>Joint Bone Spine</i> , 2008, 75, 329-331.	0.8	20
149	Évaluation des pratiques professionnelles en médecine du travail. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2008, 69, 133.	0.1	0
150	Workplace intervention and musculoskeletal disorders: the need to develop research on implementation strategy. <i>Occupational and Environmental Medicine</i> , 2008, 65, 4-5.	1.3	25
151	Predictive Factors for Incident Musculoskeletal Disorders in an In-Plant Surveillance Program. <i>Annals of Occupational Hygiene</i> , 2007, 51, 337-44.	1.9	16
152	Comparison of a Functional Restoration Program With Active Individual Physical Therapy for Patients With Chronic Low Back Pain: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1229-1235.	0.5	68
153	Neuroendocrine pathway involvement in the loss of the cutaneous pressure-induced vasodilatation during acute pain in rats. <i>Journal of Physiology</i> , 2007, 579, 247-254.	1.3	6
154	Selected questions on biomechanical exposures for surveillance of upper-limb work-related musculoskeletal disorders. <i>International Archives of Occupational and Environmental Health</i> , 2007, 81, 1-8.	1.1	16
155	Validity of Nordic-style questionnaires in the surveillance of upper-limb work-related musculoskeletal disorders. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 58-65.	1.7	142
156	Epidemiologic surveillance of upper-extremity musculoskeletal disorders in the working population. <i>Arthritis and Rheumatism</i> , 2006, 55, 765-778.	6.7	340
157	Déclarer une lombosciatique en maladie professionnelle : est-ce l'avantage bien compris du patient ?. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2005, 72, 531-533.	0.0	6
158	Surveillance Program of Neck and Upper Limb Musculoskeletal Disorders: Assessment Over a 4 Year Period in a Large Company. <i>Annals of Occupational Hygiene</i> , 2004, 48, 635-642.	1.9	13
159	Biomechanical assessment of new hand-powered pruning shears. <i>Applied Ergonomics</i> , 2004, 35, 179-182.	1.7	9
160	Effects of Functional Restoration Versus 3 Hours per Week Physical Therapy: A Randomized Controlled Study. <i>Spine</i> , 2004, 29, 487-493.	1.0	125
161	Incidence of ulnar nerve entrapment at the elbow in repetitive work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 234-240.	1.7	114
162	Work status after workers' compensation claims for upper limb musculoskeletal disorders. <i>Occupational and Environmental Medicine</i> , 2004, 61, 79-81.	1.3	11

#	ARTICLE	IF	CITATIONS
163	Active epidemiological surveillance of musculoskeletal disorders in a shoe factory. <i>Occupational and Environmental Medicine</i> , 2002, 59, 452-458.	1.3	65
164	Biomechanical strains on the hand-wrist system during grapevine pruning. <i>International Archives of Occupational and Environmental Health</i> , 2002, 75, 591-595.	1.1	24
165	Transient hand paresthesias in Champagne vineyard workers. <i>American Journal of Industrial Medicine</i> , 2001, 40, 639-645.	1.0	17
166	Upper-limb disorders in repetitive work. <i>Scandinavian Journal of Work, Environment and Health</i> , 2001, 27, 268-278.	1.7	173
167	Occupational risk factors for radial tunnel syndrome in industrial workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2000, 26, 507-513.	1.7	36
168	Occupational and personal risk factors for carpal tunnel syndrome in industrial workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1997, 23, 364-369.	1.7	126
169	Musculoskeletal Disorders and Psychosocial Factors at Work. <i>SSRN Electronic Journal</i> , 0, , .	0.4	25
170	Enhancing Emotional Skills of Managers to Support the Return to Work of Cancer Survivors: A Research Opinion Focusing on Value, Feasibility and Challenges. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	4