

Richard A Jones

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9180054/richard-a-jones-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117

papers

3,125

citations

29

h-index

52

g-index

119

ext. papers

3,355

ext. citations

4.6

avg, IF

5.08

L-index

#	Paper	IF	Citations
117	Alan Herbert Cowley. 29 January 1934– August 2020. <i>Biographical Memoirs of Fellows of the Royal Society</i> , 2022 , 72, 139-160	0.1	
116	Incorporation of spin-crossover cobalt(II) complexes into conducting metallocopolymers: Towards redox-controlled spin change. <i>Polymer</i> , 2021 , 222, 123658	3.9	1
115	Magnetism and Luminescence of a MOF with Linear Mn Nodes Derived from an Emissive Terthiophene-Based Imidazole Linker. <i>Molecules</i> , 2021 , 26,	4.8	1
114	Antibacterial Thiamine inspired silver (I) and gold (I) N-heterocyclic carbene compounds. <i>Inorganica Chimica Acta</i> , 2021 , 517, 120152-120152	2.7	5
113	Visible luminescent Ln42 nanotorus coordination clusters. <i>Journal of Coordination Chemistry</i> , 2021 , 74, 92-101	1.6	
112	Construction of 14-metal lanthanide nanorings with NIR luminescence response to ions. <i>Chemical Communications</i> , 2020 , 56, 8651-8654	5.8	11
111	Construction of Chiral "Triple-Decker" Nd(III) Nanocluster with High NIR Luminescence Sensitivity toward Co(II). <i>Inorganic Chemistry</i> , 2020 , 59, 8652-8656	5.1	2
110	Electropolymerizable N-heterocyclic carbene complexes of Rh and Ir with enantiotropic polymorphic phases. <i>Dalton Transactions</i> , 2020 , 49, 2264-2272	4.3	2
109	Construction of a 1-D Sm(III) coordination polymer with a long-chain Schiff base ligand: dual-emissive response to metal ions. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 464-469	6.8	2
108	A 42-metal Yb(iii) nanowheel with NIR luminescent response to anions. <i>Nanoscale</i> , 2020 , 12, 1384-1388	7.7	18
107	Accessing Pentagonal Bipyramidal Geometry with Pentadentate Pincer Amido-bis(amidate) Ligands in Group IV and V Early Transition Metal Complexes. <i>Organometallics</i> , 2020 , 39, 3689-3694	3.8	1
106	Construction of a High-Nuclearity Elliptical Yb(III) Nanoring: NIR Luminescent Response to Metal Ions and Nitro Explosives. <i>Inorganic Chemistry</i> , 2020 , 59, 14620-14626	5.1	5
105	Synthesis and electropolymerization of N-heterocyclic carbene complexes of Pd(ii) and Pt(ii) from an emissive imidazolium salt with a terthiophene backbone. <i>Dalton Transactions</i> , 2019 , 48, 14440-14449	4.3	5
104	NIR luminescence for the detection of metal ions and nitro explosives based on a grape-like nine-nuclear Nd(III) nanocluster. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 550-555	6.8	15
103	1,1'-Dicarbodiimidoferrocenies: Synthesis, Characterization, and Group IV 1,1'-Bisguanidinateferrocene Complexes. <i>Organometallics</i> , 2019 , 38, 2689-2698	3.8	3
102	Metal cation sensing by a NIR luminescent high-nuclearity Zn \bullet Yb schiff base nanocluster. <i>Journal of Luminescence</i> , 2019 , 213, 440-445	3.8	2
101	Construction of a Large High-Nuclearity Cd \bullet m Schiff Base Cluster with Nanoscale Inner Cavity as Luminescent Probe for Metal Cations. <i>Crystal Growth and Design</i> , 2019 , 19, 2149-2154	3.5	15

100	Large Ln coordination nanorings: NIR luminescence sensing of metal ions and nitro explosives. <i>Chemical Communications</i> , 2019 , 55, 13116-13119	5.8	21
99	Self-assembly of luminescent 42-metal lanthanide nanowheels with sensing properties towards metal ions and nitro explosives. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 13425-13431	7.1	13
98	Construction of a crystalline 14-metal Zn-Nd rectangular nanocluster with a dual-emissive response towards metal ions.. <i>RSC Advances</i> , 2019 , 9, 40017-40022	3.7	4
97	Teaching through Research: Alignment of Core Chemistry Competencies and Skills within a Multidisciplinary Research Framework. <i>Journal of Chemical Education</i> , 2018 , 95, 248-258	2.4	12
96	A self-assembling luminescent lanthanide molecular nanoparticle with potential for live-cell imaging. <i>Chemical Science</i> , 2018 , 9, 4630-4637	9.4	15
95	Recent advances in the functional applications of conducting metallocopolymers. <i>Coordination Chemistry Reviews</i> , 2018 , 377, 237-258	23.2	16
94	SYNTHETIC ROUTES TO PHOSPHIDO AND ARSENIDO DERIVATIVES OF THE GROUP 13 METALS ALUMINUM, GALLIUM, AND INDIUM, TRIS(TERT-BUTYL)GALLIUM AND ITS REACTIONS WITH AMMONIA, AND THE ALUMINUM(I) SPECIES PENTAMETHYLCYCLOPENTADIENYL ALUMINUM TETRAMER. <i>Inorganic Syntheses</i> , 2018 , 135-153	0	
93	Sterically Shielded Stable Carbenes and Biscarbenes of the 1,2,4-Triazole Series: A New Method for the Preparation of 1,3,4-Triaryl-1,2,4-triazol-5-ylidenes. <i>ChemistrySelect</i> , 2018 , 3, 5244-5248	1.8	7
92	Anion dependent self-assembly of sandwich 13-metal Ni-Ln nanoclusters with a long-chain Schiff base ligand. <i>Dalton Transactions</i> , 2017 , 46, 1748-1752	4.3	7
91	Understanding the Effect of Metal Centers on Charge Transport and Delocalization in Conducting Metallocopolymers. <i>Macromolecules</i> , 2017 , 50, 872-883	5.5	26
90	Single-component Eu ³⁺ -B ³⁺ -D ³⁺ -grafted polymer with ultra-high color rendering index white-light emission. <i>RSC Advances</i> , 2017 , 7, 6762-6771	3.7	19
89	Synthesis and electronic investigation of mono- and di-substituted 4-nitro- and 4-amino-pyrazol-1-yl bis(pyrazol-1-yl)pyridine-type ligands and luminescent Eu(iii) derivatives. <i>Dalton Transactions</i> , 2017 , 46, 7733-7742	4.3	4
88	Effect of conjugation length and metal-backbone interactions on charge transport properties of conducting metallocopolymers. <i>Polymer Chemistry</i> , 2017 , 8, 4359-4367	4.9	9
87	Electronic Interactions of n-Doped Perylene Diimide Groups Appended to Polynorbornene Chains: Implications for Electron Transport in Organic Electronics. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1700420	4.8	4
86	Construction of luminescent high-nuclearity Zn-Ln rectangular nanoclusters with flexible long-chain Schiff base ligands. <i>Dalton Transactions</i> , 2017 , 47, 53-57	4.3	14
85	Direct synthesis of CdSe nanocrystals within a conducting metallocopolymer: toward improving charge transfer in hybrid nanomaterials. <i>Chemical Communications</i> , 2016 , 52, 13112-13115	5.8	10
84	A Thiophene-Containing Conductive Metallocopolymer Using an Fe(II) Bis(terpyridine) Core for Electrochromic Materials. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 34568-34580	9.5	41
83	Anisotropic lanthanide-based nano-clusters for imaging applications. <i>Faraday Discussions</i> , 2016 , 191, 465-479	3.6	6

82	Self-assembly of high-nuclearity lanthanide-based nanoclusters for potential bioimaging applications. <i>Nanoscale</i> , 2016 , 8, 11123-9	7.7	13
81	PMMA-supported hybrid materials doped with highly near-infrared (NIR) luminescent complexes $[Zn(L1)(Py)Ln(L2)3]$ ($Ln = Nd, Yb$ or Er). <i>New Journal of Chemistry</i> , 2015 , 39, 3698-3707	3.6	30
80	An Alkaline Flow Battery Based on the Coordination Chemistry of Iron and Cobalt. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A378-A383	3.9	35
79	Synthesis, characterization and oscillator-vibrated near-infrared (NIR) luminescence of two pseudo-polymorphic $[Yb_4((OH)_2\text{-Salophen})_4]$ complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 142, 188-95	4.4	1
78	A self-assembling lanthanide molecular nanoparticle for optical imaging. <i>Dalton Transactions</i> , 2015 , 44, 2667-75	4.3	9
77	Wide electrochemical window ionic salt for use in electropositive metal electrodeposition and solid state Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2194-2201	13	19
76	First Examples of Near-Infrared Luminescent Poly(methyl methacrylate)-Supported Metallopolymers Based on Zn_2Ln -Arrayed Schiff Base Complexes. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 2839-2848	2.3	28
75	Luminescent 4f and d-4f polynuclear complexes and coordination polymers with flexible salen-type ligands. <i>Coordination Chemistry Reviews</i> , 2014 , 273-274, 63-75	23.2	128
74	Lanthanide nano-drums: a new class of molecular nanoparticles for potential biomedical applications. <i>Faraday Discussions</i> , 2014 , 175, 241-55	3.6	5
73	Anion dependent self-assembly of 56-metal Cd-Ln nanoclusters with enhanced near-infrared luminescence properties. <i>Nanoscale</i> , 2014 , 6, 10569-73	7.7	20
72	Near-infrared (NIR) luminescent metallopolymers based on $Ln_4(\text{Salen})_4$ nanoclusters ($Ln = Nd$ or Yb). <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1489	7.1	29
71	Self-assembly of NIR luminescent 30-metal drum-like and 12-metal rectangular d-f nanoclusters with long-chain Schiff base ligands. <i>Chemical Communications</i> , 2014 , 50, 15569-72	5.8	31
70	Temperature-dependent self-assembly of near-infrared (NIR) luminescent Zn_2Ln and Zn_2Ln_3 ($Ln=Nd, Yb$ or Er) complexes from the flexible Salen-type Schiff-base ligand. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 132, 205-14	4.4	15
69	Anion dependent self-assembly of a linear hexanuclear $Yb(\text{III})$ salen complex with enhanced near-infrared (NIR) luminescence properties. <i>Chemical Communications</i> , 2013 , 49, 9579-81	5.8	25
68	Anion dependent self-assembly of luminescent $Zn_{11}n$ (Eu and Tb) salen complexes. <i>Polyhedron</i> , 2013 , 52, 165-169	2.7	27
67	Anion-dependent self-assembly of near-infrared luminescent 24- and 32-metal Cd-Ln complexes with drum-like architectures. <i>Journal of the American Chemical Society</i> , 2013 , 135, 8468-71	16.4	114
66	Self-Assembly of Luminescent Hexanuclear Lanthanide Salen Complexes. <i>Crystal Growth and Design</i> , 2012 , 12, 970-974	3.5	67
65	Near-infrared (NIR) luminescent homoleptic lanthanide Salen complexes $Ln_4(\text{Salen})_4$ ($Ln = Nd, Yb$ or Er). <i>CrystEngComm</i> , 2012 , 14, 3456	3.3	47

64	Anion-dependent construction of two hexanuclear 3d-4f complexes with a flexible Schiff base ligand. <i>Dalton Transactions</i> , 2012 , 41, 11449-53	4.3	60
63	Construction of 1-D 4f and 3d-4f coordination polymers with flexible Schiff base ligands. <i>Dalton Transactions</i> , 2011 , 40, 9795-801	4.3	44
62	Influence of metal:ligand ratio on benzimidazole based luminescent lanthanide complexes: 3-D network structures and chloride anion binding. <i>New Journal of Chemistry</i> , 2011 , 35, 310-318	3.6	23
61	Acetylido and triazolato complexes from Ru(II) azides. <i>Main Group Chemistry</i> , 2010 , 9, 41-56	0.6	6
60	Transformation of a Luminescent Benzimidazole-Based Yb ₃ Cluster into a One-Dimensional Coordination Polymer. <i>Crystal Growth and Design</i> , 2010 , 10, 970-976	3.5	26
59	Synthesis and Crystal Structure of a New Heterotrinuclear Schiff-Base ZnNd Complex. <i>Journal of Chemical Crystallography</i> , 2010 , 40, 1060-1064	0.5	9
58	Near-Infrared Luminescent, Neutral, Cyclic Zn ₂ Ln ₂ (Ln = Nd, Yb, and Er) Complexes from Asymmetric Salen-Type Schiff Base Ligands. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 2714-2722	2.3	51
57	Synthesis, X-ray crystal structure and photophysical properties of tris(dibenzoylmethanido)(1,10-phenanthroline)samarium(III). <i>Polyhedron</i> , 2010 , 29, 2511-2515	2.7	36
56	Syntheses, structures, and photoluminescence of 1-D lanthanide coordination polymers. <i>Dalton Transactions</i> , 2009 , 10505-10	4.3	45
55	Hetero-trinuclear near-infrared (NIR) luminescent Zn ₂ Ln complexes from Salen-type Schiff-base ligands. <i>New Journal of Chemistry</i> , 2009 , 33, 2326	3.6	55
54	Synthesis and structures of luminescent ladder-like lanthanide coordination polymers of 4-hydroxybenzenesulfonate. <i>New Journal of Chemistry</i> , 2008 , 32, 790	3.6	20
53	Tetranuclear NIR luminescent Schiff-base ZnNd complexes. <i>New Journal of Chemistry</i> , 2008 , 32, 127-131	3.6	83
52	Pentanuclear tetra-decker luminescent lanthanide Schiff base complexes. <i>Dalton Transactions</i> , 2008 , 1676-8	4.3	68
51	Effect of Heavy-Atom (Br) at the Phenyl Rings of Schiff-Base Ligands on the NIR Luminescence of their Bimetallic Zn-Nd Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2008 , 634, 1795-1800	1.3	39
50	Trimethylphosphine. <i>Inorganic Syntheses</i> , 2007 , 305-310		11
49	Dicarbonylbis(Di-tert-Butylphosphine)-(Di-tert-Butylphosphido)-Hydrido-Dirhodium(1+)(Rh ₂ (T-Bu ₂ P)(H)(Co) ₂ (T-Bu ₂ P) ₂) and Chloro-Bis(1,5-Cyclooctadiene)(Di-tert-Butylphosphido)Dirhodium(1+)(Rh ₂ (T-Bu ₂ P)-Cl(Cod) ₂),(Cod = 1,5-Cyclooctadiene). <i>Inorganic Syntheses</i> , 2007 , 170-173		1
48	Tetracarbonylbis(Di-Tert-Butylphosphido)Dacobalt(+1) [Co(T-Bu ₂ P)(Co) ₂] ₂ . <i>Inorganic Syntheses</i> , 2007 , 177-179		0
47	Dinuclear Phosphido and Arsenido Derivatives of Molybdenum. <i>Inorganic Syntheses</i> , 2007 , 167-170		2

46	BisTert-Butylphosphido (T-Bup(H)-) Bridged Dimers of Rhodium(+1) and Nickel(+1) Containing Rh=Rh Double and NiNi Single Bonds. <i>Inorganic Syntheses</i> , 2007 , 173-177	2
45	Chemical Routes to Ultra Thin Films for Copper Barriers and Liners. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 990, 1	
44	([18]Crown-6)Potassium Dicyanophosphide(1-). <i>Inorganic Syntheses</i> , 2007 , 126-129	8
43	Trilithium Heptaphosphide, Dilithium Hexadecaphosphide, and Trisodium Henicosaphosphide. <i>Inorganic Syntheses</i> , 2007 , 227-235	10
42	Trimethylphosphine. <i>Inorganic Syntheses</i> , 2007 , 7-12	18
41	Pyrazolate-Bridged Ruthenium(I) Carbonyl Complexes. <i>Inorganic Syntheses</i> , 2007 , 217-220	1
40	Electronic Grade Alkyls of Group 12 and 13 Elements. <i>Inorganic Syntheses</i> , 2007 , 29-66	3
39	[Mes ₂ SbCu(PMe ₃) ₂] ₂ , das erste Cu1-Antimonid. <i>Angewandte Chemie</i> , 2006 , 101, 1089-1090	3.6 11
38	Design and synthesis of a near infra-red luminescent hexanuclear Zn-Nd prism. <i>Chemical Communications</i> , 2006 , 1836-8	5.8 139
37	Multinuclear luminescent Schiff-base Zn-Nd sandwich complexes. <i>Inorganic Chemistry</i> , 2006 , 45, 4340-5	5.1 134
36	Near Infrared Luminescence and Supramolecular Structure of a Helical Triple-Decker Yb(III) Schiff Base Cluster. <i>Crystal Growth and Design</i> , 2006 , 6, 2122-2125	3.5 48
35	Heterobimetallic Zn(II)-Ln(III) phenylene-bridged schiff base complexes, computational studies, and evidence for singlet energy transfer as the main pathway in the sensitization of near-infrared Nd ³⁺ luminescence. <i>Inorganic Chemistry</i> , 2006 , 45, 9315-25	5.1 149
34	Anion dependent self-assembly of "tetra-decker" and "triple-decker"luminescent Tb(III) salen complexes. <i>Journal of the American Chemical Society</i> , 2005 , 127, 7686-7	16.4 183
33	Synthesis and near infrared luminescence of a tetrametallic Zn ₂ Yb ₂ architecture from a trinuclear Zn ₃ L ₂ Schiff base complex. <i>Dalton Transactions</i> , 2005 , 849-51	4.3 89
32	New Complexes of Lanthanides with Unusual Main Group Ligands. <i>ACS Symposium Series</i> , 2005 , 221-236	0.4 0
31	A nanoscale slipped sandwich of Tb(10)-stabilization of a benzaldehyde methyl hemiacetyl. <i>Dalton Transactions</i> , 2004 , 1787-8	4.3 29
30	Group 4 Zwitterionic Metallocenes Based upon the Bridged Amido-Cyclopentadienyl Ligand and Coordinated Dienes. <i>Inorganic Chemistry</i> , 2001 , 40, 1014-1019	5.1 15
29	Insertion and Coordination Reactions of Titanium(IV) Metallocene Zwitterions. <i>Organometallics</i> , 2001 , 20, 177-181	3.8 23

28	Synthesis and characterization of 8-(dimethylamino)-1-naphthyl derivatives of aluminum, gallium, and indium. <i>Inorganic Chemistry</i> , 2000 , 39, 27-31	5.1	34
27	Synthesis and Structural Characterization of Some Monomeric Group 13 Amides. <i>Inorganic Chemistry</i> , 1999 , 38, 296-300	5.1	12
26	Use of Chelating Diphosphines To Prepare New Phosphido Clusters of Aluminum and Gallium. <i>Organometallics</i> , 1996 , 15, 2657-2659	3.8	6
25	Synthesis and Structures of Intramolecularly Base-Coordinated Aryl Group 15 Compounds. <i>Inorganic Chemistry</i> , 1996 , 35, 6179-6183	5.1	66
24	AN ALKYL-SUBSTITUTED INDIUM(I) TETRAMER. <i>Journal of Coordination Chemistry</i> , 1993 , 30, 25-28	1.6	69
23	Synthesis and Structures of two Bulky Gallium Chlorides. <i>Journal of Coordination Chemistry</i> , 1992 , 25, 233-239	1.6	13
22	Syntheses and Structures of [NMe ₂ (ENMe ₂)GaCl] ₂ and [TMP(EOEt)GaCl] ₂ (TMP = 2,6-Tetramethylpiperidine). <i>Journal of Coordination Chemistry</i> , 1992 , 26, 285-291	1.6	12
21	Phosphorus Atoms in Unusual Environments. <i>ACS Symposium Series</i> , 1992 , 56-63	0.4	2
20	Reaction of (t-BuGaCl ₂) ₂ with Ar?PHLi (Ar? = 2,4,6-t-Bu ₃ C ₆ H ₂): Preparation of the chloride-bridged dimer (t-BuGa(Cl)P(H)Ar?) ₂ . <i>Heteroatom Chemistry</i> , 1991 , 2, 11-15	1.2	8
19	A Novel Gallium-Phosphorus Cage Compound. <i>Angewandte Chemie International Edition in English</i> , 1991 , 30, 1141-1143		9
18	Mononuclear Complexes of Cr(II) and Fe(II) with Terminal -SH Groups. Synthesis and X-Ray Crystal Structures of trans-M(SH) ₂ (dmpe) ₂ (M = Cr, Fe; dmpe = 1,2-Bis(Dimethylphosphino)Ethane). <i>Journal of Coordination Chemistry</i> , 1991 , 23, 13-19	1.6	14
17	Single Source Precursors for III-V OMCDV Growth and Pyrolysis Studies. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 204, 73		1
16	Synthese und Struktur eines Diphosphadigallatans: ein neuartiges, basenstabilisiertes Ga ₂ P ₂ -Ringsystem. <i>Angewandte Chemie</i> , 1990 , 102, 1169-1171	3.6	19
15	Niedermolekulare III/V-Komplexe, ein möglicher neuer Weg zu Galliumarsenid und verwandten Halbleitern. <i>Angewandte Chemie</i> , 1989 , 101, 1235-1243	3.6	73
14	[Mes ₂ SbCu(PMe ₃) ₂] ₂ : The First CuI Antimonide. <i>Angewandte Chemie International Edition in English</i> , 1989 , 28, 1018-1019		23
13	Single-Source III/V Precursors: A New Approach to Gallium Arsenide and Related Semiconductors. <i>Angewandte Chemie International Edition in English</i> , 1989 , 28, 1208-1215		246
12	Neue Al ₃ III- und Ga ₃ III-Komplexkationen. <i>Angewandte Chemie</i> , 1988 , 100, 306-307	3.6	6
11	Phosphanstabilisierte CuI- und AgI-Silane. <i>Angewandte Chemie</i> , 1988 , 100, 1396-1397	3.6	12

10	New Complex Cations of Aluminum(III) and Gallium(III). <i>Angewandte Chemie International Edition in English</i> , 1988 , 27, 277-278	33
9	Phosphane-Stabilized Cul and AgI Silanes. <i>Angewandte Chemie International Edition in English</i> , 1988 , 27, 1349-1350	23
8	SYNTHESIS, CHARACTERIZATION, AND X-RAY STRUCTURE OF BISFn-ACETATO DICARBONYL(DI-TERI-BUTYLPHOSPHINE) RUTHENIUM (I)]. <i>Journal of Coordination Chemistry</i> , 1988 , 18, 361-367	1.6 10
7	SYNTHESIS AND STRUCTURE OF A HETEROBIMETALLIC Fe-Ni PHOSPHIDO BRIDGED COMPLEX; X-RAY CRYSTAL STRUCTURE OF (PMe3)(CO)3Fe(<i>t</i> -Bu2P)Ni(PMe3)Cl, (Fe-Ni). <i>Journal of Coordination Chemistry</i> , 1988 , 17, 45-51	1.6 4
6	Organometallic Chemical Vapor Deposition of Gaas Using Novel Organometallic Precursors. <i>Materials Research Society Symposia Proceedings</i> , 1988 , 131, 51	3
5	The First Structurally Characterized Trithionantimonite Transition Metal Complex, (CO)5W(<i>t</i> Bt)Sb(SBut)2, Exhibiting a Novel Mode of Coordination for the Trithioantimonite Ligand Sb(<i>t</i> -BuS)3. <i>Journal of Coordination Chemistry</i> , 1987 , 16, 213-218	1.6 5
4	SYNTHESIS AND X-RAY STRUCTURE OF [Ni(<i>t</i> -Bu2P)(CO)2]2(Ni-Ni), SPONTANEOUS LOSS OF CO TO GIVE THE ASYMMETRIC TRICARBONYL Ni2(<i>t</i> -Bu2P)2(CO)3. <i>Journal of Coordination Chemistry</i> , 1987 , 16, 51-57	1.6 6
3	THE JAHN-TELLER EFFECT IN A TRIGONAL BIPYRAMIDAL Ni(II) COMPLEX; SYNTHESIS AND X-RAY CRYSTAL STRUCTURE OF trans-NiI3 (PMe3)2. <i>Journal of Coordination Chemistry</i> , 1987 , 16, 19-24	1.6 5
2	FORMATION OF COORDINATED <i>t</i> -Bu2P(H)O via REACTION OF <i>t</i> -Bu2PCl WITH ETHANOLIC ReO4 - SYNTESIS AND STRUCTURE OF trans-ReOCl2 (OEt){ <i>t</i> -Bu2 P(OEt)}{ <i>t</i> -Bu2 P(H)O}. <i>Journal of Coordination Chemistry</i> , 1987 , 16, 45-50	1.6 8
1	Structure of chlorotristrimethylphosphine cobalt(I), C9H27ClCoP3. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1983 , 13, 273-278	2