

Brian H Cuthbertson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9180184/brian-h-cuthbertson-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

8,503
citations

29
h-index

92
g-index

122
ext. papers

9,723
ext. citations

8
avg, IF

5.68
L-index

#	Paper	IF	Citations
109	De-adoption of chlorhexidine oral care and ICU mortality. Authors Reply.. <i>Intensive Care Medicine</i> , 2022 , 1	14.5	
108	Use of selective gut decontamination in critically ill children: protocol for the Paediatric Intensive Care and Infection Control (PICnIC) pilot study.. <i>BMJ Open</i> , 2022 , 12, e061838	3	0
107	Effect of oral chlorhexidine de-adoption and implementation of an oral care bundle on mortality for mechanically ventilated patients in the intensive care unit (CHORAL): a multi-center stepped wedge cluster-randomized controlled trial. <i>Intensive Care Medicine</i> , 2021 , 47, 1295-1302	14.5	10
106	A Pragmatic Non-Randomized Trial of Prehabilitation Prior to Cancer Surgery: Study Protocol and COVID-19-Related Adaptations. <i>Frontiers in Oncology</i> , 2021 , 11, 629207	5.3	4
105	Acute healthcare resource utilization by age: A cohort study. <i>PLoS ONE</i> , 2021 , 16, e0251877	3.7	3
104	Validation and implementation of group electronic hand hygiene monitoring across twenty-four critical care units. <i>Infection Control and Hospital Epidemiology</i> , 2021 , 1-6	2	1
103	A simplified (modified) Duke Activity Status Index (M-DASI) to characterise functional capacity: a secondary analysis of the Measurement of Exercise Tolerance before Surgery (METS) study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 181-190	5.4	10
102	Association of six-minute walk test distance with postoperative complications in non-cardiac surgery: a secondary analysis of a multicentre prospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 514-529	3	5
101	Rationale, Methodological Quality, and Reporting of Cluster-Randomized Controlled Trials in Critical Care Medicine: A Systematic Review. <i>Critical Care Medicine</i> , 2021 , 49, 977-987	1.4	3
100	Placebo comparator group selection and use in surgical trials: the ASPIRE project including expert workshop. <i>Health Technology Assessment</i> , 2021 , 25, 1-52	4.4	0
99	Considerations and methods for placebo controls in surgical trials (ASPIRE guidelines). <i>Lancet, The</i> , 2020 , 395, 828-838	40	26
98	Inhalational volatile-based sedation for COVID-19 pneumonia and ARDS. <i>Intensive Care Medicine</i> , 2020 , 46, 1563-1566	14.5	19
97	Barriers and Facilitators to Early Rehabilitation in the ICU: A Theory Driven Delphi Study. <i>Critical Care Medicine</i> , 2020 , 48, e1171-e1178	1.4	2
96	The harm of high-frequency oscillatory ventilation (HFOV) in ARDS is not related to a high baseline risk of acute cor pulmonale or short-term changes in hemodynamics. <i>Intensive Care Medicine</i> , 2020 , 46, 132-134	14.5	6
95	Integration of the Duke Activity Status Index into preoperative risk evaluation: a multicentre prospective cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 124, 261-270	5.4	35
94	Selective decontamination of the digestive tract (SDD) in critically ill patients: a narrative review. <i>Intensive Care Medicine</i> , 2020 , 46, 343-349	14.5	23
93	MicroRNA signatures of perioperative myocardial injury after elective noncardiac surgery: a prospective observational mechanistic cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 125, 661-671	5.4	9

92	Comparison of 2 Triage Scoring Guidelines for Allocation of Mechanical Ventilators. <i>JAMA Network Open</i> , 2020 , 3, e2029250	10.4	24
91	Protocol for a multi-centered, stepped wedge, cluster randomized controlled trial of the de-adoption of oral chlorhexidine prophylaxis and implementation of an oral care bundle for mechanically ventilated critically ill patients: the CHORAL study. <i>Trials</i> , 2019 , 20, 603	2.8	8
90	Heart rate recovery and morbidity after noncardiac surgery: Planned secondary analysis of two prospective, multi-centre, blinded observational studies. <i>PLoS ONE</i> , 2019 , 14, e0221277	3.7	7
89	Relative value of cystatin C and creatinine-based estimates of glomerular filtration rate in predicting long-term mortality after cardiac surgery: a cohort study. <i>BMJ Open</i> , 2019 , 9, e029379	3	9
88	Assessment of need for lower level acuity critical care services at a tertiary acute care hospital in Canada: A prospective cohort study. <i>Journal of Critical Care</i> , 2019 , 53, 91-97	4	
87	Determinants of Depressive Symptoms at 1 Year Following ICU Discharge in Survivors of 17 Days of Mechanical Ventilation: Results From the RECOVER Program, a Secondary Analysis of a Prospective Multicenter Cohort Study. <i>Chest</i> , 2019 , 156, 466-476	5.3	4
86	Functional capacity and preoperative risk evaluation - Authors Reply. <i>Lancet, The</i> , 2019 , 393, 1593-1594	4.0	
85	Chronotropic incompetence and myocardial injury after noncardiac surgery: planned secondary analysis of a prospective observational international cohort study. <i>British Journal of Anaesthesia</i> , 2019 , 123, 17-26	5.4	4
84	Decontamination Strategies for Critically Ill Patients. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1409	27.4	
83	Cost-effectiveness analysis should be mandatory in clinical-effectiveness research. <i>Cmaj</i> , 2019 , 191, E11405	3.5	3
82	Impact of ICU Structure and Processes of Care on Outcomes After Severe Traumatic Brain Injury: A Multicenter Cohort Study. <i>Critical Care Medicine</i> , 2018 , 46, 1139-1149	1.4	16
81	Barriers and facilitators to early rehabilitation in mechanically ventilated patients-a theory-driven interview study. <i>Journal of Intensive Care</i> , 2018 , 6, 4	7	15
80	Feasibility of the electrolarynx for enabling communication in the chronically critically ill: The EECCHO study. <i>Journal of Critical Care</i> , 2018 , 47, 109-113	4	15
79	Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. <i>Lancet, The</i> , 2018 , 391, 2631-2640	4.0	186
78	Selective digestive decontamination in critically ill children: A survey of Canadian providers. <i>Journal of Critical Care</i> , 2017 , 39, 169-171	4	2
77	Effect of Early Versus Late Tracheostomy or Prolonged Intubation in Critically Ill Patients with Acute Brain Injury: A Systematic Review and Meta-Analysis. <i>Neurocritical Care</i> , 2017 , 26, 14-25	3.3	66
76	Second Medical Opinions in End-of-Life Disputes in Critical Care: An Ethics-Based Approach. <i>Healthcare Quarterly</i> , 2017 , 20, 23-26		
75	The ethics of future trials: qualitative analysis of physicians' decision making. <i>Trials</i> , 2016 , 17, 12	2.8	1

74	Timing of withdrawal of life-sustaining therapies in severe traumatic brain injury: Impact on overall mortality. <i>Journal of Trauma and Acute Care Surgery</i> , 2016 , 80, 484-91	3.3	22
73	The RECOVER Program: Disability Risk Groups and 1-Year Outcome after 7 or More Days of Mechanical Ventilation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 831-844	10.2	173
72	Long-Term Outcomes after Critical Illness. The Best Predictor of the Future Is the Past. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 132-4	10.2	25
71	Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. <i>BMJ Open</i> , 2016 , 6, e010359	3	40
70	Selective decontamination of the digestive tract and oropharynx: after 30 years of debate is the definitive answer in sight?. <i>Current Opinion in Critical Care</i> , 2016 , 22, 161-6	3.5	8
69	Communication and Culture in the Surgical Intensive Care Unit: Boundary Production and the Improvement of Patient Care. <i>Qualitative Health Research</i> , 2016 , 26, 895-906	3.9	17
68	The SF-36 Offers a Strong Measure of Mental Health Symptoms in Survivors of Acute Respiratory Failure. A Tri-National Analysis. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 1343-50	4.7	23
67	One-Year Outcomes in Caregivers of Critically Ill Patients. <i>New England Journal of Medicine</i> , 2016 , 374, 1831-41	59.2	214
66	Distribution-based estimates of minimal important difference for hospital anxiety and depression scale and impact of event scale-revised in survivors of acute respiratory failure. <i>General Hospital Psychiatry</i> , 2016 , 42, 32-5	5.6	25
65	A randomised controlled trial and cost-effectiveness analysis of high-frequency oscillatory ventilation against conventional artificial ventilation for adults with acute respiratory distress syndrome. The OSCAR (OSCillation in ARDS) study. <i>Health Technology Assessment</i> , 2015 , 19, 1-177, vii	4.4	26
64	Observational study of current use of selective decontamination of the digestive tract in UK critical care units. <i>British Journal of Anaesthesia</i> , 2014 , 113, 610-7	5.4	8
63	Comparison of four methods for assessing the importance of attitudinal beliefs: an international Delphi study in intensive care settings. <i>British Journal of Health Psychology</i> , 2014 , 19, 274-91	8.3	12
62	Sham surgery studies. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014 , 30, 1389	5.4	2
61	Percutaneous dilatational tracheostomy: mostly safe, but do benefits outweigh risks?. <i>Critical Care</i> , 2014 , 18, 117	10.8	8
60	Implementing selective digestive tract decontamination in the intensive care unit: A qualitative analysis of nurse-identified considerations. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014 , 43, 13-8	2.6	7
59	Effect of Early vs Late Tracheostomy Placement on Survival in Patients Receiving Mechanical Ventilation. <i>Survey of Anesthesiology</i> , 2014 , 58, 65-66		1
58	The views of health care professionals about selective decontamination of the digestive tract: an international, theoretically informed interview study. <i>Journal of Critical Care</i> , 2014 , 29, 634-40	4	13
57	Educational interventions for preventing vascular catheter bloodstream infections in critical care: evidence map, systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2014 , 18, 1-365	4.4	10

56	Selective decontamination of the digestive tract in critically ill patients treated in intensive care units: a mixed-methods feasibility study (the SuDDICU study). <i>Health Technology Assessment</i> , 2014 , 18, 1-170	4.4	22
55	Effect of early vs late tracheostomy placement on survival in patients receiving mechanical ventilation: the TracMan randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 2121-9	27.4	348
54	Studies of selective decontamination - Authors Reply. <i>Lancet Infectious Diseases</i> , 2013 , 13, 737-8	25.5	
53	Clinical components and associated behavioural aspects of a complex healthcare intervention: multi-methods study of selective decontamination of the digestive tract in critical care. <i>Australian Critical Care</i> , 2013 , 26, 173-9	2.9	6
52	High-frequency oscillation for acute respiratory distress syndrome. <i>New England Journal of Medicine</i> , 2013 , 368, 806-13	59.2	899
51	Effect of selective decontamination on antimicrobial resistance in intensive care units: a systematic review and meta-analysis. <i>Lancet Infectious Diseases</i> , 2013 , 13, 328-41	25.5	187
50	N-terminal pro-B-type natriuretic peptide concentrations and long-term outcome after cardiac surgery: a prospective cohort study. <i>British Journal of Anaesthesia</i> , 2013 , 110, 214-21	5.4	12
49	Effect of Day and Time of Admission on Mortality in an Intensive Care Unit. <i>Journal of the Intensive Care Society</i> , 2013 , 14, 294-298	1.6	1
48	Regionalisation of Intensive Care and Extra-Corporeal Membrane Oxygenation Services in the UK: Beliefs about the Evidence, Benefits and Harm. <i>Journal of the Intensive Care Society</i> , 2012 , 13, 244-250	1.6	2
47	The predictive ability of pre-operative B-type natriuretic peptide in vascular patients for major adverse cardiac events: an individual patient data meta-analysis. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 522-9	15.1	108
46	A pragmatic multi-centre randomised controlled trial of fluid loading in high-risk surgical patients undergoing major elective surgery--the FOCCUS study. <i>Critical Care</i> , 2011 , 15, R296	10.8	10
45	Understanding health economic analysis in critical care: insights from recent randomized controlled trials. <i>Current Opinion in Critical Care</i> , 2011 , 17, 504-9	3.5	1
44	Team leadership in the intensive care unit: the perspective of specialists. <i>Critical Care Medicine</i> , 2011 , 39, 1683-91	1.4	58
43	Team situation awareness and the anticipation of patient progress during ICU rounds. <i>BMJ Quality and Safety</i> , 2011 , 20, 1035-42	5.4	42
42	The use of combined physiological parameters in the early recognition of the deteriorating acute medical patient. <i>Journal of the Royal College of Physicians of Edinburgh</i> , 2010 , 40, 19-25	0.9	17
41	Quality of life in the five years after intensive care: a cohort study. <i>Critical Care</i> , 2010 , 14, R6	10.8	271
40	Detecting critical illness outside the ICU: the role of track and trigger systems. <i>Current Opinion in Critical Care</i> , 2010 , 16, 184-90	3.5	56
39	Team working in intensive care: current evidence and future endeavors. <i>Current Opinion in Critical Care</i> , 2010 , 16, 643-8	3.5	25

38	Reply to Andrade and Pallin. <i>Intensive Care Medicine</i> , 2010 , 36, 1269-1270	14.5	1
37	The fate of conference abstracts: systematic review and meta-analysis of surgical treatments for men with benign prostatic enlargement. <i>World Journal of Urology</i> , 2010 , 28, 63-9	4	6
36	Usefulness of neutrophil/lymphocyte ratio as predictor of new-onset atrial fibrillation after coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2010 , 105, 186-91	3	179
35	A pragmatic multi-centre randomised controlled trial of fluid loading and level of dependency in high-risk surgical patients undergoing major elective surgery: trial protocol. <i>Trials</i> , 2010 , 11, 41	2.8	4
34	Steroids in patients with septic shock. <i>Chest</i> , 2009 , 136, 323-324	5.3	1
33	The Problems Diagnosing Ventilator-Associated Pneumonia. <i>Journal of the Intensive Care Society</i> , 2009 , 10, 266-272	1.6	5
32	Uric acid levels and outcome from coronary artery bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 138, 200-5	1.5	21
31	The effects of etomidate on adrenal responsiveness and mortality in patients with septic shock. <i>Intensive Care Medicine</i> , 2009 , 35, 1868-76	14.5	157
30	Evidence-based selection of theories for designing behaviour change interventions: using methods based on theoretical construct domains to understand clinicians' blood transfusion behaviour. <i>British Journal of Health Psychology</i> , 2009 , 14, 625-46	8.3	155
29	Use of preoperative natriuretic peptides and echocardiographic parameters in predicting new-onset atrial fibrillation after coronary artery bypass grafting: a prospective comparative study. <i>American Heart Journal</i> , 2009 , 158, 244-51	4.9	26
28	Developing a team performance framework for the intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 1787-93	1.4	242
27	N-terminal pro B-type natriuretic peptide is an independent predictor of postoperative myocardial injury in patients undergoing major vascular surgery. <i>Journal of Vascular Surgery</i> , 2008 , 48, 912-7; discussion 917	3.5	29
26	The relationship between renal function and outcome from heart valve surgery. <i>American Heart Journal</i> , 2008 , 156, 893-9	4.9	17
25	Intensive Insulin Therapy and Pentastarch Resuscitation in Severe Sepsis. <i>Journal of the Intensive Care Society</i> , 2008 , 9, 70-71	1.6	1
24	Hydrocortisone therapy for patients with septic shock. <i>New England Journal of Medicine</i> , 2008 , 358, 111-3	39.2	2485
23	The Outcome of Haematological Malignancy in Scottish Intensive Care Units. <i>Journal of the Intensive Care Society</i> , 2008 , 9, 135-140	1.6	13
22	Life after intensive care--it's life... but not as we know it!. <i>Critical Care Medicine</i> , 2008 , 36, 1668-9	1.4	5
21	Optimising early warning scoring systems. <i>Resuscitation</i> , 2008 , 77, 153-4	4	17

20	Glycaemic control and prediction of ICU stay. <i>Resuscitation</i> , 2007 , 75, 389-90	4	
19	Utility of B-type natriuretic peptide in predicting medium-term mortality in patients undergoing major non-cardiac surgery. <i>American Journal of Cardiology</i> , 2007 , 100, 1310-3	3	30
18	Albumin or Saline for Fluid Resuscitation of the Hypoalbuminaemic Patient in the ICU?. <i>Journal of the Intensive Care Society</i> , 2007 , 8, 49-50	1.6	3
17	Communication skills and error in the intensive care unit. <i>Current Opinion in Critical Care</i> , 2007 , 13, 732-63,5		123
16	The findings of the International Conference on Medical Emergency Teams are biased and misleading. <i>Critical Care Medicine</i> , 2007 , 35, 992-3	1.4	5
15	Renal function, revascularization and risk. <i>European Heart Journal</i> , 2007 , 28, 782-4	9.5	8
14	Can physiological variables and early warning scoring systems allow early recognition of the deteriorating surgical patient?. <i>Critical Care Medicine</i> , 2007 , 35, 402-9	1.4	115
13	Preoperative neutrophil-lymphocyte ratio and outcome from coronary artery bypass grafting. <i>American Heart Journal</i> , 2007 , 154, 995-1002	4.9	227
12	Relation of left atrial volume to B-type natriuretic peptide levels in patients with stable chronic heart failure. <i>American Journal of Cardiology</i> , 2006 , 98, 98-101	3	25
11	Renal function and outcome from coronary artery bypass grafting: impact on mortality after a 2.3-year follow-up. <i>Circulation</i> , 2006 , 113, 1056-62	16.7	148
10	Relationship between postoperative cardiac troponin I levels and outcome of cardiac surgery. <i>Circulation</i> , 2006 , 114, 1468-75	16.7	178
9	Evaluation of the cost-effectiveness of drotrecogin alfa (activated) for the treatment of severe sepsis in the United Kingdom. <i>International Journal of Technology Assessment in Health Care</i> , 2006 , 22, 90-100	1.8	19
8	Critical care outwith the intensive care unit. <i>Clinical Medicine</i> , 2005 , 5, 449-51	1.9	2
7	Utility of B-type natriuretic peptide in predicting the level of peri- and postoperative cardiovascular support required after coronary artery bypass grafting. <i>Critical Care Medicine</i> , 2005 , 33, 437-42	1.4	37
6	Post-traumatic stress disorder after critical illness requiring general intensive care. <i>Intensive Care Medicine</i> , 2004 , 30, 450-5	14.5	790
5	Increased bone resorption in the critically ill: association with sepsis and increased nitric oxide production. <i>Critical Care Medicine</i> , 2002 , 30, 837-40	1.4	28
4	Effect of inhaled nitric oxide on key mediators of the inflammatory response in patients with acute lung injury. <i>Critical Care Medicine</i> , 2000 , 28, 1736-41	1.4	26
3	Nitric oxide delivery systems. <i>Acta Anaesthesiologica Scandinavica</i> , 1998 , 42, 274-5	1.9	

- 2 The effect of nitric oxide and peroxynitrite on apoptosis in human polymorphonuclear leukocytes. *Free Radical Biology and Medicine*, **1998**, 25, 748-52 7.8 58
- 1 The effects of nitric oxide and peroxynitrite on interleukin-8 and elastase from lipopolysaccharide-stimulated whole blood. *Anesthesia and Analgesia*, **1998**, 86, 427-31 3.9 11