

# Seung-Ryong Ha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9181028/publications.pdf>

Version: 2024-02-01

23  
papers

304  
citations

1162367

8  
h-index

1125271

13  
g-index

23  
all docs

23  
docs citations

23  
times ranked

386  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of the amount of thickness reduction on color and translucency of dental monolithic zirconia ceramics. <i>Journal of Advanced Prosthodontics</i> , 2016, 8, 37.	1.1	82
2	Effects of airborne-particle abrasion protocol choice on the surface characteristics of monolithic zirconia materials and the shear bond strength of resin cement. <i>Ceramics International</i> , 2016, 42, 1552-1562.	2.3	60
3	Microtensile bond strength and micromorphologic analysis of surface-treated resin nanoceramics. <i>Journal of Advanced Prosthodontics</i> , 2016, 8, 275.	1.1	33
4	Biomechanical three-dimensional finite element analysis of monolithic zirconia crown with different cement type. <i>Journal of Advanced Prosthodontics</i> , 2015, 7, 475.	1.1	32
5	The influence of various core designs on stress distribution in the veneered zirconia crown: a finite element analysis study. <i>Journal of Advanced Prosthodontics</i> , 2013, 5, 187.	1.1	27
6	Biomechanical three-dimensional finite element analysis of monolithic zirconia crown with different cement thickness. <i>Ceramics International</i> , 2016, 42, 14928-14936.	2.3	17
7	Mechanical properties of hybrid computer-aided design/computer-aided manufacturing (CAD/CAM) materials after aging treatments. <i>Ceramics International</i> , 2018, 44, 19217-19226.	2.3	15
8	A pilot study using machine learning methods about factors influencing prognosis of dental implants. <i>Journal of Advanced Prosthodontics</i> , 2018, 10, 395.	1.1	13
9	Effects of coping designs on stress distributions in zirconia crowns: Finite element analysis. <i>Ceramics International</i> , 2016, 42, 4932-4940.	2.3	11
10	Effects of coping designs on fracture modes in zirconia crowns: Progressive load test. <i>Ceramics International</i> , 2016, 42, 7380-7389.	2.3	7
11	Comparison of polymer-based temporary crown and fixed partial denture materials by diametral tensile strength. <i>Journal of Advanced Prosthodontics</i> , 2010, 2, 14.	1.1	3
12	Effect of hydrothermal aging on dental multilayered zirconia for monolithic restorations: An in vitro study. <i>Ceramics International</i> , 2021, 47, 17057-17068.	2.3	3
13	Comparison of internal and marginal fit of crown according to milling order in a single machinable wax disc. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 395.	0.0	1
14	Full-mouth rehabilitation with CAD/CAM monolithic zirconia in dentinogenesis imperfecta: a case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014, 52, 317.	0.0	0
15	Rheological properties of dental resin cements during polymerization. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014, 52, 82.	0.0	0
16	Implant-retained overdentures with pre-fabricated bar attachment system in edentulous patients. <i>The Journal of Korean Academy of Prosthodontics</i> , 2016, 54, 41.	0.0	0
17	Prosthetic reconstruction with an obturator using swing-lock attachment for a patient underwent maxillectomy: A clinical report. <i>Journal of Advanced Prosthodontics</i> , 2016, 8, 411.	1.1	0
18	Full mouth rehabilitation using transfer coping pick up impression in a patient with severe bleeding: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 134.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Implant-supported fixed prostheses with high-performance polymer (PEKK) abutments in partial edentulous patients: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 71.	0.0	0
20	Clinical performance of esthetic ceramic partial-coverage restorations with supra-gingival margin using minimally invasive tooth preparation method according to the concept of adhesive dentistry. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 319.	0.0	0
21	A case report of single crown restoration using an intraoral scanner for occlusal evaluation. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021, 59, 341.	0.0	0
22	Effect of water storage on the fracture toughness of dental resin cement used for zirconia restoration. <i>The Journal of Korean Academy of Prosthodontics</i> , 2014, 52, 312.	0.0	0
23	Effect of working time on the film thickness of dental resin cements. <i>The Journal of Korean Academy of Prosthodontics</i> , 2015, 53, 325.	0.0	0