

James N Kiarie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9182991/publications.pdf>

Version: 2024-02-01

208
papers

12,972
citations

61687

45
h-index

30277

107
g-index

215
all docs

215
docs citations

215
times ranked

11841
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Setting global standards: The paramount importance of considering contraceptive values and preferences of clients and providers. <i>Contraception</i> , 2022, 111, 1-2. | 0.8 | 5 |
| 2 | Prevalence of reproductive tract infections including sexually transmitted infections among married women in urban and peri-urban mid to low socioeconomic neighbourhoods of Delhi, North India: an observational study protocol. <i>BMJ Open</i> , 2022, 12, e059583. | 0.8 | 2 |
| 3 | Dynamic Changes in Breast Milk Microbiome in the Early Postpartum Period of Kenyan Women Living with HIV Are Influenced by Antibiotics but Not Antiretrovirals. <i>Microbiology Spectrum</i> , 2022, 10, e0208021. | 1.2 | 2 |
| 4 | High HIV incidence among young women in South Africa: Data from a large prospective study. <i>PLoS ONE</i> , 2022, 17, e0269317. | 1.1 | 4 |
| 5 | Global epidemiology of <i>Neisseria gonorrhoeae</i> in infertile populations: systematic review, meta-analysis and metaregression. <i>Sexually Transmitted Infections</i> , 2021, 97, 157-169. | 0.8 | 20 |
| 6 | Urine Tenofovir Levels Measured Using a Novel Immunoassay Predict Human Immunodeficiency Virus Protection. <i>Clinical Infectious Diseases</i> , 2021, 72, 486-489. | 2.9 | 12 |
| 7 | The use of segmented regression for evaluation of an interrupted time series study involving complex intervention: the CaPSAI project experience. <i>Health Services and Outcomes Research Methodology</i> , 2021, 21, 188-205. | 0.8 | 7 |
| 8 | Time to Long-Acting Reversible Contraceptive Uptake Over Twelve Months Postpartum: Findings of the Yam Daabo Cluster Randomized-Controlled Trial in Burkina Faso and the Democratic Republic of the Congo. <i>Open Access Journal of Contraception</i> , 2021, Volume 12, 73-82. | 0.6 | 3 |
| 9 | A Landscape Analysis of Offering HIV Testing Services Within Family Planning Service Delivery. <i>Frontiers in Reproductive Health</i> , 2021, 3, . | 0.6 | 4 |
| 10 | Provider attitudes towards a brief behavioral intervention for sexual health in Moldova. <i>BMC Public Health</i> , 2021, 21, 1469. | 1.2 | 1 |
| 11 | Incorporating oral PrEP into standard prevention services for South African women: a nested interrupted time-series study. <i>Lancet HIV</i> , 2021, 8, e495-e501. | 2.1 | 16 |
| 12 | Scoping Review on the Impact of Outbreaks on Sexual and Reproductive Health Services: Proposed Frameworks for Pre-, Intra-, and Postoutbreak Situations. <i>BioMed Research International</i> , 2021, 2021, 1-21. | 0.9 | 4 |
| 13 | The relevance of target product profiles for manufacturers, experiences from the World Health Organization initiative for point-of-care testing for sexually transmitted infections. <i>Archives of Public Health</i> , 2021, 79, 187. | 1.0 | 5 |
| 14 | Creating a Global Legal and Policy Database and Document Repository: Challenges and Lessons Learned From the World Health Organization Sexual, Reproductive, Maternal, Newborn, Child and Adolescent Health Policy Survey. <i>International Journal of Health Policy and Management</i> , 2021, , . | 0.5 | 5 |
| 15 | Incidence of Herpes Simplex Virus Type 2 Infection Among African Women Using Depot Medroxyprogesterone Acetate, a Copper Intrauterine Device, or a Levonorgestrel Implant for Contraception: A Nested Randomized Trial. <i>Clinical Infectious Diseases</i> , 2021, , . | 2.9 | 2 |
| 16 | Evaluation of the management of pretreatment HIV drug resistance by oligonucleotide ligation assay: a randomised controlled trial. <i>Lancet HIV</i> , 2020, 7, e104-e112. | 2.1 | 16 |
| 17 | Integrating oral PrEP delivery among African women in a large HIV endpoint-driven clinical trial. <i>Journal of the International AIDS Society</i> , 2020, 23, e25491. | 1.2 | 18 |
| 18 | Discontinuation and switching of postpartum contraceptive methods over twelve months in Burkina Faso and the Democratic Republic of the Congo: a secondary analysis of the Yam Daabo trial. <i>Contraception and Reproductive Medicine</i> , 2020, 5, 35. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Effects of Depot Medroxyprogesterone Acetate, Copper Intrauterine Devices, and Levonorgestrel Implants on Early HIV Disease Progression. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 632-640. | 0.5 | 1 |
| 20 | Call to action for health systems integration of point-of-care testing to mitigate the transmission and burden of sexually transmitted infections. <i>Sexually Transmitted Infections</i> , 2020, 96, 342-347. | 0.8 | 39 |
| 21 | Hormonal contraception and HIV acquisition among women: an updated systematic review. <i>BMJ Sexual and Reproductive Health</i> , 2020, 46, 8-16. | 0.9 | 22 |
| 22 | Pre-treatment HIV-drug resistance associated with virologic outcome of first-line NNRTI-antiretroviral therapy: A cohort study in Kenya. <i>EClinicalMedicine</i> , 2020, 18, 100239. | 3.2 | 23 |
| 23 | ECHO: context and limitations – Authors’ reply. <i>Lancet, The</i> , 2020, 395, e27. | 6.3 | 2 |
| 24 | Effectiveness of post-partum family planning interventions on contraceptive use and method mix at 1 year after childbirth in Kinshasa, DR Congo (Yam Daabo): a single-blind, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2020, 8, e399-e410. | 2.9 | 22 |
| 25 | Human papillomavirus and abnormal cervical lesions among HIV-infected women in HIV-discordant couples from Kenya. <i>Sexually Transmitted Infections</i> , 2020, 96, 457-463. | 0.8 | 6 |
| 26 | Rationale and design of a complex intervention measuring the impact and processes of social accountability applied to contraceptive programming: CaPSAI Project. <i>Gates Open Research</i> , 2020, 4, 26. | 2.0 | 9 |
| 27 | Rationale and design of a complex intervention measuring the impact and processes of social accountability applied to contraceptive programming: CaPSAI Project. <i>Gates Open Research</i> , 2020, 4, 26. | 2.0 | 9 |
| 28 | Brief Intervention to Prevent Sexually Transmitted Infections and Unintended Pregnancies: Protocol of a Mixed Methods Feasibility Study. <i>JMIR Research Protocols</i> , 2020, 9, e15569. | 0.5 | 4 |
| 29 | Mixed cytomegalovirus genotypes in HIV-positive mothers show compartmentalization and distinct patterns of transmission to infants. <i>ELife</i> , 2020, 9, . | 2.8 | 18 |
| 30 | Impact of Tenofovir-Based Pre-exposure Prophylaxis on Biomarkers of Bone Formation, Bone Resorption, and Bone Mineral Metabolism in HIV-Negative Adults. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz338. | 0.4 | 3 |
| 31 | Post-partum family planning in Burkina Faso (Yam Daabo): a two group, multi-intervention, single-blinded, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019, 7, e1109-e1117. | 2.9 | 21 |
| 32 | Diagnosing sexually transmitted infections in resource-constrained settings: challenges and ways forward. <i>Journal of the International AIDS Society</i> , 2019, 22, e25343. | 1.2 | 85 |
| 33 | Safer conception care to eliminate transmission of HIV. <i>Lancet HIV, the</i> , 2019, 6, e413-e414. | 2.1 | 4 |
| 34 | Association between vaginal washing and detection of <i>Lactobacillus</i> by culture and quantitative PCR in HIV-seronegative Kenyan women: a cross-sectional analysis. <i>Sexually Transmitted Infections</i> , 2019, 95, 455-461. | 0.8 | 12 |
| 35 | Global epidemiology of <i>Neisseria gonorrhoeae</i> in infertile populations: protocol for a systematic review. <i>BMJ Open</i> , 2019, 9, e025808. | 0.8 | 5 |
| 36 | HIV incidence among women using intramuscular depot medroxyprogesterone acetate, a copper intrauterine device, or a levonorgestrel implant for contraception: a randomised, multicentre, open-label trial. <i>Lancet, The</i> , 2019, 394, 303-313. | 6.3 | 230 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Leveraging a Partnership to Disseminate and Implement What Works in Family Planning and Reproductive Health: The Implementing Best Practices (IBP) Initiative. <i>Global Health, Science and Practice</i> , 2019, 7, 12-19. | 0.6 | 3 |
| 38 | Pharmacokinetic, biologic and epidemiologic differences in MPA- and NET-based progestin-only injectable contraceptives relative to the potential impact on HIV acquisition in women. <i>Contraception</i> , 2019, 99, 199-204. | 0.8 | 17 |
| 39 | Utilization of healthcare services among Chinese migrants in Kenya: a qualitative study. <i>BMC Health Services Research</i> , 2019, 19, 995. | 0.9 | 2 |
| 40 | Scoping review to map evidence on mechanism of action, pharmacokinetics, effectiveness and side effects of centchroman as a contraceptive pill. <i>BMJ Open</i> , 2019, 9, e030373. | 0.8 | 5 |
| 41 | Minority and majority pretreatment HIV-1 drug resistance associated with failure of first-line nonnucleoside reverse-transcriptase inhibitor antiretroviral therapy in Kenyan women. <i>Aids</i> , 2019, 33, 941-951. | 1.0 | 22 |
| 42 | A High-throughput Bead-based Affinity Assay Enables Analysis of Genital Protein Signatures in Women At Risk of HIV Infection. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 461-476. | 2.5 | 4 |
| 43 | Building Mental Health Research Capacity in Kenya: a South-North Collaboration. <i>Global Social Welfare</i> , 2019, 6, 177-188. | 1.1 | 7 |
| 44 | Should oral contraceptive pills be available without a prescription? A systematic review of over-the-counter and pharmacy access availability. <i>BMJ Global Health</i> , 2019, 4, e001402. | 2.0 | 22 |
| 45 | Task sharing for family planning services, Burkina Faso. <i>Bulletin of the World Health Organization</i> , 2019, 97, 783-788. | 1.5 | 10 |
| 46 | Community and Provider Perspectives on Addressing Unmet Need for Contraception: Key Findings from a Formative Phase Research in Kenya, South Africa and Zambia (2015-2016). <i>African Journal of Reproductive Health</i> , 2019, 23, 106-119. | 1.1 | 11 |
| 47 | Increased Risk of HIV Acquisition Among Women Throughout Pregnancy and During the Postpartum Period: A Prospective Per-Coital-Act Analysis Among Women With HIV-Infected Partners. <i>Journal of Infectious Diseases</i> , 2018, 218, 16-25. | 1.9 | 198 |
| 48 | Birth spacing and informed family planning choices after childbirth in Burkina Faso and the Democratic Republic of Congo: Participatory action research to design and evaluate a decision-making tool for providers and their clients. <i>Patient Education and Counseling</i> , 2018, 101, 1871-1875. | 1.0 | 7 |
| 49 | WHO laboratory validation of Xpert [®] CT/NG and Xpert [®] TV on the GeneXpert system verifies high performances. <i>Apmis</i> , 2018, 126, 907-912. | 0.9 | 45 |
| 50 | Higher prevalence of viral control in HIV-1-infected women in serodiscordant relationships. <i>PLoS ONE</i> , 2018, 13, e0208401. | 1.1 | 1 |
| 51 | Postpartum family-planning barriers and catalysts in Burkina Faso and the Democratic Republic of Congo: a multiperspective study. <i>Open Access Journal of Contraception</i> , 2018, Volume 9, 63-74. | 0.6 | 14 |
| 52 | Behaviour change techniques in brief interventions to prevent HIV, STI and unintended pregnancies: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0204088. | 1.1 | 21 |
| 53 | Participatory action research to identify a package of interventions to promote postpartum family planning in Burkina Faso and the Democratic Republic of Congo. <i>BMC Women's Health</i> , 2018, 18, 122. | 0.8 | 9 |
| 54 | High background in ELISpot assays is associated with elevated levels of immune activation in HIV-1 seronegative individuals in Nairobi. <i>Immunity, Inflammation and Disease</i> , 2018, 6, 392-401. | 1.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effectiveness of a package of postpartum family planning interventions on the uptake of contraceptive methods until twelve months postpartum in Burkina Faso and the Democratic Republic of Congo: the YAM DAABO study protocol. <i>BMC Health Services Research</i> , 2018, 18, 439. | 0.9 | 20 |
| 56 | Genital injury signatures and microbiome alterations associated with depot medroxyprogesterone acetate usage and intravaginal drying practices. <i>Journal of Infectious Diseases</i> , 2017, 215, jiw590. | 1.9 | 46 |
| 57 | Association of Recent Bacterial Vaginosis With Acquisition of <i>Mycoplasma genitalium</i> . <i>American Journal of Epidemiology</i> , 2017, 186, 194-201. | 1.6 | 55 |
| 58 | Hormonal contraceptive methods and HIV: research gaps and programmatic priorities. <i>Contraception</i> , 2017, 96, 67-71. | 0.8 | 12 |
| 59 | Sexual Assault and HIV Postexposure Prophylaxis at an Urban African Hospital. <i>AIDS Patient Care and STDs</i> , 2017, 31, 255-260. | 1.1 | 10 |
| 60 | Prevalence of Pre-antiretroviral-Treatment Drug Resistance by Gender, Age, and Other Factors in HIV-Infected Individuals Initiating Therapy in Kenya, 2013-2014. <i>Journal of Infectious Diseases</i> , 2017, 216, 1569-1578. | 1.9 | 25 |
| 61 | Efficacy of oral pre-exposure prophylaxis (PrEP) for HIV among women with abnormal vaginal microbiota: a post-hoc analysis of the randomised, placebo-controlled Partners PrEP Study. <i>Lancet HIV</i> , 2017, 4, e449-e456. | 2.1 | 44 |
| 62 | Advancing prevention of sexually transmitted infections through point-of-care testing: target product profiles and landscape analysis. <i>Sexually Transmitted Infections</i> , 2017, 93, S69-S80. | 0.8 | 37 |
| 63 | Advancing point of care diagnostics for the control and prevention of STIs: the way forward. <i>Sexually Transmitted Infections</i> , 2017, 93, S81-S88. | 0.8 | 36 |
| 64 | Point-of-care tests for STIs: the way forward. <i>Sexually Transmitted Infections</i> , 2017, 93, S1-S2. | 0.8 | 20 |
| 65 | Low HDL-cholesterol among HIV-1 infected and HIV-1 uninfected individuals in Nairobi, Kenya. <i>Lipids in Health and Disease</i> , 2017, 16, 110. | 1.2 | 15 |
| 66 | Study protocol on establishment of sentinel sites network for contraceptive and abortion trends, needs and utilization of services in Zika virus affected countries. <i>Reproductive Health</i> , 2017, 14, 19. | 1.2 | 5 |
| 67 | A study protocol for facility assessment and follow-up evaluations of the barriers to access, availability, utilization and readiness of contraception, abortion and postabortion services in Zika affected areas. <i>Reproductive Health</i> , 2017, 14, 18. | 1.2 | 8 |
| 68 | Design and initial implementation of the WHO FP umbrella project- to strengthen contraceptive services in the sub Saharan Africa. <i>Reproductive Health</i> , 2017, 14, 74. | 1.2 | 7 |
| 69 | Maternal Highly Active Antiretroviral Therapy Reduces Vertical Cytomegalovirus Transmission But Does Not Reduce Breast Milk Cytomegalovirus Levels. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 332-338. | 0.5 | 8 |
| 70 | Effect of BMI and body weight on pregnancy rates with LNG as emergency contraception: analysis of four WHO HRP studies. <i>Contraception</i> , 2017, 95, 50-54. | 0.8 | 31 |
| 71 | Field evaluation of two point-of-care tests for syphilis among men who have sex with men, Verona, Italy. <i>Sexually Transmitted Infections</i> , 2017, 93, S51-S58. | 0.8 | 22 |
| 72 | Concomitant contraceptive implant and efavirenz use in women living with HIV: perspectives on current evidence and policy implications for family planning and HIV treatment guidelines. <i>Journal of the International AIDS Society</i> , 2017, 20, 21396. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Supporting people living with HIV in serodiscordant partnerships to attempt a desired pregnancy by integrating sexual and reproductive health and HIV interventions. <i>Journal of the International AIDS Society</i> , 2017, 20, 21829. | 1.2 | 5 |
| 74 | Gender-Specific Combination HIV Prevention for Youth in High-Burden Settings: The MP3 Youth Observational Pilot Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e22. | 0.5 | 8 |
| 75 | Effect of Condom Use on Per-act HSV-2 Transmission Risk in HIV-1, HSV-2-discordant Couples. <i>Clinical Infectious Diseases</i> , 2016, 62, civ908. | 2.9 | 21 |
| 76 | The amount of penicillin needed to prevent mother-to-child transmission of syphilis. <i>Bulletin of the World Health Organization</i> , 2016, 94, 559-559A. | 1.5 | 19 |
| 77 | Participatory approaches involving community and healthcare providers in family planning/contraceptive information and service provision: a scoping review. <i>Reproductive Health</i> , 2016, 13, 88. | 1.2 | 33 |
| 78 | The Performance of the Vaginal Discharge Syndromic Management in Treating Vaginal and Cervical Infection: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0163365. | 1.1 | 56 |
| 79 | Estimating Benzathine Penicillin Need for the Treatment of Pregnant Women Diagnosed with Syphilis during Antenatal Care in High-Morbidity Countries. <i>PLoS ONE</i> , 2016, 11, e0159483. | 1.1 | 18 |
| 80 | Increasing HIV-1 pretreatment drug resistance among antiretroviral-naïve adults initiating treatment between 2006 and 2014 in Nairobi, Kenya. <i>Aids</i> , 2016, 30, 1680-1682. | 1.0 | 18 |
| 81 | Reversibility of Glomerular Renal Function Decline in HIV-Uninfected Men and Women Discontinuing Emtricitabine-Tenofovir Disoproxil Fumarate Pre-Exposure Prophylaxis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, 374-380. | 0.9 | 57 |
| 82 | Male Partner Participation in Antenatal Clinic Services is Associated With Improved HIV-Free Survival Among Infants in Nairobi, Kenya: A Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 169-176. | 0.9 | 52 |
| 83 | An updated systematic review of epidemiological evidence on hormonal contraceptive methods and HIV acquisition in women. <i>Aids</i> , 2016, 30, 2665-2683. | 1.0 | 161 |
| 84 | Dual contraceptive method use in HIV-serodiscordant Kenyan couples. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 264-270. | 0.9 | 4 |
| 85 | Low Risk of Proximal Tubular Dysfunction Associated With Emtricitabine-Tenofovir Disoproxil Fumarate Preexposure Prophylaxis in Men and Women. <i>Journal of Infectious Diseases</i> , 2016, 214, 1050-1057. | 1.9 | 40 |
| 86 | The global roadmap for advancing development of vaccines against sexually transmitted infections: Update and next steps. <i>Vaccine</i> , 2016, 34, 2939-2947. | 1.7 | 109 |
| 87 | The Stigma of Exclusive Breastfeeding Among Both HIV-Positive and HIV-Negative Women in Nairobi, Kenya. <i>Breastfeeding Medicine</i> , 2016, 11, 252-258. | 0.8 | 28 |
| 88 | WHO medical eligibility criteria update. <i>Contraception</i> , 2016, 94, 193-194. | 0.8 | 15 |
| 89 | HIV Transmission Risk Persists During the First 6 Months of Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 579-584. | 0.9 | 68 |
| 90 | Use of the World Health Organization's Medical Eligibility Criteria for Contraceptive Use Guidance in sub-Saharan African Countries: A Cross-Sectional Study. <i>Global Health, Science and Practice</i> , 2016, 4, 506-510. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Intimate Partner Violence and Adherence to HIV Pre-exposure Prophylaxis (PrEP) in African Women in HIV Serodiscordant Relationships: A Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 73, 313-322. | 0.9 | 89 |
| 92 | Moving towards the goals of FP2020 – classifying contraceptives. <i>Contraception</i> , 2016, 94, 289-294. | 0.8 | 61 |
| 93 | Changes in Vaginal Microbiota and Immune Mediators in HIV-1-Seronegative Kenyan Women Initiating Depot Medroxyprogesterone Acetate. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 71, 359-366. | 0.9 | 40 |
| 94 | High Rates of Exclusive Breastfeeding in Both Arms of a Peer Counseling Study Promoting EBF Among HIV-Infected Kenyan Women. <i>Breastfeeding Medicine</i> , 2016, 11, 56-63. | 0.8 | 16 |
| 95 | Transient Increase in Herpes Simplex Virus Type 2 (HSV-2) – Associated Genital Ulcers Following Initiation of Antiretroviral Therapy in HIV/HSV-2 – Coinfected Individuals. <i>Journal of Infectious Diseases</i> , 2016, 213, 1573-1578. | 1.9 | 10 |
| 96 | Simplified Paper Format for Detecting HIV Drug Resistance in Clinical Specimens by Oligonucleotide Ligation. <i>PLoS ONE</i> , 2016, 11, e0145962. | 1.1 | 28 |
| 97 | Building capacity in implementation science research training at the University of Nairobi. <i>Implementation Science</i> , 2015, 11, 30. | 2.5 | 23 |
| 98 | HIV-1 protease inhibitor drug resistance in Kenyan antiretroviral treatment-naïve and -experienced injection drug users and non-drug users. <i>AIDS Research and Therapy</i> , 2015, 12, 27. | 0.7 | 9 |
| 99 | The WHO's medical eligibility criteria for contraceptive use. <i>Current Opinion in Obstetrics and Gynecology</i> , 2015, 27, 451-459. | 0.9 | 28 |
| 100 | Changes in the contribution of genital tract infections to HIV acquisition among Kenyan high-risk women from 1993 to 2012. <i>Aids</i> , 2015, 29, 1077-1085. | 1.0 | 59 |
| 101 | Supporting early career health investigators in Kenya: a qualitative study of complexity leadership for HIV/AIDS research capacity building. <i>Pan African Medical Journal</i> , 2015, 20, 192. | 0.3 | 7 |
| 102 | A Scoring Tool to Identify East African HIV-1 Serodiscordant Partnerships with a High Likelihood of Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0145515. | 1.1 | 4 |
| 103 | Changes in Glomerular Kidney Function Among HIV-1 – Uninfected Men and Women Receiving Emtricitabine – Tenofovir Disoproxil Fumarate Preexposure Prophylaxis. <i>JAMA Internal Medicine</i> , 2015, 175, 246. | 2.6 | 83 |
| 104 | Toll-like receptor gene variants and bacterial vaginosis among HIV-1 infected and uninfected African women. <i>Genes and Immunity</i> , 2015, 16, 362-365. | 2.2 | 18 |
| 105 | Accelerating the dual elimination of mother – child transmission of syphilis and HIV: Why now?. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, S1-3. | 1.0 | 16 |
| 106 | Plasma Cytokine Levels and Risk of HIV Type 1 (HIV-1) Transmission and Acquisition: A Nested Case-Control Study Among HIV-1 – Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2015, 211, 1451-1460. | 1.9 | 47 |
| 107 | Estimating Efficacy in a Randomized Trial With Product Nonadherence: Application of Multiple Methods to a Trial of Preexposure Prophylaxis for HIV Prevention. <i>American Journal of Epidemiology</i> , 2015, 182, 848-856. | 1.6 | 21 |
| 108 | Maternal plasma and breastmilk viral loads are associated with HIV-1-specific cellular immune responses among HIV-1-exposed, uninfected infants in Kenya. <i>Clinical and Experimental Immunology</i> , 2015, 180, 509-519. | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Factors influencing uptake of contraceptive implants in the immediate postpartum period among HIV infected and uninfected women at two Kenyan District Hospitals. <i>BMC Women's Health</i> , 2015, 15, 62. | 0.8 | 15 |
| 110 | Socio-economic determinants of disease progression among HIV infected adults in Kenya. <i>BMC Public Health</i> , 2015, 15, 733. | 1.2 | 3 |
| 111 | Global Estimates of the Prevalence and Incidence of Four Curable Sexually Transmitted Infections in 2012 Based on Systematic Review and Global Reporting. <i>PLoS ONE</i> , 2015, 10, e0143304. | 1.1 | 1,227 |
| 112 | Maternal Valacyclovir and Infant Cytomegalovirus Acquisition: A Randomized Controlled Trial among HIV-Infected Women. <i>PLoS ONE</i> , 2014, 9, e87855. | 1.1 | 40 |
| 113 | Successful Discontinuation of the Placebo Arm and Provision of an Effective HIV Prevention Product After a Positive Interim Efficacy Result. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 206-212. | 0.9 | 26 |
| 114 | Incident Herpes Simplex Virus Type 2 Infection Increases the Risk of Subsequent Episodes of Bacterial Vaginosis. <i>Journal of Infectious Diseases</i> , 2014, 209, 1023-1027. | 1.9 | 24 |
| 115 | The Clinical Education Partnership Initiative: an innovative approach to global health education. <i>BMC Medical Education</i> , 2014, 14, 1043. | 1.0 | 28 |
| 116 | Home visits during pregnancy enhance male partner HIV counselling and testing in Kenya. <i>Aids</i> , 2014, 28, 95-103. | 1.0 | 84 |
| 117 | Strengthening Health Systems by Integrating Health Care, Medical Education, and Research. <i>Academic Medicine</i> , 2014, 89, S109-S110. | 0.8 | 3 |
| 118 | Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples. <i>The Lancet Global Health</i> , 2014, 2, e664-e671. | 2.9 | 32 |
| 119 | Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 1055-1064. | 4.6 | 94 |
| 120 | Individual and partner risk factors associated with abnormal cervical cytology among women in HIV-discordant relationships. <i>International Journal of STD and AIDS</i> , 2014, 25, 315-324. | 0.5 | 3 |
| 121 | Pre-exposure prophylaxis for HIV-1 prevention does not diminish the pregnancy prevention effectiveness of hormonal contraception. <i>Aids</i> , 2014, 28, 1825-1830. | 1.0 | 37 |
| 122 | Oligonucleotide Ligation Assay Detects HIV Drug Resistance Associated With Virologic Failure Among Antiretroviral-Naive Adults in Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 67, 246-253. | 0.9 | 27 |
| 123 | Preexposure prophylaxis is efficacious for HIV-1 prevention among women using depot medroxyprogesterone acetate for contraception. <i>Aids</i> , 2014, 28, 2771-2776. | 1.0 | 38 |
| 124 | A Prospective Cohort Study of the Effect of Depot Medroxyprogesterone Acetate on Detection of Plasma and Cervical HIV-1 in Women Initiating and Continuing Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 452-456. | 0.9 | 14 |
| 125 | Expanding Clinical Medical Training Opportunities at the University of Nairobi. <i>Academic Medicine</i> , 2014, 89, S35-S39. | 0.8 | 9 |
| 126 | High Rates of Relationship Dissolution Among Heterosexual HIV-Serodiscordant Couples in Kenya. <i>AIDS and Behavior</i> , 2014, 18, 189-193. | 1.4 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Compartmentalized Cytomegalovirus Replication and Transmission in the Setting of Maternal HIV-1 Infection. <i>Clinical Infectious Diseases</i> , 2014, 58, 564-572. | 2.9 | 44 |
| 128 | Clinical chemistry profiles in injection heroin users from Coastal Region, Kenya. <i>BMC Clinical Pathology</i> , 2014, 14, 32. | 1.8 | 11 |
| 129 | Evolution of a Multiuniversity Monitoring and Evaluation Technical Working Group. <i>Academic Medicine</i> , 2014, 89, S110. | 0.8 | 0 |
| 130 | A Prospective Study of the Effect of Pregnancy on CD4 Counts and Plasma HIV-1 RNA Concentrations of Antiretroviral-Naive HIV-1-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 231-236. | 0.9 | 27 |
| 131 | Kenyan medical student and consultant experiences in a pilot decentralized training program at the University of Nairobi. <i>Education for Health: Change in Learning and Practice</i> , 2014, 27, 170. | 0.1 | 17 |
| 132 | Hormonal contraceptive use and risk of HIV-1 disease progression. <i>Aids</i> , 2013, 27, 261-267. | 1.0 | 33 |
| 133 | Effect of concurrent use of anti-retroviral therapy and levonorgestrel subdermal implant for contraception on CD4 counts: a prospective cohort study in Kenya. <i>Journal of the International AIDS Society</i> , 2013, 16, 18448. | 1.2 | 10 |
| 134 | Incident HSV-2 Infections Are Common Among HIV-1-discordant Couples. <i>Journal of Infectious Diseases</i> , 2013, 208, 1093-1101. | 1.9 | 9 |
| 135 | Biomarker evaluation of self-reported condom use among women in HIV-discordant couples. <i>International Journal of STD and AIDS</i> , 2013, 24, 537-540. | 0.5 | 12 |
| 136 | Daily Acyclovir to Decrease Herpes Simplex Virus Type 2 (HSV-2) Transmission from HSV-2/HIV-1 Coinfected Persons: A Randomized Controlled Trial. <i>Journal of Infectious Diseases</i> , 2013, 208, 1366-1374. | 1.9 | 45 |
| 137 | Plasma Viral Loads During Early HIV-1 Infection Are Similar in Subtype C and Non-Subtype C Infected African Seroconverters. <i>Journal of Infectious Diseases</i> , 2013, 207, 1166-1170. | 1.9 | 16 |
| 138 | Delayed initiation of antiretroviral therapy among HIV-discordant couples in Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 265-272. | 0.6 | 20 |
| 139 | Short Communication: T Cell Activation in HIV-1/Herpes Simplex Virus-2-Coinfected Kenyan Women Receiving Valacyclovir. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 94-98. | 0.5 | 7 |
| 140 | Pregnant Women and Disclosure to Sexual Partners After Testing HIV-1-Seropositive During Antenatal Care. <i>AIDS Patient Care and STDs</i> , 2013, 27, 33-37. | 1.1 | 28 |
| 141 | Male, Mobile, and Moneyed: Loss to Follow-Up vs. Transfer of Care in an Urban African Antiretroviral Treatment Clinic. <i>PLoS ONE</i> , 2013, 8, e78900. | 1.1 | 22 |
| 142 | Determinants of Per-Coital-Act HIV-1 Infectivity Among African HIV-1-Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2012, 205, 358-365. | 1.9 | 291 |
| 143 | Valacyclovir Suppressive Therapy Reduces Plasma and Breast Milk HIV-1 RNA Levels During Pregnancy and Postpartum: A Randomized Trial. <i>Journal of Infectious Diseases</i> , 2012, 205, 366-375. | 1.9 | 31 |
| 144 | HIV-1-Specific Enzyme-Linked Immunosorbent Spot Assay Responses in HIV-1-Exposed Uninfected Partners in Discordant Relationships Compared to Those in Low-Risk Controls. <i>Vaccine Journal</i> , 2012, 19, 1798-1805. | 3.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Cervicovaginal HIV-1-neutralizing immunoglobulin A detected among HIV-1-exposed seronegative female partners in HIV-1-discordant couples. <i>Aids</i> , 2012, 26, 2155-2163. | 1.0 | 33 |
| 146 | The Medical Education Partnership Initiative: PEPFAR's Effort To Boost Health Worker Education To Strengthen Health Systems. <i>Health Affairs</i> , 2012, 31, 1561-1572. | 2.5 | 66 |
| 147 | Contraceptive method and pregnancy incidence among women in HIV-1-serodiscordant partnerships. <i>Aids</i> , 2012, 26, 513-518. | 1.0 | 35 |
| 148 | The Posttrial Effect of Oral Periodic Presumptive Treatment for Vaginal Infections on the Incidence of Bacterial Vaginosis and Lactobacillus Colonization. <i>Sexually Transmitted Diseases</i> , 2012, 39, 361-365. | 0.8 | 17 |
| 149 | Prevalence and Correlates of Genital Warts in Kenyan Female Sex Workers. <i>Sexually Transmitted Diseases</i> , 2012, 39, 902-905. | 0.8 | 3 |
| 150 | Use of hormonal contraceptives and risk of HIV-1 transmission: a prospective cohort study. <i>Lancet Infectious Diseases</i> , The, 2012, 12, 19-26. | 4.6 | 375 |
| 151 | Antiretroviral Prophylaxis for HIV Prevention in Heterosexual Men and Women. <i>New England Journal of Medicine</i> , 2012, 367, 399-410. | 13.9 | 2,665 |
| 152 | Preventing unintended pregnancy among young women in Kenya: prospective cohort study to offer contraceptive implants. <i>Contraception</i> , 2012, 86, 511-517. | 0.8 | 30 |
| 153 | Incidence and Correlates of HIV-1 RNA Detection in the Breast Milk of Women Receiving HAART for the Prevention of HIV-1 Transmission. <i>PLoS ONE</i> , 2012, 7, e29777. | 1.1 | 19 |
| 154 | Infant Safety during and after Maternal Valacyclovir Therapy in Conjunction with Antiretroviral HIV-1 Prophylaxis in a Randomized Clinical Trial. <i>PLoS ONE</i> , 2012, 7, e34635. | 1.1 | 13 |
| 155 | Knowledge and Acceptability of Pap Smears, Self-Sampling and HPV Vaccination among Adult Women in Kenya. <i>PLoS ONE</i> , 2012, 7, e40766. | 1.1 | 78 |
| 156 | Effects of Valacyclovir on Markers of Disease Progression in Postpartum Women Co-Infected with HIV-1 and Herpes Simplex Virus-2. <i>PLoS ONE</i> , 2012, 7, e38622. | 1.1 | 7 |
| 157 | Using Plasma Viral Load to Guide Antiretroviral Therapy Initiation to Prevent HIV-1 Transmission. <i>PLoS ONE</i> , 2012, 7, e51192. | 1.1 | 8 |
| 158 | Factors associated with uptake of subdermal contraceptive implants in a young Kenyan population. <i>Contraception</i> , 2011, 84, 413-417. | 0.8 | 23 |
| 159 | Characteristics of HIV-1 Serodiscordant Couples Enrolled in a Clinical Trial of Antiretroviral Pre-Exposure Prophylaxis for HIV-1 Prevention. <i>PLoS ONE</i> , 2011, 6, e25828. | 1.1 | 75 |
| 160 | Association Between Participant Self-Report and Biological Outcomes Used to Measure Sexual Risk Behavior in Human Immunodeficiency Virus-1-Seropositive Female Sex Workers in Mombasa, Kenya. <i>Sexually Transmitted Diseases</i> , 2011, 38, 429-433. | 0.8 | 17 |
| 161 | Increased risk of HIV-1 transmission in pregnancy. <i>Aids</i> , 2011, 25, 1887-1895. | 1.0 | 219 |
| 162 | Barriers to Antiretroviral Initiation in HIV-1 "Discordant Couples. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, e87-e93. | 0.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Uptake of prevention of mother to child transmission interventions in Kenya: health systems are more influential than stigma. <i>Journal of the International AIDS Society</i> , 2011, 14, 61-61. | 1.2 | 50 |
| 164 | Hyponatremia, Hypochloremia, and Hypoalbuminemia Predict an Increased Risk of Mortality During the First Year of Antiretroviral Therapy Among HIV-Infected Zambian and Kenyan Women. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1149-1155. | 0.5 | 32 |
| 165 | Understanding the Context of HIV Risk Behavior Among HIV-Positive and HIV-Negative Female Sex Workers and Male Bar Clients Following Antiretroviral Therapy Rollout in Mombasa, Kenya. <i>AIDS Education and Prevention</i> , 2011, 23, 299-312. | 0.6 | 24 |
| 166 | A prospective study of frequency and correlates of intimate partner violence among African heterosexual HIV serodiscordant couples. <i>Aids</i> , 2011, 25, 2009-2018. | 1.0 | 59 |
| 167 | Impact of Integrated Family Planning and HIV Care Services on Contraceptive Use and Pregnancy Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, e121-e126. | 0.9 | 51 |
| 168 | Herpes Simplex Virus Type 2 Suppressive Therapy with Acyclovir or Valacyclovir Does Not Select for Specific HIV-1 Resistance in HIV-1/HSV-2 Dually Infected Persons. <i>Journal of Infectious Diseases</i> , 2011, 203, 117-121. | 1.9 | 18 |
| 169 | Establishing and Sustaining a Healthy Vaginal Environment: Analysis of Data From a Randomized Trial of Periodic Presumptive Treatment for Vaginal Infections. <i>Journal of Infectious Diseases</i> , 2011, 204, 323-326. | 1.9 | 11 |
| 170 | A Randomized Controlled Trial Comparing the Effects of Counseling and Alarm Device on HAART Adherence and Virologic Outcomes. <i>PLoS Medicine</i> , 2011, 8, e1000422. | 3.9 | 98 |
| 171 | Genomewide Association Study for Determinants of HIV-1 Acquisition and Viral Set Point in HIV-1 Serodiscordant Couples with Quantified Virus Exposure. <i>PLoS ONE</i> , 2011, 6, e28632. | 1.1 | 80 |
| 172 | Cofactors for HIV-1 Incidence during Pregnancy and Postpartum Period. <i>Current HIV Research</i> , 2010, 8, 510-514. | 0.2 | 45 |
| 173 | Predicting Pregnancy in HIV-1-Discordant Couples. <i>AIDS and Behavior</i> , 2010, 14, 1066-1071. | 1.4 | 34 |
| 174 | Antiretroviral Adherence and Development of Drug Resistance Are the Strongest Predictors of Genital HIV-1 Shedding among Women Initiating Treatment. <i>Journal of Infectious Diseases</i> , 2010, 202, 1538-1542. | 1.9 | 45 |
| 175 | Acyclovir and Transmission of HIV-1 from Persons Infected with HIV-1 and HSV-2. <i>New England Journal of Medicine</i> , 2010, 362, 427-439. | 13.9 | 476 |
| 176 | How late is too late? Timeliness to scheduled visits as an antiretroviral therapy adherence measure in Nairobi, Kenya and Lusaka, Zambia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 1323-1331. | 0.6 | 13 |
| 177 | Effectiveness of Non-nucleoside Reverse-Transcriptase Inhibitor-Based Antiretroviral Therapy in Women Previously Exposed to a Single Intrapartum Dose of Nevirapine: A Multi-country, Prospective Cohort Study. <i>PLoS Medicine</i> , 2010, 7, e1000233. | 3.9 | 56 |
| 178 | Daily aciclovir for HIV-1 disease progression in people dually infected with HIV-1 and herpes simplex virus type 2: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2010, 375, 824-833. | 6.3 | 142 |
| 179 | Heterosexual HIV-1 transmission after initiation of antiretroviral therapy: a prospective cohort analysis. <i>Lancet, The</i> , 2010, 375, 2092-2098. | 6.3 | 844 |
| 180 | A Prospective Study of Contraceptive Use Among African Women in HIV-1 Serodiscordant Partnerships. <i>Sexually Transmitted Diseases</i> , 2010, 37, 621-628. | 0.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Characteristics of HIV-1 Discordant Couples Enrolled in a Trial of HSV-2 Suppression to Reduce HIV-1 Transmission: The Partners Study. PLoS ONE, 2009, 4, e5272. | 1.1 | 71 |
| 182 | Male Perspectives on Incorporating Men into Antenatal HIV Counseling and Testing. PLoS ONE, 2009, 4, e7602. | 1.1 | 99 |
| 183 | Sexually Transmitted Infections among HIV-1-Discordant Couples. PLoS ONE, 2009, 4, e8276. | 1.1 | 21 |
| 184 | Indeterminate rapid HIV-1 test results among antenatal and postnatal mothers. International Journal of STD and AIDS, 2009, 20, 790-792. | 0.5 | 10 |
| 185 | HIV testing men in the antenatal setting: understanding male non-disclosure. International Journal of STD and AIDS, 2009, 20, 765-767. | 0.5 | 27 |
| 186 | Prospective Study of Vaginal Bacterial Flora and Other Risk Factors for Vulvovaginal Candidiasis. Journal of Infectious Diseases, 2009, 199, 1883-1890. | 1.9 | 77 |
| 187 | Lower Risk of Resistance After Short-Course HAART Compared With Zidovudine/Single-Dose Nevirapine Used for Prevention of HIV-1 Mother-to-Child Transmission. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, 522-529. | 0.9 | 37 |
| 188 | Impact of Prior HAART Use on Clinical Outcomes in a Large Kenyan HIV Treatment Program. Current HIV Research, 2009, 7, 441-446. | 0.2 | 31 |
| 189 | Condom Use Among Sexually Active Kenyan Female Adolescents at Risk for HIV-1 Infection. AIDS and Behavior, 2008, 12, 923-929. | 1.4 | 9 |
| 190 | Improvement of Vaginal Health for Kenyan Women at Risk for Acquisition of Human Immunodeficiency Virus Type 1: Results of a Randomized Trial. Journal of Infectious Diseases, 2008, 197, 1361-1368. | 1.9 | 94 |
| 191 | HIV-1 persists in breast milk cells despite antiretroviral treatment to prevent mother-to-child transmission. Aids, 2008, 22, 1475-1485. | 1.0 | 57 |
| 192 | Cost effectiveness of couple counselling to enhance infant HIV-1 prevention. International Journal of STD and AIDS, 2008, 19, 406-409. | 0.5 | 23 |
| 193 | Regional Differences in Prevalence of HIV-1 Discordance in Africa and Enrollment of HIV-1 Discordant Couples into an HIV-1 Prevention Trial. PLoS ONE, 2008, 3, e1411. | 1.1 | 136 |
| 194 | Highly active antiretroviral therapy versus zidovudine/nevirapine effects on early breast milk HIV type-1 Rna: a phase II randomized clinical trial. Antiviral Therapy, 2008, 13, 799-807. | 0.6 | 15 |
| 195 | Highly Active Antiretroviral Therapy versus Zidovudine/Nevirapine Effects on Early Breast Milk HIV Type-1 RNA: A Phase II Randomized Clinical Trial. Antiviral Therapy, 2008, 13, 799-807. | 0.6 | 19 |
| 196 | Independent Effects of Nevirapine Prophylaxis and HIV-1 RNA Suppression in Breast Milk on Early Perinatal HIV-1 Transmission. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 46, 472-478. | 0.9 | 17 |
| 197 | Infection with Trichomonas vaginalis Increases the Risk of HIV-1 Acquisition. Journal of Infectious Diseases, 2007, 195, 698-702. | 1.9 | 439 |
| 198 | Male Circumcision in Siaya and Bondo Districts, Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 66-70. | 0.9 | 102 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Associations Between Intravaginal Practices and Bacterial Vaginosis in Kenyan Female Sex Workers Without Symptoms of Vaginal Infections. <i>Sexually Transmitted Diseases</i> , 2007, 34, 384-388. | 0.8 | 47 |
| 200 | Domestic violence and prevention of mother-to-child transmission of HIV-1. <i>Aids</i> , 2006, 20, 1763-1769. | 1.0 | 77 |
| 201 | Pediatric HIV Type 1 Vaccine Trial Acceptability among Mothers in Kenya. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 491-495. | 0.5 | 10 |
| 202 | Breast milk HIV-1 suppression and decreased transmission: a randomized trial comparing HIVNET 012 nevirapine versus short-course zidovudine. <i>Aids</i> , 2005, 19, 1415-1422. | 1.0 | 46 |
| 203 | Antenatal Couple Counseling Increases Uptake of Interventions to Prevent HIV-1 Transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 37, 1620-1626. | 0.9 | 364 |
| 204 | Infant Feeding Practices of Women in a Perinatal HIV-1 Prevention Study in Nairobi, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004, 35, 75-81. | 0.9 | 52 |
| 205 | Compliance with antiretroviral regimens to prevent perinatal HIV-1 transmission in Kenya. <i>Aids</i> , 2003, 17, 65-71. | 1.0 | 96 |
| 206 | HIV-1 testing in pregnancy: acceptability and correlates of return for test results. <i>Aids</i> , 2000, 14, 1468-1470. | 1.0 | 41 |
| 207 | Accounting for complexity â€“ Intervention design in the context of studying social accountability for reproductive health. <i>Gates Open Research</i> , 0, 5, 107. | 2.0 | 5 |
| 208 | Accounting for complexity â€“ Intervention design in the context of studying social accountability for reproductive health. <i>Gates Open Research</i> , 0, 5, 107. | 2.0 | 0 |