

James N Kiarie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9182991/publications.pdf>

Version: 2024-02-01

208
papers

12,972
citations

53789

45
h-index

26610

107
g-index

215
all docs

215
docs citations

215
times ranked

11035
citing authors

#	ARTICLE	IF	CITATIONS
1	Setting global standards: The paramount importance of considering contraceptive values and preferences of clients and providers. <i>Contraception</i> , 2022, 111, 1-2.	1.5	5
2	Prevalence of reproductive tract infections including sexually transmitted infections among married women in urban and peri-urban mid to low socioeconomic neighbourhoods of Delhi, North India: an observational study protocol. <i>BMJ Open</i> , 2022, 12, e059583.	1.9	2
3	Dynamic Changes in Breast Milk Microbiome in the Early Postpartum Period of Kenyan Women Living with HIV Are Influenced by Antibiotics but Not Antiretrovirals. <i>Microbiology Spectrum</i> , 2022, 10, e0208021.	3.0	2
4	High HIV incidence among young women in South Africa: Data from a large prospective study. <i>PLoS ONE</i> , 2022, 17, e0269317.	2.5	4
5	Global epidemiology of <i>Neisseria gonorrhoeae</i> in infertile populations: systematic review, meta-analysis and metaregression. <i>Sexually Transmitted Infections</i> , 2021, 97, 157-169.	1.9	20
6	Urine Tenofovir Levels Measured Using a Novel Immunoassay Predict Human Immunodeficiency Virus Protection. <i>Clinical Infectious Diseases</i> , 2021, 72, 486-489.	5.8	12
7	The use of segmented regression for evaluation of an interrupted time series study involving complex intervention: the CaPSAI project experience. <i>Health Services and Outcomes Research Methodology</i> , 2021, 21, 188-205.	1.8	7
8	Time to Long-Acting Reversible Contraceptive Uptake Over Twelve Months Postpartum: Findings of the Yam Daabo Cluster Randomized-Controlled Trial in Burkina Faso and the Democratic Republic of the Congo. <i>Open Access Journal of Contraception</i> , 2021, Volume 12, 73-82.	1.4	3
9	A Landscape Analysis of Offering HIV Testing Services Within Family Planning Service Delivery. <i>Frontiers in Reproductive Health</i> , 2021, 3, .	1.9	4
10	Provider attitudes towards a brief behavioral intervention for sexual health in Moldova. <i>BMC Public Health</i> , 2021, 21, 1469.	2.9	1
11	Incorporating oral PrEP into standard prevention services for South African women: a nested interrupted time-series study. <i>Lancet HIV</i> , 2021, 8, e495-e501.	4.7	16
12	Scoping Review on the Impact of Outbreaks on Sexual and Reproductive Health Services: Proposed Frameworks for Pre-, Intra-, and Postoutbreak Situations. <i>BioMed Research International</i> , 2021, 2021, 1-21.	1.9	4
13	The relevance of target product profiles for manufacturers, experiences from the World Health Organization initiative for point-of-care testing for sexually transmitted infections. <i>Archives of Public Health</i> , 2021, 79, 187.	2.4	5
14	Creating a Global Legal and Policy Database and Document Repository: Challenges and Lessons Learned From the World Health Organization Sexual, Reproductive, Maternal, Newborn, Child and Adolescent Health Policy Survey. <i>International Journal of Health Policy and Management</i> , 2021, , .	0.9	5
15	Incidence of Herpes Simplex Virus Type 2 Infection Among African Women Using Depot Medroxyprogesterone Acetate, a Copper Intrauterine Device, or a Levonorgestrel Implant for Contraception: A Nested Randomized Trial. <i>Clinical Infectious Diseases</i> , 2021, , .	5.8	2
16	Evaluation of the management of pretreatment HIV drug resistance by oligonucleotide ligation assay: a randomised controlled trial. <i>Lancet HIV</i> , 2020, 7, e104-e112.	4.7	16
17	Integrating oral PrEP delivery among African women in a large HIV endpoint-driven clinical trial. <i>Journal of the International AIDS Society</i> , 2020, 23, e25491.	3.0	18
18	Discontinuation and switching of postpartum contraceptive methods over twelve months in Burkina Faso and the Democratic Republic of the Congo: a secondary analysis of the Yam Daabo trial. <i>Contraception and Reproductive Medicine</i> , 2020, 5, 35.	1.9	4

#	ARTICLE	IF	CITATIONS
19	Effects of Depot Medroxyprogesterone Acetate, Copper Intrauterine Devices, and Levonorgestrel Implants on Early HIV Disease Progression. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 632-640.	1.1	1
20	Call to action for health systems integration of point-of-care testing to mitigate the transmission and burden of sexually transmitted infections. <i>Sexually Transmitted Infections</i> , 2020, 96, 342-347.	1.9	39
21	Hormonal contraception and HIV acquisition among women: an updated systematic review. <i>BMJ Sexual and Reproductive Health</i> , 2020, 46, 8-16.	1.7	22
22	Pre-treatment HIV-drug resistance associated with virologic outcome of first-line NNRTI-antiretroviral therapy: A cohort study in Kenya. <i>EClinicalMedicine</i> , 2020, 18, 100239.	7.1	23
23	ECHO: context and limitations – Authors’ reply. <i>Lancet, The</i> , 2020, 395, e27.	13.7	2
24	Effectiveness of post-partum family planning interventions on contraceptive use and method mix at 1 year after childbirth in Kinshasa, DR Congo (Yam Daabo): a single-blind, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2020, 8, e399-e410.	6.3	22
25	Human papillomavirus and abnormal cervical lesions among HIV-infected women in HIV-discordant couples from Kenya. <i>Sexually Transmitted Infections</i> , 2020, 96, 457-463.	1.9	6
26	Rationale and design of a complex intervention measuring the impact and processes of social accountability applied to contraceptive programming: CaPSAI Project. <i>Gates Open Research</i> , 2020, 4, 26.	1.1	9
27	Rationale and design of a complex intervention measuring the impact and processes of social accountability applied to contraceptive programming: CaPSAI Project. <i>Gates Open Research</i> , 2020, 4, 26.	1.1	9
28	Brief Intervention to Prevent Sexually Transmitted Infections and Unintended Pregnancies: Protocol of a Mixed Methods Feasibility Study. <i>JMIR Research Protocols</i> , 2020, 9, e15569.	1.0	4
29	Mixed cytomegalovirus genotypes in HIV-positive mothers show compartmentalization and distinct patterns of transmission to infants. <i>ELife</i> , 2020, 9, .	6.0	18
30	Impact of Tenofovir-Based Pre-exposure Prophylaxis on Biomarkers of Bone Formation, Bone Resorption, and Bone Mineral Metabolism in HIV-Negative Adults. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz338.	0.9	3
31	Post-partum family planning in Burkina Faso (Yam Daabo): a two group, multi-intervention, single-blinded, cluster-randomised controlled trial. <i>The Lancet Global Health</i> , 2019, 7, e1109-e1117.	6.3	21
32	Diagnosing sexually transmitted infections in resource-constrained settings: challenges and ways forward. <i>Journal of the International AIDS Society</i> , 2019, 22, e25343.	3.0	85
33	Safer conception care to eliminate transmission of HIV. <i>Lancet HIV, the</i> , 2019, 6, e413-e414.	4.7	4
34	Association between vaginal washing and detection of <i>Lactobacillus</i> by culture and quantitative PCR in HIV-seronegative Kenyan women: a cross-sectional analysis. <i>Sexually Transmitted Infections</i> , 2019, 95, 455-461.	1.9	12
35	Global epidemiology of <i>Neisseria gonorrhoeae</i> in infertile populations: protocol for a systematic review. <i>BMJ Open</i> , 2019, 9, e025808.	1.9	5
36	HIV incidence among women using intramuscular depot medroxyprogesterone acetate, a copper intrauterine device, or a levonorgestrel implant for contraception: a randomised, multicentre, open-label trial. <i>Lancet, The</i> , 2019, 394, 303-313.	13.7	230

#	ARTICLE	IF	CITATIONS
37	Leveraging a Partnership to Disseminate and Implement What Works in Family Planning and Reproductive Health: The Implementing Best Practices (IBP) Initiative. <i>Global Health, Science and Practice</i> , 2019, 7, 12-19.	1.7	3
38	Pharmacokinetic, biologic and epidemiologic differences in MPA- and NET-based progestin-only injectable contraceptives relative to the potential impact on HIV acquisition in women. <i>Contraception</i> , 2019, 99, 199-204.	1.5	17
39	Utilization of healthcare services among Chinese migrants in Kenya: a qualitative study. <i>BMC Health Services Research</i> , 2019, 19, 995.	2.2	2
40	Scoping review to map evidence on mechanism of action, pharmacokinetics, effectiveness and side effects of centchroman as a contraceptive pill. <i>BMJ Open</i> , 2019, 9, e030373.	1.9	5
41	Minority and majority pretreatment HIV-1 drug resistance associated with failure of first-line nonnucleoside reverse-transcriptase inhibitor antiretroviral therapy in Kenyan women. <i>Aids</i> , 2019, 33, 941-951.	2.2	22
42	A High-throughput Bead-based Affinity Assay Enables Analysis of Genital Protein Signatures in Women At Risk of HIV Infection. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 461-476.	3.8	4
43	Building Mental Health Research Capacity in Kenya: a South-North Collaboration. <i>Global Social Welfare</i> , 2019, 6, 177-188.	1.9	7
44	Should oral contraceptive pills be available without a prescription? A systematic review of over-the-counter and pharmacy access availability. <i>BMJ Global Health</i> , 2019, 4, e001402.	4.7	22
45	Task sharing for family planning services, Burkina Faso. <i>Bulletin of the World Health Organization</i> , 2019, 97, 783-788.	3.3	10
46	Community and Provider Perspectives on Addressing Unmet Need for Contraception: Key Findings from a Formative Phase Research in Kenya, South Africa and Zambia (2015-2016). <i>African Journal of Reproductive Health</i> , 2019, 23, 106-119.	1.1	11
47	Increased Risk of HIV Acquisition Among Women Throughout Pregnancy and During the Postpartum Period: A Prospective Per-Coital-Act Analysis Among Women With HIV-Infected Partners. <i>Journal of Infectious Diseases</i> , 2018, 218, 16-25.	4.0	198
48	Birth spacing and informed family planning choices after childbirth in Burkina Faso and the Democratic Republic of Congo: Participatory action research to design and evaluate a decision-making tool for providers and their clients. <i>Patient Education and Counseling</i> , 2018, 101, 1871-1875.	2.2	7
49	WHO laboratory validation of Xpert [®] CT/NG and Xpert [®] TV on the GeneXpert system verifies high performances. <i>Apmis</i> , 2018, 126, 907-912.	2.0	45
50	Higher prevalence of viral control in HIV-1-infected women in serodiscordant relationships. <i>PLoS ONE</i> , 2018, 13, e0208401.	2.5	1
51	Postpartum family-planning barriers and catalysts in Burkina Faso and the Democratic Republic of Congo: a multiperspective study. <i>Open Access Journal of Contraception</i> , 2018, Volume 9, 63-74.	1.4	14
52	Behaviour change techniques in brief interventions to prevent HIV, STI and unintended pregnancies: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0204088.	2.5	21
53	Participatory action research to identify a package of interventions to promote postpartum family planning in Burkina Faso and the Democratic Republic of Congo. <i>BMC Women's Health</i> , 2018, 18, 122.	2.0	9
54	High background in ELISpot assays is associated with elevated levels of immune activation in HIV ⁺ seronegative individuals in Nairobi. <i>Immunity, Inflammation and Disease</i> , 2018, 6, 392-401.	2.7	7

#	ARTICLE	IF	CITATIONS
55	Effectiveness of a package of postpartum family planning interventions on the uptake of contraceptive methods until twelve months postpartum in Burkina Faso and the Democratic Republic of Congo: the YAM DAABO study protocol. BMC Health Services Research, 2018, 18, 439.	2.2	20
56	Genital injury signatures and microbiome alterations associated with depot medroxyprogesterone acetate usage and intravaginal drying practices. Journal of Infectious Diseases, 2017, 215, jiw590.	4.0	46
57	Association of Recent Bacterial Vaginosis With Acquisition of Mycoplasma genitalium. American Journal of Epidemiology, 2017, 186, 194-201.	3.4	55
58	Hormonal contraceptive methods and HIV: research gaps and programmatic priorities. Contraception, 2017, 96, 67-71.	1.5	12
59	Sexual Assault and HIV Postexposure Prophylaxis at an Urban African Hospital. AIDS Patient Care and STDs, 2017, 31, 255-260.	2.5	10
60	Prevalence of Pre-antiretroviral-Treatment Drug Resistance by Gender, Age, and Other Factors in HIV-Infected Individuals Initiating Therapy in Kenya, 2013-2014. Journal of Infectious Diseases, 2017, 216, 1569-1578.	4.0	25
61	Efficacy of oral pre-exposure prophylaxis (PrEP) for HIV among women with abnormal vaginal microbiota: a post-hoc analysis of the randomised, placebo-controlled Partners PrEP Study. Lancet HIV, 2017, 4, e449-e456.	4.7	44
62	Advancing prevention of sexually transmitted infections through point-of-care testing: target product profiles and landscape analysis. Sexually Transmitted Infections, 2017, 93, S69-S80.	1.9	37
63	Advancing point of care diagnostics for the control and prevention of STIs: the way forward. Sexually Transmitted Infections, 2017, 93, S81-S88.	1.9	36
64	Point-of-care tests for STIs: the way forward. Sexually Transmitted Infections, 2017, 93, S1-S2.	1.9	20
65	Low HDL-cholesterol among HIV-1 infected and HIV-1 uninfected individuals in Nairobi, Kenya. Lipids in Health and Disease, 2017, 16, 110.	3.0	15
66	Study protocol on establishment of sentinel sites network for contraceptive and abortion trends, needs and utilization of services in Zika virus affected countries. Reproductive Health, 2017, 14, 19.	3.1	5
67	A study protocol for facility assessment and follow-up evaluations of the barriers to access, availability, utilization and readiness of contraception, abortion and postabortion services in Zika affected areas. Reproductive Health, 2017, 14, 18.	3.1	8
68	Design and initial implementation of the WHO FP umbrella project- to strengthen contraceptive services in the sub Saharan Africa. Reproductive Health, 2017, 14, 74.	3.1	7
69	Maternal Highly Active Antiretroviral Therapy Reduces Vertical Cytomegalovirus Transmission But Does Not Reduce Breast Milk Cytomegalovirus Levels. AIDS Research and Human Retroviruses, 2017, 33, 332-338.	1.1	8
70	Effect of BMI and body weight on pregnancy rates with LNG as emergency contraception: analysis of four WHO HRP studies. Contraception, 2017, 95, 50-54.	1.5	31
71	Field evaluation of two point-of-care tests for syphilis among men who have sex with men, Verona, Italy. Sexually Transmitted Infections, 2017, 93, S51-S58.	1.9	22
72	Concomitant contraceptive implant and efavirenz use in women living with HIV: perspectives on current evidence and policy implications for family planning and HIV treatment guidelines. Journal of the International AIDS Society, 2017, 20, 21396.	3.0	20

#	ARTICLE	IF	CITATIONS
73	Supporting people living with HIV in serodiscordant partnerships to attempt a desired pregnancy by integrating sexual and reproductive health and HIV interventions. <i>Journal of the International AIDS Society</i> , 2017, 20, 21829.	3.0	5
74	Gender-Specific Combination HIV Prevention for Youth in High-Burden Settings: The MP3 Youth Observational Pilot Study Protocol. <i>JMIR Research Protocols</i> , 2017, 6, e22.	1.0	8
75	Effect of Condom Use on Per-act HSV-2 Transmission Risk in HIV-1, HSV-2-discordant Couples. <i>Clinical Infectious Diseases</i> , 2016, 62, civ908.	5.8	21
76	The amount of penicillin needed to prevent mother-to-child transmission of syphilis. <i>Bulletin of the World Health Organization</i> , 2016, 94, 559-559A.	3.3	19
77	Participatory approaches involving community and healthcare providers in family planning/contraceptive information and service provision: a scoping review. <i>Reproductive Health</i> , 2016, 13, 88.	3.1	33
78	The Performance of the Vaginal Discharge Syndromic Management in Treating Vaginal and Cervical Infection: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0163365.	2.5	56
79	Estimating Benzathine Penicillin Need for the Treatment of Pregnant Women Diagnosed with Syphilis during Antenatal Care in High-Morbidity Countries. <i>PLoS ONE</i> , 2016, 11, e0159483.	2.5	18
80	Increasing HIV-1 pretreatment drug resistance among antiretroviral-naïve adults initiating treatment between 2006 and 2014 in Nairobi, Kenya. <i>Aids</i> , 2016, 30, 1680-1682.	2.2	18
81	Reversibility of Glomerular Renal Function Decline in HIV-Uninfected Men and Women Discontinuing Emtricitabine-Tenofovir Disoproxil Fumarate Pre-Exposure Prophylaxis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, 374-380.	2.1	57
82	Male Partner Participation in Antenatal Clinic Services is Associated With Improved HIV-Free Survival Among Infants in Nairobi, Kenya: A Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 169-176.	2.1	52
83	An updated systematic review of epidemiological evidence on hormonal contraceptive methods and HIV acquisition in women. <i>Aids</i> , 2016, 30, 2665-2683.	2.2	161
84	Dual contraceptive method use in HIV-serodiscordant Kenyan couples. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 264-270.	0.8	4
85	Low Risk of Proximal Tubular Dysfunction Associated With Emtricitabine-Tenofovir Disoproxil Fumarate Preexposure Prophylaxis in Men and Women. <i>Journal of Infectious Diseases</i> , 2016, 214, 1050-1057.	4.0	40
86	The global roadmap for advancing development of vaccines against sexually transmitted infections: Update and next steps. <i>Vaccine</i> , 2016, 34, 2939-2947.	3.8	109
87	The Stigma of Exclusive Breastfeeding Among Both HIV-Positive and HIV-Negative Women in Nairobi, Kenya. <i>Breastfeeding Medicine</i> , 2016, 11, 252-258.	1.7	28
88	WHO medical eligibility criteria update. <i>Contraception</i> , 2016, 94, 193-194.	1.5	15
89	HIV Transmission Risk Persists During the First 6 Months of Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 579-584.	2.1	68
90	Use of the World Health Organization's Medical Eligibility Criteria for Contraceptive Use Guidance in sub-Saharan African Countries: A Cross-Sectional Study. <i>Global Health, Science and Practice</i> , 2016, 4, 506-510.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Intimate Partner Violence and Adherence to HIV Pre-exposure Prophylaxis (PrEP) in African Women in HIV Serodiscordant Relationships: A Prospective Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 73, 313-322.	2.1	89
92	Moving towards the goals of FP2020 – classifying contraceptives. <i>Contraception</i> , 2016, 94, 289-294.	1.5	61
93	Changes in Vaginal Microbiota and Immune Mediators in HIV-1-Seronegative Kenyan Women Initiating Depot Medroxyprogesterone Acetate. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2016, 71, 359-366.	2.1	40
94	High Rates of Exclusive Breastfeeding in Both Arms of a Peer Counseling Study Promoting EBF Among HIV-Infected Kenyan Women. <i>Breastfeeding Medicine</i> , 2016, 11, 56-63.	1.7	16
95	Transient Increase in Herpes Simplex Virus Type 2 (HSV-2) – Associated Genital Ulcers Following Initiation of Antiretroviral Therapy in HIV/HSV-2 – Coinfected Individuals. <i>Journal of Infectious Diseases</i> , 2016, 213, 1573-1578.	4.0	10
96	Simplified Paper Format for Detecting HIV Drug Resistance in Clinical Specimens by Oligonucleotide Ligation. <i>PLoS ONE</i> , 2016, 11, e0145962.	2.5	28
97	Building capacity in implementation science research training at the University of Nairobi. <i>Implementation Science</i> , 2015, 11, 30.	6.9	23
98	HIV-1 protease inhibitor drug resistance in Kenyan antiretroviral treatment-naïve and -experienced injection drug users and non-drug users. <i>AIDS Research and Therapy</i> , 2015, 12, 27.	1.7	9
99	The WHO's medical eligibility criteria for contraceptive use. <i>Current Opinion in Obstetrics and Gynecology</i> , 2015, 27, 451-459.	2.0	28
100	Changes in the contribution of genital tract infections to HIV acquisition among Kenyan high-risk women from 1993 to 2012. <i>Aids</i> , 2015, 29, 1077-1085.	2.2	59
101	Supporting early career health investigators in Kenya: a qualitative study of complexity leadership for HIV/AIDS research capacity building. <i>Pan African Medical Journal</i> , 2015, 20, 192.	0.8	7
102	A Scoring Tool to Identify East African HIV-1 Serodiscordant Partnerships with a High Likelihood of Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0145515.	2.5	4
103	Changes in Glomerular Kidney Function Among HIV-1 – Uninfected Men and Women Receiving Emtricitabine – Tenofovir Disoproxil Fumarate Preexposure Prophylaxis. <i>JAMA Internal Medicine</i> , 2015, 175, 246.	5.1	83
104	Toll-like receptor gene variants and bacterial vaginosis among HIV-1 infected and uninfected African women. <i>Genes and Immunity</i> , 2015, 16, 362-365.	4.1	18
105	Accelerating the dual elimination of mother – child transmission of syphilis and HIV: Why now?. <i>International Journal of Gynecology and Obstetrics</i> , 2015, 130, S1-3.	2.3	16
106	Plasma Cytokine Levels and Risk of HIV Type 1 (HIV-1) Transmission and Acquisition: A Nested Case-Control Study Among HIV-1 – Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2015, 211, 1451-1460.	4.0	47
107	Estimating Efficacy in a Randomized Trial With Product Nonadherence: Application of Multiple Methods to a Trial of Preexposure Prophylaxis for HIV Prevention. <i>American Journal of Epidemiology</i> , 2015, 182, 848-856.	3.4	21
108	Maternal plasma and breastmilk viral loads are associated with HIV-1-specific cellular immune responses among HIV-1-exposed, uninfected infants in Kenya. <i>Clinical and Experimental Immunology</i> , 2015, 180, 509-519.	2.6	8

#	ARTICLE	IF	CITATIONS
109	Factors influencing uptake of contraceptive implants in the immediate postpartum period among HIV infected and uninfected women at two Kenyan District Hospitals. BMC Women's Health, 2015, 15, 62.	2.0	15
110	Socio-economic determinants of disease progression among HIV infected adults in Kenya. BMC Public Health, 2015, 15, 733.	2.9	3
111	Global Estimates of the Prevalence and Incidence of Four Curable Sexually Transmitted Infections in 2012 Based on Systematic Review and Global Reporting. PLoS ONE, 2015, 10, e0143304.	2.5	1,227
112	Maternal Valacyclovir and Infant Cytomegalovirus Acquisition: A Randomized Controlled Trial among HIV-Infected Women. PLoS ONE, 2014, 9, e87855.	2.5	40
113	Successful Discontinuation of the Placebo Arm and Provision of an Effective HIV Prevention Product After a Positive Interim Efficacy Result. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 206-212.	2.1	26
114	Incident Herpes Simplex Virus Type 2 Infection Increases the Risk of Subsequent Episodes of Bacterial Vaginosis. Journal of Infectious Diseases, 2014, 209, 1023-1027.	4.0	24
115	The Clinical Education Partnership Initiative: an innovative approach to global health education. BMC Medical Education, 2014, 14, 1043.	2.4	28
116	Home visits during pregnancy enhance male partner HIV counselling and testing in Kenya. Aids, 2014, 28, 95-103.	2.2	84
117	Strengthening Health Systems by Integrating Health Care, Medical Education, and Research. Academic Medicine, 2014, 89, S109-S110.	1.6	3
118	Association between male circumcision and incidence of syphilis in men and women: a prospective study in HIV-1 serodiscordant heterosexual African couples. The Lancet Global Health, 2014, 2, e664-e671.	6.3	32
119	Single-agent tenofovir versus combination emtricitabine plus tenofovir for pre-exposure prophylaxis for HIV-1 acquisition: an update of data from a randomised, double-blind, phase 3 trial. Lancet Infectious Diseases, The, 2014, 14, 1055-1064.	9.1	94
120	Individual and partner risk factors associated with abnormal cervical cytology among women in HIV-discordant relationships. International Journal of STD and AIDS, 2014, 25, 315-324.	1.1	3
121	Pre-exposure prophylaxis for HIV-1 prevention does not diminish the pregnancy prevention effectiveness of hormonal contraception. Aids, 2014, 28, 1825-1830.	2.2	37
122	Oligonucleotide Ligation Assay Detects HIV Drug Resistance Associated With Virologic Failure Among Antiretroviral-Naive Adults in Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 67, 246-253.	2.1	27
123	Preexposure prophylaxis is efficacious for HIV-1 prevention among women using depot medroxyprogesterone acetate for contraception. Aids, 2014, 28, 2771-2776.	2.2	38
124	A Prospective Cohort Study of the Effect of Depot Medroxyprogesterone Acetate on Detection of Plasma and Cervical HIV-1 in Women Initiating and Continuing Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2014, 66, 452-456.	2.1	14
125	Expanding Clinical Medical Training Opportunities at the University of Nairobi. Academic Medicine, 2014, 89, S35-S39.	1.6	9
126	High Rates of Relationship Dissolution Among Heterosexual HIV-Serodiscordant Couples in Kenya. AIDS and Behavior, 2014, 18, 189-193.	2.7	28

#	ARTICLE	IF	CITATIONS
127	Compartmentalized Cytomegalovirus Replication and Transmission in the Setting of Maternal HIV-1 Infection. <i>Clinical Infectious Diseases</i> , 2014, 58, 564-572.	5.8	44
128	Clinical chemistry profiles in injection heroin users from Coastal Region, Kenya. <i>BMC Clinical Pathology</i> , 2014, 14, 32.	1.8	11
129	Evolution of a Multiuniversity Monitoring and Evaluation Technical Working Group. <i>Academic Medicine</i> , 2014, 89, S110.	1.6	0
130	A Prospective Study of the Effect of Pregnancy on CD4 Counts and Plasma HIV-1 RNA Concentrations of Antiretroviral-Naïve HIV-1-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014, 65, 231-236.	2.1	27
131	Kenyan medical student and consultant experiences in a pilot decentralized training program at the University of Nairobi. <i>Education for Health: Change in Learning and Practice</i> , 2014, 27, 170.	0.3	17
132	Hormonal contraceptive use and risk of HIV-1 disease progression. <i>Aids</i> , 2013, 27, 261-267.	2.2	33
133	Effect of concurrent use of anti-retroviral therapy and levonorgestrel subdermal implant for contraception on CD4 counts: a prospective cohort study in Kenya. <i>Journal of the International AIDS Society</i> , 2013, 16, 18448.	3.0	10
134	Incident HSV-2 Infections Are Common Among HIV-1-discordant Couples. <i>Journal of Infectious Diseases</i> , 2013, 208, 1093-1101.	4.0	9
135	Biomarker evaluation of self-reported condom use among women in HIV-discordant couples. <i>International Journal of STD and AIDS</i> , 2013, 24, 537-540.	1.1	12
136	Daily Acyclovir to Decrease Herpes Simplex Virus Type 2 (HSV-2) Transmission from HSV-2/HIV-1 Coinfected Persons: A Randomized Controlled Trial. <i>Journal of Infectious Diseases</i> , 2013, 208, 1366-1374.	4.0	45
137	Plasma Viral Loads During Early HIV-1 Infection Are Similar in Subtype C and Non-Subtype C-Infected African Seroconverters. <i>Journal of Infectious Diseases</i> , 2013, 207, 1166-1170.	4.0	16
138	Delayed initiation of antiretroviral therapy among HIV-discordant couples in Kenya. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 265-272.	1.2	20
139	Short Communication: T Cell Activation in HIV-1/Herpes Simplex Virus-2-Coinfected Kenyan Women Receiving Valacyclovir. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 94-98.	1.1	7
140	Pregnant Women and Disclosure to Sexual Partners After Testing HIV-1-Seropositive During Antenatal Care. <i>AIDS Patient Care and STDs</i> , 2013, 27, 33-37.	2.5	28
141	Male, Mobile, and Moneyed: Loss to Follow-Up vs. Transfer of Care in an Urban African Antiretroviral Treatment Clinic. <i>PLoS ONE</i> , 2013, 8, e78900.	2.5	22
142	Determinants of Per-Coital-Act HIV-1 Infectivity Among African HIV-1-Serodiscordant Couples. <i>Journal of Infectious Diseases</i> , 2012, 205, 358-365.	4.0	291
143	Valacyclovir Suppressive Therapy Reduces Plasma and Breast Milk HIV-1 RNA Levels During Pregnancy and Postpartum: A Randomized Trial. <i>Journal of Infectious Diseases</i> , 2012, 205, 366-375.	4.0	31
144	HIV-1-Specific Enzyme-Linked Immunosorbent Spot Assay Responses in HIV-1-Exposed Uninfected Partners in Discordant Relationships Compared to Those in Low-Risk Controls. <i>Vaccine Journal</i> , 2012, 19, 1798-1805.	3.1	11

#	ARTICLE	IF	CITATIONS
145	Cervicovaginal HIV-1-neutralizing immunoglobulin A detected among HIV-1-exposed seronegative female partners in HIV-1-discordant couples. <i>Aids</i> , 2012, 26, 2155-2163.	2.2	33
146	The Medical Education Partnership Initiative: PEPFAR's Effort To Boost Health Worker Education To Strengthen Health Systems. <i>Health Affairs</i> , 2012, 31, 1561-1572.	5.2	66
147	Contraceptive method and pregnancy incidence among women in HIV-1-serodiscordant partnerships. <i>Aids</i> , 2012, 26, 513-518.	2.2	35
148	The Posttrial Effect of Oral Periodic Presumptive Treatment for Vaginal Infections on the Incidence of Bacterial Vaginosis and Lactobacillus Colonization. <i>Sexually Transmitted Diseases</i> , 2012, 39, 361-365.	1.7	17
149	Prevalence and Correlates of Genital Warts in Kenyan Female Sex Workers. <i>Sexually Transmitted Diseases</i> , 2012, 39, 902-905.	1.7	3
150	Use of hormonal contraceptives and risk of HIV-1 transmission: a prospective cohort study. <i>Lancet Infectious Diseases</i> , The, 2012, 12, 19-26.	9.1	375
151	Antiretroviral Prophylaxis for HIV Prevention in Heterosexual Men and Women. <i>New England Journal of Medicine</i> , 2012, 367, 399-410.	27.0	2,665
152	Preventing unintended pregnancy among young women in Kenya: prospective cohort study to offer contraceptive implants. <i>Contraception</i> , 2012, 86, 511-517.	1.5	30
153	Incidence and Correlates of HIV-1 RNA Detection in the Breast Milk of Women Receiving HAART for the Prevention of HIV-1 Transmission. <i>PLoS ONE</i> , 2012, 7, e29777.	2.5	19
154	Infant Safety during and after Maternal Valacyclovir Therapy in Conjunction with Antiretroviral HIV-1 Prophylaxis in a Randomized Clinical Trial. <i>PLoS ONE</i> , 2012, 7, e34635.	2.5	13
155	Knowledge and Acceptability of Pap Smears, Self-Sampling and HPV Vaccination among Adult Women in Kenya. <i>PLoS ONE</i> , 2012, 7, e40766.	2.5	78
156	Effects of Valacyclovir on Markers of Disease Progression in Postpartum Women Co-Infected with HIV-1 and Herpes Simplex Virus-2. <i>PLoS ONE</i> , 2012, 7, e38622.	2.5	7
157	Using Plasma Viral Load to Guide Antiretroviral Therapy Initiation to Prevent HIV-1 Transmission. <i>PLoS ONE</i> , 2012, 7, e51192.	2.5	8
158	Factors associated with uptake of subdermal contraceptive implants in a young Kenyan population. <i>Contraception</i> , 2011, 84, 413-417.	1.5	23
159	Characteristics of HIV-1 Serodiscordant Couples Enrolled in a Clinical Trial of Antiretroviral Pre-Exposure Prophylaxis for HIV-1 Prevention. <i>PLoS ONE</i> , 2011, 6, e25828.	2.5	75
160	Association Between Participant Self-Report and Biological Outcomes Used to Measure Sexual Risk Behavior in Human Immunodeficiency Virus-1-Seropositive Female Sex Workers in Mombasa, Kenya. <i>Sexually Transmitted Diseases</i> , 2011, 38, 429-433.	1.7	17
161	Increased risk of HIV-1 transmission in pregnancy. <i>Aids</i> , 2011, 25, 1887-1895.	2.2	219
162	Barriers to Antiretroviral Initiation in HIV-1-Discordant Couples. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2011, 58, e87-e93.	2.1	23

#	ARTICLE	IF	CITATIONS
163	Uptake of prevention of mother to child transmission interventions in Kenya: health systems are more influential than stigma. <i>Journal of the International AIDS Society</i> , 2011, 14, 61-61.	3.0	50
164	Hyponatremia, Hypochloremia, and Hypoalbuminemia Predict an Increased Risk of Mortality During the First Year of Antiretroviral Therapy Among HIV-Infected Zambian and Kenyan Women. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1149-1155.	1.1	32
165	Understanding the Context of HIV Risk Behavior Among HIV-Positive and HIV-Negative Female Sex Workers and Male Bar Clients Following Antiretroviral Therapy Rollout in Mombasa, Kenya. <i>AIDS Education and Prevention</i> , 2011, 23, 299-312.	1.1	24
166	A prospective study of frequency and correlates of intimate partner violence among African heterosexual HIV serodiscordant couples. <i>Aids</i> , 2011, 25, 2009-2018.	2.2	59
167	Impact of Integrated Family Planning and HIV Care Services on Contraceptive Use and Pregnancy Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, e121-e126.	2.1	51
168	Herpes Simplex Virus Type 2 Suppressive Therapy with Acyclovir or Valacyclovir Does Not Select for Specific HIV-1 Resistance in HIV-1/HSV-2 Dually Infected Persons. <i>Journal of Infectious Diseases</i> , 2011, 203, 117-121.	4.0	18
169	Establishing and Sustaining a Healthy Vaginal Environment: Analysis of Data From a Randomized Trial of Periodic Presumptive Treatment for Vaginal Infections. <i>Journal of Infectious Diseases</i> , 2011, 204, 323-326.	4.0	11
170	A Randomized Controlled Trial Comparing the Effects of Counseling and Alarm Device on HAART Adherence and Virologic Outcomes. <i>PLoS Medicine</i> , 2011, 8, e1000422.	8.4	98
171	Genomewide Association Study for Determinants of HIV-1 Acquisition and Viral Set Point in HIV-1 Serodiscordant Couples with Quantified Virus Exposure. <i>PLoS ONE</i> , 2011, 6, e28632.	2.5	80
172	Cofactors for HIV-1 Incidence during Pregnancy and Postpartum Period. <i>Current HIV Research</i> , 2010, 8, 510-514.	0.5	45
173	Predicting Pregnancy in HIV-1-Discordant Couples. <i>AIDS and Behavior</i> , 2010, 14, 1066-1071.	2.7	34
174	Antiretroviral Adherence and Development of Drug Resistance Are the Strongest Predictors of Genital HIV-1 Shedding among Women Initiating Treatment. <i>Journal of Infectious Diseases</i> , 2010, 202, 1538-1542.	4.0	45
175	Acyclovir and Transmission of HIV-1 from Persons Infected with HIV-1 and HSV-2. <i>New England Journal of Medicine</i> , 2010, 362, 427-439.	27.0	476
176	How late is too late? Timeliness to scheduled visits as an antiretroviral therapy adherence measure in Nairobi, Kenya and Lusaka, Zambia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 1323-1331.	1.2	13
177	Effectiveness of Non-nucleoside Reverse-Transcriptase Inhibitor-Based Antiretroviral Therapy in Women Previously Exposed to a Single Intrapartum Dose of Nevirapine: A Multi-country, Prospective Cohort Study. <i>PLoS Medicine</i> , 2010, 7, e1000233.	8.4	56
178	Daily aciclovir for HIV-1 disease progression in people dually infected with HIV-1 and herpes simplex virus type 2: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2010, 375, 824-833.	13.7	142
179	Heterosexual HIV-1 transmission after initiation of antiretroviral therapy: a prospective cohort analysis. <i>Lancet, The</i> , 2010, 375, 2092-2098.	13.7	844
180	A Prospective Study of Contraceptive Use Among African Women in HIV-1 Serodiscordant Partnerships. <i>Sexually Transmitted Diseases</i> , 2010, 37, 621-628.	1.7	36

#	ARTICLE	IF	CITATIONS
181	Characteristics of HIV-1 Discordant Couples Enrolled in a Trial of HSV-2 Suppression to Reduce HIV-1 Transmission: The Partners Study. PLoS ONE, 2009, 4, e5272.	2.5	71
182	Male Perspectives on Incorporating Men into Antenatal HIV Counseling and Testing. PLoS ONE, 2009, 4, e7602.	2.5	99
183	Sexually Transmitted Infections among HIV-1-Discordant Couples. PLoS ONE, 2009, 4, e8276.	2.5	21
184	Indeterminate rapid HIV-1 test results among antenatal and postnatal mothers. International Journal of STD and AIDS, 2009, 20, 790-792.	1.1	10
185	HIV testing men in the antenatal setting: understanding male non-disclosure. International Journal of STD and AIDS, 2009, 20, 765-767.	1.1	27
186	Prospective Study of Vaginal Bacterial Flora and Other Risk Factors for Vulvovaginal Candidiasis. Journal of Infectious Diseases, 2009, 199, 1883-1890.	4.0	77
187	Lower Risk of Resistance After Short-Course HAART Compared With Zidovudine/Single-Dose Nevirapine Used for Prevention of HIV-1 Mother-to-Child Transmission. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, 522-529.	2.1	37
188	Impact of Prior HAART Use on Clinical Outcomes in a Large Kenyan HIV Treatment Program. Current HIV Research, 2009, 7, 441-446.	0.5	31
189	Condom Use Among Sexually Active Kenyan Female Adolescents at Risk for HIV-1 Infection. AIDS and Behavior, 2008, 12, 923-929.	2.7	9
190	Improvement of Vaginal Health for Kenyan Women at Risk for Acquisition of Human Immunodeficiency Virus Type 1: Results of a Randomized Trial. Journal of Infectious Diseases, 2008, 197, 1361-1368.	4.0	94
191	HIV-1 persists in breast milk cells despite antiretroviral treatment to prevent mother-to-child transmission. Aids, 2008, 22, 1475-1485.	2.2	57
192	Cost effectiveness of couple counselling to enhance infant HIV-1 prevention. International Journal of STD and AIDS, 2008, 19, 406-409.	1.1	23
193	Regional Differences in Prevalence of HIV-1 Discordance in Africa and Enrollment of HIV-1 Discordant Couples into an HIV-1 Prevention Trial. PLoS ONE, 2008, 3, e1411.	2.5	136
194	Highly active antiretroviral therapy versus zidovudine/nevirapine effects on early breast milk HIV type-1 Rna: a phase II randomized clinical trial. Antiviral Therapy, 2008, 13, 799-807.	1.0	15
195	Highly Active Antiretroviral Therapy versus Zidovudine/Nevirapine Effects on Early Breast Milk HIV Type-1 RNA: A Phase II Randomized Clinical Trial. Antiviral Therapy, 2008, 13, 799-807.	1.0	19
196	Independent Effects of Nevirapine Prophylaxis and HIV-1 RNA Suppression in Breast Milk on Early Perinatal HIV-1 Transmission. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 46, 472-478.	2.1	17
197	Infection with Trichomonas vaginalis Increases the Risk of HIV-1 Acquisition. Journal of Infectious Diseases, 2007, 195, 698-702.	4.0	439
198	Male Circumcision in Siaya and Bondo Districts, Kenya. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 66-70.	2.1	102

#	ARTICLE	IF	CITATIONS
199	Associations Between Intravaginal Practices and Bacterial Vaginosis in Kenyan Female Sex Workers Without Symptoms of Vaginal Infections. <i>Sexually Transmitted Diseases</i> , 2007, 34, 384-388.	1.7	47
200	Domestic violence and prevention of mother-to-child transmission of HIV-1. <i>Aids</i> , 2006, 20, 1763-1769.	2.2	77
201	Pediatric HIV Type 1 Vaccine Trial Acceptability among Mothers in Kenya. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 491-495.	1.1	10
202	Breast milk HIV-1 suppression and decreased transmission: a randomized trial comparing HIVNET 012 nevirapine versus short-course zidovudine. <i>Aids</i> , 2005, 19, 1415-1422.	2.2	46
203	Antenatal Couple Counseling Increases Uptake of Interventions to Prevent HIV-1 Transmission. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2004, 37, 1620-1626.	2.1	364
204	Infant Feeding Practices of Women in a Perinatal HIV-1 Prevention Study in Nairobi, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2004, 35, 75-81.	2.1	52
205	Compliance with antiretroviral regimens to prevent perinatal HIV-1 transmission in Kenya. <i>Aids</i> , 2003, 17, 65-71.	2.2	96
206	HIV-1 testing in pregnancy: acceptability and correlates of return for test results. <i>Aids</i> , 2000, 14, 1468-1470.	2.2	41
207	Accounting for complexity – Intervention design in the context of studying social accountability for reproductive health. <i>Gates Open Research</i> , 0, 5, 107.	1.1	5
208	Accounting for complexity – Intervention design in the context of studying social accountability for reproductive health. <i>Gates Open Research</i> , 0, 5, 107.	1.1	0