

Hong-Tao Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9183736/hong-tao-zhang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

2,012
citations

23
h-index

44
g-index

52
ext. papers

2,333
ext. citations

5.5
avg, IF

4.38
L-index

#	Paper	IF	Citations
49	RNA demethylase ALKBH5 inhibits TGF- β -induced EMT by regulating TGF- β /SMAD signaling in non-small cell lung cancer. <i>FASEB Journal</i> , 2022 , 36, e22283	0.9	0
48	Quaking 5 suppresses TGF- β -induced EMT and cell invasion in lung adenocarcinoma. <i>EMBO Reports</i> , 2021 , 22, e52079	6.5	7
47	MYOCD and SMAD3/SMAD4 form a positive feedback loop and drive TGF- β -induced epithelial-mesenchymal transition in non-small cell lung cancer. <i>Oncogene</i> , 2020 , 39, 2890-2904	9.2	15
46	Long non-coding RNA XIST promotes TGF- β -induced epithelial-mesenchymal transition by regulating miR-367/141-ZEB2 axis in non-small-cell lung cancer. <i>Cancer Letters</i> , 2018 , 418, 185-195	9.9	128
45	Association between Allergic Diseases and Irritable Bowel Syndrome: A Retrospective Study. <i>International Archives of Allergy and Immunology</i> , 2018 , 177, 153-159	3.7	3
44	Circular RNA hsa_circ_0008305 (circPTK2) inhibits TGF- β -induced epithelial-mesenchymal transition and metastasis by controlling TIF1 β in non-small cell lung cancer. <i>Molecular Cancer</i> , 2018 , 17, 140	42.1	175
43	Inhibition of LHX2 by miR-124 suppresses cellular migration and invasion in non-small cell lung cancer. <i>Oncology Letters</i> , 2017 , 14, 3429-3436	2.6	15
42	Melatonin inhibits proliferation and invasion via repression of miRNA-155 in glioma cells. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 93, 969-975	7.5	49
41	Repression of TIF1 β by SOX2 promotes TGF- β -induced epithelial-mesenchymal transition in non-small-cell lung cancer. <i>Oncogene</i> , 2016 , 35, 867-77	9.2	47
40	MiR-145 and miR-203 represses TGF- β -induced epithelial-mesenchymal transition and invasion by inhibiting SMAD3 in non-small cell lung cancer cells. <i>Lung Cancer</i> , 2016 , 97, 87-94	5.9	72
39	RNF111/Arkadia is regulated by DNA methylation and affects TGF- β /Smad signaling associated invasion in NSCLC cells. <i>Lung Cancer</i> , 2015 , 90, 32-40	5.9	11
38	TGF- β -activated SMAD3/4 complex transcriptionally upregulates N-cadherin expression in non-small cell lung cancer. <i>Lung Cancer</i> , 2015 , 87, 249-57	5.9	69
37	Ski prevents TGF- β -induced EMT and cell invasion by repressing SMAD-dependent signaling in non-small cell lung cancer. <i>Oncology Reports</i> , 2015 , 34, 87-94	3.5	36
36	Aberrant Hypermethylation at Sites -86 to 226 of DAB2 Gene in Non-Small Cell Lung Cancer. <i>American Journal of the Medical Sciences</i> , 2015 , 349, 425-31	2.2	12
35	Inactivation of BLU is associated with methylation of Sp1-binding site of BLU promoter in gastric cancer. <i>International Journal of Oncology</i> , 2015 , 47, 621-31	4.4	6
34	miR-145 inhibits invasion and metastasis by directly targeting Smad3 in nasopharyngeal cancer. <i>Tumor Biology</i> , 2015 , 36, 4123-31	2.9	23
33	miR-1238 inhibits cell proliferation by targeting LHX2 in non-small cell lung cancer. <i>Oncotarget</i> , 2015 , 6, 19043-54	3.3	29

32	Silybin reduces obliterated retinal capillaries in experimental diabetic retinopathy in rats. <i>European Journal of Pharmacology</i> , 2014 , 740, 233-9	5.3	22
31	Methylated +58CpG site decreases DCN mRNA expression and enhances TGF- β /Smad signaling in NSCLC cells with high metastatic potential. <i>International Journal of Oncology</i> , 2014 , 44, 874-82	4.4	20
30	JAK/STAT3 signaling is required for TGF- β -induced epithelial-mesenchymal transition in lung cancer cells. <i>International Journal of Oncology</i> , 2014 , 44, 1643-51	4.4	188
29	MiR-142-3p represses TGF- β -induced growth inhibition through repression of TGF β 1 in non-small cell lung cancer. <i>FASEB Journal</i> , 2014 , 28, 2696-704	0.9	77
28	A two-SNP IL-6 promoter haplotype is associated with increased lung cancer risk. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 231-42	4.9	28
27	TGFBR3 co-downregulated with GATA3 is associated with methylation of the GATA3 gene in bladder urothelial carcinoma. <i>Anatomical Record</i> , 2013 , 296, 1717-23	2.1	5
26	microRNA-155 regulates cell proliferation and invasion by targeting FOXO3a in glioma. <i>Oncology Reports</i> , 2013 , 30, 2111-8	3.5	100
25	Dual role of TGFBR3 in bladder cancer. <i>Oncology Reports</i> , 2013 , 30, 1301-8	3.5	14
24	Screening and identification of lung cancer metastasis-related genes by suppression subtractive hybridization. <i>Thoracic Cancer</i> , 2012 , 3, 207-216	3.2	8
23	Association between the ATF3 gene and non-small cell lung cancer. <i>Thoracic Cancer</i> , 2012 , 3, 217-223	3.2	4
22	Transforming growth factor- β induces epithelial-to-mesenchymal transition in human lung cancer cells via PI3K/Akt and MEK/Erk1/2 signaling pathways. <i>Molecular Biology Reports</i> , 2012 , 39, 3549-56	2.8	97
21	Association between IL6 -174G/C and cancer: A meta-analysis of 105,482 individuals. <i>Experimental and Therapeutic Medicine</i> , 2012 , 3, 655-664	2.1	20
20	A haplotype of TGFBR1 is predominantly found in non-small cell lung cancer patients displaying TGFBR1 allelic-specific expression. <i>Oncology Reports</i> , 2011 , 25, 685-91	3.5	5
19	A functional polymorphism of TGFBR2 is associated with risk of breast cancer with ER(+), PR(+), ER(+)/PR(+) and HER2(-) expression in women. <i>Oncology Letters</i> , 2011 , 2, 653-658	2.6	8
18	Transforming growth factor- β promotes lung adenocarcinoma invasion and metastasis by epithelial-to-mesenchymal transition. <i>Molecular and Cellular Biochemistry</i> , 2011 , 355, 309-14	4.2	67
17	DNA methylation and nonsmall cell lung cancer. <i>Anatomical Record</i> , 2011 , 294, 1787-95	2.1	29
16	CpG island methylator phenotype involving chromosome 3p confers an increased risk of non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 790-7	8.9	29
15	TGFBR1 haplotypes and risk of non-small-cell lung cancer. <i>Cancer Research</i> , 2009 , 69, 7046-52	10.1	23

14	Infrequently methylated event at sites -181 to -9 within the 5PCpG island of E-cadherin in non-small cell lung cancer. <i>Experimental Lung Research</i> , 2009 , 35, 541-53	2.3	2
13	Genetic variants in interleukin-6 modified risk of obstructive sleep apnea syndrome. <i>International Journal of Molecular Medicine</i> , 2009 , 23, 485-93	4.4	26
12	CpG island methylator phenotype involving tumor suppressor genes located on chromosome 3p in non-small cell lung cancer. <i>Lung Cancer</i> , 2008 , 62, 15-22	5.9	53
11	Germline allele-specific expression of TGFBR1 confers an increased risk of colorectal cancer. <i>Science</i> , 2008 , 321, 1361-5	33.3	124
10	Infrequently methylated event at sites -362 to -142 in the promoter of TGF beta R1 gene in non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 919-25	4.9	10
9	No association between TGFBR1*6A and lung cancer. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 657-9	8.9	13
8	DNA repair gene XRCC3 polymorphisms and cancer risk: a meta-analysis of 48 case-control studies. <i>European Journal of Human Genetics</i> , 2006 , 14, 1136-44	5.3	75
7	Expression of E-cadherin and nm23 is associated with the clinicopathological factors of human non-small cell lung cancer in China. <i>Lung Cancer</i> , 2005 , 48, 69-76	5.9	17
6	Int7G24A variant of the TGFBR1 gene and cancer risk: a meta-analysis of three case-control studies. <i>Lung Cancer</i> , 2005 , 49, 419-20	5.9	15
5	Serum levels of leptin, insulin, and lipids in relation to breast cancer in china. <i>Endocrine</i> , 2005 , 26, 19-24		106
4	Is TGFBR1*6A really associated with increased risk of cancer?. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7743-4; author reply 7744-6	2.2	22
3	Defective expression of transforming growth factor beta receptor type II is associated with CpG methylated promoter in primary non-small cell lung cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 2359-67	12.9	64
2	Mutational analysis of the transforming growth factor beta receptor type I gene in primary non-small cell lung cancer. <i>Lung Cancer</i> , 2003 , 40, 281-7	5.9	24
1	Defected expression of E-cadherin in non-small cell lung cancer. <i>Lung Cancer</i> , 2002 , 37, 147-52	5.9	19