

Ieda Maria Longo-Maugeri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9184902/publications.pdf>

Version: 2024-02-01

29
papers

677
citations

516710

16
h-index

580821

25
g-index

29
all docs

29
docs citations

29
times ranked

835
citing authors

#	ARTICLE	IF	CITATIONS
1	Sticholysins, pore-forming proteins from a marine anemone can induce maturation of dendritic cells through a TLR4 dependent-pathway. <i>Molecular Immunology</i> , 2021, 131, 144-154.	2.2	4
2	Protective Cellular Immune Response Induction for Cutaneous Leishmaniasis by a New Immunochemotherapy Schedule. <i>Frontiers in Immunology</i> , 2020, 11, 345.	4.8	4
3	Killed <i>Propionibacterium acnes</i> enhances immunogenicity and tumor growth control of a dendritic-tumor cell hybrid vaccine in a murine melanoma model. <i>PLoS ONE</i> , 2018, 13, e0205148.	2.5	2
4	Leishmanicidal and Immunomodulatory Activities of the Palladacycle Complex DPPE 1.1, a Potential Candidate for Treatment of Cutaneous Leishmaniasis. <i>Frontiers in Microbiology</i> , 2018, 9, 1427.	3.5	16
5	<i>Propionibacterium acnes</i> Enhances the Immunogenicity of HIVBr18 Human Immunodeficiency Virus-1 Vaccine. <i>Frontiers in Immunology</i> , 2018, 9, 177.	4.8	21
6	Improvement of Mesenchymal Stem Cell Immunomodulatory Properties by Heat-Killed <i>Propionibacterium acnes</i> via TLR2. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 489.	2.9	9
7	Novel Adjuvant Based on the Pore-Forming Protein Sticholysin II Encapsulated into Liposomes Effectively Enhances the Antigen-Specific CTL-Mediated Immune Response. <i>Journal of Immunology</i> , 2017, 198, 2772-2784.	0.8	23
8	Treatment of <i>Leishmania (Leishmania) Amazonensis</i> -Infected Mice with a Combination of a Palladacycle Complex and Heat-Killed <i>Propionibacterium acnes</i> Triggers Protective Cellular Immune Responses. <i>Frontiers in Microbiology</i> , 2017, 8, 333.	3.5	16
9	An Overview of B-1 Cells as Antigen-Presenting Cells. <i>Frontiers in Immunology</i> , 2016, 7, 138.	4.8	63
10	<i>Propionibacterium acnes</i> induces an adjuvant effect in B-1 cells and affects their phagocyte differentiation via a TLR2-mediated mechanism. <i>Immunobiology</i> , 2016, 221, 1001-1011.	1.9	25
11	Modulation of Th1/Th2 Immune Responses by Killed <i>Propionibacterium acnes</i> and Its Soluble Polysaccharide Fraction in a Type I Hypersensitivity Murine Model: Induction of Different Activation Status of Antigen-Presenting Cells. <i>Journal of Immunology Research</i> , 2015, 2015, 1-14.	2.2	23
12	Blockage of Wnt/ β -catenin signaling by quercetin reduces survival and proliferation of B-1 cells in vitro. <i>Immunobiology</i> , 2015, 220, 60-67.	1.9	30
13	Use of a Recombinant Cysteine Proteinase from <i>Leishmania (Leishmania) infantum chagasi</i> for the Immunotherapy of Canine Visceral Leishmaniasis. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2729.	3.0	25
14	Increased bone loss and amount of osteoclasts in kinin B1 receptor knockout mice. <i>Journal of Clinical Periodontology</i> , 2013, 40, 653-660.	4.9	19
15	Evaluation of renal function and immune system cells in elderly individuals from São Paulo City. <i>Clinics</i> , 2013, 68, 39-44.	1.5	6
16	The polysaccharide fraction of <i>Propionibacterium acnes</i> modulates the development of experimental focal segmental glomerulosclerosis. <i>Immunobiology</i> , 2012, 217, 831-841.	1.9	11
17	Adjuvant Effect of Killed <i>Propionibacterium acnes</i> on Mouse Peritoneal B-1 Lymphocytes and Their Early Phagocyte Differentiation. <i>PLoS ONE</i> , 2012, 7, e33955.	2.5	48
18	Could a B-1 Cell Derived Phagocyte of the Peritoneal Macrophages during LPS-Driven Inflammation?. <i>PLoS ONE</i> , 2012, 7, e34570.	2.5	38

#	ARTICLE	IF	CITATIONS
19	Evaluation of lymphocyte levels in a random sample of 218 elderly individuals from São Paulo city. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011, 33, 367-371.	0.7	26
20	Partial protective responses induced by a recombinant cysteine proteinase from <i>Leishmania (Leishmania) amazonensis</i> in a murine model of cutaneous leishmaniasis. <i>Experimental Parasitology</i> , 2010, 124, 153-158.	1.2	17
21	Adjuvant effect of LPS and killed <i>Propionibacterium acnes</i> on the development of experimental gastrointestinal nematode infestation in sheep. <i>Parasite Immunology</i> , 2009, 31, 604-612.	1.5	11
22	Modulation of the type I hypersensitivity late phase reaction to OVA by <i>Propionibacterium acnes</i> -soluble polysaccharide. <i>Immunology Letters</i> , 2008, 121, 157-166.	2.5	25
23	Subretinal Bevacizumab Detection after Intravitreal Injection in Rabbits. , 2008, 49, 1097.		40
24	Modulatory Effect of Killed <i>Propionibacterium acnes</i> and Its Purified Soluble Polysaccharide on Peritoneal Exudate Cells from C57Bl/6 Mice: Major NKT Cell Recruitment and Increased Cytotoxicity. <i>Scandinavian Journal of Immunology</i> , 2007, 65, 538-548.	2.7	32
25	In vivo and in vitro effect of killed <i>Propionibacterium acnes</i> and its purified soluble polysaccharide on mouse bone marrow stem cells and dendritic cell differentiation. <i>Immunobiology</i> , 2006, 211, 105-116.	1.9	41
26	Adjuvant Effect of the <i>Propionibacterium acnes</i> and Its Purified Soluble Polysaccharide on the Immunization with Plasmidial DNA Containing a <i>Trypanosoma cruzi</i> Gene. <i>Microbiology and Immunology</i> , 2006, 50, 253-263.	1.4	42
27	Treatment with <i>Propionibacterium acnes</i> modulates the late phase reaction of immediate hypersensitivity in mice. <i>Immunology Letters</i> , 2003, 88, 163-169.	2.5	40
28	Delayed hypersensitivity skin tests in prognosis of human immunodeficiency virus infection. <i>Journal of Clinical Laboratory Analysis</i> , 1992, 6, 119-122.	2.1	10
29	Quantitation of the soluble receptor of human T lymphocytes for sheep erythrocytes by electroimmunodiffusion in the serum of patients with cancer, uremia and leprosy. <i>Experientia</i> , 1983, 39, 306-308.	1.2	10