

Stephen J Wood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9185690/publications.pdf>

Version: 2024-02-01

340
papers

24,601
citations

5569

82
h-index

9854

141
g-index

355
all docs

355
docs citations

355
times ranked

16937
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
2	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet</i> , The, 2003, 361, 281-288.	6.3	1,211
3	Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. <i>Archives of General Psychiatry</i> , 2006, 63, 139.	13.8	559
4	Normative Data From the Cantab. I: Development of Executive Function Over the Lifespan. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 242-254.	0.8	550
5	Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2005, 31, 672-696.	2.3	479
6	Are There Progressive Brain Changes in Schizophrenia? A Meta-Analysis of Structural Magnetic Resonance Imaging Studies. <i>Biological Psychiatry</i> , 2011, 70, 88-96.	0.7	442
7	Neuroanatomical abnormalities in schizophrenia: A multimodal voxelwise meta-analysis and meta-regression analysis. <i>Schizophrenia Research</i> , 2011, 127, 46-57.	1.1	394
8	Long-term Follow-up of a Group at Ultra High Risk (â€œProdromalâ€) for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 793.	6.0	373
9	Memory Impairments Identified in People at Ultra-High Risk for Psychosis Who Later Develop First-Episode Psychosis. <i>American Journal of Psychiatry</i> , 2005, 162, 71-78.	4.0	342
10	Mapping grey matter reductions in schizophrenia: An anatomical likelihood estimation analysis of voxel-based morphometry studies. <i>Schizophrenia Research</i> , 2009, 108, 104-113.	1.1	311
11	Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis. <i>Archives of General Psychiatry</i> , 2009, 66, 366.	13.8	303
12	Hippocampal Volume and Everyday Memory in Children of Very Low Birth Weight. <i>Pediatric Research</i> , 2000, 47, 713-720.	1.1	289
13	Progressive brain structural changes mapped as psychosis develops in â€˜at riskâ€™ individuals. <i>Schizophrenia Research</i> , 2009, 108, 85-92.	1.1	273
14	Genetic Influences on Cost-Efficient Organization of Human Cortical Functional Networks. <i>Journal of Neuroscience</i> , 2011, 31, 3261-3270.	1.7	273
15	Age of Onset of Schizophrenia: Perspectives From Structural Neuroimaging Studies. <i>Schizophrenia Bulletin</i> , 2011, 37, 504-513.	2.3	260
16	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2018, 75, 1156.	6.0	251
17	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , 2014, 13, 211-223.	4.8	243
18	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 1-15.	2.2	235

#	ARTICLE	IF	CITATIONS
19	Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2015, 172, 249-258.	4.0	235
20	The association between autism and schizophrenia spectrum disorders: A review of eight alternate models of co-occurrence. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 173-183.	2.9	231
21	Functional and Biochemical Alterations of the Medial Frontal Cortex in Obsessive-Compulsive Disorder. <i>Archives of General Psychiatry</i> , 2007, 64, 946.	13.8	227
22	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 489.	13.8	227
23	The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. <i>Schizophrenia Bulletin</i> , 2012, 38, 316-330.	2.3	219
24	Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. <i>Schizophrenia Bulletin</i> , 2005, 32, 538-555.	2.3	218
25	Anatomical Abnormalities of the Anterior Cingulate Cortex in Schizophrenia: Bridging the Gap Between Neuroimaging and Neuropathology. <i>Schizophrenia Bulletin</i> , 2009, 35, 973-993.	2.3	218
26	Spatial working memory ability is a marker of risk-for-psychosis. <i>Psychological Medicine</i> , 2003, 33, 1239-1247.	2.7	205
27	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. <i>Biological Psychiatry</i> , 2005, 58, 417-423.	0.7	202
28	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 725-741.	1.3	186
29	An optimized method for estimating intracranial volume from magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 973-977.	1.9	185
30	Neurocognitive predictors of functional outcome two to 13years after identification as ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2011, 132, 1-7.	1.1	182
31	Detecting Neuroimaging Biomarkers for Schizophrenia: A Meta-Analysis of Multivariate Pattern Recognition Studies. <i>Neuropsychopharmacology</i> , 2015, 40, 1742-1751.	2.8	182
32	Impairment of Olfactory Identification Ability in Individuals at Ultra-High Risk for Psychosis Who Later Develop Schizophrenia. <i>American Journal of Psychiatry</i> , 2003, 160, 1790-1794.	4.0	179
33	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013, 7, 31-43.	0.9	173
34	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. <i>Schizophrenia Bulletin</i> , 2007, 34, 322-329.	2.3	169
35	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. <i>Biological Psychiatry</i> , 2008, 64, 758-765.	0.7	169
36	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 5-10.	1.7	168

#	ARTICLE	IF	CITATIONS
37	Early and Late Neurodevelopmental Disturbances in Schizophrenia and Their Functional Consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 399-406.	1.3	161
38	Two distinct neuroanatomical subtypes of schizophrenia revealed using machine learning. <i>Brain</i> , 2020, 143, 1027-1038.	3.7	158
39	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , 2009, 111, 94-102.	1.1	156
40	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , 2002, 58, 145-158.	1.1	153
41	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	4.8	153
42	Altered Striatal Functional Connectivity in Subjects With an At-Risk Mental State for Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 904-913.	2.3	152
43	Paracingulate morphologic differences in males with established schizophrenia: a magnetic resonance imaging morphometric study. <i>Biological Psychiatry</i> , 2002, 52, 15-23.	0.7	151
44	Individual Differences in Anterior Cingulate/Paracingulate Morphology Are Related to Executive Functions in Healthy Males. <i>Cerebral Cortex</i> , 2004, 14, 424-431.	1.6	145
45	Anterior Cingulate Activation During Stroop Task Performance: A PET to MRI Coregistration Study of Individual Patients With Schizophrenia. <i>American Journal of Psychiatry</i> , 2002, 159, 251-254.	4.0	144
46	Neonate hippocampal volumes: Prematurity, perinatal predictors, and 20-year outcome. <i>Annals of Neurology</i> , 2008, 63, 642-651.	2.8	142
47	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1867-1875.	1.1	139
48	The psychosis threshold in Ultra High Risk (prodromal) research: Is it valid?. <i>Schizophrenia Research</i> , 2010, 120, 1-6.	1.1	138
49	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001, 52, 37-46.	1.1	135
50	Resilience as a multimodal dynamic process. <i>Microbial Biotechnology</i> , 2019, 13, 725-732.	0.9	135
51	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007, 41, 561-569.	1.5	132
52	A combined spectroscopic and functional MRI investigation of the dorsal anterior cingulate region in opiate addiction. <i>Molecular Psychiatry</i> , 2007, 12, 691-702.	4.1	131
53	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 807-817.	2.9	129
54	Neurobiological Markers of Illness Onset in Psychosis and Schizophrenia: The Search for a Moving Target. <i>Neuropsychology Review</i> , 2009, 19, 385-398.	2.5	129

#	ARTICLE	IF	CITATIONS
55	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , 2003, 182, 518-524.	1.7	128
56	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 116-125.	0.9	128
57	Risk Perception and Risk-Taking Behaviour during Adolescence: The Influence of Personality and Gender. <i>PLoS ONE</i> , 2016, 11, e0153842.	1.1	127
58	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , 2002, 125, 789-800.	3.7	126
59	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	6.0	125
60	Neuropathological, neurogenetic and neuroimaging evidence for white matter pathology in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2006, 30, 918-948.	2.9	124
61	A manual and automated MRI study of anterior cingulate and orbito-frontal cortices, and caudate nucleus in obsessive-compulsive disorder: comparison with healthy controls and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 99-113.	0.9	121
62	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , 2009, 14, 976-986.	4.1	117
63	Proton Magnetic Resonance Spectroscopy in First Episode Psychosis and Ultra High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2003, 29, 831-843.	2.3	113
64	Abnormal white matter microstructure in schizophrenia: A voxelwise analysis of axial and radial diffusivity. <i>Schizophrenia Research</i> , 2008, 101, 106-110.	1.1	111
65	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. <i>NeuroImage</i> , 2010, 52, 62-68.	2.1	111
66	Are Neuropsychological Impairments in Children with Early-Treated Phenylketonuria (PKU) Related to White Matter Abnormalities or Elevated Phenylalanine Levels?. <i>Developmental Neuropsychology</i> , 2007, 32, 645-668.	1.0	108
67	Anterior Cingulate Glutamateâ€“Glutamine Levels Predict Symptom Severity in Women With Obsessiveâ€“Compulsive Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 467-477.	1.3	108
68	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk â€œProdromalâ€• Population. <i>Schizophrenia Bulletin</i> , 2014, 40, 697-706.	2.3	108
69	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , 2008, 29, 478-489.	1.9	107
70	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. A 1H-MRS Study. <i>Neuropsychopharmacology</i> , 2008, 33, 2467-2473.	2.8	107
71	Medial temporal lobe glutathione concentration in first episode psychosis: A 1H-MRS investigation. <i>Neurobiology of Disease</i> , 2009, 33, 354-357.	2.1	107
72	Variability of the paracingulate sulcus and morphometry of the medial frontal cortex: Associations with cortical thickness, surface area, volume, and sulcal depth. <i>Human Brain Mapping</i> , 2008, 29, 222-236.	1.9	106

#	ARTICLE	IF	CITATIONS
73	The influence of sulcal variability on morphometry of the human anterior cingulate and paracingulate cortex. <i>NeuroImage</i> , 2006, 33, 843-854.	2.1	104
74	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 210-215.	1.7	103
75	Understanding auditory verbal hallucinations: a systematic review of current evidence. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 352-367.	2.2	103
76	Prevalence of psychiatric diagnoses in preterm and full-term children, adolescents and young adults: a meta-analysis. <i>Psychological Medicine</i> , 2011, 41, 2463-2474.	2.7	98
77	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , 2010, 119, 1-10.	1.1	97
78	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019, 176, 552-563.	4.0	97
79	Social cognition in clinical "at risk" for psychosis and first episode psychosis populations. <i>Schizophrenia Research</i> , 2012, 141, 204-209.	1.1	96
80	Neuroimaging and Treatment Evidence for Clinical Staging in Psychotic Disorders: From the At-Risk Mental State to Chronic Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 619-625.	0.7	94
81	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , 2002, 32, 429-438.	2.7	90
82	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2009, 108, 49-56.	1.1	89
83	Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1083-1091.	2.3	88
84	Declining transition rates to psychotic disorder in "ultra-high risk" clients: Investigation of a dilution effect. <i>Schizophrenia Research</i> , 2016, 170, 130-136.	1.1	87
85	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	2.3	85
86	Increased duration of illness is associated with reduced volume in right medial temporal/anterior cingulate grey matter in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2002, 57, 43-49.	1.1	80
87	Should a "Risk Syndrome for Psychosis" be included in the DSMV?. <i>Schizophrenia Research</i> , 2010, 120, 7-15.	1.1	78
88	Morphology of the corpus callosum at different stages of schizophrenia: Cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , 2008, 192, 429-434.	1.7	77
89	Early maternal deprivation reduces prepulse inhibition and impairs spatial learning ability in adulthood: No further effect of post-pubertal chronic corticosterone treatment. <i>Behavioural Brain Research</i> , 2007, 176, 323-332.	1.2	75
90	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , 2008, 103, 1-10.	1.1	75

#	ARTICLE	IF	CITATIONS
91	Aberrant salience network functional connectivity in auditory verbal hallucinations: a first episode psychosis sample. <i>Translational Psychiatry</i> , 2018, 8, 69.	2.4	75
92	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , 2005, 75, 295-301.	1.1	74
93	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
94	Diseases of White Matter and Schizophrenia-Like Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 746-756.	1.3	73
95	Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. <i>Schizophrenia Research</i> , 2005, 79, 127-136.	1.1	73
96	The Localization and Lateralization of Memory Deficits in Children with Temporal Lobe Epilepsy. <i>Epilepsia</i> , 2007, 48, 124-32.	2.6	71
97	Altered Prefrontal and Hippocampal Function During Verbal Encoding and Recognition in People With Prodromal Symptoms of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 746-756.	2.3	71
98	Anatomical abnormalities of the anterior cingulate and paracingulate cortex in patients with bipolar I disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 123-132.	0.9	70
99	Contribution of Brain Size to IQ and Educational Underperformance in Extremely Preterm Adolescents. <i>PLoS ONE</i> , 2013, 8, e77475.	1.1	70
100	Neuroanatomical Correlates of Temperament in Early Adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 682-693.	0.3	69
101	Evidence of altered prefrontal-thalamic circuitry in schizophrenia: An optimized diffusion MRI study. <i>NeuroImage</i> , 2006, 32, 16-22.	2.1	67
102	Progressive Decline in Hippocampal CA1 Volume in Individuals at Ultra-High-Risk for Psychosis Who Do Not Remit: Findings from the Longitudinal Youth at Risk Study. <i>Neuropsychopharmacology</i> , 2017, 42, 1361-1370.	2.8	67
103	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , 2017, 22, 396-406.	4.1	66
104	Anterior cingulate dysfunction: implications for psychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , 2003, 28, 350-4.	1.4	66
105	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , 2006, 88, 192-197.	1.1	64
106	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009, 112, 104-113.	1.1	64
107	Selective bilateral hippocampal volume loss in chronic schizophrenia. <i>Biological Psychiatry</i> , 2001, 50, 531-539.	0.7	63
108	Incipient neurovulnerability and neuroprotection in early psychosis. <i>Psychopharmacology Bulletin</i> , 2003, 37, 79-101.	0.0	63

#	ARTICLE	IF	CITATIONS
109	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	1.3	62
110	Disrupted salience network functional connectivity and white-matter microstructure in persons at risk for psychosis: findings from the LYRIKS study. <i>Psychological Medicine</i> , 2016, 46, 2771-2783.	2.7	62
111	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 355-366.	1.3	61
112	Inflammation in first-episode psychosis: The contribution of inflammatory biomarkers to the emergence of negative symptoms, a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 6-20.	2.2	61
113	Quality of Life at Age 18 Years after Extremely Preterm Birth in the Post-Surfactant Era. <i>Journal of Pediatrics</i> , 2013, 163, 1008-1013.e1.	0.9	60
114	Global research priorities for youth mental health. <i>Microbial Biotechnology</i> , 2020, 14, 3-13.	0.9	60
115	Cognitive decline following psychosis onset. <i>British Journal of Psychiatry</i> , 2007, 191, s52-s57.	1.7	59
116	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009, 194, 426-433.	1.7	59
117	Neurobiology of early psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s8-s18.	1.7	58
118	Evidence for neuronal dysfunction in the anterior cingulate of patients with schizophrenia: A proton magnetic resonance spectroscopy study at 3T. <i>Schizophrenia Research</i> , 2007, 94, 328-331.	1.1	58
119	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 32-38.	1.1	58
120	Hippocampal shape variations at term equivalent age in very preterm infants compared with term controls: Perinatal predictors and functional significance at age 7. <i>NeuroImage</i> , 2013, 70, 278-287.	2.1	57
121	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. <i>Psychological Medicine</i> , 2005, 35, 1053-1062.	2.7	56
122	Prediction of Functional Outcome 18 Months After a First Psychotic Episode. <i>Archives of General Psychiatry</i> , 2006, 63, 969.	13.8	56
123	Superior temporal gyrus volume in antipsychotic-naïve people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 206-211.	1.7	56
124	Clinical staging in severe mental disorder: evidence from neurocognition and neuroimaging. <i>British Journal of Psychiatry</i> , 2013, 202, s11-s17.	1.7	56
125	MRI-determined hippocampal asymmetry in full-term and preterm neonates. <i>Hippocampus</i> , 2009, 19, 118-123.	0.9	55
126	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the transitions study. <i>Microbial Biotechnology</i> , 2015, 9, 487-497.	0.9	55

#	ARTICLE	IF	CITATIONS
127	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 273-277.	0.9	54
128	Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. <i>Current Pharmaceutical Design</i> , 2012, 18, 570-575.	0.9	54
129	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 77-82.	0.9	53
130	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. <i>Psychological Medicine</i> , 2015, 45, 515-527.	2.7	53
131	Neurobiology of schizophrenia spectrum disorders: the role of oxidative stress. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 396-6.	0.2	53
132	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , 2008, 102, 163-170.	1.1	52
133	Association between Postnatal Dexamethasone for Treatment of Bronchopulmonary Dysplasia and Brain Volumes at Adolescence in Infants Born Very Preterm. <i>Journal of Pediatrics</i> , 2014, 164, 737-743.e1.	0.9	52
134	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2015, 45, 3453-3465.	2.7	51
135	Lack of Evidence for Regional Brain Volume or Cortical Thickness Abnormalities in Youths at Clinical High Risk for Psychosis: Findings From the Longitudinal Youth at Risk Study: Table 1.. <i>Schizophrenia Bulletin</i> , 2015, 41, 1285-1293.	2.3	51
136	Perspective-taking abilities in the balance between autism tendencies and psychosis proneness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150563.	1.2	51
137	Reduced volume of parietal and frontal association areas in patients with schizophrenia characterized by passivity delusions. <i>Psychological Medicine</i> , 2005, 35, 783-789.	2.7	50
138	Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. <i>Applied Neuropsychology: Child</i> , 2013, 2, 47-63.	0.7	49
139	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 467-472.	2.2	47
140	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. <i>Schizophrenia Research</i> , 2016, 174, 43-49.	1.1	47
141	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2008, 105, 236-244.	1.1	46
142	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 34-39.	0.9	46
143	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2015, 77, 989-996.	0.7	46
144	A longitudinal study of obsessive-compulsive disorder in individuals at ultra-high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 1140-1145.	1.5	45

#	ARTICLE	IF	CITATIONS
145	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , 2010, 124, 256-261.	2.0	44
146	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2013, 43, 2349-2360.	2.7	44
147	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	2.8	44
148	Gray matter reduction of the superior temporal gyrus in patients with established bipolar I disorder. <i>Journal of Affective Disorders</i> , 2010, 123, 276-282.	2.0	43
149	Extremely preterm birth and adolescent mental health in a geographical cohort born in the 1990s. <i>Psychological Medicine</i> , 2014, 44, 1533-1544.	2.7	43
150	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014, 44, 489-498.	2.7	43
151	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	2.1	43
152	Social cognition training as an intervention for improving functional outcome in first-episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , 2013, 7, 421-426.	0.9	42
153	Selective Augmentation of Striatal Functional Connectivity Following NMDA Receptor Antagonism: Implications for Psychosis. <i>Neuropsychopharmacology</i> , 2015, 40, 622-631.	2.8	42
154	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016, 173, 152-158.	1.1	42
155	Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 223-230.	0.9	41
156	Neurocognitive functioning in the prodrome of mania—an exploratory study. <i>Journal of Affective Disorders</i> , 2013, 147, 441-445.	2.0	41
157	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2017, 47, 616-626.	2.7	41
158	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2017, 181, 23-29.	1.1	41
159	Autism and psychosis: Clinical implications for depression and suicide. <i>Schizophrenia Research</i> , 2018, 195, 80-85.	1.1	41
160	Olfactory Impairments in Child Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1462-1468.	1.1	41
161	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 93-99.	1.1	40
162	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40

#	ARTICLE	IF	CITATIONS
163	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 168-177.	2.5	39
164	Depressive psychopathology in first-episode schizophrenia spectrum disorders: a systematic review, meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2019, 49, 2463-2474.	2.7	39
165	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. <i>Schizophrenia Research</i> , 2019, 206, 355-361.	1.1	39
166	Magnetic Resonance Spectroscopy and Schizophrenia: What have we Learnt?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 14-25.	1.3	37
167	Pituitary volume mediates the relationship between pubertal timing and depressive symptoms during adolescence. <i>Psychoneuroendocrinology</i> , 2012, 37, 881-891.	1.3	37
168	Measuring psychosocial outcome is good. <i>Current Opinion in Psychiatry</i> , 2013, 26, 138-143.	3.1	36
169	Autism and psychosis expressions diametrically modulate the right temporoparietal junction. <i>Social Neuroscience</i> , 2017, 12, 506-518.	0.7	35
170	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020, 88, 829-842.	0.7	35
171	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 651-657.	2.5	34
172	Longer-term increased cortisol levels in young people with mental health problems. <i>Psychiatry Research</i> , 2016, 236, 98-104.	1.7	34
173	Selectively Impaired Associative Learning in Older People with Cognitive Decline. <i>Journal of Cognitive Neuroscience</i> , 2002, 14, 484-492.	1.1	33
174	Transition to first episode psychosis in ultra high risk populations: Does baseline functioning hold the key?. <i>Schizophrenia Research</i> , 2013, 143, 132-137.	1.1	33
175	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	1.3	32
176	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1708-1714.	2.5	32
177	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009, 113, 65-71.	1.1	32
178	Transitions Study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , 2015, 9, 38-47.	0.9	32
179	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642.	0.7	32
180	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	1.3	31

#	ARTICLE	IF	CITATIONS
181	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013, 3, e251-e251.	2.4	31
182	Auditory verbal hallucinations in first-episode psychosis: a phenomenological investigation. <i>BJPsych Open</i> , 2016, 2, 88-95.	0.3	31
183	Towards clinical application of prediction models for transition to psychosis: A systematic review and external validation study in the PRONIA sample. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 478-492.	2.9	31
184	Memory in paediatric temporal lobe epilepsy: Effects of lesion type and side. <i>Epilepsy Research</i> , 2012, 98, 255-259.	0.8	30
185	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , 2013, 54, 173-180.	1.5	30
186	Pilot Study Evaluating the Effect of Massage Therapy on Stress, Anxiety and Aggression in a Young Adult Psychiatric Inpatient Unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 414-422.	1.3	29
187	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , 2009, 113, 158-166.	1.1	29
188	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: A longitudinal MRI study. <i>Schizophrenia Research</i> , 2010, 116, 49-54.	1.1	29
189	Abnormalities in orbitofrontal cortex gyrification and mental health outcomes in adolescents born extremely preterm and/or at an extremely low birth weight. <i>Human Brain Mapping</i> , 2015, 36, 1138-1150.	1.9	29
190	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
191	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: A longitudinal T2 relaxometry pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 180-182.	0.9	28
192	Neuroimaging Findings in the At-Risk Mental State: A Review of Recent Literature. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 13-18.	0.9	28
193	Is it all in the reward? Peers influence risk-taking behaviour in young adulthood. <i>British Journal of Psychology</i> , 2017, 108, 276-295.	1.2	28
194	Long-term employment among people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 26-31.	1.1	28
195	General psychopathology links burden of recent life events and psychotic symptoms in a network approach. <i>NPJ Schizophrenia</i> , 2020, 6, 40.	2.0	28
196	Multi-scale semi-supervised clustering of brain images: Deriving disease subtypes. <i>Medical Image Analysis</i> , 2022, 75, 102304.	7.0	28
197	Thalamic and caudate volumes in monozygotic twins discordant for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 347-354.	1.3	27
198	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1395-1400.	2.5	27

#	ARTICLE	IF	CITATIONS
199	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2009, 115, 163-172.	1.1	27
200	Preserved Working Memory and Altered Brain Activation in Persons at Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2013, 170, 1297-1307.	4.0	27
201	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019, 45, 1101-1111.	2.3	27
202	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021, 51, 212-218.	2.7	26
203	State, trait and biochemical influences on human anterior cingulate function. <i>NeuroImage</i> , 2007, 34, 1766-1773.	2.1	25
204	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 257-261.	0.9	25
205	The Observer Memory Questionnaireâ€”Parent Form: Introducing a new measure of everyday memory for children. <i>Journal of the International Neuropsychological Society</i> , 2008, 14, 337-42.	1.2	25
206	Midline brain abnormalities in established bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2010, 122, 301-305.	2.0	25
207	The Nine Box Maze Test: A measure of spatial memory development in children. <i>Brain and Cognition</i> , 2003, 52, 144-154.	0.8	24
208	Midline brain structures in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 842-846.	2.5	24
209	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014, 153, 18-24.	1.1	24
210	Shame amplifies the association between stressful life events and paranoia amongst young adults using mental health services: Implications for understanding risk and psychological resilience. <i>Psychiatry Research</i> , 2014, 220, 217-225.	1.7	24
211	Olfactory identification deficits at identification as ultra-high risk for psychosis are associated with poor functional outcome. <i>Schizophrenia Research</i> , 2015, 161, 156-162.	1.1	24
212	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. <i>Psychiatry Research</i> , 2015, 226, 128-135.	1.7	24
213	Characterizing anterior cingulate activation in chronic schizophrenia: a group and single-subject fMRI study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 271-279.	2.2	23
214	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , 2009, 190, S10-3.	0.8	23
215	Inhibitory control in young adolescents: The role of sex, intelligence, and temperament. <i>Neuropsychology</i> , 2012, 26, 347-356.	1.0	23
216	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. <i>Schizophrenia Research</i> , 2015, 161, 150-155.	1.1	23

#	ARTICLE	IF	CITATIONS
217	Autism Tendencies and Psychosis Proneness Interactively Modulate Saliency Cost. Schizophrenia Bulletin, 2017, 43, 142-151.	2.3	23
218	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. Schizophrenia Bulletin, 2021, 47, 1130-1140.	2.3	23
219	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. Schizophrenia Research, 2012, 135, 175-180.	1.1	22
220	Gender differences in the experience of psychotic-like experiences and their associated factors: A study of adolescents from the general population. Schizophrenia Research, 2021, 228, 410-416.	1.1	22
221	Dosing Quetiapine in Drug-Naive First-Episode Psychosis. Journal of Clinical Psychiatry, 2008, 69, 1702-1714.	1.1	22
222	Fiber geometry in the corpus callosum in schizophrenia: Evidence for transcallosal misconnection. Schizophrenia Research, 2011, 132, 69-74.	1.1	21
223	Pituitary volume prospectively predicts internalizing symptoms in adolescence. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 315-323.	3.1	21
224	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. Schizophrenia Bulletin, 2016, 43, sbw086.	2.3	21
225	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. Australian and New Zealand Journal of Psychiatry, 2000, 34, A113-A126.	1.3	20
226	Muscarinic M1 receptor sequence: Preliminary studies on its effects on cognition and expression. Schizophrenia Research, 2012, 138, 94-98.	1.1	20
227	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. Psychiatry Research, 2016, 236, 182-185.	1.7	20
228	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. Psychiatry Research, 2007, 149, 97-104.	1.7	19
229	Increased pituitary volume in patients with established bipolar affective disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1245-1249.	2.5	19
230	Olfaction and schizophrenia clinical risk status: Just the facts. Schizophrenia Research, 2012, 139, 260-261.	1.1	19
231	Development and Validation of a New Measure of Everyday Adolescent Functioning: The Multidimensional Adolescent Functioning Scale. Journal of Adolescent Health, 2013, 52, 195-200.	1.2	19
232	Is it still correct to differentiate between early and very early onset psychosis?. Schizophrenia Research, 2016, 170, 211-216.	1.1	19
233	Autistic and schizotypal traits and global functioning in bipolar I disorder. Journal of Affective Disorders, 2017, 207, 268-275.	2.0	19
234	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. Microbial Biotechnology, 2019, 13, 1345-1356.	0.9	19

#	ARTICLE	IF	CITATIONS
235	Brain structural connectivity during adrenarche: Associations between hormone levels and white matter microstructure. <i>Psychoneuroendocrinology</i> , 2018, 88, 70-77.	1.3	18
236	The impact of psychotic experiences in the early stages of mental health problems in young people. <i>BMC Psychiatry</i> , 2018, 18, 214.	1.1	18
237	Insular cortex volume in established bipolar affective disorder: A preliminary MRI study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 187-190.	0.9	17
238	Relational Memory in First Episode Psychosis: Implications for Progressive Hippocampal Dysfunction After Illness Onset. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 206-213.	1.3	17
239	Optimizing Hippocampal Segmentation in Infants Utilizing MRI Post-Acquisition Processing. <i>Neuroinformatics</i> , 2012, 10, 173-180.	1.5	17
240	Markers of vulnerability to obsessive-compulsive disorder in an ultra-high risk sample of patients who developed psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 201-206.	0.9	17
241	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1041-1051.	1.3	17
242	Brain structural, neurochemical and neuroinflammatory markers of psychosis onset and relapse. <i>International Clinical Psychopharmacology</i> , 2013, , 1.	0.9	16
243	Large-Scale Network Topology Reveals Heterogeneity in Individuals With at Risk Mental State for Psychosis: Findings From the Longitudinal Youth-at-Risk Study. <i>Cerebral Cortex</i> , 2018, 28, 4234-4243.	1.6	16
244	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. <i>Neuropsychopharmacology</i> , 2021, 46, 1475-1483.	2.8	15
245	Neurobiologically Based Stratification of Recent-Onset Depression and Psychosis: Identification of Two Distinct Transdiagnostic Phenotypes. <i>Biological Psychiatry</i> , 2022, 92, 552-562.	0.7	15
246	Lack of progressive gray matter reduction of the superior temporal subregions in chronic schizophrenia. <i>Schizophrenia Research</i> , 2010, 117, 101-102.	1.1	14
247	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 169, 214-216.	1.1	14
248	A cross-sectional examination of the clinical significance of autistic traits in individuals experiencing a first episode of psychosis. <i>Psychiatry Research</i> , 2019, 282, 112623.	1.7	14
249	Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. <i>Schizophrenia Research</i> , 2020, 216, 310-315.	1.1	14
250	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1484-1493.	2.8	14
251	Interrelationships between depressive symptoms and positive and negative symptoms of recent onset schizophrenia spectrum disorders: A network analytical approach. <i>Journal of Psychiatric Research</i> , 2021, 140, 373-380.	1.5	14
252	Fractionation of Verbal Memory Impairment in Schizophrenia and Schizophreniform Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 732-739.	1.3	13

#	ARTICLE	IF	CITATIONS
253	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 73-76.	0.9	13
254	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1095-1103.	1.6	13
255	Designing a feasible exercise intervention in first-episode psychosis: Exercise quality, engagement and effect. <i>Psychiatry Research</i> , 2020, 286, 112840.	1.7	13
256	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 249-258.	2.3	13
257	Working memory load improves early stages of independent visual processing. <i>Neuropsychologia</i> , 2011, 49, 92-102.	0.7	12
258	Investigation of orbitofrontal sulcogyral pattern in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 280-283.	0.9	12
259	Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. <i>Psychiatry Research</i> , 2016, 235, 177-196.	1.7	12
260	Cognitive development in adolescence: cerebral underpinnings, neural trajectories, and the impact of aberrations. , 2004, , 69-88.		12
261	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. , 0, .		12
262	The role of executive functions in psychiatric disorders. , 2009, , 117-137.		11
263	The role of coping in the association between subclinical psychotic experiences and functioning: A within study replication in two independent adolescent samples. <i>Schizophrenia Research</i> , 2018, 201, 91-97.	1.1	11
264	Exercise as a protective mechanism against the negative effects of oxidative stress in first-episode psychosis: a biomarker-led study. <i>Translational Psychiatry</i> , 2020, 10, 254.	2.4	11
265	Cortisol Levels in Childhood Associated With Emergence of Attenuated Psychotic Symptoms in Early Adulthood. <i>Biological Psychiatry</i> , 2022, 91, 226-235.	0.7	11
266	Cognitive precursors of severe mental disorders. <i>Cognitive Neuropsychiatry</i> , 2013, 18, 1-8.	0.7	10
267	Autism and schizophrenia: One, two or many disorders?. <i>British Journal of Psychiatry</i> , 2017, 210, 241-242.	1.7	10
268	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , 2018, 260, 60-66.	1.7	10
269	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 1-11.	0.9	10
270	Adding a Dimension to the Dichotomy: Affective Processes Are Implicated in the Relationship Between Autistic and Schizotypal Traits. <i>Frontiers in Psychiatry</i> , 2020, 11, 712.	1.3	10

#	ARTICLE	IF	CITATIONS
271	Re-imagining the intentional stance. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200244.	1.2	10
272	A multivariate neuromonitoring approach to neuroplasticity-based computerized cognitive training in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 828-835.	2.8	10
273	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 403-413.	1.8	10
274	The transition to psychosis: risk factors and brain changes. <i>Epidemiologia E Psichiatria Sociale</i> , 2004, 13, 137-140.	1.0	9
275	Structural brain correlates of alcohol and cannabis use in recreational users. <i>Acta Neuropsychiatrica</i> , 2006, 18, 226-229.	1.0	9
276	Visuospatial Working Memory Deficits and Visual Pursuit Impairments are Not Directly Related in Schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 766-774.	1.3	9
277	Visuospatial encoding deficits and compensatory strategies in schizophrenia revealed by eye movement analysis during a working memory task. <i>Acta Neuropsychiatrica</i> , 2009, 21, 75-83.	1.0	9
278	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 111-119.	0.9	9
279	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	3.7	9
280	Predictors of social and role outcomes in first episode psychosis: A prospective 12-month study of social cognition, neurocognition and symptoms. <i>Microbial Biotechnology</i> , 2021, 15, 993-1001.	0.9	9
281	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020, 224, 116-125.	1.1	9
282	Co-occurrence of autistic and psychotic traits: implications for depression, self-harm and suicidality. <i>Psychological Medicine</i> , 2021, 51, 1364-1372.	2.7	9
283	Psychosocial functioning in the balance between autism and psychosis: evidence from three populations. <i>Molecular Psychiatry</i> , 2022, 27, 2976-2984.	4.1	9
284	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , 2012, 199, 8-11.	1.7	8
285	Family Functioning and Mood and Anxiety Symptoms in Adolescents Born Extremely Preterm. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2017, 38, 39-48.	0.6	8
286	Harmonised collection of data in youth mental health: Towards large datasets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 46-56.	1.3	8
287	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , 2020, 129, 88-97.	1.5	8
288	Should we redefine the concept of endophenotype in schizophrenia?. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 106-107.	0.9	8

#	ARTICLE	IF	CITATIONS
289	Prediction models in first-episode psychosis: systematic review and critical appraisal. <i>British Journal of Psychiatry</i> , 2022, 220, 179-191.	1.7	8
290	Neurobiological endophenotypes of psychosis and schizophrenia. , 2009, , 61-80.		7
291	Role of magnetic resonance spectroscopy in cerebral glutathione quantification for youth mental health: A systematic review. <i>Microbial Biotechnology</i> , 2020, 14, 147-162.	0.9	7
292	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021, 11, 312.	2.4	7
293	A pilot study to assess the effect of acute exercise on brain glutathione. <i>Free Radical Research</i> , 2018, 52, 57-69.	1.5	6
294	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020, 289, 112909.	1.7	6
295	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , 2023, 53, 1005-1014.	2.7	6
296	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
297	Olfactory Processing and Brain Maturation. , 0, , 103-118.		5
298	Altered posterior cingulate brain metabolites and cognitive dysfunction in preterm adolescents. <i>Pediatric Research</i> , 2016, 79, 716-722.	1.1	5
299	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 345-350.	1.1	5
300	Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent Onset Depressionâ€”Reply. <i>JAMA Psychiatry</i> , 2019, 76, 339.	6.0	5
301	Aberrant structural covariance networks in youth at high familial risk for mood disorder. <i>Bipolar Disorders</i> , 2020, 22, 155-162.	1.1	5
302	The psychometric validity of the Montgomeryâ€”Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2021, 228, 373-381.	1.1	5
303	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	1.6	5
304	Diseases of white matter and schizophrenia-like psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 746-756.	1.3	5
305	Cognitive remediation to address impairment in schizophrenia: Moving beyond effectiveness and toward implementation. <i>Psychiatry Research</i> , 2021, 305, 114232.	1.7	5
306	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175.	1.3	5

#	ARTICLE	IF	CITATIONS
307	Imaging in schizophrenia: looking back and peering ahead. <i>Annals of the Academy of Medicine, Singapore</i> , 2009, 38, 440-2.	0.2	5
308	Stem Cell Models for Biomarker Discovery in Brain Disease. <i>International Review of Neurobiology</i> , 2011, 101, 239-257.	0.9	4
309	BOLSTERING WORK: POTENTIAL BENEFITS OF COGNITIVE AND SOCIAL COGNITIVE INTERVENTIONS TO EMPLOYMENT INTERVENTIONS FOR PEOPLE WITH EARLY PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S38.	1.1	4
310	Failing to Gain: Another Explanation of Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2020, 177, 354-354.	4.0	4
311	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processingâ€”Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 252.	13.8	3
312	Neurobiological and neuropsychological pathways into substance abuse and addictive behavior. , 2009, , 326-341.		3
313	Visual-spatial processing and working-memory load as a function of negative and positive psychotic-like experiences. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 402-411.	0.7	3
314	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2020, 11, 488.	1.3	3
315	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 573-581.	1.3	3
316	Encoding dysfunctions in a dynamicâ€”static paradigm for visuospatial working memory in firstâ€”episode psychosis patients: a 2â€”year followâ€”up study. <i>Microbial Biotechnology</i> , 2009, 3, 44-51.	0.9	2
317	Interventions Targeting Social and Vocational Dysfunction in Individuals with a Schizophrenia Spectrum Disorder. , 2011, , 173-207.		2
318	Brief, Performance-Based Cognitive Screening in Youth Aged 12â€”25: A Systematic Review. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 835-854.	1.2	2
319	Listening to voices: understanding and self-management of auditory verbal hallucinations in young adults. <i>Psychosis</i> , 2022, 14, 281-292.	0.4	2
320	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , .	1.6	2
321	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	0.9	2
322	Developmental neuropsychology: normative trajectories and risk for psychiatric illness. , 2009, , 4-14.		1
323	Poster #226 SOCIAL COGNITION TRAINING AS AN INTERVENTION FOR IMPROVING FUNCTIONAL OUTCOME IN FIRST EPISODE PSYCHOSIS: A PILOT STUDY. <i>Schizophrenia Research</i> , 2012, 136, S172.	1.1	1
324	The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. <i>Schizophrenia Research</i> , 2022, 240, 52-60.	1.1	1

#	ARTICLE	IF	CITATIONS
325	Using combined environmentalâ€œclinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. <i>British Journal of Psychiatry</i> , 2022, 220, 229-245.	1.7	1
326	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis. <i>NPJ Schizophrenia</i> , 2022, 8, 19.	2.0	1
327	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. <i>Schizophrenia Research</i> , 2022, 244, 1-7.	1.1	1
328	Associative memory. , 2009, , 96-104.		0
329	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 534.	1.1	0
330	WHY TRANSITION TO PSYCHOSIS IS NOT THE WHOLE STORY - NEUROCOGNITIVE MARKERS OF TRANSITION AND POOR FUNCTIONAL OUTCOME SEVEN TO 14YEARS AFTER IDENTIFICATION AS ULTRA-HIGH RISK AT THE PACE CLINIC. <i>Schizophrenia Research</i> , 2010, 117, 174-175.	1.1	0
331	Diagnostic markers for schizophrenia: do we actually know what we're looking for?. <i>World Psychiatry</i> , 2011, 10, 33-34.	4.8	0
332	Evidencia de neuroimagen y de tratamiento respecto a los estadios clÃnics en los trastornos psicÃ³ticos: del estado mental de riesgo a la esquizofrenia crÃ³nica. <i>Psiquiatra Biologica</i> , 2011, 18, 117-123.	0.0	0
333	Commentary on â€œShould the diagnostic boundaries of schizophrenia be expanded?â€™. <i>Cognitive Neuropsychiatry</i> , 2011, 16, 107-112.	0.7	0
334	Poster #197 FACTOR STRUCTURE OF SCHIZOTYPY AND ASSOCIATIONS WITH PSYCHOPATHOLOGY AND FUNCTIONING IN A GROUP PREVIOUSLY AT ULTRA-HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , 2012, 136, S256.	1.1	0
335	Comment on Lee et al.. <i>Schizophrenia Research</i> , 2014, 159, 253.	1.1	0
336	Understanding the course of cognitive deficits over the onset of psychosis. <i>Evidence-Based Mental Health</i> , 2015, 18, 87-87.	2.2	0
337	Neuroanatomical Dimensional Phenotypes of Schizophrenia: Expression in Youth With Psychosis-Spectrum Symptoms and Correlation With Cognition. <i>Biological Psychiatry</i> , 2020, 87, S119.	0.7	0
338	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1475-1485.	1.8	0
339	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations. <i>British Journal of Psychiatry</i> , 2021, , 1-4.	1.7	0
340	Evidence of discontinuity between psychosis-risk and non-clinical samples in the neuroanatomical correlates of social function. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100252.	0.7	0