

# Stephen J Wood

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9185690/stephen-j-wood-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

328  
papers

19,724  
citations

76  
h-index

129  
g-index

355  
ext. papers

22,390  
ext. citations

5.2  
avg, IF

6.38  
L-index

#	Paper	IF	Citations
328	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet, The</i> , <b>2003</b> , 361, 281-8	40	1044
327	The psychosis high-risk state: a comprehensive state-of-the-art review. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 107-20	4.5	965
326	Hippocampal and amygdala volumes according to psychosis stage and diagnosis: a magnetic resonance imaging study of chronic schizophrenia, first-episode psychosis, and ultra-high-risk individuals. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 139-49		496
325	Normative data from the CANTAB. I: development of executive function over the lifespan. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2003</b> , 25, 242-54	2.1	462
324	Structural brain imaging evidence for multiple pathological processes at different stages of brain development in schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2005</b> , 31, 672-96	1.3	409
323	Are there progressive brain changes in schizophrenia? A meta-analysis of structural magnetic resonance imaging studies. <i>Biological Psychiatry</i> , <b>2011</b> , 70, 88-96	7.9	366
322	Neuroanatomical abnormalities in schizophrenia: a multimodal voxelwise meta-analysis and meta-regression analysis. <i>Schizophrenia Research</i> , <b>2011</b> , 127, 46-57	3.6	339
321	Long-term follow-up of a group at ultra high risk ("prodromal") for psychosis: the PACE 400 study. <i>JAMA Psychiatry</i> , <b>2013</b> , 70, 793-802	14.5	323
320	Memory impairments identified in people at ultra-high risk for psychosis who later develop first-episode psychosis. <i>American Journal of Psychiatry</i> , <b>2005</b> , 162, 71-8	11.9	317
319	Mapping grey matter reductions in schizophrenia: an anatomical likelihood estimation analysis of voxel-based morphometry studies. <i>Schizophrenia Research</i> , <b>2009</b> , 108, 104-13	3.6	276
318	Progressive gray matter reduction of the superior temporal gyrus during transition to psychosis. <i>Archives of General Psychiatry</i> , <b>2009</b> , 66, 366-76		266
317	Hippocampal volume and everyday memory in children of very low birth weight. <i>Pediatric Research</i> , <b>2000</b> , 47, 713-20	3.2	242
316	Genetic influences on cost-efficient organization of human cortical functional networks. <i>Journal of Neuroscience</i> , <b>2011</b> , 31, 3261-70	6.6	235
315	Progressive brain structural changes mapped as psychosis develops in at risk individuals. <i>Schizophrenia Research</i> , <b>2009</b> , 108, 85-92	3.6	231
314	Functional and biochemical alterations of the medial frontal cortex in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 946-55		201
313	Generalized and specific cognitive performance in clinical high-risk cohorts: a review highlighting potential vulnerability markers for psychosis. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32, 538-55	1.3	199
312	Neuroanatomical abnormalities that predate the onset of psychosis: a multicenter study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 489-95		196

311	The impact of cannabis use on cognitive functioning in patients with schizophrenia: a meta-analysis of existing findings and new data in a first-episode sample. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 316-30	1.3	190
310	Spatial working memory ability is a marker of risk-for-psychosis. <i>Psychological Medicine</i> , <b>2003</b> , 33, 1239-47.	9	188
309	Outcomes of nontransitioned cases in a sample at ultra-high risk for psychosis. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 249-58	11.9	184
308	Age of onset of schizophrenia: perspectives from structural neuroimaging studies. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 504-13	1.3	181
307	Anatomical abnormalities of the anterior cingulate cortex in schizophrenia: bridging the gap between neuroimaging and neuropathology. <i>Schizophrenia Bulletin</i> , <b>2009</b> , 35, 973-93	1.3	177
306	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 1-15	6.5	174
305	Pituitary volume predicts future transition to psychosis in individuals at ultra-high risk of developing psychosis. <i>Biological Psychiatry</i> , <b>2005</b> , 58, 417-23	7.9	174
304	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , <b>2014</b> , 13, 211-23	14.4	170
303	An optimized method for estimating intracranial volume from magnetic resonance images. <i>Magnetic Resonance in Medicine</i> , <b>2000</b> , 44, 973-7	4.4	168
302	Neurocognitive predictors of functional outcome two to 13 years after identification as ultra-high risk for psychosis. <i>Schizophrenia Research</i> , <b>2011</b> , 132, 1-7	3.6	166
301	The association between autism and schizophrenia spectrum disorders: A review of eight alternate models of co-occurrence. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2015</b> , 55, 173-83	9	165
300	Impairment of olfactory identification ability in individuals at ultra-high risk for psychosis who later develop schizophrenia. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 1790-4	11.9	157
299	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression: A Multimodal, Multisite Machine Learning Analysis. <i>JAMA Psychiatry</i> , <b>2018</b> , 75, 1156-1172	14.5	156
298	Stress, the hippocampus and the hypothalamic-pituitary-adrenal axis: implications for the development of psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2006</b> , 40, 725-41	2.6	151
297	Anatomic abnormalities of the anterior cingulate cortex before psychosis onset: an MRI study of ultra-high-risk individuals. <i>Biological Psychiatry</i> , <b>2008</b> , 64, 758-65	7.9	149
296	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , <b>2004</b> , 185, 5-10	5.4	147
295	Progressive changes in the development toward schizophrenia: studies in subjects at increased symptomatic risk. <i>Schizophrenia Bulletin</i> , <b>2008</b> , 34, 322-9	1.3	145
294	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , <b>2002</b> , 58, 145-58	3.6	143

293	Early and late neurodevelopmental disturbances in schizophrenia and their functional consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2003</b> , 37, 399-406	2.6	137
292	Detecting neuroimaging biomarkers for schizophrenia: a meta-analysis of multivariate pattern recognition studies. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 1742-51	8.7	134
291	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , <b>2013</b> , 7, 31-43	3.3	132
290	Paracingulate morphologic differences in males with established schizophrenia: a magnetic resonance imaging morphometric study. <i>Biological Psychiatry</i> , <b>2002</b> , 52, 15-23	7.9	132
289	Anterior cingulate activation during Stroop task performance: a PET to MRI coregistration study of individual patients with schizophrenia. <i>American Journal of Psychiatry</i> , <b>2002</b> , 159, 251-4	11.9	131
288	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. <i>Schizophrenia Research</i> , <b>2009</b> , 111, 94-102	3.6	125
287	Neonate hippocampal volumes: prematurity, perinatal predictors, and 2-year outcome. <i>Annals of Neurology</i> , <b>2008</b> , 63, 642-51	9.4	124
286	Altered striatal functional connectivity in subjects with an at-risk mental state for psychosis. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 904-13	1.3	123
285	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2001</b> , 52, 37-46	3.6	121
284	Neuropathological, neurogenetic and neuroimaging evidence for white matter pathology in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2006</b> , 30, 918-48	9	119
283	A disturbed sense of self in the psychosis prodrome: linking phenomenology and neurobiology. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2009</b> , 33, 807-17	9	116
282	A combined spectroscopic and functional MRI investigation of the dorsal anterior cingulate region in opiate addiction. <i>Molecular Psychiatry</i> , <b>2007</b> , 12, 611, 691-702	15.1	116
281	Frontal atrophy correlates with behavioural changes in progressive supranuclear palsy. <i>Brain</i> , <b>2002</b> , 125, 789-800	11.2	115
280	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 163, 116-25	2.9	112
279	Ethyl-eicosapentaenoic acid in first-episode psychosis: a randomized, placebo-controlled trial. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 1867-75	4.6	111
278	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , <b>2003</b> , 182, 518-24	5.4	108
277	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , <b>2007</b> , 41, 561-9	5.2	106
276	Neurobiological markers of illness onset in psychosis and schizophrenia: The search for a moving target. <i>Neuropsychology Review</i> , <b>2009</b> , 19, 385-98	7.7	105

275	A manual and automated MRI study of anterior cingulate and orbito-frontal cortices, and caudate nucleus in obsessive-compulsive disorder: comparison with healthy controls and patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , <b>2005</b> , 138, 99-113	2.9	105
274	Individual differences in anterior cingulate/paracingulate morphology are related to executive functions in healthy males. <i>Cerebral Cortex</i> , <b>2004</b> , 14, 424-31	5.1	104
273	Proton magnetic resonance spectroscopy in first episode psychosis and ultra high-risk individuals. <i>Schizophrenia Bulletin</i> , <b>2003</b> , 29, 831-43	1.3	101
272	Abnormal white matter microstructure in schizophrenia: a voxelwise analysis of axial and radial diffusivity. <i>Schizophrenia Research</i> , <b>2008</b> , 101, 106-10	3.6	100
271	Ethyl-eicosapentaenoic acid in first-episode psychosis. A 1H-MRS study. <i>Neuropsychopharmacology</i> , <b>2008</b> , 33, 2467-73	8.7	100
270	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 976-86	15.1	99
269	Hippocampal pathology in individuals at ultra-high risk for psychosis: a multi-modal magnetic resonance study. <i>NeuroImage</i> , <b>2010</b> , 52, 62-8	7.9	96
268	Medial temporal lobe glutathione concentration in first episode psychosis: a 1H-MRS investigation. <i>Neurobiology of Disease</i> , <b>2009</b> , 33, 354-7	7.5	95
267	Anterior cingulate glutamate-glutamine levels predict symptom severity in women with obsessive-compulsive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2008</b> , 42, 467-77	2.6	94
266	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , <b>2008</b> , 29, 478-89	5.9	94
265	Are neuropsychological impairments in children with early-treated phenylketonuria (PKU) related to white matter abnormalities or elevated phenylalanine levels?. <i>Developmental Neuropsychology</i> , <b>2007</b> , 32, 645-68	1.8	94
264	Variability of the paracingulate sulcus and morphometry of the medial frontal cortex: associations with cortical thickness, surface area, volume, and sulcal depth. <i>Human Brain Mapping</i> , <b>2008</b> , 29, 222-36	5.9	91
263	Sexual trauma increases the risk of developing psychosis in an ultra high-risk "prodromal" population. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 697-706	1.3	90
262	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , <b>2008</b> , 193, 210-5	5.4	90
261	The influence of sulcal variability on morphometry of the human anterior cingulate and paracingulate cortex. <i>NeuroImage</i> , <b>2006</b> , 33, 843-54	7.9	88
260	Social cognition in clinical "at risk" for psychosis and first episode psychosis populations. <i>Schizophrenia Research</i> , <b>2012</b> , 141, 204-9	3.6	83
259	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , <b>2010</b> , 119, 1-10	3.6	83
258	Understanding auditory verbal hallucinations: a systematic review of current evidence. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 352-67	6.5	81

257	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , <b>2002</b> , 32, 429-38	6.9	80
256	Increased duration of illness is associated with reduced volume in right medial temporal/anterior cingulate grey matter in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2002</b> , 57, 43-9	3.6	78
255	Neuroimaging and treatment evidence for clinical staging in psychotic disorders: from the at-risk mental state to chronic schizophrenia. <i>Biological Psychiatry</i> , <b>2011</b> , 70, 619-25	7.9	77
254	Prevalence of psychiatric diagnoses in preterm and full-term children, adolescents and young adults: a meta-analysis. <i>Psychological Medicine</i> , <b>2011</b> , 41, 2463-74	6.9	77
253	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2009</b> , 108, 49-56	3.6	76
252	Whither the attenuated psychosis syndrome?. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1130-4	1.3	74
251	Volumetric abnormalities predating the onset of schizophrenia and affective psychoses: an MRI study in subjects at ultrahigh risk of psychosis. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 1083-91	1.3	73
250	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , <b>2005</b> , 75, 295-301	3.6	71
249	Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. <i>Schizophrenia Research</i> , <b>2005</b> , 79, 127-36	3.6	71
248	Declining transition rates to psychotic disorder in "ultra-high risk" clients: Investigation of a dilution effect. <i>Schizophrenia Research</i> , <b>2016</b> , 170, 130-6	3.6	70
247	Should a "Risk Syndrome for Psychosis" be included in the DSMV?. <i>Schizophrenia Research</i> , <b>2010</b> , 120, 7-15	3.6	69
246	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , <b>2008</b> , 103, 1-10	3.6	67
245	Early maternal deprivation reduces prepulse inhibition and impairs spatial learning ability in adulthood: no further effect of post-pubertal chronic corticosterone treatment. <i>Behavioural Brain Research</i> , <b>2007</b> , 176, 323-32	3.4	66
244	Morphology of the corpus callosum at different stages of schizophrenia: cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 429-34	5.4	65
243	Risk Perception and Risk-Taking Behaviour during Adolescence: The Influence of Personality and Gender. <i>PLoS ONE</i> , <b>2016</b> , 11, e0153842	3.7	64
242	Selective bilateral hippocampal volume loss in chronic schizophrenia. <i>Biological Psychiatry</i> , <b>2001</b> , 50, 531-9	7.9	63
241	Anatomical abnormalities of the anterior cingulate and paracingulate cortex in patients with bipolar I disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 162, 123-32	2.9	62
240	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , <b>2020</b> , 19, 233-242	14.4	61

239	Anterior cingulate dysfunction: implications for psychiatric disorders?. <i>Journal of Psychiatry and Neuroscience</i> , <b>2003</b> , 28, 350-4	4.5	61
238	Altered prefrontal and hippocampal function during verbal encoding and recognition in people with prodromal symptoms of psychosis. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 746-56	1.3	60
237	Resilience as a multimodal dynamic process. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 725-732	3.3	59
236	The localization and lateralization of memory deficits in children with temporal lobe epilepsy. <i>Epilepsia</i> , <b>2007</b> , 48, 124-32	6.4	59
235	Evidence of altered prefrontal-thalamic circuitry in schizophrenia: an optimized diffusion MRI study. <i>NeuroImage</i> , <b>2006</b> , 32, 16-22	7.9	59
234	Incipient neurovulnerability and neuroprotection in early psychosis. <i>Psychopharmacology Bulletin</i> , <b>2003</b> , 37, 79-101	0.9	58
233	Neuroanatomical correlates of temperament in early adolescents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2008</b> , 47, 682-693	7.2	57
232	Diseases of white matter and schizophrenia-like psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2005</b> , 39, 746-56	2.6	57
231	Contribution of brain size to IQ and educational underperformance in extremely preterm adolescents. <i>PLoS ONE</i> , <b>2013</b> , 8, e77475	3.7	56
230	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , <b>2009</b> , 112, 104-13	3.6	55
229	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. <i>Psychological Medicine</i> , <b>2005</b> , 35, 1053-62	6.9	54
228	Two distinct neuroanatomical subtypes of schizophrenia revealed using machine learning. <i>Brain</i> , <b>2020</b> , 143, 1027-1038	11.2	53
227	Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. <i>British Journal of Psychiatry</i> , <b>2010</b> , 196, 206-11	5.4	53
226	Evidence for neuronal dysfunction in the anterior cingulate of patients with schizophrenia: a proton magnetic resonance spectroscopy study at 3 T. <i>Schizophrenia Research</i> , <b>2007</b> , 94, 328-31	3.6	53
225	Neurobiology of schizophrenia spectrum disorders: the role of oxidative stress. <i>Annals of the Academy of Medicine, Singapore</i> , <b>2009</b> , 38, 396-6	2.8	52
224	Neurobiology of early psychosis. <i>British Journal of Psychiatry</i> , <b>2005</b> , 48, s8-18	5.4	51
223	Clinical staging in severe mental disorder: evidence from neurocognition and neuroimaging. <i>British Journal of Psychiatry</i> , <b>2013</b> , 54, s11-7	5.4	50
222	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2002</b> , 36, 355-66	2.6	50



221	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 426-33	5.4	49
220	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. <i>Psychiatry Research - Neuroimaging</i> , <b>2009</b> , 173, 77-82	2.9	49
219	MR-determined hippocampal asymmetry in full-term and preterm neonates. <i>Hippocampus</i> , <b>2009</b> , 19, 118-23	3.5	49
218	Cognitive decline following psychosis onset: data from the PACE clinic. <i>British Journal of Psychiatry</i> , <b>2007</b> , 51, s52-7	5.4	49
217	Progressive Decline in Hippocampal CA1 Volume in Individuals at Ultra-High-Risk for Psychosis Who Do Not Remit: Findings from the Longitudinal Youth at Risk Study. <i>Neuropsychopharmacology</i> , <b>2017</b> , 42, 1361-1370	8.7	48
216	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , <b>2006</b> , 88, 192-7	3.6	48
215	Prediction of functional outcome 18 months after a first psychotic episode: a proton magnetic resonance spectroscopy study. <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 969-76		48
214	Quality of life at age 18 years after extremely preterm birth in the post-surfactant era. <i>Journal of Pediatrics</i> , <b>2013</b> , 163, 1008-13.e1	3.6	47
213	Disrupted salience network functional connectivity and white-matter microstructure in persons at risk for psychosis: findings from the LYRIKS study. <i>Psychological Medicine</i> , <b>2016</b> , 46, 2771-83	6.9	47
212	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , <b>2017</b> , 22, 396-406	15.1	46
211	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , <b>2008</b> , 102, 163-70	3.6	46
210	Hippocampal shape variations at term equivalent age in very preterm infants compared with term controls: perinatal predictors and functional significance at age 7. <i>NeuroImage</i> , <b>2013</b> , 70, 278-87	7.9	45
209	Reduced volume of parietal and frontal association areas in patients with schizophrenia characterized by passivity delusions. <i>Psychological Medicine</i> , <b>2005</b> , 35, 783-9	6.9	45
208	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , <b>2017</b> , 184, 32-38	3.6	44
207	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2008</b> , 162, 273-7	2.9	44
206	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , <b>2008</b> , 105, 236-44	3.6	44
205	Clinical neuropsychology within adolescent and young-adult psychiatry: conceptualizing theory and practice. <i>Applied Neuropsychology: Child</i> , <b>2013</b> , 2, 47-63	1.4	43
204	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 552-563	11.9	42



203	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. <i>Psychological Medicine</i> , <b>2015</b> , 45, 515-27	6.9	42
202	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 487-97	3.3	42
201	Neuroprotective effects of low-dose lithium in individuals at ultra-high risk for psychosis. A longitudinal MRI/MRS study. <i>Current Pharmaceutical Design</i> , <b>2012</b> , 18, 570-5	3.3	42
200	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , <b>2016</b> , 7, 9	5	40
199	Aberrant salience network functional connectivity in auditory verbal hallucinations: a first episode psychosis sample. <i>Translational Psychiatry</i> , <b>2018</b> , 8, 69	8.6	39
198	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , <b>2015</b> , 45, 3453-65	6.9	39
197	Neurocognitive predictors of transition to psychosis: medium- to long-term findings from a sample at ultra-high risk for psychosis. <i>Psychological Medicine</i> , <b>2013</b> , 43, 2349-60	6.9	39
196	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 116, 467-72	6.5	39
195	Lack of Evidence for Regional Brain Volume or Cortical Thickness Abnormalities in Youths at Clinical High Risk for Psychosis: Findings From the Longitudinal Youth at Risk Study. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 1285-93	1.3	38
194	Discrete alterations of brain network structural covariance in individuals at ultra-high risk for psychosis. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 989-96	7.9	38
193	Perspective-taking abilities in the balance between autism tendencies and psychosis proneness. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2015</b> , 282, 20150563	4.4	38
192	Extremely preterm birth and adolescent mental health in a geographical cohort born in the 1990s. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1533-44	6.9	38
191	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. <i>Schizophrenia Research</i> , <b>2016</b> , 174, 43-49	3.6	38
190	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , <b>2014</b> , 44, 489-98	6.9	37
189	Association between postnatal dexamethasone for treatment of bronchopulmonary dysplasia and brain volumes at adolescence in infants born very preterm. <i>Journal of Pediatrics</i> , <b>2014</b> , 164, 737-743.e1	3.6	37
188	Social cognition training as an intervention for improving functional outcome in first-episode psychosis: a feasibility study. <i>Microbial Biotechnology</i> , <b>2013</b> , 7, 421-6	3.3	37
187	Amygdala and insula volumes prior to illness onset in bipolar disorder: a magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , <b>2012</b> , 201, 34-9	2.9	36
186	Neurocognitive functioning in the prodrome of mania--an exploratory study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 147, 441-5	6.6	36

185	A longitudinal study of obsessive-compulsive disorder in individuals at ultra-high risk for psychosis. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 1140-5	5.2	36
184	Gray matter reduction of the superior temporal gyrus in patients with established bipolar I disorder. <i>Journal of Affective Disorders</i> , <b>2010</b> , 123, 276-82	6.6	36
183	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 44, 168-77	5.5	35
182	Caudate nucleus volume in individuals at ultra-high risk of psychosis: a cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 182, 223-30	2.9	35
181	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , <b>2014</b> , 154, 93-9	3.6	34
180	Pituitary volume in patients with bipolar disorder and their first-degree relatives. <i>Journal of Affective Disorders</i> , <b>2010</b> , 124, 256-61	6.6	34
179	Measuring psychosocial outcome is good. <i>Current Opinion in Psychiatry</i> , <b>2013</b> , 26, 138-43	4.9	33
178	Magnetic resonance spectroscopy and schizophrenia: what have we learnt?. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2000</b> , 34, 14-25	2.6	33
177	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , <b>2017</b> , 181, 23-29	3.6	32
176	Olfactory impairments in child attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 1462-8	4.6	32
175	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , <b>2016</b> , 173, 152-158	3.6	31
174	Pituitary volume mediates the relationship between pubertal timing and depressive symptoms during adolescence. <i>Psychoneuroendocrinology</i> , <b>2012</b> , 37, 881-91	5	31
173	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 195-209	14.5	31
172	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , <b>2017</b> , 47, 616-626	6.9	30
171	Selective augmentation of striatal functional connectivity following NMDA receptor antagonism: implications for psychosis. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 622-31	8.7	30
170	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , <b>2017</b> , 145, 246-253	7.9	29
169	Memory in paediatric temporal lobe epilepsy: effects of lesion type and side. <i>Epilepsy Research</i> , <b>2012</b> , 98, 255-9	3	28
168	Transition to first episode psychosis in ultra high risk populations: does baseline functioning hold the key?. <i>Schizophrenia Research</i> , <b>2013</b> , 143, 132-7	3.6	28

167	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 651-7	5.5	28
166	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2008</b> , 32, 1708-14	5.5	28
165	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2000</b> , 34, S113-S126	2.6	28
164	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , <b>2009</b> , 113, 65-71	3.6	27
163	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , <b>2009</b> , 113, 158-66	3.6	27
162	Selectively impaired associative learning in older people with cognitive decline. <i>Journal of Cognitive Neuroscience</i> , <b>2002</b> , 14, 484-92	3.1	27
161	Follow-up factor structure of schizotypy and its clinical associations in a help-seeking sample meeting ultra-high risk for psychosis criteria at baseline. <i>Comprehensive Psychiatry</i> , <b>2013</b> , 54, 173-80	7.3	26
160	Auditory verbal hallucinations in first-episode psychosis: a phenomenological investigation. <i>BJPsych Open</i> , <b>2016</b> , 2, 88-95	5	26
159	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , <b>2013</b> , 3, e251	8.6	25
158	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , <b>2009</b> , 115, 163-72	3.6	25
157	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: a longitudinal T2 relaxometry pilot study. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 182, 180-2	2.9	25
156	Transitions Study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , <b>2015</b> , 9, 38-47	3.3	24
155	Preserved working memory and altered brain activation in persons at risk for psychosis. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 1297-307	11.9	24
154	Neuroimaging findings in the at-risk mental state: a review of recent literature. <i>Canadian Journal of Psychiatry</i> , <b>2013</b> , 58, 13-8	4.8	24
153	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: a longitudinal MRI study. <i>Schizophrenia Research</i> , <b>2010</b> , 116, 49-54	3.6	24
152	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. <i>Schizophrenia Research</i> , <b>2019</b> , 206, 355-361	3.6	24
151	Autism and psychosis expressions diametrically modulate the right temporoparietal junction. <i>Social Neuroscience</i> , <b>2017</b> , 12, 506-518	2	23
150	The Observer Memory Questionnaire-Parent Form: introducing a new measure of everyday memory for children. <i>Journal of the International Neuropsychological Society</i> , <b>2008</b> , 14, 337-42	3.1	23

149	Depressive psychopathology in first-episode schizophrenia spectrum disorders: a systematic review, meta-analysis and meta-regression. <i>Psychological Medicine</i> , <b>2019</b> , 49, 2463-2474	6.9	22
148	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. <i>Psychiatry Research</i> , <b>2015</b> , 226, 128-35	9.9	22
147	Pilot study evaluating the effect of massage therapy on stress, anxiety and aggression in a young adult psychiatric inpatient unit. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2008</b> , 42, 414-22	2.6	22
146	Thalamic and caudate volumes in monozygotic twins discordant for schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2002</b> , 36, 347-54	2.6	22
145	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2000</b> , 34 Suppl, S113-26	2.6	22
144	Is it all in the reward? Peers influence risk-taking behaviour in young adulthood. <i>British Journal of Psychology</i> , <b>2017</b> , 108, 276-295	4	21
143	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. <i>Schizophrenia Research</i> , <b>2015</b> , 161, 150-5	3.6	21
142	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 1395-400	5.5	21
141	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2007</b> , 156, 257-61	2.9	21
140	State, trait and biochemical influences on human anterior cingulate function. <i>NeuroImage</i> , <b>2007</b> , 34, 1766-73	3.3	21
139	Longer-term increased cortisol levels in young people with mental health problems. <i>Psychiatry Research</i> , <b>2016</b> , 236, 98-104	9.9	21
138	Abnormalities in orbitofrontal cortex gyrification and mental health outcomes in adolescents born extremely preterm and/or at an extremely low birth weight. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 1138-50	5.9	20
137	Shame amplifies the association between stressful life events and paranoia amongst young adults using mental health services: Implications for understanding risk and psychological resilience. <i>Psychiatry Research</i> , <b>2014</b> , 220, 217-25	9.9	20
136	Midline brain structures in teenagers with first-presentation borderline personality disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 842-6	5.5	20
135	Characterizing anterior cingulate activation in chronic schizophrenia: a group and single-subject fMRI study. <i>Acta Psychiatrica Scandinavica</i> , <b>2007</b> , 116, 271-9	6.5	20
134	The Nine Box Maze Test: A measure of spatial memory development in children. <i>Brain and Cognition</i> , <b>2003</b> , 52, 144-54	2.7	20
133	Long-term employment among people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , <b>2017</b> , 184, 26-31	3.6	19
132	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , <b>2014</b> , 153, 18-24	3.6	19

131	Midline brain abnormalities in established bipolar affective disorder. <i>Journal of Affective Disorders</i> , <b>2010</b> , 122, 301-5	6.6	19
130	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , <b>2009</b> , 190, S10-3	4	19
129	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2000</b> , 34, A113-A126	2.6	19
128	Autism Tendencies and Psychosis Proneness Interactively Modulate Saliency Cost. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 142-151	1.3	18
127	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 345	5	18
126	Olfactory identification deficits at identification as ultra-high risk for psychosis are associated with poor functional outcome. <i>Schizophrenia Research</i> , <b>2015</b> , 161, 156-62	3.6	18
125	Inhibitory control in young adolescents: the role of sex, intelligence, and temperament. <i>Neuropsychology</i> , <b>2012</b> , 26, 347-56	3.8	18
124	Fiber geometry in the corpus callosum in schizophrenia: evidence for transcallosal misconnection. <i>Schizophrenia Research</i> , <b>2011</b> , 132, 69-74	3.6	18
123	Increased pituitary volume in patients with established bipolar affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 1245-9	5.5	18
122	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. <i>Psychiatry Research</i> , <b>2007</b> , 149, 97-104	9.9	18
121	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. <i>Psychiatry Research</i> , <b>2016</b> , 236, 182-185	9.9	17
120	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , <b>2012</b> , 135, 175-80	3.6	17
119	Muscarinic M1 receptor sequence: preliminary studies on its effects on cognition and expression. <i>Schizophrenia Research</i> , <b>2012</b> , 138, 94-8	3.6	17
118	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis: An ENIGMA Working Group Mega-analysis. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 753-766	14.5	17
117	Autism and psychosis: Clinical implications for depression and suicide. <i>Schizophrenia Research</i> , <b>2018</b> , 195, 80-85	3.6	17
116	Olfaction and schizophrenia clinical risk status: just the facts. <i>Schizophrenia Research</i> , <b>2012</b> , 139, 260-1; author reply 262-3	3.6	16
115	Relational memory in first episode psychosis: implications for progressive hippocampal dysfunction after illness onset. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2011</b> , 45, 206-13	2.6	16
114	Dosing Quetiapine in Drug-Naive First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , <b>2008</b> , 69, 1702-1714	4.4	16

113	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 829-842	7.9	15
112	Is it still correct to differentiate between early and very early onset psychosis?. <i>Schizophrenia Research</i> , <b>2016</b> , 170, 211-6	3.6	15
111	Markers of vulnerability to obsessive-compulsive disorder in an ultra-high risk sample of patients who developed psychosis. <i>Microbial Biotechnology</i> , <b>2012</b> , 6, 201-6	3.3	15
110	Optimizing hippocampal segmentation in infants utilizing MRI post-acquisition processing. <i>Neuroinformatics</i> , <b>2012</b> , 10, 173-80	3.2	15
109	Pituitary volume prospectively predicts internalizing symptoms in adolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2011</b> , 52, 315-23	7.9	15
108	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 449-458	1.3	15
107	Insular cortex volume in established bipolar affective disorder: a preliminary MRI study. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 182, 187-90	2.9	14
106	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , <b>2021</b> , 51, 212-218	6.9	14
105	Development and validation of a new measure of everyday adolescent functioning: the multidimensional adolescent functioning scale. <i>Journal of Adolescent Health</i> , <b>2013</b> , 52, 195-200	5.8	13
104	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 1041-1051	2.6	13
103	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 207, 268-275	6.6	13
102	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , <b>2015</b> , 169, 214-216	3.6	13
101	Lack of progressive gray matter reduction of the superior temporal subregions in chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2010</b> , 117, 101-2	3.6	13
100	Towards clinical application of prediction models for transition to psychosis: A systematic review and external validation study in the PRONIA sample. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2021</b> , 125, 478-492	9	13
99	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 1101-1111	1.3	13
98	Brain structural connectivity during adrenarche: Associations between hormone levels and white matter microstructure. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 88, 70-77	5	12
97	Fractionation of verbal memory impairment in schizophrenia and schizophreniform psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2007</b> , 41, 732-9	2.6	12
96	The impact of psychotic experiences in the early stages of mental health problems in young people. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 214	4.2	12



95	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2010</b> , 182, 73-6	2.9	11
94	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders		11
93	Investigation of orbitofrontal sulcogyral pattern in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 234, 280-3	2.9	10
92	Large-Scale Network Topology Reveals Heterogeneity in Individuals With at Risk Mental State for Psychosis: Findings From the Longitudinal Youth-at-Risk Study. <i>Cerebral Cortex</i> , <b>2018</b> , 28, 4234-4243	5.1	10
91	Are UHR patients who present with hallucinations alone at lower risk of transition to psychosis?. <i>Psychiatry Research</i> , <b>2016</b> , 235, 177-96	9.9	10
90	Working memory load improves early stages of independent visual processing. <i>Neuropsychologia</i> , <b>2011</b> , 49, 92-102	3.2	10
89	Cognitive development in adolescence: cerebral underpinnings, neural trajectories, and the impact of aberrations <b>2004</b> , 69-88		10
88	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled-trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , <b>2019</b> , 13, 1345-1356	3.3	10
87	Visuospatial working memory deficits and visual pursuit impairments are not directly related in schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2009</b> , 43, 766-74	2.6	9
86	Visuospatial encoding deficits and compensatory strategies in schizophrenia revealed by eye movement analysis during a working memory task. <i>Acta Neuropsychiatrica</i> , <b>2009</b> , 21, 75-83	3.9	9
85	Structural brain correlates of alcohol and cannabis use in recreational users. <i>Acta Neuropsychiatrica</i> , <b>2006</b> , 18, 226-9	3.9	9
84	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 249-258	1.3	9
83	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. <i>Psychiatry Research</i> , <b>2018</b> , 260, 60-66	9.9	9
82	The role of coping in the association between subclinical psychotic experiences and functioning: A within study replication in two independent adolescent samples. <i>Schizophrenia Research</i> , <b>2018</b> , 201, 91-97 <sup>6</sup>	3.6	8
81	Cognitive precursors of severe mental disorders. <i>Cognitive Neuropsychiatry</i> , <b>2013</b> , 18, 1-8	2	8
80	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , <b>2012</b> , 199, 8-11	9.9	8
79	General psychopathology links burden of recent life events and psychotic symptoms in a network approach. <i>NPJ Schizophrenia</i> , <b>2020</b> , 6, 40	5.5	8
78	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 378-380	23.3	8



77	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , <b>2021</b> , 90, 632-642	7.9	8
76	Designing a feasible exercise intervention in first-episode psychosis: Exercise quality, engagement and effect. <i>Psychiatry Research</i> , <b>2020</b> , 286, 112840	9.9	7
75	The role of executive functions in psychiatric disorders117-137		7
74	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , <b>2018</b> , 281, 1-11	2.9	6
73	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. <i>Psychiatry Research - Neuroimaging</i> , <b>2015</b> , 231, 111-9	2.9	6
72	Neurobiologicalendophenotypes of psychosis and schizophrenia61-80		6
71	Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. <i>Schizophrenia Research</i> , <b>2020</b> , 216, 310-315	3.6	6
70	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 1095-1103	4.5	6
69	Exercise as a protective mechanism against the negative effects of oxidative stress in first-episode psychosis: a biomarker-led study. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 254	8.6	6
68	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression: A Secondary Analysis of a Randomized Clinical Trial. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 994-1004	14.5	6
67	Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent Onset Depression-Reply. <i>JAMA Psychiatry</i> , <b>2019</b> , 76, 339-340	14.5	5
66	A pilot study to assess the effect of acute exercise on brain glutathione. <i>Free Radical Research</i> , <b>2018</b> , 52, 57-69	4	5
65	Altered posterior cingulate brain metabolites and cognitive dysfunction in preterm adolescents. <i>Pediatric Research</i> , <b>2016</b> , 79, 716-22	3.2	5
64	A cross-sectional examination of the clinical significance of autistic traits in individuals experiencing a first episode of psychosis. <i>Psychiatry Research</i> , <b>2019</b> , 282, 112623	9.9	5
63	Olfactory Processing and Brain Maturation103-118		5
62	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 1484-1493	8.7	5
61	Role of magnetic resonance spectroscopy in cerebral glutathione quantification for youth mental health: A systematic review. <i>Microbial Biotechnology</i> , <b>2020</b> , 14, 147-162	3.3	5
60	Harmonised collection of data in youth mental health: Towards large datasets. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2020</b> , 54, 46-56	2.6	5

59	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 1494-1501	8.7	5
58	Imaging in schizophrenia: looking back and peering ahead. <i>Annals of the Academy of Medicine, Singapore</i> , <b>2009</b> , 38, 440-2	2.8	5
57	Co-occurrence of autistic and psychotic traits: implications for depression, self-harm and suicidality. <i>Psychological Medicine</i> , <b>2020</b> , 1-9	6.9	4
56	BOLSTERING WORK: POTENTIAL BENEFITS OF COGNITIVE AND SOCIAL COGNITIVE INTERVENTIONS TO EMPLOYMENT INTERVENTIONS FOR PEOPLE WITH EARLY PSYCHOSIS. <i>Schizophrenia Research</i> , <b>2012</b> , 136, S38	3.6	4
55	Stem cell models for biomarker discovery in brain disease. <i>International Review of Neurobiology</i> , <b>2011</b> , 101, 239-57	4.4	4
54	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , <b>2020</b> , 129, 88-97	5.2	4
53	Re-imaging the intentional stance. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2020</b> , 287, 20200744	4.4	4
52	A multivariate neuromonitoring approach to neuroplasticity-based computerized cognitive training in recent onset psychosis. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 828-835	8.7	4
51	Visual-spatial processing and working-memory load as a function of negative and positive psychotic-like experiences. <i>Cognitive Neuropsychiatry</i> , <b>2016</b> , 21, 402-411	2	3
50	Family Functioning and Mood and Anxiety Symptoms in Adolescents Born Extremely Preterm. <i>Journal of Developmental and Behavioral Pediatrics</i> , <b>2017</b> , 38, 39-48	2.4	3
49	Neurobiological and neuropsychological pathways into substance abuse and addictive behavior	326-341	3
48	Diseases of White Matter and Schizophrenia-Like Psychosis		3
47	Does a Neurodevelopmental Lesion Involving the Hippocampus Explain Memory Dysfunction in Schizophrenia?. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , <b>2001</b> , 12, 61-67	0.5	3
46	Aberrant structural covariance networks in youth at high familial risk for mood disorder. <i>Bipolar Disorders</i> , <b>2020</b> , 22, 155-162	3.8	3
45	Predictors of social and role outcomes in first episode psychosis: A prospective 12-month study of social cognition, neurocognition and symptoms. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 993-1001	3.3	3
44	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 312	8.6	3
43	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. <i>Schizophrenia Bulletin</i> , <b>2021</b> , 47, 1130-1140	1.3	3
42	Gender differences in the experience of psychotic-like experiences and their associated factors: A study of adolescents from the general population. <i>Schizophrenia Research</i> , <b>2021</b> , 228, 410-416	3.6	3

41	Inflammation in First-Episode Psychosis: The Contribution of Inflammatory Biomarkers to the Emergence of Negative Symptoms, A Systematic Review and Meta-Analysis.. <i>Acta Psychiatrica Scandinavica</i> , <b>2022</b> ,	6.5	3
40	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 488	5	2
39	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , <b>2020</b> , 289, 112909	9.9	2
38	Encoding dysfunctions in a dynamic-static paradigm for visuospatial working memory in first-episode psychosis patients: a 2-year follow-up study. <i>Microbial Biotechnology</i> , <b>2009</b> , 3, 44-51	3.3	2
37	Interventions Targeting Social and Vocational Dysfunction in Individuals with a Schizophrenia Spectrum Disorder <b>2011</b> , 173-207		2
36	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information ProcessingReply. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 252		2
35	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 552175	5	2
34	Cognitive remediation to address impairment in schizophrenia: Moving beyond effectiveness and toward implementation. <i>Psychiatry Research</i> , <b>2021</b> , 305, 114232	9.9	2
33	Adding a Dimension to the Dichotomy: Affective Processes Are Implicated in the Relationship Between Autistic and Schizotypal Traits. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 712	5	2
32	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , <b>2020</b> , 224, 116-125	3.6	2
31	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. <i>Neuropsychopharmacology</i> , <b>2021</b> , 46, 1475-1483	8.7	2
30	The psychometric validity of the Montgomery-Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , <b>2021</b> , 228, 373-381	3.6	2
29	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 192, 345-350	3.6	2
28	Cortisol Levels in Childhood Associated With Emergence of Attenuated Psychotic Symptoms in Early Adulthood. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	2
27	Interrelationships between depressive symptoms and positive and negative symptoms of recent onset schizophrenia spectrum disorders: A network analytical approach. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 140, 373-380	5.2	2
26	Failing to Gain: Another Explanation of Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , <b>2020</b> , 177, 354	11.9	1
25	Developmental neuropsychology: normative trajectories and risk for psychiatric illness4-14		1
24	Psychiatric diagnoses: purposes, limitations and an alternative approach178-193		1

23	Multi-scale semi-supervised clustering of brain images: Deriving disease subtypes. <i>Medical Image Analysis</i> , <b>2021</b> , 75, 102304	15.4	1
22	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	1
21	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , <b>2021</b> ,	5.1	1
20	Prediction models in first-episode psychosis: systematic review and critical appraisal.. <i>British Journal of Psychiatry</i> , <b>2022</b> , 1-13	5.4	0
19	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression.. <i>World Journal of Biological Psychiatry</i> , <b>2022</b> , 1-9	3.8	0
18	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 1	5.1	0
17	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 943-952	4.5	0
16	Using combined environmental-clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression.. <i>British Journal of Psychiatry</i> , <b>2022</b> , 1-17	5.4	0
15	Understanding the course of cognitive deficits over the onset of psychosis. <i>Evidence-Based Mental Health</i> , <b>2015</b> , 18, 87	11.1	
14	Comment on Lee et al. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 253	3.6	
13	EVIDENCE FOR ALTERED ASYMMETRY OF FRONTAL CORTEX T2 RELAXATION TIME IN PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Research</i> , <b>2010</b> , 117, 534	3.6	
12	Diagnostic markers for schizophrenia: do we actually know what we're looking for?. <i>World Psychiatry</i> , <b>2011</b> , 10, 33-4	14.4	
11	Evidencia de neuroimagen y de tratamiento respecto a los estadios clínicos en los trastornos psicóticos: del estado mental de riesgo a la esquizofrenia crónica. <i>Psiquiatria Biologica</i> , <b>2011</b> , 18, 117-123	0.2	
10	Commentary on @Should the diagnostic boundaries of schizophrenia be expanded?@ <i>Cognitive Neuropsychiatry</i> , <b>2011</b> , 16, 107-12	2	
9	Associative memory96-104		
8	The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features.. <i>Schizophrenia Research</i> , <b>2021</b> , 240, 52-60	3.6	
7	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations.. <i>British Journal of Psychiatry</i> , <b>2021</b> , 1-4	5.4	
6	Brief, Performance-Based Cognitive Screening in Youth Aged 12-25: A Systematic Review. <i>Journal of the International Neuropsychological Society</i> , <b>2021</b> , 27, 835-854	3.1	

5	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 1475-1485	5.1
4	Listening to voices: understanding and self-management of auditory verbal hallucinations in young adults. <i>Psychosis</i> , 1-12	1.2
3	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis.. <i>NPJ Schizophrenia</i> , <b>2022</b> , 8, 19	5.5
2	Evidence of discontinuity between psychosis-risk and non-clinical samples in the neuroanatomical correlates of social function.. <i>Schizophrenia Research: Cognition</i> , <b>2022</b> , 29, 100252	2.8
1	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders.. <i>Schizophrenia Research</i> , <b>2022</b> , 244, 1-7	3.6