
IvÃ;n J Montenegro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9186347/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Isolation and identification of compounds from the resinous exudate of Escallonia illinita Presl. and their anti-oomycete activity. BMC Chemistry, 2019, 13, 1. | 3.8 | 78 |
| 2 | Structural Requirements for the Antifungal Activities of Natural Drimane Sesquiterpenes and Analogues, Supported by Conformational and Electronic Studies. Molecules, 2013, 18, 2029-2051. | 3.8 | 26 |
| 3 | Study on the Cytotoxic Activity of Drimane Sesquiterpenes and Nordrimane Compounds against Cancer Cell Lines. Molecules, 2014, 19, 18993-19006. | 3.8 | 26 |
| 4 | Chemical Characterization and Anti-Oomycete Activity of Laureliopsis philippianna Essential Oils against Saprolegnia parasitica and S. australis. Molecules, 2015, 20, 8033-8047. | 3.8 | 26 |
| 5 | Comparative Study on the Larvicidal Activity of Drimane Sesquiterpenes and Nordrimane Compounds against Drosophila melanogaster til-til. Molecules, 2013, 18, 4192-4208. | 3.8 | 24 |
| 6 | In vitro antioxidant and antiproliferative effect of the extracts of Ephedra chilensis K Presl aerial parts. BMC Complementary and Alternative Medicine, 2019, 19, 53. | 3.7 | 24 |
| 7 | Antifungal study of the resinous exudate and of meroterpenoids isolated from Psoralea glandulosa (Fabaceae). Journal of Ethnopharmacology, 2012, 144, 809-811. | 4.1 | 21 |
| 8 | Psoralea glandulosa as a Potential Source of Anticancer Agents for Melanoma Treatment. International Journal of Molecular Sciences, 2015, 16, 7944-7959. | 4.1 | 20 |
| 9 | Antioxidant and Anti-Proliferative Activity of Essential Oil and Main Components from Leaves of Aloysia polystachya Harvested in Central Chile. Molecules, 2021, 26, 131. | 3.8 | 18 |
| 10 | Biopesticide Activity from Drimanic Compounds to Control Tomato Pathogens. Molecules, 2018, 23, 2053. | 3.8 | 17 |
| 11 | Antigrowth activity and induction of apoptosis in human melanoma cells by Drymis winteri forst extract and its active components. Chemico-Biological Interactions, 2019, 305, 79-85. | 4.0 | 17 |
| 12 | Volatile Organic Compounds (VOCs) Produced by Gluconobacter cerinus and Hanseniaspora osmophila Displaying Control Effect against Table Grape-Rot Pathogens. Antibiotics, 2021, 10, 663. | 3.7 | 14 |
| 13 | Synthesis and Evaluation of Novel Oxyalkylated Derivatives of 2′,4′-Dihydroxychalcone as Anti-Oomycete Agents against Bronopol Resistant Strains of Saprolegnia sp International Journal of Molecular Sciences, 2016, 17, 1366. | 4.1 | 13 |
| 14 | Antifungal Activity of Essential Oil and Main Components from Mentha pulegium Growing Wild on the Chilean Central Coast. Agronomy, 2020, 10, 254. | 3.0 | 13 |
| 15 | Diterpenylhydroquinones from Natural ent-Labdanes Induce Apoptosis through Decreased Mitochondrial Membrane Potential. Molecules, 2013, 18, 5348-5359. | 3.8 | 12 |
| 16 | Autumn Royal and Ribier Grape Juice Extracts Reduced Viability and Metastatic Potential of Colon Cancer Cells. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-7. | 1.2 | 12 |
| 17 | Antifeedant effect of polygodial and drimenol derivatives against <scp><i>Spodoptera frugiperda</i></scp> and <i>Epilachna paenulata</i> and quantitative structureâ€activity analysis. Pest Management Science, 2018, 74, 1623-1629. | 3.4 | 10 |
| 18 | Diffusible Compounds Produced by Hanseniaspora osmophila and Gluconobacter cerinus Help to Control the Causal Agents of Gray Rot and Summer Bunch Rot of Table Grapes. Antibiotics, 2021, 10, 664. | 3.7 | 10 |

IvÃin J Montenegro

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Structure-Activity Relationship of Dialkoxychalcones to Combat Fish Pathogen Saprolegnia australis. Molecules, 2018, 23, 1377. | 3.8 | 8 |
| 20 | Sonochemical Synthesis of 2'-Hydroxy-Chalcone Derivatives with Potential Anti-Oomycete Activity. Antibiotics, 2020, 9, 576. | 3.7 | 8 |
| 21 | Chemical Composition, Antioxidant and Anticancer Activities of Leptocarpha rivularis DC Flower Extracts. Molecules, 2021, 26, 67. | 3.8 | 7 |
| 22 | In Vitro Antimicrobial Activity of Embothrium coccineum Used as Traditional Medicine in Patagonia against Multiresistant Bacteria. Molecules, 2016, 21, 1441. | 3.8 | 6 |
| 23 | Hemi-Synthesis and Anti-Oomycete Activity of Analogues of Isocordoin. Molecules, 2017, 22, 968. | 3.8 | 6 |
| 24 | Synthesis and Antiproliferative Activity of New Cyclodiprenyl Phenols against Select Cancer Cell Lines. Molecules, 2018, 23, 2323. | 3.8 | 6 |
| 25 | Effects of Liposomes Contained in Thermosensitive Hydrogels as Biomaterials Useful in Neural Tissue Engineering. Materials, 2017, 10, 1122. | 2.9 | 5 |
| 26 | In vitro propagation of Leptocarpha rivularis, a native medicinal plant. In Vitro Cellular and Developmental Biology - Plant, 2020, 56, 827-832. | 2.1 | 5 |
| 27 | Activity of Adesmia boronioides resinous exudate against phytopathogenic bacteria. Natural Product Research, 2021, 35, 2072-2075. | 1.8 | 5 |
| 28 | PRELIMINARY ANTIPROLIFERATIVE EVALUATION OF NATURAL,-SYNTHETIC BENZALDEHYDES AND BENZYL ALCOHOLS. Journal of the Chilean Chemical Society, 2013, 58, 1814-1816. | 1.2 | 4 |
| 29 | Carveoylphenols and Their Antifungal Potential against Pathogenic Yeasts. Antibiotics, 2019, 8, 185. | 3.7 | 4 |
| 30 | lsocordoin analogues promote apoptosis in human melanoma cells via Hsp70. Phytotherapy Research, 2019, 33, 3242-3250. | 5.8 | 4 |
| 31 | Analyses of Virulence Genes of Clavibacter michiganensis subsp. michiganensis Strains Reveal Heterogeneity and Deletions That Correlate with Pathogenicity. Microorganisms, 2021, 9, 1530. | 3.6 | 4 |
| 32 | Antifungal Nanoformulation for Biocontrol of Tomato Root and Crown Rot Caused by Fusarium oxysporum f. sp. radicis-lycopersici. Antibiotics, 2021, 10, 1132. | 3.7 | 4 |
| 33 | EVALUATION OF THE ANTIOXIDANT CAPACITY OF Psoralea glandulosa L. (Fabaceae) EXTRACTS. Journal of the Chilean Chemical Society, 2012, 57, 1328-1332. | 1.2 | 3 |
| 34 | Synthesis of dihydroisorcordoin derivatives and their in vitro anti-oomycete activities. Natural Product Research, 2019, 33, 1214-1217. | 1.8 | 3 |
| 35 | Ultrasound assisted synthesis and cytotoxicity evaluation of known 2′,4′-dihydroxychalcone derivatives against cancer cell lines. Food and Chemical Toxicology, 2021, 148, 111969. | 3.6 | 3 |
| 36 | Free radical-scavenging activity of sequential leaf extracts of Embothrium coccineum. Open Life Sciences, 2015, 10, . | 1.4 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Cytotoxic activity of crude extracts and fractions from Blepharocalyx cruckshanksii against selected human cancer cell lines. Boletin Latinoamericano Y Del Caribe De Plantas Medicinales Y Aromaticas, 2020, 19, 357-362. | 0.5 | 1 |
| 38 | Chemical Analysis and In Vitro Bioactivity of Essential Oil of Laurelia sempervirens and Safrole Derivatives against Oomycete Fish Pathogens. Molecules, 2021, 26, 6551. | 3.8 | 1 |
| 39 | Synthesis and Anti-Saprolegnia Activity of New 2',4'-Dihydroxydihydrochalcone Derivatives. Antibiotics, 2020, 9, 317. | 3.7 | 0 |
| 40 | In Vitro Antifungal Activity and Toxicity of Dihydrocarvone-Hybrid Derivatives against Monilinia fructicola. Antibiotics, 2021, 10, 818. | 3.7 | 0 |
| 41 | Comparative study of the antifungal activity of sequential extracts of Fuchsia lycioides against Candida sp Boletin Latinoamericano Y Del Caribe De Plantas Medicinales Y Aromaticas, 2022, 21, 123-130. | 0.5 | 0 |
| 42 | Determination of the potency of hexylâ€ciprofloxacin molecules that interact with gold nanoparticles in a reversible manner. IET Nanobiotechnology, 2019, 13, 320-325. | 3.8 | 0 |