

Asad Khan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9186474/publications.pdf>

Version: 2024-02-01

179
papers

4,771
citations

156536

32
h-index

162838

57
g-index

183
all docs

183
docs citations

183
times ranked

6582
citing authors

#	ARTICLE	IF	CITATIONS
1	Six-year trends and intersectional correlates of meeting 24-Hour Movement Guidelines among South Korean adolescents: Korea Youth Risk Behavior Surveys, 2013–2018. <i>Journal of Sport and Health Science</i> , 2023, 12, 255-265.	3.3	13
2	Research engagement of academics in the Global South: the case of Cambodian academics. <i>Globalisation, Societies and Education</i> , 2023, 21, 322-337.	1.9	11
3	Development of a tailored intervention to implement an Intensive and Comprehensive Aphasia Program (ICAP) into Australian health services. <i>Aphasiology</i> , 2023, 37, 1386-1409.	1.4	6
4	Effectiveness of a school-based intervention on physical activity and screen time among adolescents. <i>Journal of Science and Medicine in Sport</i> , 2022, 25, 242-248.	0.6	9
5	Gender inequalities in physical activity among adolescents from 64 Global South countries. <i>Journal of Sport and Health Science</i> , 2022, 11, 509-520.	3.3	26
6	The times, they are a-changin'™: tracking shifts in mental health signals from early phase to later phase of the COVID-19 pandemic in Australia. <i>BMJ Global Health</i> , 2022, 7, e007081.	2.0	10
7	Academics'™ conceptions of research and the research-teaching nexus: Insights from Cambodia. <i>International Journal of Educational Development</i> , 2022, 90, 102569.	1.4	10
8	Adolescent screen time: associations with school stress and school satisfaction across 38 countries. <i>European Journal of Pediatrics</i> , 2022, 181, 2273-2281.	1.3	11
9	Cost, culture and circumstances™: Barriers and enablers of health behaviours in South Asian immigrants of Australia. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	11
10	Associations of Passive and Active Screen Time With Psychosomatic Complaints of Adolescents. <i>American Journal of Preventive Medicine</i> , 2022, 63, 24-32.	1.6	14
11	Different types of screen time are associated with low life satisfaction in adolescents across 37 European and North American countries. <i>Scandinavian Journal of Public Health</i> , 2022, , 140349482210824.	1.2	1
12	Deep CNN-LSTM With Self-Attention Model for Human Activity Recognition Using Wearable Sensor. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2022, 10, 1-16.	2.2	64
13	Association between Lifestyle Behaviours and Mental Health of Adolescents: Evidence from the Canadian HBSC Surveys, 2002–2014. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6899.	1.2	2
14	Excessive recreational Internet use was associated with poor mental health in adolescents. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , 2021, 110, 571-573.	0.7	7
15	The Contribution of Onsite Physiotherapy to an Integrated Model for Managing Work Injuries: A Follow Up Study. <i>Journal of Occupational Rehabilitation</i> , 2021, 31, 207-218.	1.2	3
16	Relationship between sedentary behaviours and loneliness: Mediating role of fast food and soft drink consumption. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , 2021, 110, 907-908.	0.7	0
17	Association of active school commuting with physical activity and sedentary behaviour among adolescents: A global perspective from 80 countries. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 567-572.	0.6	19
18	Association of carbonated soft drink and fast food intake with stress-related sleep disturbance among adolescents: A global perspective from 64 countries. <i>EclinicalMedicine</i> , 2021, 31, 100681.	3.2	14

#	ARTICLE	IF	CITATIONS
19	Meeting 24-h movement guidelines and associations with health related quality of life of Australian adolescents. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 468-473.	0.6	20
20	A Qualitative Study of Barriers and Enablers of Physical Activity among Female Emirati University Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3380.	1.2	9
21	The effectiveness of physical activity interventions in Asian children and adolescents: a systematic review. <i>Public Health</i> , 2021, 194, 48-59.	1.4	8
22	Insufficient physical activity and high sedentary behaviour are associated with loneliness in adolescents with overweight/obesity: Evidence from 23 low- and middle-income countries. <i>Pediatric Obesity</i> , 2021, , e12836.	1.4	1
23	Electronic Games, Television, and Psychological Wellbeing of Adolescents: Mediating Role of Sleep and Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8877.	1.2	4
24	Associations Between Work-Zone Groups and Compensation Claims: Experience From a Poultry Meat Processing Plant. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e679-e684.	0.9	1
25	A Longitudinal Assessment of Risk Factors and Chronic Diseases among Immigrant and Non-Immigrant Adults in Australia. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8621.	1.2	2
26	Factors associated with changes in physical activity and sedentary behaviour during one year among university-based young adults. <i>Sports Medicine and Health Science</i> , 2021, 3, 236-236.	0.7	1
27	Dose-dependent and joint associations between screen time, physical activity, and mental wellbeing in adolescents: an international observational study. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 729-738.	2.7	45
28	Prevalence and correlates of depressive symptoms in secondary school children in Dhaka city, Bangladesh. <i>Ethnicity and Health</i> , 2020, 25, 34-46.	1.5	34
29	Run, lift, or both? Associations between concurrent aerobic and muscle strengthening exercise with adverse cardiometabolic biomarkers among Korean adults. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 738-748.	0.8	19
30	Low physical activity and high sedentary behaviour are associated with adolescents' suicidal vulnerability: Evidence from 52 low- and middle-income countries. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1252-1259.	0.7	25
31	Clustering of lifestyle risk factors for non-communicable diseases in 304,779 adolescents from 89 countries: A global perspective. <i>Preventive Medicine</i> , 2020, 131, 105955.	1.6	66
32	Physical activity attitudes among adolescents in Bangladesh. <i>Public Health</i> , 2020, 179, 59-65.	1.4	6
33	Combined Effects of Physical Inactivity and Sedentary Behaviour on Psychological Distress Among University-Based Young Adults: a One-Year Prospective Study. <i>Psychiatric Quarterly</i> , 2020, 91, 191-202.	1.1	15
34	Physical activity and sedentary behaviour in Bangladesh: a systematic scoping review. <i>Public Health</i> , 2020, 179, 147-159.	1.4	12
35	Parental and peer supports are associated with an active lifestyle of adolescents: evidence from a population-based survey. <i>Public Health</i> , 2020, 188, 1-3.	1.4	6
36	Patient characteristics associated with a poor response to non-surgical multidisciplinary management of knee osteoarthritis: a multisite prospective longitudinal study in an advanced practice physiotherapist-led tertiary service. <i>BMJ Open</i> , 2020, 10, e037070.	0.8	4

#	ARTICLE	IF	CITATIONS
37	Cohort profile: why do people keep hurting their back?. BMC Research Notes, 2020, 13, 538.	0.6	8
38	Global Prevalence of Physical Activity, Sedentary Behaviour, and Sleep of Immigrant Children: a Systematic Review. Journal of Racial and Ethnic Health Disparities, 2020, 8, 1364-1376.	1.8	6
39	A multisite longitudinal evaluation of patient characteristics associated with a poor response to non-surgical multidisciplinary management of low back pain in an advanced practice physiotherapist-led tertiary service. BMC Musculoskeletal Disorders, 2020, 21, 807.	0.8	2
40	Prevalence and Clustering Patterns of Pro-Environmental Behaviors among Canadian Households in the Era of Climate Change. Sustainability, 2020, 12, 8218.	1.6	5
41	The prevalence and correlates of fear of falling among older people in Bangladesh. Psychogeriatrics, 2020, 20, 771-773.	0.6	0
42	Parental and Peer Support are Associated with Physical Activity in Adolescents: Evidence from 74 Countries. International Journal of Environmental Research and Public Health, 2020, 17, 4435.	1.2	32
43	Is consumption of fast-food and carbonated soft drink associated with anxiety-induced sleep disturbance among adolescents? A population-based study. Clinical Nutrition ESPEN, 2020, 36, 162-165.	0.5	17
44	Exploring associations of employee reports on safety climate, disability management and labour management with work characteristics and injury at an Australian poultry meat processing plant. Safety Science, 2020, 126, 104659.	2.6	5
45	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	15.2	47
46	Physical education class participation is associated with physical activity among adolescents in 65 countries. Scientific Reports, 2020, 10, 22128.	1.6	26
47	Missing breakfast is associated with overweight and obesity in Bangladeshi adolescents. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 178-179.	0.7	10
48	Sitting time among adolescents across 26 Asia-Pacific countries: a population-based study. International Journal of Public Health, 2019, 64, 1129-1138.	1.0	13
49	Clustering patterns of behavioural risk factors for cardiovascular diseases in Bangladeshi adolescents: A population-based study. Health Policy and Technology, 2019, 8, 386-392.	1.3	13
50	Active commuting to and from school among 106,605 adolescents in 27 Asia-Pacific countries. Journal of Transport and Health, 2019, 15, 100637.	1.1	27
51	Jet fuel exposure and auditory outcomes in Australian air force personnel. BMC Public Health, 2019, 19, 675.	1.2	6
52	Social media use is associated with sleep duration and disturbance among adolescents in Bangladesh. Health Policy and Technology, 2019, 8, 313-315.	1.3	10
53	Knowledge of physical activity guidelines and mental health benefits among Emirati university students. Perspectives in Public Health, 2019, 139, 316-319.	0.8	7
54	Sedentary behaviour is associated with overweight and obesity among adolescents: evidence from a population-based study. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1545-1546.	0.7	5

#	ARTICLE	IF	CITATIONS
55	Recreational physical activity context and type preferences among male and female Emirati university students. <i>International Health</i> , 2019, 11, 507-512.	0.8	16
56	Suicidal ideation, suicide planning, and suicide attempts among adolescents in 59 low-income and middle-income countries: a population-based study. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 223-233.	2.7	156
57	A randomised pilot equivalence trial to evaluate diamagnetically enhanced transdermal delivery of key ground substance components in comparison to an established transdermal non-steroidal anti-inflammatory formulation in males with prior knee injury. <i>PLoS ONE</i> , 2019, 14, e0211999.	1.1	4
58	Promoting physical activity and reducing sedentary behaviour can minimise the risk of suicidal behaviours among adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1163-1164.	0.7	5
59	Fidelity protocol for the Action Success Knowledge (ASK) trial: a psychosocial intervention administered by speech and language therapists to prevent depression in people with post-stroke aphasia. <i>BMJ Open</i> , 2019, 9, e023560.	0.8	12
60	Neuromotor performance in infants before and after early open-heart surgery and risk factors for delayed development at 6 months of age. <i>Cardiology in the Young</i> , 2019, 29, 100-109.	0.4	15
61	Reliability and validity of a self-administered Arabic version of the Global Physical Activity Questionnaire (GPAQ-A). <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 1221-1228.	0.4	9
62	Longitudinal Development of Wideband Absorbance and Admittance Through Infancy. <i>Journal of Speech, Language, and Hearing Research</i> , 2019, 62, 2535-2552.	0.7	6
63	Diagnosing Conductive Dysfunction in Infants Using Wideband Acoustic Immittance: Validation and Development of Predictive Models. <i>Journal of Speech, Language, and Hearing Research</i> , 2019, 62, 3607-3619.	0.7	6
64	Psychometric properties of the Bangla version of the Kessler Psychological Distress Scale (K6). <i>Global Psychiatry</i> , 2019, 2, 183-194.	2.0	4
65	Diagnosing Middle Ear Dysfunction in 10- to 16-Month-Old Infants Using Wideband Absorbance: An Ordinal Prediction Model. <i>Journal of Speech, Language, and Hearing Research</i> , 2019, 62, 2906-2917.	0.7	2
66	Development of a Diagnostic Prediction Model for Conductive Conditions in Neonates Using Wideband Acoustic Immittance. <i>Ear and Hearing</i> , 2018, 39, 1116-1135.	1.0	10
67	Perceived environmental barriers to physical activity in young adults in Dhaka City, Bangladesh—does gender matter?. <i>International Health</i> , 2018, 10, 40-46.	0.8	32
68	The spread of private tutoring in English in developing societies: exploring students' perceptions. <i>Discourse</i> , 2018, 39, 868-886.	1.1	16
69	Results from Bangladesh's 2018 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2018, 15, S318-S319.	1.0	6
70	Muscle-Strengthening Exercise Among 397,423 U.S. Adults: Prevalence, Correlates, and Associations With Health Conditions. <i>American Journal of Preventive Medicine</i> , 2018, 55, 864-874.	1.6	71
71	Indicators of Physical Activity Among Children and Youth in 9 Countries With Low to Medium Human Development Indices: A Global Matrix 3.0 Paper. <i>Journal of Physical Activity and Health</i> , 2018, 15, S274-S283.	1.0	32
72	Global Matrix 3.0 Physical Activity Report Card Grades for Children and Youth: Results and Analysis From 49 Countries. <i>Journal of Physical Activity and Health</i> , 2018, 15, S251-S273.	1.0	511

#	ARTICLE	IF	CITATIONS
73	General health factors may be a barrier to effective non-surgical multidisciplinary rehabilitation of common orthopaedic conditions in tertiary care settings. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 348.	0.8	9
74	Diagnosing Middle Ear Pathology in 6- to 9-Month-Old Infants Using Wideband Absorbance: A Risk Prediction Model. <i>Journal of Speech, Language, and Hearing Research</i> , 2018, 61, 2386-2404.	0.7	5
75	Insufficient physical activity in combination with high screen time is associated with adolescents' psychosocial difficulties. <i>International Health</i> , 2018, 10, 246-251.	0.8	16
76	Australian fitness professionals' level of interest in engaging with high health-risk population subgroups: findings from a national survey. <i>Public Health</i> , 2018, 160, 108-115.	1.4	2
77	The Effect of a Workplace-Based Early Intervention Program on Work-Related Musculoskeletal Compensation Outcomes at a Poultry Meat Processing Plant. <i>Journal of Occupational Rehabilitation</i> , 2017, 27, 24-34.	1.2	5
78	Establishment of cutpoints to categorize the severity of chronic pain using composite ratings with Rasch analysis. <i>European Journal of Pain</i> , 2017, 21, 82-91.	1.4	16
79	Change in receptive vocabulary from childhood to adulthood: associated mental health, education and employment outcomes. <i>International Journal of Language and Communication Disorders</i> , 2017, 52, 561-572.	0.7	24
80	Patterns and correlates of physical activity in adolescents in Dhaka city, Bangladesh. <i>Public Health</i> , 2017, 145, 75-82.	1.4	30
81	Influence of Cognitive Ability on Therapy Outcomes for Anomia in Adults With Chronic Poststroke Aphasia. <i>Journal of Speech, Language, and Hearing Research</i> , 2017, 60, 406-421.	0.7	38
82	Normative Study of Wideband Acoustic Immittance Measures in Newborn Infants. <i>Journal of Speech, Language, and Hearing Research</i> , 2017, 60, 1417-1426.	0.7	13
83	Is physical inactivity associated with depressive symptoms among adolescents with high screen time? Evidence from a developing country. <i>Mental Health and Physical Activity</i> , 2017, 12, 94-99.	0.9	20
84	Audiologist-patient communication profiles in hearing rehabilitation appointments. <i>Patient Education and Counseling</i> , 2017, 100, 1490-1498.	1.0	25
85	The feasibility and acceptability of high-intensity interval training for adults with mental illness: A pilot study. <i>Mental Health and Physical Activity</i> , 2017, 13, 40-48.	0.9	25
86	Contribution of speech and language difficulties to health-related quality-of-life in Australian children: A longitudinal analysis. <i>International Journal of Speech-Language Pathology</i> , 2017, 19, 139-152.	0.6	12
87	Method-comparison studies in telehealth: Study design and analysis considerations. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 797-802.	1.4	12
88	Effectiveness of Mindfulness Intervention in Reducing Stress and Burnout for Mental Health Professionals in Singapore. <i>Explore: the Journal of Science and Healing</i> , 2017, 13, 319-326.	0.4	39
89	Is mindfulness associated with stress and burnout among mental health professionals in Singapore?. <i>Psychology, Health and Medicine</i> , 2017, 22, 673-679.	1.3	18
90	Determinants of Living Well With Aphasia in the First Year Poststroke: A Prospective Cohort Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 235-240.	0.5	44

#	ARTICLE	IF	CITATIONS
91	Gender differences in physical activity motivators and context preferences: a population-based study in people in their sixties. BMC Public Health, 2017, 17, 624.	1.2	127
92	Prevalence and sociodemographic patterns of physical activity among Bangladeshi young adults. Journal of Health, Population and Nutrition, 2017, 36, 31.	0.7	22
93	Rurality and Self-Reported Health in Women with a History of Intimate Partner Violence. PLoS ONE, 2016, 11, e0162380.	1.1	5
94	Evaluation of a Modified User Guide for Hearing Aid Management. Ear and Hearing, 2016, 37, 27-37.	1.0	31
95	Predicting receptive vocabulary change from childhood to adulthood: A birth cohort study. Journal of Communication Disorders, 2016, 64, 78-90.	0.8	7
96	Screen-Based Behaviors of Adolescents in Bangladesh. Journal of Physical Activity and Health, 2016, 13, 1156-1163.	1.0	13
97	A Prospective Randomized Controlled Trial of Nonpharmacological Pain Management During Intravenous Cannulation in a Pediatric Emergency Department. Pediatric Emergency Care, 2016, 32, 444-451.	0.5	27
98	Epidemiology of childhood and adolescent cancer in Bangladesh, 2001â€”2014. BMC Cancer, 2016, 16, 104.	1.1	10
99	Reducing the psychosocial impact of aphasia on mood and quality of life in people with aphasia and the impact of caregiving in family members through the Aphasia Action Success Knowledge (Aphasia ASK) program: study protocol for a randomized controlled trial. Trials, 2016, 17, 153.	0.7	43
100	Speech and Language Difficulties Along with Other Child and Family Factors Associated with Health Related Quality of Life of Australian Children. Applied Research in Quality of Life, 2016, 11, 1379-1397.	1.4	6
101	Work engagement in cancer care: The power of co-worker and supervisor support. European Journal of Oncology Nursing, 2016, 21, 134-138.	0.9	32
102	Wideband Absorbance Outcomes in Newborns. Ear and Hearing, 2015, 36, e237-e250.	1.0	33
103	Parametric analyses of summative scores may lead to conflicting inferences when comparing groups: A simulation study. Journal of Rehabilitation Medicine, 2015, 47, 300-304.	0.8	4
104	Stress and burnout among healthcare professionals working in a mental health setting in Singapore. Asian Journal of Psychiatry, 2015, 15, 15-20.	0.9	46
105	Recovery experience and burnout in cancer workers in Queensland. European Journal of Oncology Nursing, 2015, 19, 23-28.	0.9	19
106	The effects of scientific representations on primary studentsâ€™ development of scientific discourse and conceptual understandings during cooperative contemporary inquiry-science. Cambridge Journal of Education, 2015, 45, 427-449.	1.6	14
107	Randomized controlled trial of three burns dressings for partial thickness burns in children. Burns, 2015, 41, 946-955.	1.1	64
108	Voice problems in the fitness industry: Factors associated with chronic hoarseness. International Journal of Speech-Language Pathology, 2015, 17, 441-450.	0.6	16

#	ARTICLE	IF	CITATIONS
109	Sexual history taking in general practice: managing sexually transmitted infections for female sex workers by doctors and assistant doctors in Vietnam. <i>International Journal of STD and AIDS</i> , 2015, 26, 55-64.	0.5	7
110	Paediatric cochlear implantation: Adverse prognostic factors and trends from a review of 174 cases. <i>Cochlear Implants International</i> , 2014, 15, 62-77.	0.5	34
111	Physicians's perceived barriers to management of sexually transmitted infections in Vietnam. <i>BMC Public Health</i> , 2014, 14, 1133.	1.2	6
112	An investigation of factors that influence help-seeking for hearing impairment in older adults. <i>International Journal of Audiology</i> , 2014, 53, S3-S17.	0.9	122
113	What Is Important for Hearing Aid Satisfaction? Application of the Expectancy-Disconfirmation Model. <i>Journal of the American Academy of Audiology</i> , 2014, 25, 644-655.	0.4	10
114	Exploring the relationship between technology use, hearing help-seeking, and hearing aid outcomes in older adults. <i>International Journal of Audiology</i> , 2014, 53, S38-S42.	0.9	9
115	Burnout and Work Engagement in Occupational Therapists. <i>British Journal of Occupational Therapy</i> , 2014, 77, 156-164.	0.5	46
116	A new look at the construct validity of the K6 using Rasch analysis. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-8.	1.1	17
117	Factors associated with success with hearing aids in older adults. <i>International Journal of Audiology</i> , 2014, 53, S18-S27.	0.9	201
118	A workplace exercise versus health promotion intervention to prevent and reduce the economic and personal burden of non-specific neck pain in office personnel: protocol of a cluster-randomised controlled trial. <i>Journal of Physiotherapy</i> , 2014, 60, 233.	0.7	22
119	Commentary to: A workplace exercise versus health promotion intervention to prevent and reduce the economic and personal burden of non-specific neck pain in office personnel: protocol of a cluster-randomised controlled trial. <i>Journal of Physiotherapy</i> , 2014, 60, 233.	0.7	4
120	Predictors of prescribed medication use for depression, anxiety, stress, and sleep problems in mid-aged Australian women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1835-1847.	1.6	10
121	The Influence of Urban Form and Family Decision Making on Children's Travel to School. <i>Journal of Urban Design</i> , 2013, 18, 363-382.	0.6	18
122	A new method of interpreting the centre of gravity location using the modified Clinical Test of Sensory Interaction on Balance: A reliability study. <i>Hong Kong Physiotherapy Journal</i> , 2013, 31, 64-68.	0.3	3
123	Normative wideband reflectance measures in healthy neonates. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 29-35.	0.4	26
124	Health-related predictors of falls and fractures in women over 40. <i>Osteoporosis International</i> , 2013, 24, 613-621.	1.3	22
125	Comparative Responsiveness of Verbal and Numerical Rating Scales to Measure Pain Intensity in Patients With Chronic Pain. <i>Journal of Pain</i> , 2013, 14, 1653-1662.	0.7	73
126	Rasch-based scoring offered more precision in differentiating patient groups in measuring upper limb function. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 681-687.	2.4	37

#	ARTICLE	IF	CITATIONS
127	What physical activity contexts do adults with psychological distress prefer?. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 417-421.	0.6	20
128	Which Risk Factors Predict Postnatal Hearing Loss in Children?. <i>Journal of the American Academy of Audiology</i> , 2013, 24, 205-213.	0.4	23
129	Effect of Corticosteroid Injection, Physiotherapy, or Both on Clinical Outcomes in Patients With Unilateral Lateral Epicondylalgia. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 461.	3.8	281
130	How, where and with whom? Physical activity context preferences of three adult groups at risk of inactivity. <i>British Journal of Sports Medicine</i> , 2012, 46, 1125-1131.	3.1	81
131	High-Frequency Pure-Tone Audiometry in Children: A Test-Retest Reliability Study Relative to Ototoxic Criteria. <i>Ear and Hearing</i> , 2012, 33, 104-111.	1.0	40
132	Identifying Factors Associated With Perceived Success in the Transition From Hospital to Home After Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2012, 27, 143-153.	1.0	41
133	The association between sedentary leisure and physical activity in middle-aged adults. <i>British Journal of Sports Medicine</i> , 2012, 46, 747-752.	3.1	31
134	Work-Life Factors and Cardiovascular Disease in Paediatric Occupational Therapists. <i>British Journal of Occupational Therapy</i> , 2012, 75, 237-243.	0.5	5
135	Factors associated with subjective well-being in cancer workers in Queensland. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2012, 56, 347-353.	0.9	14
136	Feedback interventions for improving self-awareness after brain injury: A protocol for a pragmatic randomised controlled trial. <i>Australian Occupational Therapy Journal</i> , 2012, 59, 138-146.	0.6	13
137	Goal-directed outpatient rehabilitation following TBI: A pilot study of programme effectiveness and comparison of outcomes in home and day hospital settings. <i>Brain Injury</i> , 2011, 25, 1114-1125.	0.6	39
138	A brief questionnaire is able to measure population physical activity levels accurately: A comparative validation study. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011, 2, 83-87.	0.7	8
139	Statistical modelling of falls count data with excess zeros. <i>Injury Prevention</i> , 2011, 17, 266-270.	1.2	29
140	Work engagement in cancer workers in Queensland: The flip side of burnout. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2011, 55, 425-432.	0.9	35
141	Investigation of the Actions Taken by Adults Who Failed a Telephone-Based Hearing Screen. <i>Ear and Hearing</i> , 2011, 32, 720-731.	1.0	41
142	Does Attitude Matter in Computer Use in Australian General Practice? A Zero-Inflated Poisson Regression Analysis. <i>Health Information Management Journal</i> , 2011, 40, 23-29.	0.9	5
143	Incidence and Predictive Factors for Dysphagia After Thermal Burn Injury: A Prospective Cohort Study. <i>Journal of Burn Care and Research</i> , 2011, 32, 608-616.	0.2	25
144	The Relationship between Adult Attachment Styles and Work-Related Self-Perceptions for Australian Paediatric Occupational Therapists. <i>British Journal of Occupational Therapy</i> , 2011, 74, 160-167.	0.5	11

#	ARTICLE	IF	CITATIONS
145	Fundamental movement skills and self-concept of children who are overweight. <i>Pediatric Obesity</i> , 2011, 6, e464-e471.	3.2	40
146	Early Intervention Services for Children With Physical Disability. <i>Infants and Young Children</i> , 2011, 24, 364-382.	0.5	16
147	The CHAPS, SIFTER, and TAPSâ€R as Predictors of (C)AP Skills and (C)APD. <i>Journal of Speech, Language, and Hearing Research</i> , 2011, 54, 278-291.	0.7	45
148	Does performance in progressive assessment influence the outcome in final examination? An Australian experience. <i>Educational Assessment, Evaluation and Accountability</i> , 2010, 22, 293-305.	1.3	5
149	A randomised controlled study examining the short-term effects of Strainâ€Counterstrain treatment on quantitative sensory measures at digitally tender points in the low back. <i>Manual Therapy</i> , 2010, 15, 536-541.	1.6	21
150	Test-Retest Reliability of the GAPP Functional Capacity Evaluation in Healthy Adults. <i>Canadian Journal of Occupational Therapy</i> , 2010, 77, 38-47.	0.8	1
151	Children with Minimal Conductive Hearing Impairment: Speech Comprehension in Noise. <i>Audiology and Neuro-Otology</i> , 2010, 15, 27-35.	0.6	27
152	Factors associated with hearing aid fitting outcomes on the IOI-HA. <i>International Journal of Audiology</i> , 2010, 49, 586-595.	0.9	64
153	High Frequency (1000 HZ) Tympanometry Findings in Newborns: Normative Data Using a Component Compensated Admittance Approach. <i>Australian and New Zealand Journal of Audiology</i> , 2009, 31, 15-24.	0.4	10
154	Why bother to â€downshiftâ€™? The characteristics and satisfaction of downshifter in the Brisbane-South East Queensland region, Australia. <i>Journal of Population Research</i> , 2009, 26, 51-72.	0.6	18
155	Private Tutoring in English for Secondary School Students in Bangladesh. <i>TESOL Quarterly</i> , 2009, 43, 281-308.	1.5	112
156	Promoting reasoned argumentation, problemâ€solving and learning during smallâ€group work. <i>Cambridge Journal of Education</i> , 2009, 39, 7-27.	1.6	79
157	General practice management of psychological distress in patients with sexually transmissible infection. <i>Australian Journal of Primary Health</i> , 2009, 15, 17.	0.4	1
158	The effects of teacher discourse on studentsâ€™ discourse, problem-solving and reasoning during cooperative learning. <i>International Journal of Educational Research</i> , 2008, 47, 323-340.	1.2	58
159	Australian Women Seeking Counseling Have Higher Use Of Health Services. <i>Women's Health Issues</i> , 2008, 18, 399-405.	0.9	1
160	Does physician bias affect the quality of care they deliver? Evidence in the care of sexually transmitted infections. <i>Sexually Transmitted Infections</i> , 2008, 84, 150-151.	0.8	57
161	Australian women who seek counselling: Psychosocial, health behaviour, and demographic profile. <i>Counselling and Psychotherapy Research</i> , 2008, 8, 12-20.	1.7	7
162	Preventing sexually transmissible infections in Australian general practice. <i>International Journal of STD and AIDS</i> , 2008, 19, 459-463.	0.5	6

#	ARTICLE	IF	CITATIONS
163	Are printed sexually transmissible infection materials for patients appropriate? A physician perspective. <i>Sexual Health</i> , 2008, 5, 307.	0.4	2
164	Sexual risk assessment in general practice: evidence from a New South Wales survey. <i>Sexual Health</i> , 2007, 4, 1.	0.4	22
165	Are Specialist Breast Nurses Available to Australian Women With Breast Cancer?. <i>Cancer Nursing</i> , 2006, 29, 43-48.	0.7	16
166	Willingness to offer chlamydia testing in general practice in New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 226-230.	0.8	14
167	Correlates of sexually transmitted infections in young Australian women. <i>International Journal of STD and AIDS</i> , 2005, 16, 482-487.	0.5	27
168	Method: Factors associated with bulk billing: experience from a general practitioners' survey in New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 2004, 28, 135-139.	0.8	8
169	ORAL CONTRACEPTIVE NON-COMPLIANCE IN RURAL BANGLADESH. <i>Journal of Biosocial Science</i> , 2004, 36, 647-661.	0.5	2
170	Too many surveys! Eliciting the views of general practitioners for not participating in postal surveys. <i>Australian Journal of Primary Health</i> , 2004, 10, 76.	0.4	15
171	An evidence-based specialist breast nurse role in practice: a multicentre implementation study. <i>European Journal of Cancer Care</i> , 2003, 12, 91-97.	0.7	29
172	Alcohol and drug use in Australian male sex workers: Its relationship to the safety outcome of the sex encounter. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2003, 15, 549-561.	0.6	29
173	Factors associated with oral contraceptive discontinuation in rural Bangladesh. <i>Health Policy and Planning</i> , 2003, 18, 101-108.	1.0	24
174	Inconsistent use of oral contraceptives in rural Bangladesh. <i>Contraception</i> , 2002, 65, 429-433.	0.8	9
175	Side effects and oral contraceptive discontinuation in rural Bangladesh. <i>Contraception</i> , 2001, 64, 161-167.	0.8	24
176	Do adolescent girls in Bangladesh know about AIDS?. <i>International Journal of STD and AIDS</i> , 2001, 12, 540-541.	0.5	1
177	Influence of son preference on contraceptive use in Bangladesh. <i>Asia-Pacific Population Journal</i> , 2000, 15, 43-56.	0.7	18
178	Iodine deficiency disorders in Bangladesh. <i>Indian Journal of Pediatrics</i> , 1996, 63, 105-110.	0.3	14
179	Current status of iodine-deficiency disorders in Bangladesh. <i>Lancet, The</i> , 1994, 343, 1367-1368.	6.3	6