

Ingvild Bruun Mikalsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9188674/publications.pdf>

Version: 2024-02-01

18
papers

318
citations

1163117

8
h-index

888059

17
g-index

18
all docs

18
docs citations

18
times ranked

509
citing authors

#	ARTICLE	IF	CITATIONS
1	High flow nasal cannula in children: a literature review. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016, 24, 93.	2.6	125
2	The outcome after severe bronchiolitis is related to gender and virus. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 391-398.	2.6	58
3	Tracking of lung function from 10 to 35 years after being born extremely preterm or with extremely low birth weight. <i>Thorax</i> , 2022, 77, 790-798.	5.6	23
4	Severe bronchiolitis in infancy: Can asthma in adolescence be predicted?. <i>Pediatric Pulmonology</i> , 2013, 48, 538-544.	2.0	17
5	The associations between weight-related anthropometrics during childhood and lung function in late childhood: a retrospective cohort study. <i>BMC Pulmonary Medicine</i> , 2018, 18, 10.	2.0	15
6	Vortex Whistle and Smart Phone Application for Peak Flow Recordings in Asthmatic Children: A Feasibility Study. <i>Telemedicine Journal and E-Health</i> , 2019, 25, 1077-1082.	2.8	11
7	Decline in admissions for childhood asthma, a 26-year period population-based study. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 750-755.	2.6	10
8	Lung function and bronchial hyperresponsiveness from 11 to 18 years in children with bronchiolitis in infancy. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 57-65.	2.6	10
9	Asthma, atopy and lung function in young adults after hospitalisation for bronchiolitis in infancy: impact of virus and sex. <i>BMJ Open Respiratory Research</i> , 2022, 9, e001095.	3.0	9
10	Prescription patterns of inhaled corticosteroids for preschool children – A Norwegian register study. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 655-661.	2.6	7
11	Exhaled nitric oxide is related to atopy, but not asthma in adolescents with bronchiolitis in infancy. <i>BMC Pulmonary Medicine</i> , 2013, 13, 66.	2.0	6
12	Blood eosinophil counts during bronchiolitis are related to bronchial hyperresponsiveness and lung function in early adolescence. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 86-92.	1.5	6
13	Airway symptoms and atopy in young children prescribed asthma medications: A large-scale cohort study. <i>Pediatric Pulmonology</i> , 2019, 54, 1557-1566.	2.0	5
14	Adipokines in adolescence; the associations with lung function and atopy – A cross-sectional study. <i>Respiratory Medicine</i> , 2020, 170, 106063.	2.9	5
15	Prevalence of long-term mechanical insufflation-exsufflation in children with neurological conditions: a population-based study. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 537-544.	2.1	5
16	Half of children with recurrent or chronic wet cough before three years of age were symptom-free by age seven. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 2664-2670.	1.5	4
17	Early life growth and associations with lung function and bronchial hyperresponsiveness at 11-years of age. <i>Respiratory Medicine</i> , 2021, 177, 106305.	2.9	2
18	Reply to Korppi and Riihonen. <i>Pediatric Allergy and Immunology</i> , 2020, 31, 720-721.	2.6	0