

Yoon-Kyung Chang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9188833/publications.pdf>

Version: 2024-02-01

41
papers

302
citations

933447

10
h-index

940533

16
g-index

42
all docs

42
docs citations

42
times ranked

545
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Urine-Derived Stem Cell-Secreted Klotho Plays a Crucial Role in the HK-2 Fibrosis Model by Inhibiting the TGF- β Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5012. | 4.1 | 6 |
| 2 | Seroprevalence of <i>Toxoplasma gondii</i> assayed using Rapid Diagnostic Tests among Residents in Three Counties Adjacent to The Demilitarized Zone, Korea. <i>Korean Journal of Parasitology</i> , 2021, 59, 9-14. | 1.3 | 0 |
| 3 | Impact of acute kidney injury in deceased donors with high Kidney Donor Profile Index on posttransplant clinical outcomes: a multicenter cohort study. <i>Kidney Research and Clinical Practice</i> , 2021, 40, 162-174. | 2.2 | 3 |
| 4 | The Serum Uric Acid Level Is Related to the More Severe Renal Histopathology of Female IgA Nephropathy Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 1885. | 2.4 | 6 |
| 5 | Mitochondrial Dysfunction in Podocytes Caused by CRIF1 Deficiency Leads to Progressive Albuminuria and Glomerular Sclerosis in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4827. | 4.1 | 11 |
| 6 | MO631XANTHINE OXIDASE INHIBITOR AMELIORATES HIGH GLUCOSE-INDUCED OXIDATIVE STRESS BY ACTIVATING AMPK VIA THE ACTIVATION OF PURINE SALVAGE PATHWAY IN GLOMERULAR ENDOTHELIAL CELLS. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, . | 0.7 | 0 |
| 7 | MO629XANTHINE OXIDASE INHIBITOR ATTENUATES RENAL OXIDATIVE STRESS AND ENDOTHELIAL DYSFUNCTION THROUGH THE INHIBITION OF VEGF-NADPH OXIDASES IN DIABETIC NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, . | 0.7 | 0 |
| 8 | Clusters of Toxoplasmosis in Ganghwa-gun, Cheorwon-gun, and Goseong-gun, Korea. <i>Korean Journal of Parasitology</i> , 2021, 59, 251-256. | 1.3 | 1 |
| 9 | Effect of Renamezin upon attenuation of renal function decline in pre-dialysis chronic kidney disease patients: 24-week prospective observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0252186. | 2.5 | 1 |
| 10 | Analyzing Genetic Differences Between Sporadic Primary and Secondary/Tertiary Hyperparathyroidism by Targeted Next-Generation Panel Sequencing. <i>Endocrine Pathology</i> , 2021, 32, 501-512. | 9.0 | 3 |
| 11 | Hypertriglyceridemia Is Associated with More Severe Histological Glomerulosclerosis in IgA Nephropathy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4236. | 2.4 | 4 |
| 12 | Renal Outcome of IgM Nephropathy: A Comparative Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4191. | 2.4 | 2 |
| 13 | The Impact of Obesity on the Severity of Clinicopathologic Parameters in Patients with IgA Nephropathy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2824. | 2.4 | 11 |
| 14 | Low parathyroid hormone level predicts infection-related mortality in incident dialysis patients: a prospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 160-170. | 1.7 | 16 |
| 15 | Cluster of Parasite Infections by the Spatial Scan Analysis in Korea. <i>Korean Journal of Parasitology</i> , 2020, 58, 603-608. | 1.3 | 0 |
| 16 | Clinical outcomes of infection-related hospitalization in incident peritoneal dialysis patients. <i>Kidney Research and Clinical Practice</i> , 2020, 39, 460-468. | 2.2 | 4 |
| 17 | Clusters of Toxoplasmosis in Gyodong-Myeon and Samsan-Myeon, Ganghwa-Gun, Korea. <i>Korean Journal of Parasitology</i> , 2020, 58, 493-497. | 1.3 | 0 |
| 18 | Inhibition of xanthine oxidoreductase protects against contrast-induced renal tubular injury by activating adenosine monophosphate-activated protein kinase. <i>Free Radical Biology and Medicine</i> , 2019, 145, 209-220. | 2.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Effect of Strict Volume Control Assessed by Repeated Bioimpedance Spectroscopy on Cardiac Function in Peritoneal Dialysis Patients. <i>Scientific Reports</i> , 2019, 9, 17679. | 3.3 | 9 |
| 20 | Clinical outcomes and effects of treatment in older patients with idiopathic membranous nephropathy. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 1091-1099. | 1.7 | 12 |
| 21 | FP234OMEGA-3 FATTY ACIDS PROTECT AGAINST CISPLATIN INDUCED KIDNEY INJURY VIA ENHANCEMENT OF AUTOPHAGY FLUX. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i108-i108. | 0.7 | 0 |
| 22 | FP031COLLECTING DUCT CELL SPECIFIC MITOCHONDRIAL DYSFUNCTION AGGRAVATES THE INFLAMMATION AND FIBROSIS IN UUO MICE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i58-i58. | 0.7 | 0 |
| 23 | Vascular calcification and left ventricular hypertrophy in hemodialysis patients: interrelationship and clinical impacts. <i>International Journal of Medical Sciences</i> , 2018, 15, 557-563. | 2.5 | 14 |
| 24 | Bilateral perirenal extraadrenal myelolipoma in a haemodialysis patient. <i>Nephrology</i> , 2018, 23, 604-605. | 1.6 | 0 |
| 25 | Retinopathy and left ventricular hypertrophy in patients with chronic kidney disease: Interrelationship and impact on clinical outcomes. <i>International Journal of Cardiology</i> , 2017, 249, 372-376. | 1.7 | 5 |
| 26 | ERK phosphorylation plays an important role in the protection afforded by hypothermia against renal ischemia-reperfusion injury. <i>Surgery</i> , 2017, 161, 444-452. | 1.9 | 24 |
| 27 | Serum 1,25-dihydroxyvitamin D Better Reflects Renal Parameters Than 25-hydroxyvitamin D in Patients with Glomerular Diseases. <i>International Journal of Medical Sciences</i> , 2017, 14, 1080-1087. | 2.5 | 5 |
| 28 | Paricalcitol Pretreatment Attenuates Renal Ischemia-Reperfusion Injury via Prostaglandin E ₂ Receptor EP4 Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 1-17. | 4.0 | 11 |
| 29 | Transitional cell carcinoma involving graft kidney in a kidney transplant recipient: a case report. <i>BMC Nephrology</i> , 2017, 18, 299. | 1.8 | 7 |
| 30 | Paricalcitol attenuates lipopolysaccharide-induced inflammation and apoptosis in proximal tubular cells through the prostaglandin E2 receptor EP4. <i>Kidney Research and Clinical Practice</i> , 2017, 36, 145-158. | 2.2 | 11 |
| 31 | Asymptomatic Common Iliac Artery Stenosis as a Cause of Renal Allograft Dysfunction and Uncontrolled Hypertension. <i>The Journal of the Korean Society for Transplantation</i> , 2016, 30, 133. | 0.2 | 0 |
| 32 | Overhydration Negatively Affects Quality of Life in Peritoneal Dialysis Patients: Evidence from a Prospective Observational Study. <i>International Journal of Medical Sciences</i> , 2016, 13, 686-695. | 2.5 | 19 |
| 33 | Vascular calcification and intradialytic hypotension in hemodialysis patients: Clinical relevance and impact on morbidity and mortality. <i>International Journal of Cardiology</i> , 2016, 217, 156-160. | 1.7 | 13 |
| 34 | â€˜Rareâ€™™ manifestation of â€˜rareâ€™™ disease: sarcoidosis presenting as pancreatitis, duodenal ulcer and severe acute kidney injury. <i>International Urology and Nephrology</i> , 2016, 48, 2115-2117. | 1.4 | 2 |
| 35 | Urachal abscess precipitated as acute pyelonephritis in an adult patient with diabetes. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 798-801. | 1.7 | 1 |
| 36 | Concomitant inhibition of renin angiotensin system and Toll-like receptor 2 attenuates renal injury in unilateral ureteral obstructed mice. <i>Korean Journal of Internal Medicine</i> , 2016, 31, 323-334. | 1.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | FP202PARICALCITOL PRETREATMENT ATTENUATES APOPTOSIS AND INFLAMMATION IN RENAL ISCHEMIA-REPERFUSION INJURY VIA PROSTAGLANDIN E2 RECEPTOR EP4. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii134-iii135. | 0.7 | 0 |
| 38 | Diabetes retinopathy is a poor predictor for renal and cardiovascular outcomes in comparison with hypertensive retinopathy in patients with chronic kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 312-318. | 2.8 | 3 |
| 39 | Benefits of a Continuous Ambulatory Peritoneal Dialysis (CAPD) Technique with One Icodextrin-Containing and Two Biocompatible Glucose-Containing Dialysates for Preservation of Residual Renal Function and Biocompatibility in Incident CAPD Patients. <i>Journal of Korean Medical Science</i> , 2014, 29, 1217. | 2.5 | 9 |
| 40 | Unresolved Subclinical Hypothyroidism is Independently Associated with Progression of Chronic Kidney Disease. <i>International Journal of Medical Sciences</i> , 2014, 11, 52-59. | 2.5 | 13 |
| 41 | The efficacy of non-carbapenem antibiotics for the treatment of community-onset acute pyelonephritis due to extended-spectrum β -lactamase-producing <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 2848-2856. | 3.0 | 53 |