
## Takashi Iida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9189522/publications.pdf Version: 2024-02-01



Τλκλεμι Ιισλ

| #  | Article  | IF                | CITATIONS |
|----|--|-------------------|-----------|
| 1  | Bile acid biosynthesis in Smith-Lemli-Opitz syndrome bypassing cholesterol: Potential importance of pathway intermediates. Journal of Steroid Biochemistry and Molecular Biology, 2021, 206, 105794.   | 2.5               | 12        |
| 2  | Bile Acid Synthesis Disorders in Japan: Long-Term Outcome and Chenodeoxycholic Acid Treatment.<br>Digestive Diseases and Sciences, 2021, 66, 3885-3892.  | 2.3               | 8         |
| 3  | Human-specific dual regulations of FXR-activation for reduction of fatty liver using <i>in<br/>vitro</i> cell culture model. Journal of Clinical Biochemistry and Nutrition, 2019, 64, 112-123.  | 1.4               | 9         |
| 4  | Solvent-Free Synthesis of 2-Alkylbenzothiazoles and Bile Acid Derivatives Containing Benzothiazole<br>Ring by Using Active Carbon/Silica Gel and Microwave. Journal of Oleo Science, 2018, 67, 1209-1217.  | 1.4               | 5         |
| 5  | Transition of Urinary Ursodeoxycholic Acid 7β-N-acetylglucosaminide and 3α-sulfate from Neonates to<br>Adolescents Using LC/ESI-MS/MS Analysis. The Showa University Journal of Medical Sciences, 2017, 29,<br>391-402.  | 0.1               | 1         |
| 6  | Rifaximin Exerts Beneficial Effects Independent of its Ability to Alter Microbiota Composition. Clinical and Translational Gastroenterology, 2016, 7, e187.  | 2.5               | 75        |
| 7  | Two Major Bile Acids in the Hornbills, (24 <i>R</i> ,25 <i>S</i> )â€3α,7α,24â€Trihydroxyâ€5βâ€cholestanâ€27â€<br>and Its 12αâ€Hydroxy Derivative. Lipids, 2016, 51, 757-768.   | oyl Taurin<br>1.7 | e<br>1    |
| 8  | Bile Acids Protect Expanding Hematopoietic Stem Cells from Unfolded Protein Stress in Fetal Liver.<br>Cell Stem Cell, 2016, 18, 522-532.   | 11.1              | 81        |
| 9  | Novel, major 2α- and 2β-hydroxy bile alcohols and bile acids in the bile of Arapaima gigas, a large South<br>American river fish. Steroids, 2016, 107, 112-120.  | 1.8               | 0         |
| 10 | Focused metabolomics using liquid chromatography/electrospray ionization tandem mass<br>spectrometry for analysis of urinary conjugated cholesterol metabolites from patients with<br>Niemann–Pick disease type C and 3β-hydroxysteroid dehydrogenase deficiency. Annals of Clinical<br>Biochemistry, 2015, 52, 576-587. | 1.6               | 22        |
| 11 | Bile Acids Protect Expanding Hematopoietic Stem Cells from Unfolded Protein Stress in Fetal Liver.<br>Blood, 2015, 126, 897-897.   | 1.4               | 0         |
| 12 | Tandem mass spectrometric characterization of bile acids and steroid conjugates based on low-energy collision-induced dissociation. Steroids, 2014, 80, 80-91.   | 1.8               | 39        |
| 13 | Origin of myofibroblasts in the fibrotic liver in mice. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E3297-305.   | 7.1               | 414       |
| 14 | Regioselective dehydrogenation of 3-keto-steroids to form conjugated enones using o-iodoxybenzoic acid and trifluoroacetic acid catalysis. Chemistry and Physics of Lipids, 2014, 178, 45-51.  | 3.2               | 11        |
| 15 | Simultaneous determination of 18 tetrahydrocorticosteroid sulfates in human urine by liquid chromatography/electrospray ionization-tandem mass spectrometry. Steroids, 2014, 85, 18-29.  | 1.8               | 12        |
| 16 | N-Methyltaurine N-acyl amidated bile acids and deoxycholic acid in the bile of angelfish<br>(Pomacanthidae): A novel bile acid profile in Perciform fish. Steroids, 2014, 80, 15-23.   | 1.8               | 6         |
| 17 | LC/ESI-MS/MS analysis of urinary 3β-sulfooxy-7β-N-acetylglucosaminyl-5-cholen-24-oic acid and its amides:<br>New biomarkers for the detection of Niemann–Pick type C disease. Steroids, 2013, 78, 967-972.   | 1.8               | 53        |
| 18 | Chemical synthesis of the 17-propanamide derivatives of stereoisomeric Δ14-17α- and 17β-estradiols:<br>potential 17β-hydroxysteroid dehydrogenase inhibitors. Chemistry and Physics of Lipids, 2011, 164,<br>106-112.  | 3.2               | 2         |

Τακάςηι lida

| #  | Article   | IF        | CITATIONS |
|----|---|-----------|-----------|
| 19 | Human Multidrug Resistance Protein 2 (MRP2/ABCC2) transports 3α, 6α, 7α, 12αâ€(OH) 4 â€5βâ€cholyl tauri<br>(6αâ€OHâ€TC). FASEB Journal, 2009, 23, 747.2.  | ne<br>0.5 | 0         |
| 20 | Regioselective Oxyfunctionalization of Unactivated Carbons in Steroids by a Model of Cytochrome<br>P-450:Â Osmiumporphyrin Complex/tert-Butyl Hydroperoxide System. Journal of Organic Chemistry,<br>2007, 72, 823-830.   | 3.2       | 36        |
| 21 | Osmiumporphyrin-Catalyzed Oxyfunctionalization and Isomerization of Natural (5β)-Bile Acids<br>withtert-Butyl Hydroperoxide. European Journal of Organic Chemistry, 2007, 2007, 3555-3563.  | 2.4       | 19        |
| 22 | Chemical synthesis of the 3-sulfooxy-7-N-acetylglucosaminyl-24-amidated conjugates of<br>3β,7β-dihydroxy-5-cholen-24-oic acid, and related compounds: Unusual, major metabolites of bile acid in a<br>patient with Niemann-Pick disease type C1. Steroids, 2006, 71, 18-29. | 1.8       | 42        |
| 23 | Chemical synthesis of 24-β-d-galactopyranosides of bile acids: a new type of bile acid conjugates in human urine. Chemistry and Physics of Lipids, 2005, 134, 141-150.  | 3.2       | 10        |
| 24 | Identification of a novel conjugate in human urine: bile acid acyl galactosides. Steroids, 2005, 70,<br>185-192.  | 1.8       | 29        |
| 25 | Biomimetic oxidation of unactivated carbons in steroids by a model of cytochrome P-450, oxorutheniumporphyrinate complex. Lipids, 2004, 39, 873-880.  | 1.7       | 13        |
| 26 | Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization. Journal of Chromatography A, 2004, 1057, 171-176.  | 3.7       | 5         |
| 27 | Functionalization of unactivated carbons in 3α,6- and 3α,24-dihydroxy-5β-cholane derivatives by<br>dimethyldioxirane. Lipids, 2003, 38, 281-287.  | 1.7       | 9         |
| 28 | 1H and13C NMR signal assignments of carboxyl-linked glucosides of bile acids. Magnetic Resonance in Chemistry, 2003, 41, 260-264.   | 1.9       | 6         |
| 29 | An Improved Method for the Capillary Gas Chromatographic Derivatization of Polyhydroxylated Steroids Having tert-Hydroxyl Groups. Analytical Sciences, 2003, 19, 1317-1321.   | 1.6       | 1         |
| 30 | Potential bile acid metabolites. 24. An efficient synthesis of carboxyl-linked glucosides and their chemical properties. Lipids, 2002, 37, 101-110.   | 1.7       | 16        |
| 31 | A highly efficient, stereoselective oxyfunctionalization of unactivated carbons in steroids with dimethyldioxiraneâ€. Journal of the Chemical Society, Perkin Transactions 1, 2001, , 2229-2236.  | 1.3       | 25        |
| 32 | Structural Aspects of Bile Acids Involved in the Regulation of Cholesterol 7alpha-Hydroxylase and<br>Sterol 27-Hydroxylase. FEBS Journal, 1995, 228, 596-604.   | 0.2       | 19        |
| 33 | NMR Studies on Natural Products. V Journal of Japan Oil Chemists Society, 1978, 27, 390-393.  | 0.1       | 1         |