

# Antti T Poso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9190363/publications.pdf>

Version: 2024-02-01

192  
papers

5,577  
citations

70961

41  
h-index

133063

59  
g-index

202  
all docs

202  
docs citations

202  
times ranked

7108  
citing authors

#	ARTICLE	IF	CITATIONS
1	SARS-COV-2 M <sup>pro</sup> conformational changes induced by covalently bound ligands. <i>Journal of Biomolecular Structure and Dynamics</i> , 2022, 40, 12347-12357.	2.0	15
2	A new porphyrin as selective substrate-based inhibitor of breast cancer resistance protein (BCRP/ABCG2). <i>Chemico-Biological Interactions</i> , 2022, 351, 109718.	1.7	4
3	Inhibition of prolyl oligopeptidase: A promising pathway to prevent the progression of age-related macular degeneration. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112501.	2.5	3
4	WaterMap-Guided Structure-Based Virtual Screening for Acetylcholinesterase Inhibitors. <i>ChemMedChem</i> , 2022, 17, .	1.6	5
5	Synthesis and evaluation of 1,2,3-dithiazole inhibitors of the nucleocapsid protein of feline immunodeficiency virus (FIV) as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry</i> , 2022, 68, 116834.	1.4	2
6	Small-Molecule Thioesters as SARS-CoV-2 Main Protease Inhibitors: Enzyme Inhibition, Structure-Activity Relationships, Antiviral Activity, and X-ray Structure Determination. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 9376-9395.	2.9	35
7	Inhibitor induced conformational changes in SARS-COV-2 papain-like protease. <i>Scientific Reports</i> , 2022, 12, .	1.6	5
8	LXR $\beta$ activation and Raf inhibition trigger lethal lipotoxicity in liver cancer. <i>Nature Cancer</i> , 2021, 2, 201-217.	5.7	27
9	Structural Characterization of LsrK as a Quorum Sensing Target and a Comparison between X-ray and Homology Models. <i>Journal of Chemical Information and Modeling</i> , 2021, 61, 1346-1353.	2.5	4
10	Deep Learning in Drug Target Interaction Prediction: Current and Future Perspectives. <i>Current Medicinal Chemistry</i> , 2021, 28, 2100-2113.	1.2	43
11	<i>In Vitro</i> Identification and <i>In Vivo</i> Confirmation of Inhibitors for <i>Sweet Potato Chlorotic Stunt Virus</i> RNA Silencing Suppressor, a Viral RNase III. <i>Journal of Virology</i> , 2021, 95, .	1.5	3
12	Ligand Accessibility Insights to the Dengue Virus NS3-NS2B Protease Assessed by Long-Timescale Molecular Dynamics Simulations. <i>ChemMedChem</i> , 2021, 16, 2524-2534.	1.6	12
13	Tetrahydroquinoline/4,5-dihydroisoxazole Molecular Hybrids as Inhibitors of Breast Cancer Resistance Protein (BCRP/ABCG2). <i>ChemMedChem</i> , 2021, 16, 2686-2694.	1.6	6
14	Docking-Based 3D-QSAR Studies for 1,3,4-oxadiazol-2-one Derivatives as FAAH Inhibitors. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6108.	1.8	9
15	Structure-Based Design of Selective Salt-Inducible Kinase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 8142-8160.	2.9	28
16	Molecular characteristics supporting l-Type amino acid transporter 1 (LAT1)-mediated translocation. <i>Bioorganic Chemistry</i> , 2021, 112, 104921.	2.0	7
17	The Future of Medicinal Chemistry, PROTAC, and Undruggable Drug Targets. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 10680-10681.	2.9	16
18	Targeting extracellular and juxtamembrane FGFR2 mutations in chemotherapy-refractory cholangiocarcinoma. <i>Npj Precision Oncology</i> , 2021, 5, 80.	2.3	10

#	ARTICLE	IF	CITATIONS
19	Neurosteroids: Structure-Uptake Relationships and Computational Modeling of Organic Anion Transporting Polypeptides (OATP)1A2. <i>Molecules</i> , 2021, 26, 5662.	1.7	6
20	Virus structure and structure-based antivirals. <i>Current Opinion in Virology</i> , 2021, 51, 16-24.	2.6	9
21	Potent Inhibitor of Human Trypsins from the Aeruginosin Family of Natural Products. <i>ACS Chemical Biology</i> , 2021, 16, 2537-2546.	1.6	11
22	SARS-CoV-2 host proteome interactions for antiviral drug discovery. <i>Molecular Systems Biology</i> , 2021, 17, e10396.	3.2	53
23	FGFR3 overexpression is a useful detection tool for FGFR3 fusions and sequence variations in glioma. <i>Neuro-Oncology Practice</i> , 2021, 8, 209-221.	1.0	7
24	VTT-006, an anti-mitotic compound, binds to the Ndc80 complex and suppresses cancer cell growth in vitro. <i>Oncoscience</i> , 2021, 8, 134-153.	0.9	1
25	Design and Analysis of the Anilinoquinazoline Kinase Inhibition Profiles of GAK/SLK/STK10 Using Quantitative Structure-Activity Relationships. <i>ChemMedChem</i> , 2020, 15, 26-49.	1.6	18
26	Molecular Modeling of Protein Kinases: Current Status and Challenges. <i>Topics in Medicinal Chemistry</i> , 2020, , 25-41.	0.4	0
27	Acylation of 1,2,4-Triazol-5-amines Targeting Human Coagulation Factor XIIa and Thrombin: Conventional and Microscale Synthesis, Anticoagulant Properties, and Mechanism of Action. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 13159-13186.	2.9	21
28	The autoinhibited state of MKK4: Phosphorylation, putative dimerization and R134W mutant studied by molecular dynamics simulations. <i>Computational and Structural Biotechnology Journal</i> , 2020, 18, 2687-2698.	1.9	9
29	Targeting the Water Network in Cyclin Associated Kinase (GAK) with Anilinoquinazoline Inhibitors. <i>ChemMedChem</i> , 2020, 15, 1200-1215.	1.6	9
30	DeepCDA: deep cross-domain compound-protein affinity prediction through LSTM and convolutional neural networks. <i>Bioinformatics</i> , 2020, 36, 4633-4642.	1.8	110
31	Design, synthesis and biological activity of novel substituted 3-benzoic acid derivatives as MtDHFR inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115600.	1.4	7
32	The application of machine learning techniques to innovative antibacterial discovery and development. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 1165-1180.	2.5	30
33	Transcription and Translation Inhibitors in Cancer Treatment. <i>Frontiers in Chemistry</i> , 2020, 8, 276.	1.8	54
34	Antimicrobial and Antifungal Activity of Rare Substituted 1,2,3-Thiaselenazoles and Corresponding Matched Pair 1,2,3-Dithiazoles. <i>Antibiotics</i> , 2020, 9, 369.	1.5	8
35	Evaluation of FASN inhibitors by a versatile toolkit reveals differences in pharmacology between human and rodent FASN preparations and in antiproliferative efficacy in vitro vs. in situ in human cancer cells. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 149, 105321.	1.9	6
36	Novel epidithiodiketopiperazines as anti-viral zinc ejectors of the Feline Immunodeficiency Virus (FIV) nucleocapsid protein as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 4174-4184.	1.4	6

#	ARTICLE	IF	CITATIONS
37	Ligand- and Structure-Based Approaches of Escherichia coli FabI Inhibition by Triclosan Derivatives: From Chemical Similarity to Protein Dynamics Influence. <i>ChemMedChem</i> , 2019, 14, 1995-2004.	1.6	7
38	Deep Transferable Compound Representation across Domains and Tasks for Low Data Drug Discovery. <i>Journal of Chemical Information and Modeling</i> , 2019, 59, 4528-4539.	2.5	31
39	The Universal 3D QSAR Model for Dopamine D2 Receptor Antagonists. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4555.	1.8	6
40	Exploring the chemical space for freeze-drying excipients. <i>International Journal of Pharmaceutics</i> , 2019, 566, 254-263.	2.6	11
41	The inner rod of virulence-associated type III secretion systems constitutes a needle adapter of one helical turn that is deeply integrated into the system's export apparatus. <i>Molecular Microbiology</i> , 2019, 112, 918-931.	1.2	20
42	Synthesis and comparison of substituted 1,2,3-dithiazole and 1,2,3-thiaselenazole as inhibitors of the feline immunodeficiency virus (FIV) nucleocapsid protein as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 1765-1768.	1.0	25
43	Pyridinylimidazoles as dual glycogen synthase kinase 3 $\beta$ /p38 $\beta$ mitogen-activated protein kinase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2019, 175, 309-329.	2.6	26
44	In Vitro and in Silico Evaluation of Bikaverin as a Potent Inhibitor of Human Protein Kinase CK2. <i>Molecules</i> , 2019, 24, 1380.	1.7	17
45	DPD-Inspired Discovery of Novel LsrK Kinase Inhibitors: An Opportunity To Fight Antimicrobial Resistance. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 2720-2737.	2.9	21
46	Investigation of the Pentathiepin Functionality as an Inhibitor of Feline Immunodeficiency Virus (FIV) via a Potential Zinc Ejection Mechanism, as a Model for HIV Infection. <i>ChemMedChem</i> , 2019, 14, 454-461.	1.6	9
47	The use of molecular descriptors in the development of co-amorphous formulations. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 119, 31-38.	1.9	28
48	Structure-Based Virtual Screening of LsrK Kinase Inhibitors to Target Quorum Sensing. <i>ChemMedChem</i> , 2018, 13, 2400-2407.	1.6	12
49	Assessment of mutation probabilities of KRAS G12 missense mutants and their long-timescale dynamics by atomistic molecular simulations and Markov state modeling. <i>PLoS Computational Biology</i> , 2018, 14, e1006458.	1.5	59
50	Whole grain intake associated molecule 5-aminovaleric acid betaine decreases $\beta$ -oxidation of fatty acids in mouse cardiomyocytes. <i>Scientific Reports</i> , 2018, 8, 13036.	1.6	24
51	Binding Affinity via Docking: Fact and Fiction. <i>Molecules</i> , 2018, 23, 1899.	1.7	292
52	Discovery of Small Molecules Targeting the Synergy of Cardiac Transcription Factors GATA4 and NKX2-5. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO4-2-24.	0.0	0
53	Structural review of PPAR $\beta$ in complex with ligands: Cartesian- and dihedral angle principal component analyses of X-ray crystallographic data. <i>Proteins: Structure, Function and Bioinformatics</i> , 2017, 85, 1684-1698.	1.5	5
54	Correlation between calculated molecular descriptors of excipient amino acids and experimentally observed thermal stability of lysozyme. <i>International Journal of Pharmaceutics</i> , 2017, 523, 238-245.	2.6	9

#	ARTICLE	IF	CITATIONS
55	Surface area, volume and shape descriptors as a novel tool for polymer lead design and discovery. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 102, 188-195.	1.9	7
56	Discovery of Small Molecules Targeting the Synergy of Cardiac Transcription Factors GATA4 and NKX2-5. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 7781-7798.	2.9	46
57	Design, synthesis, and biological evaluation of 2,4-dihydropyrano[2,3-c]pyrazole derivatives as autotaxin inhibitors. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 107, 97-111.	1.9	11
58	Cover Image, Volume 85, Issue 9. <i>Proteins: Structure, Function and Bioinformatics</i> , 2017, 85, C1-C1.	1.5	0
59	Development of Pharmacophore Model for Indeno[1,2-b]indoles as Human Protein Kinase CK2 Inhibitors and Database Mining. <i>Pharmaceuticals</i> , 2017, 10, 8.	1.7	26
60	Structural and Functional Characterization of Malate Synthase G from Opportunistic Pathogen <i>Pseudomonas aeruginosa</i> . <i>Biochemistry</i> , 2017, 56, 5539-5549.	1.2	12
61	Virtual Screening of Transmembrane Serine Protease Inhibitors. <i>Bio-protocol</i> , 2017, 7, e2246.	0.2	0
62	Structure-Based Virtual Screening for Dopamine D <sub>2</sub> Receptor Ligands as Potential Antipsychotics. <i>ChemMedChem</i> , 2016, 11, 718-729.	1.6	51
63	A MYC <sup>+</sup> aurora kinase A protein complex represents an actionable drug target in p53-altered liver cancer. <i>Nature Medicine</i> , 2016, 22, 744-753.	15.2	207
64	Evaluation of Substituted 1,2,3,4-Dithiazoles as Inhibitors of the Feline Immunodeficiency Virus (FIV) Nucleocapsid Protein via a Proposed Zinc Ejection Mechanism. <i>ChemMedChem</i> , 2016, 11, 2119-2126.	1.6	20
65	Virtual Screening of Small Drug-Like Compounds Stimulating the Enzymatic Activity of Kallikrein-Related Peptidase-3 (KLK3). <i>ChemMedChem</i> , 2016, 11, 2043-2049.	1.6	2
66	Potent and selective N-(4-sulfamoylphenyl)thiourea-based GPR55 agonists. <i>European Journal of Medicinal Chemistry</i> , 2016, 107, 119-132.	2.6	18
67	The Effects of Sequence Variation on Genome-wide NRF2 Binding <sup>+</sup> New Target Genes and Regulatory SNPs. <i>Nucleic Acids Research</i> , 2016, 44, 1760-1775.	6.5	30
68	Deregulated hepsin protease activity confers oncogenicity by concomitantly augmenting HGF/MET signalling and disrupting epithelial cohesion. <i>Oncogene</i> , 2016, 35, 1832-1846.	2.6	37
69	Common and Distinct Interactions of Chemical Inhibitors with Cytochrome P450 CYP1A2, CYP2A6 and CYP2B6 Enzymes. <i>Drug Metabolism Letters</i> , 2016, 10, 56-64.	0.5	2
70	Prediction of human population responses to toxic compounds by a collaborative competition. <i>Nature Biotechnology</i> , 2015, 33, 933-940.	9.4	88
71	Pharmacological and molecular studies on the interaction of varenicline with different nicotinic acetylcholine receptor subtypes. Potential mechanism underlying partial agonism at human $\alpha 4\beta 2$ and $\alpha 3\beta 4$ subtypes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2015, 1848, 731-741.	1.4	21
72	New, Non-quinone Fluorogeldanamycin Derivatives Strongly Inhibit Hsp90. <i>ChemBioChem</i> , 2015, 16, 302-311.	1.3	17

#	ARTICLE	IF	CITATIONS
73	Virtual screening approach of sirtuin inhibitors results in two new scaffolds. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 76, 27-32.	1.9	16
74	Novel fused tetrathiocines as antivirals that target the nucleocapsid zinc finger containing protein of the feline immunodeficiency virus (FIV) as a model of HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1352-1355.	1.0	16
75	Multi-Component Protein-Protein Docking Based Protocol with External Scoring for Modeling Dimers of G Protein-Coupled Receptors. <i>Molecular Informatics</i> , 2015, 34, 246-255.	1.4	15
76	Time-Dependent Inhibition of CYP2C19 by Isoquinoline Alkaloids: In Vitro and In Silico Analysis. <i>Drug Metabolism and Disposition</i> , 2015, 43, 1891-1904.	1.7	7
77	Comparative molecular field analysis and molecular dynamics studies of $\beta$ 2 hydrolase domain containing 6 (ABHD6) inhibitors. <i>Journal of Molecular Modeling</i> , 2015, 21, 250.	0.8	29
78	Synthesis, in vitro and in vivo evaluation of 1,3,5-triazines as cannabinoid CB2 receptor agonists. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 67, 85-96.	1.9	35
79	Robust Hydrolysis of Prostaglandin Glycerol Esters by Human Monoacylglycerol Lipase (MAGL). <i>Molecular Pharmacology</i> , 2014, 86, 522-535.	1.0	34
80	Quantitative Insight into the Design of Compounds Recognized by the $\beta$ -Type Amino Acid Transporter-1 (LAT1). <i>ChemMedChem</i> , 2014, 9, 2699-2707.	1.6	52
81	Synthesis, in vitro and in vivo studies, and molecular modeling of N-alkylated dextromethorphan derivatives as non-competitive inhibitors of $\alpha$ 3 nicotinic acetylcholine receptor. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6846-6856.	1.4	6
82	Centmitor-1, a Novel Acridinyl-Aceto-hydrazide, Possesses Similar Molecular Interaction Field and Antimitotic Cellular Phenotype as Rigosertib, ON 01910.Na. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 1054-1066.	1.9	6
83	Identification of structural features in chemicals associated with cancer drug response: a systematic data-driven analysis. <i>Bioinformatics</i> , 2014, 30, i497-i504.	1.8	33
84	Structural studies, homology modeling and molecular docking of novel non-competitive antagonists of GluK1/GluK2 receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 787-795.	1.4	14
85	Evaluation of the antiviral efficacy of bis[1,2]dithiolo[1,4]thiazines and bis[1,2]dithiopyrrole derivatives against the nucleocapsid protein of the Feline Immunodeficiency Virus (FIV) as a model for HIV infection. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 2640-2644.	1.0	17
86	Mutation of Cys242 of Human Monoacylglycerol Lipase Disrupts Balanced Hydrolysis of 1- and 2-Monoacylglycerols and Selectively Impairs Inhibitor Potency. <i>Molecular Pharmacology</i> , 2014, 85, 510-519.	1.0	16
87	Integrative and Personalized QSAR Analysis in Cancer by Kernelized Bayesian Matrix Factorization. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 2347-2359.	2.5	101
88	Investigation of novel ropinirole analogues: synthesis, pharmacological evaluation and computational analysis of dopamine D2 receptor functionalized congeners and homobivalent ligands. <i>MedChemComm</i> , 2014, 5, 891-898.	3.5	23
89	Quantitative insights for the design of substrate-based SIRT1 inhibitors. <i>European Journal of Pharmaceutical Sciences</i> , 2014, 59, 12-19.	1.9	10
90	In Vitro Screening of Some Heterocyclic Compounds Against Human ABHD6 and ABHD12 Hydrolases. <i>Letters in Drug Design and Discovery</i> , 2014, 11, 944-952.	0.4	2

#	ARTICLE	IF	CITATIONS
91	Identification of novel SIRT3 inhibitor scaffolds by virtual screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 2990-2995.	1.0	31
92	Experimental and computational studies on the tautomerism of N-substituted 3-amino-5-oxo-4-phenyl-1H-pyrazolo-1-carboxamides with antibacterial activity. <i>Journal of Molecular Structure</i> , 2013, 1051, 188-196.	1.8	11
93	Chiral 1,3,4-Oxadiazol-2-ones as Highly Selective FAAH Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8484-8496.	2.9	54
94	Structure-Based Molecular Modeling Approaches to GPCR Oligomerization. <i>Methods in Cell Biology</i> , 2013, 117, 91-104.	0.5	10
95	Discovery of novel cannabinoid receptor ligands by a virtual screening approach: Further development of 2,4,6-trisubstituted 1,3,5-triazines as CB2 agonists. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 9-20.	1.9	15
96	1,3,4-Oxadiazol-2-ones as fatty-acid amide hydrolase and monoacylglycerol lipase inhibitors: Synthesis, in vitro evaluation and insight into potency and selectivity determinants by molecular modelling. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 49, 423-433.	1.9	15
97	Piperazine and Piperidine Triazole Ureas as Ultrapotent and Highly Selective Inhibitors of Monoacylglycerol Lipase. <i>Chemistry and Biology</i> , 2013, 20, 379-390.	6.2	80
98	Structure-activity relationship study of compounds binding to large amino acid transporter 1 (LAT1) based on pharmacophore modeling and in situ rat brain perfusion. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 523-531.	1.9	42
99	Synthesis and Biological Evaluation of Arylthiourea Derivatives with Antitubercular Activity. <i>Letters in Drug Design and Discovery</i> , 2013, 10, 640-650.	0.4	4
100	Comprehensive data-driven analysis of the impact of chemoinformatic structure on the genome-wide biological response profiles of cancer cells to 1159 drugs. <i>BMC Bioinformatics</i> , 2012, 13, 112.	1.2	16
101	Peptides and Pseudopeptides as SIRT6 Deacetylation Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 969-974.	1.3	34
102	Discovery of Salermide-Related Sirtuin Inhibitors: Binding Mode Studies and Antiproliferative Effects in Cancer Cells Including Cancer Stem Cells. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10937-10947.	2.9	84
103	Molecular Dynamics Simulations for Human CAR Inverse Agonists. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 457-464.	2.5	16
104	New <i>in Vitro</i> Tools to Study Human Constitutive Androstane Receptor (CAR) Biology: Discovery and Comparison of Human CAR Inverse Agonists. <i>Molecular Pharmaceutics</i> , 2011, 8, 2424-2433.	2.3	37
105	Structure-Based Design of Pseudopeptidic Inhibitors for SIRT1 and SIRT2. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 6456-6468.	2.9	45
106	Identification of novel CYP2A6 inhibitors by virtual screening. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 7186-7193.	1.4	14
107	Constitutive activity and ligand-dependent activation of the nuclear receptor CAR—insights from molecular dynamics simulations. <i>Journal of Molecular Recognition</i> , 2011, 24, 875-882.	1.1	9
108	The Discovery of Compounds That Stimulate the Activity of Kallikrein-Related Peptidase...3 (KLK3). <i>ChemMedChem</i> , 2011, 6, 2170-2178.	1.6	8

#	ARTICLE	IF	CITATIONS
109	Studying the catechol binding cavity in comparative models of human dopamine D2 receptor. <i>Journal of Molecular Graphics and Modelling</i> , 2011, 29, 685-692.	1.3	7
110	3-Substituted Phenyl Alkylcarbamates as FAAH Inhibitors: Design, Synthesis and 3D-QSAR Studies. <i>ChemMedChem</i> , 2010, 5, 213-231.	1.6	15
111	Estimation of granule size distribution for batch fluidized bed granulation process using acoustic emission and <i>Partial Least Squares</i> (PLS). <i>Journal of Chemometrics</i> , 2010, 24, 464-471.	0.7	15
112	Increasing the Throughput of Shape-Based Virtual Screening with GPU Processing and Single Conformation Databases. <i>Molecular Informatics</i> , 2010, 29, 293-296.	1.4	0
113	N <sup>ε</sup> -Modified lysine containing inhibitors for SIRT1 and SIRT2. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 5616-5625.	1.4	31
114	Screening of Various Hormone-Sensitive Lipase Inhibitors as Endocannabinoid-Hydrolyzing Enzyme Inhibitors. <i>ChemMedChem</i> , 2009, 4, 1253-1259.	1.6	45
115	Chiral 3-(4,5-dihydrooxazol-2-yl)phenyl alkylcarbamates as novel FAAH inhibitors: Insight into FAAH enantioselectivity by molecular docking and interaction fields. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 4179-4191.	2.6	23
116	Comparison of structure fingerprint and molecular interaction field based methods in explaining biological similarity of small molecules in cell-based screens. <i>Journal of Computer-Aided Molecular Design</i> , 2009, 23, 227-239.	1.3	9
117	The feasibility of using acoustic emissions for monitoring of fluidized bed granulation. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2009, 97, 75-81.	1.8	46
118	Uncertainty in dissolution test of drug release. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2009, 97, 82-90.	1.8	10
119	Monitoring the wetting phase of fluidized bed granulation process using multi-way methods: The separation of successful from unsuccessful batches. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2009, 96, 88-93.	1.8	17
120	Critical Comparison of Virtual Screening Methods against the MUV Data Set. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 2168-2178.	2.5	42
121	The Effect of Ligand-Based Tautomer and Protomer Prediction on Structure-Based Virtual Screening. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 2742-2748.	2.5	63
122	<sup>ε</sup> -Thioacetyl-Lysine-Containing Tri-, Tetra-, and Pentapeptides as SIRT1 and SIRT2 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 2153-2156.	2.9	56
123	Estimation of drug release profiles of a heterogeneous set of drugs from a hydrophobic matrix tablet using molecular descriptors. <i>Journal of Chemometrics</i> , 2008, 22, 653-660.	0.7	8
124	Characterization of the binding properties of SIRT2 inhibitors with a N-(3-phenylpropenoyl)-glycine tryptamide backbone. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8054-8062.	1.4	24
125	Ultrasound Transmission Technique as a Potential Tool for Physical Evaluation of Monolithic Matrix Tablets. <i>AAPS PharmSciTech</i> , 2008, 9, 267-273.	1.5	21
126	Targeting the cannabinoid CB2 receptor: modelling and structural determinants of CB2 selective ligands. <i>British Journal of Pharmacology</i> , 2008, 153, 335-346.	2.7	61



#	ARTICLE	IF	CITATIONS
127	Discovery of substituted sulfonamides and thiazolidin-4-one derivatives as agonists of human constitutive androstane receptor. <i>Biochemical Pharmacology</i> , 2008, 76, 1288-1297.	2.0	32
128	Discovery of Boronic Acids as Novel and Potent Inhibitors of Fatty Acid Amide Hydrolase. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 7057-7060.	2.9	54
129	Identification of inhibitors of the nicotine metabolising CYP2A6 enzymeâ€”an in silico approach. <i>Pharmacogenomics Journal</i> , 2008, 8, 328-338.	0.9	23
130	FieldChopper, A New Tool for Automatic Model Generation and Virtual Screening Based on Molecular Fields. <i>Journal of Chemical Information and Modeling</i> , 2008, 48, 1131-1137.	2.5	3
131	Insights into Ligand-Elicited Activation of Human Constitutive Androstane Receptor Based on Novel Agonists and Three-Dimensional Quantitative Structure-Activity Relationship. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 7181-7192.	2.9	34
132	Oxadiazole-carbonylaminothioureas as SIRT1 and SIRT2 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 4377-4380.	2.9	72
133	N-(3-(4-Hydroxyphenyl)-propenoyl)-amino acid tryptamides as SIRT2 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 2448-2451.	1.0	48
134	Predicting the drug concentration in starch acetate matrix tablets from ATR-FTIR spectra using multi-way methods. <i>Analytica Chimica Acta</i> , 2007, 595, 190-197.	2.6	25
135	Comparison of homology models and X-ray structures of the nuclear receptor CAR: Assessing the structural basis of constitutive activity. <i>Journal of Molecular Graphics and Modelling</i> , 2007, 25, 644-657.	1.3	20
136	New potent and selective cytochrome P450 2B6 (CYP2B6) inhibitors based on three-dimensional quantitative structure-activity relationship (3D-QSAR) analysis. <i>British Journal of Pharmacology</i> , 2007, 150, 932-942.	2.7	41
137	Synthesis and SAR Studies of 2-Oxoquinoline Derivatives as CB2 Receptor Inverse Agonists. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 2022-2027.	2.9	57
138	Discovering Inhibitors of Human Sirtuin Type 2:â€” Novel Structural Scaffolds. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7239-7241.	2.9	52
139	Fatty Acid Amide Hydrolase Inhibitors from Virtual Screening of the Endocannabinoid System. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 4650-4656.	2.9	58
140	N,Nâ€”-Bisbenzylidenebenzene-1,4-diamines and N,Nâ€”-Bisbenzylidenenaphthalene-1,4-diamines as Sirtuin Type 2 (SIRT2) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 7907-7911.	2.9	44
141	Chemical space of orally active compounds. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2006, 84, 134-141.	1.8	8
142	Synthesis and CB1 receptor activities of dimethylheptyl derivatives of 2-arachidonoyl glycerol (2-AG) and 2-arachidonoyl glyceryl ether (2-AGE). <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 2850-2858.	1.4	11
143	3D-QSAR Studies on Cannabinoid CB1 Receptor Agonists:â€” G-Protein Activation as Biological Data. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 554-566.	2.9	24
144	BRUTUS: Optimization of a grid-based similarity function for rigid-body molecular superposition. II. Description and characterization. <i>Journal of Computer-Aided Molecular Design</i> , 2006, 20, 227-236.	1.3	21

#	ARTICLE	IF	CITATIONS
145	Comparative and pharmacophore model for deacetylase SIRT1. <i>Journal of Computer-Aided Molecular Design</i> , 2006, 20, 589-599.	1.3	45
146	Ligand Recognition by Drug-Activated Nuclear Receptors PXR and CAR: Structural, Site-Directed Mutagenesis and Molecular Modeling Studies. <i>Mini-Reviews in Medicinal Chemistry</i> , 2006, 6, 937-943.	1.1	38
147	Characterization of the Sulfhydryl-Sensitive Site in the Enzyme Responsible for Hydrolysis of 2-Arachidonoyl-Glycerol in Rat Cerebellar Membranes. <i>Chemistry and Biology</i> , 2005, 12, 649-656.	6.2	145
148	Virtual Screening of Novel CB2 Ligands Using a Comparative Model of the Human Cannabinoid CB2 Receptor. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 7166-7171.	2.9	64
149	Identification of WIN55212-3 as a competitive neutral antagonist of the human cannabinoid CB2 receptor. <i>British Journal of Pharmacology</i> , 2005, 145, 636-645.	2.7	42
150	The functional role of cysteines adjacent to the NRY motif of the human MT1 melatonin receptor. <i>Journal of Pineal Research</i> , 2005, 39, 1-11.	3.4	23
151	Prediction of Contact Angle for Pharmaceutical Solids from Their Molecular Structure. <i>Journal of Pharmaceutical Sciences</i> , 2005, 94, 745-758.	1.6	10
152	Partial least square projections to latent structures analysis (PLS) in evaluating and predicting drug release from starch acetate matrix tablets. <i>Journal of Pharmaceutical Sciences</i> , 2005, 94, 2716-2730.	1.6	12
153	Molecular dynamics simulations of the human CAR ligand-binding domain: deciphering the molecular basis for constitutive activity. <i>Journal of Molecular Modeling</i> , 2005, 11, 69-79.	0.8	24
154	Targeting the Cannabinoid CB2 Receptor: Mutations, Modeling and Development of CB2 Selective Ligands. <i>Current Medicinal Chemistry</i> , 2005, 12, 1217-1237.	1.2	59
155	Quantitative Structure-Activity Relationship Analysis of Inhibitors of the Nicotine Metabolizing CYP2A6 Enzyme. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 440-449.	2.9	47
156	Amino Acids Important for Ligand Specificity of the Human Constitutive Androstane Receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 5960-5971.	1.6	52
157	Synthesis and Characterization of the Novel Fluorescent Prolyl Oligopeptidase Inhibitor 4-Fluoresceinthiocarbamoyl- 6-aminocaproyl-L-prolyl-2(S)-(Hydroxy- acetyl)pyrrolidine. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 7093-7095.	2.9	10
158	BRUTUS: A Optimization of a Grid-Based Similarity Function for Rigid-Body Molecular Superposition. 1. Alignment and Virtual Screening Applications. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4076-4086.	2.9	39
159	The effect of powder blend and tablet structure on drug release mechanisms of hydrophobic starch acetate matrix tablets. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005, 61, 149-157.	2.0	29
160	Predictive Three-Dimensional Quantitative Structure-Activity Relationship of Cytochrome P450 1A2 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 3808-3815.	2.9	64
161	Dicarboxylic Acid Azacycle-Prolyl-pyrrolidine Amides as Prolyl Oligopeptidase Inhibitors and Three-Dimensional Quantitative Structure-Activity Relationship of the Enzyme-Inhibitor Interactions. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4772-4782.	2.9	14
162	Development of a 3D Model for the Human Cannabinoid CB1 Receptor. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 3048-3057.	2.9	83

#	ARTICLE	IF	CITATIONS
163	Comparing the Quality and Predictiveness Between 3D QSAR Models Obtained from Manual and Automated Alignment.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
164	Drug release from starch-acetate microparticles and films with and without incorporated $\alpha$ -amylase. <i>Biomaterials</i> , 2004, 25, 4355-4362.	5.7	55
165	An In Silico Approach to Discovering Novel Inhibitors of Human Sirtuin Type 2. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 6292-6298.	2.9	105
166	Comparing the Quality and Predictiveness between 3D QSAR Models Obtained from Manual and Automated Alignment. <i>Journal of Chemical Information and Computer Sciences</i> , 2004, 44, 807-816.	2.8	37
167	A structure-activity relationship study of catechol-O-methyltransferase inhibitors combining molecular docking and 3D QSAR methods. <i>Journal of Computer-Aided Molecular Design</i> , 2003, 17, 797-810.	1.3	31
168	Molecular Determinants of Steroid Inhibition for the Mouse Constitutive Androstane Receptor. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 4687-4695.	2.9	31
169	Predictive value of comparative molecular field analysis modelling of naphthalene inhibition of human CYP2A6 and mouse CYP2A5 enzymes. <i>Toxicology in Vitro</i> , 2003, 17, 449-455.	1.1	35
170	More potent inhibition of human CYP2A6 than mouse CYP2A5 enzyme activities by derivatives of phenylethylamine and benzaldehyde. <i>Xenobiotica</i> , 2003, 33, 529-539.	0.5	26
171	Aggregation and Solvation of Steroid Molecules in Different Solvents. <i>Crystal Growth and Design</i> , 2002, 2, 121-126.	1.4	3
172	Substrate-dependent, non-hyperbolic kinetics of pig brain prolyl oligopeptidase and its tight binding inhibition by JTP-4819. <i>Biochemical Pharmacology</i> , 2002, 64, 463-471.	2.0	51
173	Characterization of the Phase Behavior and Complexation in the Heptanoic Acid $\sim$ Heptylamine $\sim$ Water System. <i>Journal of Physical Chemistry B</i> , 2001, 105, 7944-7949.	1.2	7
174	Predicting plasticization efficiency from three-dimensional molecular structure of a polymer plasticizer. <i>Pharmaceutical Research</i> , 2001, 18, 1760-1766.	1.7	48
175	A comparative molecular field analysis of cytochrome P450 2A5 and 2A6 inhibitors. <i>Journal of Computer-Aided Molecular Design</i> , 2001, 15, 195-202.	1.3	37
176	Calculated molecular properties for different alkanolic acid $\sim$ alkylamine complexes: A comparison with measured FTIR and Raman spectra. <i>Chemical Physics</i> , 2001, 263, 127-138.	0.9	13
177	Calculated and measured vibrational frequencies in an alkanolic acid $\sim$ alkylamine complex. <i>Chemical Physics Letters</i> , 2000, 327, 420-424.	1.2	7
178	Deformation behaviors of tolbutamide, hydroxypropyl-beta-cyclodextrin, and their dispersions. <i>Pharmaceutical Research</i> , 2000, 17, 942-948.	1.7	7
179	Pronounced differences in inhibition potency of lactone and non-lactone compounds for mouse and human coumarin 7-hydroxylases (CYP2A5 and CYP2A6). <i>Xenobiotica</i> , 2000, 30, 81-92.	0.5	23
180	A Proton Relay Process as the Mechanism of Activation of the Histamine H3-Receptor Determined by $^1\text{H}$ NMR and ab Initio Quantum Mechanical Calculations. <i>Journal of the American Chemical Society</i> , 2000, 122, 6989-6996.	6.6	14

#	ARTICLE	IF	CITATIONS
181	<sup>1</sup> H NMR study on putative intramolecular hydrogen bonding for histamine H <sub>3</sub> -receptor agonists. <i>Tetrahedron Letters</i> , 1999, 40, 2425-2428.	0.7	6
182	Dehydration of theophylline monohydrate—a two step process. <i>International Journal of Pharmaceutics</i> , 1997, 158, 47-55.	2.6	52
183	A rhodopsin-based model for melatonin recognition at its G protein-coupled receptor. <i>European Journal of Pharmacology</i> , 1996, 304, 173-183.	1.7	61
184	Comparative Molecular Field Analysis (CoMFA) of MX Compounds using different Semi-empirical Methods: LUMO Field and its Correlation with Mutagenic Activity. <i>QSAR and Combinatorial Science</i> , 1996, 15, 189-193.	1.4	17
185	An empirical and theoretical study on mechanisms of mutagenic activity of hydrazine compounds. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1995, 332, 63-71.	0.4	43
186	Comparative Molecular Field Analysis of Compounds with CYP2A5 Binding Affinity. <i>QSAR and Combinatorial Science</i> , 1995, 14, 507-511.	1.4	13
187	Changes in solid-state structure of cyclophosphamide monohydrate induced by mechanical treatment and storage. <i>Pharmaceutical Research</i> , 1995, 12, 299-304.	1.7	17
188	Competitive inhibition of coumarin 7- $\alpha$ -hydroxylation by pilocarpine and its interaction with mouse CYP 2A5 and human CYP <sub>2</sub> A6. <i>British Journal of Pharmacology</i> , 1995, 116, 2625-2630.	2.7	27
189	Sulfur analogues of polychlorinated dibenzo- <i>p</i> -dioxins, dibenzofurans and diphenyl ethers as inducers of CYP1A1 in mouse hepatoma cell culture and structure-activity relationships. <i>Environmental Toxicology and Chemistry</i> , 1994, 13, 1543-1548.	2.2	39
190	Modelling of molecular mutagenicity with comparative molecular field analysis (CoMFA). Structural and electronic properties of MX compounds related to TA 100 mutagenicity. <i>Computational and Theoretical Chemistry</i> , 1994, 304, 255-260.	1.5	24
191	The pictet-espengler reaction and biogenic tryptamines: Formation of tetrahydro- $\beta$ -carbolines at physiological pH. <i>Journal of Heterocyclic Chemistry</i> , 1994, 31, 431-435.	1.4	38
192	Binding of some dioxins and dibenzofurans to the Ah receptor. A QSAR model based on comparative molecular field analysis (CoMFA). <i>Computational and Theoretical Chemistry</i> , 1993, 282, 259-264.	1.5	33