JūratÄ– Å altytÄ– Benth

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9191724/publications.pdf

Version: 2024-02-01

138 papers

2,691 citations

201674 27 h-index 254184 43 g-index

141 all docs

141 docs citations

141 times ranked

4078 citing authors

#	Article	IF	Citations
1	Effectiveness of Injectable Extended-Release Naltrexone vs Daily Buprenorphine-Naloxone for Opioid Dependence. JAMA Psychiatry, 2017, 74, 1197.	11.0	200
2	Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. British Journal of Cancer, 2017, 117, 470-477.	6.4	109
3	Screw Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures in Elderly Patients. Journal of Bone and Joint Surgery - Series A, 2019, 101, 136-144.	3.0	94
4	Prevalence and Severity of Dementia in Nursing Home Residents. Dementia and Geriatric Cognitive Disorders, 2015, 40, 166-177.	1.5	89
5	Impact of Sex on the Prognostic Value of High-Sensitivity Cardiac Troponin I in the General Population: The HUNT Study. Clinical Chemistry, 2015, 61, 646-656.	3.2	88
6	Brief intervention for medication-overuse headache in primary care. The BIMOH study: a double-blind pragmatic cluster randomised parallel controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2015, 86, 505-512.	1.9	74
7	Low muscle mass is associated with chemotherapy-induced haematological toxicity in advanced non-small cell lung cancer. Lung Cancer, 2015, 90, 85-91.	2.0	68
8	Validation of Placebo in a Manual Therapy Randomized Controlled Trial. Scientific Reports, 2015, 5, 11774.	3.3	62
9	Antibodies to Epstein-Barr virus and MRI disease activity in multiple sclerosis. Multiple Sclerosis Journal, 2014, 20, 1833-1840.	3.0	57
10	Body mass index influence interferon-beta treatment response in multiple sclerosis. Journal of Neuroimmunology, 2015, 288, 92-97.	2.3	56
11	Phototherapy is commonly used for neonatal jaundice but greater control is needed to avoid toxicity in the most vulnerable infants. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 611-619.	1.5	47
12	Drug Dose Per Kilogram Lean Body Mass Predicts Hematologic Toxicity From Carboplatin-Doublet Chemotherapy in Advanced Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2017, 18, e129-e136.	2.6	44
13	Anxiety, Depression, and Insomnia Among Adults With Opioid Dependence Treated With Extended-Release Naltrexone vs Buprenorphine-Naloxone. JAMA Psychiatry, 2019, 76, 127.	11.0	44
14	Menstrual versus non-menstrual attacks of migraine without aura in women with and without menstrual migraine. Cephalalgia, 2015, 35, 1261-1268.	3.9	43
15	Clinical efficacy of formula-based bifrontal versus right unilateral electroconvulsive therapy (ECT) in the treatment of major depression among elderly patients: A pragmatic, randomized, assessor-blinded, controlled trial. Journal of Affective Disorders, 2015, 175, 8-17.	4.1	40
16	Trajectories of depressive symptoms and their relationship to the progression of dementia. Journal of Affective Disorders, 2017, 222, 146-152.	4.1	39
17	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. Journal of Geriatric Oncology, 2019, 10, 904-912.	1.0	38
18	Persistent use of psychotropic drugs in nursing home residents in Norway. BMC Geriatrics, 2017, 17, 52.	2.7	37

#	Article	IF	Citations
19	Vitamin D supplementation and systemic inflammation in relapsing-remitting multiple sclerosis. Journal of Neurology, 2015, 262, 2713-2721.	3.6	36
20	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. American Journal of Geriatric Psychiatry, 2018, 26, 25-38.	1.2	36
21	Brief intervention by general practitioners for medication-overuse headache, follow-up after 6Âmonths: a pragmatic cluster-randomised controlled trial. Journal of Neurology, 2016, 263, 344-353.	3 . 6	35
22	A Spatial-temporal Model for Temperature with Seasonal Variance. Journal of Applied Statistics, 2007, 34, 823-841.	1.3	34
23	Long-term quality of life and functionality after ventral hernia mesh repair. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 5023-5033.	2.4	32
24	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. Archives of Women's Mental Health, 2017, 20, 397-404.	2.6	32
25	Volar Locking Plates Versus Augmented External Fixation of Intra-Articular Distal Radial Fractures. Journal of Bone and Joint Surgery - Series A, 2019, 101, 311-321.	3.0	31
26	Hyperemesis gravidarum and the risk of emotional distress during and after pregnancy. Archives of Women's Mental Health, 2017, 20, 747-756.	2.6	30
27	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. PLoS ONE, 2018, 13, e0206147.	2.5	30
28	Mortality, cause of death and risk factors in patients with alcohol use disorder alone or poly-substance use disorders: a 19-year prospective cohort study. BMC Psychiatry, 2019, 19, 101.	2.6	30
29	Mortality and causes of death among patients with opioid use disorder receiving opioid agonist treatment: a national register study. BMC Health Services Research, 2019, 19, 440.	2.2	29
30	Long term recurrence, pain and patient satisfaction after ventral hernia mesh repair. World Journal of Gastrointestinal Surgery, 2015, 7, 384.	1.5	28
31	Spatial–temporal model for wind speed in Lithuania. Journal of Applied Statistics, 2011, 38, 1151-1168.	1.3	27
32	The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. Journal of Affective Disorders, 2015, 175, 209-216.	4.1	27
33	Early formation of bilirubin isomers during phototherapy for neonatal jaundice: effects of single vs. double fluorescent lamps vs. photodiodes. Pediatric Research, 2015, 78, 56-62.	2.3	27
34	Middle Cerebral Artery Pulsatility Index is Associated with Cognitive Impairment in Lacunar Stroke. Journal of Neuroimaging, 2016, 26, 431-435.	2.0	27
35	Obstetric and psychological characteristics of women choosing epidural analgesia during labour: A cohort study. PLoS ONE, 2017, 12, e0186564.	2.5	27
36	Increasing serum levels of vitamin A, D and E are associated with alterations of different inflammation markers in patients with multiple sclerosis. Journal of Neuroimmunology, 2014, 271, 60-65.	2.3	25

#	Article	lF	Citations
37	Analysis and modelling of wind speed in New York. Journal of Applied Statistics, 2010, 37, 893-909.	1.3	24
38	Severity of Neuropsychiatric Symptoms in Nursing Home Residents. Dementia and Geriatric Cognitive Disorders Extra, 2016, 6, 28-42.	1.3	23
39	Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. Journal of Geriatric Oncology, 2016, 7, 90-98.	1.0	23
40	Uniform national guidelines do not prevent wide variations in the clinical application of phototherapy for neonatal jaundice. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 620-627.	1.5	23
41	The association between the degree of nausea in pregnancy and subsequent posttraumatic stress. Archives of Women's Mental Health, 2019, 22, 493-501.	2.6	22
42	No association of tobacco use and disease activity in multiple sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2016, 3, e260.	6.0	21
43	The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. BMC Psychiatry, 2015, 15, 191.	2.6	20
44	Effectiveness, safety and feasibility of extendedâ€release naltrexone for opioid dependence: a 9â€month followâ€up to a 3â€month randomized trial. Addiction, 2018, 113, 1840-1849.	3.3	20
45	Managing depressive symptoms in people with mild cognitive impairment and mild dementia with a multicomponent psychotherapy intervention: a randomized controlled trial. International Psychogeriatrics, 2021, 33, 217-231.	1.0	20
46	Health-related quality of life after out-of-hospital cardiac arrest – a five-year follow-up study. Resuscitation, 2021, 162, 372-380.	3.0	20
47	Vitamin D status and effect of interferon- \hat{l}^2 1a treatment on MRI activity and serum inflammation markers in relapsing-remitting multiple sclerosis. Journal of Neuroimmunology, 2015, 280, 21-28.	2.3	19
48	Exploration of 27 plasma immune markers: a cross-sectional comparison of 64 old psychiatric inpatients having unipolar major depression and 18 non-depressed old persons. BMC Geriatrics, 2018, 18, 149.	2.7	19
49	Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. Dementia and Geriatric Cognitive Disorders Extra, 2018, 8, 117-127.	1.3	18
50	Early Mobilization and Physiotherapy Vs. Late Mobilization and Home Exercises After ORIF of Distal Radial Fractures. JBJS Open Access, 2019, 4, e0012.	1.5	17
51	Prevalence of nutritional risk in the non-demented hospitalised elderly: a cross-sectional study from Norway using stratified sampling. Journal of Nutritional Science, 2015, 4, e18.	1.9	16
52	Hospitalization of high and low inpatient service users before and after enrollment into Assertive Community Treatment teams: a naturalistic observational study. International Journal of Mental Health Systems, 2016, 10, 14.	2.7	16
53	The association between attending specialized day care centers and the quality of life of people with dementia. International Psychogeriatrics, 2017, 29, 627-636.	1.0	15
54	Clinical decisions presented to patients in hospital encounters: a cross-sectional study using a novel taxonomy. BMJ Open, 2018, 8, e018042.	1.9	15

#	Article	IF	CITATIONS
55	Prevalence and persistent use of psychotropic drugs in older adults receiving domiciliary care at baseline. BMC Geriatrics, 2019, 19, 119.	2.7	15
56	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. Journal of the American Medical Directors Association, 2016, 17, 464.e1-464.e7.	2.5	14
57	Effect of the Sonas Programme on Communication in People with Dementia: A Randomized Controlled Trial. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 122-135.	1.3	14
58	The impact of the Dementia ABC educational programme on competence in personâ€eentred dementia care and job satisfaction of care staff. International Journal of Older People Nursing, 2017, 12, e12139.	1.3	14
59	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. BMC Health Services Research, 2018, 18, 864.	2.2	14
60	Antitumour immunity invoked by hepatic arterial infusion of firstâ€line oxaliplatin predicts durable colorectal cancer control after liver metastasis ablation: 8–12 years of followâ€up. International Journal of Cancer, 2020, 146, 2019-2026.	5.1	14
61	Protein Intake, Protein Mealtime Distribution and Seafood Consumption in Elderly Norwegians: Associations with Physical Function and Strength. Geriatrics (Switzerland), 2020, 5, 100.	1.7	14
62	Associations Between Quality of Life and Functioning in an Assertive Community Treatment Population. Psychiatric Services, 2015, 66, 1249-1252.	2.0	13
63	Baseline cognitive function does not predict the treatment outcome of electroconvulsive therapy (ECT) in late-life depression. Journal of Affective Disorders, 2015, 185, 67-75.	4.1	13
64	Hospitalisation of severely mentally ill patients with and without problematic substance use before and during Assertive Community Treatment: an observational cohort study. BMC Psychiatry, 2016, 16, 125.	2.6	13
65	Serum levels of leptin and adiponectin are not associated with disease activity or treatment response in multiple sclerosis. Journal of Neuroimmunology, 2018, 323, 73-77.	2.3	13
66	The use of outpatient commitment in Norway: Who are the patients and what does it involve?. International Journal of Law and Psychiatry, 2019, 62, 7-15.	0.9	13
67	In Silico Prediction Analysis of Idiotope-Driven T–B Cell Collaboration in Multiple Sclerosis. Frontiers in Immunology, 2017, 8, 1255.	4.8	12
68	Pain in nursing home residents with dementia and its association to quality of life. Aging and Mental Health, 2021, , 1-11.	2.8	12
69	Core Competencies for Interprofessional Collaborative Practice Among Teacher Education, Health and Social Care Students in a Large Scaled Blended Learning Course. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 2249-2260.	2.7	12
70	Complement activation is associated with poor outcome after out-of-hospital cardiac arrest. Resuscitation, 2021, 166, 129-136.	3.0	12
71	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. Journal of Affective Disorders, 2015, 188, 173-178.	4.1	11
72	Speed of recovery from disorientation may predict the treatment outcome of electroconvulsive therapy (ECT) in elderly patients with major depression. Journal of Affective Disorders, 2016, 190, 178-186.	4.1	11

#	Article	IF	Citations
73	Adverse events in a chiropractic spinal manipulative therapy single-blinded, placebo, randomized controlled trial for migraineurs. Musculoskeletal Science and Practice, 2017, 29, 66-71.	1.3	11
74	Nutrition and physical performance in older peopleâ€"effects of marine protein hydrolysates to prevent decline in physical performance: a randomised controlled trial protocol. BMJ Open, 2018, 8, e023845.	1.9	11
75	The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. Heliyon, 2019, 5, e02235.	3.2	11
76	Preparedness for Interprofessional Learning: An Exploratory Study Among Health, Social Care, and Teacher Education Programs. Journal of Research in Interprofessional Practice and Education, 2021, 11,	0.5	11
77	Screening for frailty among older patients with cancer using blood biomarkers of inflammation. Journal of Geriatric Oncology, 2019, 10, 272-278.	1.0	10
78	Quality of life of family carers of persons with young-onset compared to late-onset dementia. Aging and Mental Health, 2020, 24, 1394-1401.	2.8	10
79	Recoveryâ€oriented care: mental health workers' attitudes towards recovery from mental illness. Scandinavian Journal of Caring Sciences, 2021, 35, 998-1005.	2.1	10
80	A controlled study of income development for breast cancer survivors in Norway. Journal of Cancer Survivorship, 2014, 8, 239-247.	2.9	9
81	Ultrasound measurements of Achilles tendon length using skin markings are more reliable than extended-field-of-view imaging. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2088-2094.	4.2	9
82	Validity of self-reported assessment of Severity of Dependence Scale in Medication-Overuse Headache. Scandinavian Journal of Pain, 2019, 19, 837-841.	1.3	9
83	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. BMC Geriatrics, 2020, 20, 488.	2.7	9
84	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. BMC Health Services Research, 2021, 21, 439.	2.2	9
85	The Montreal Cognitive Assessment: Normative Data from a Large, Population-Based Sample of Cognitive Healthy Older Adults in Norway—The HUNT Study. Journal of Alzheimer's Disease, 2022, 86, 589-599.	2.6	9
86	Psychometric evaluation of the Holden Communication Scale (HCS) for persons with dementia. BMJ Open, 2016, 6, e013447.	1.9	8
87	Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. Journal of Alzheimer's Disease, 2019, 67, 197-210.	2.6	8
88	Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. Journal of Alzheimer's Disease, 2021, 79, 311-321.	2.6	8
89	Geriatric impairments are prevalent and predictive of survival in older patients with cancer receiving radiotherapy: a prospective observational study. Acta Oncol \tilde{A}^3 gica, 2022, 61, 393-402.	1.8	8
90	Chiropractic spinal manipulative therapy for cervicogenic headache: a study protocol of a single-blinded placebo-controlled randomized clinical trial. SpringerPlus, 2015, 4, 779.	1.2	7

#	Article	IF	CITATIONS
91	Are Nutritional Care Adequate for Elderly Hospitalized Patients? A Cross-Sectional Study. SAGE Open, 2016, 6, 215824401668206.	1.7	7
92	Effectiveness of using STOPP/START criteria to identify potentially inappropriate medication in people aged ≥ 65Âyears with chronic kidney disease: a randomized clinical trial. European Journal of Clinical Pharmacology, 2019, 75, 1503-1511.	1.9	7
93	Availability of Extended-Release Naltrexone May Increase the Number of Opioid-Dependent Individuals in Treatment: Extension of a Randomized Clinical Trial. European Addiction Research, 2019, 25, 303-309.	2.4	7
94	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6ÂMonths After Admission?. Journal of the American Medical Directors Association, 2021, 22, 101-108.e1.	2.5	7
95	The Effect of Intensive Implementation Support on Fidelity for Four Evidence-Based Psychosis Treatments: A Cluster Randomized Trial. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 909-920.	2.1	7
96	Antenatal Maternal Emotional Distress and Duration of Pregnancy. PLoS ONE, 2014, 9, e101682.	2.5	6
97	Chiropractic spinal manipulative therapy for migraine: a study protocol of a single-blinded placebo-controlled randomised clinical trial. BMJ Open, 2015, 5, e008095.	1.9	6
98	Newborn manikin study shows that physicians often fail to detect correct lung compliance when using a selfâ€inflating bag. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 172-177.	1.5	6
99	Index of microvascular resistance after early conversion from calcineurin inhibitor to everolimus in heart transplantation: A sub-study to a 1-year randomized trial. Journal of Heart and Lung Transplantation, 2016, 35, 1010-1017.	0.6	6
100	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. Psychiatric Services, 2021, 72, 661-668.	2.0	6
101	COVID-19 Concerns Among Old Age Psychiatric In- and Out-Patients and the Employees Caring for Them, a Preliminary Study. Frontiers in Psychiatry, 2020, 11, 576935.	2.6	6
102	Improved Rehabilitation Outcomes for Persons With and Without Problematic Substance Use After 2 Years With Assertive Community Treatment—A Prospective Study of Patients With Severe Mental Illness in 12 Norwegian ACT Teams. Frontiers in Psychiatry, 2020, 11, 607071.	2.6	5
103	Adapting treatment length to opioidâ€dependent individuals' needs and preferences: a 2â€year followâ€up to a 1â€year study of extendedâ€release naltrexone. Addiction, 2021, 116, 2084.	3.3	5
104	Large-scale Blended Learning Design in an Undergraduate Interprofessional Course in Norway: Students' Perspectives from an Exploratory Study. Journal of Research in Interprofessional Practice and Education, 2021, 11, .	0.5	5
105	Large Scale Blended Learning Design in an Interprofessional Undergraduate Course in Norway: Context Description and Supervisors' Perspective. MedEdPublish, 2021, 10, .	0.3	5
106	Geriatric assessment with management for older patients with cancer receiving radiotherapy. Protocol of a Norwegian cluster-randomised controlled pilot study. Journal of Geriatric Oncology, 2022, 13, 363-373.	1.0	5
107	Children as Next of Kin in Higher Education: An Exploratory Cross-Sectional Study Among Health, Social Care, and Teacher Education Programs. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 3295-3308.	2.7	5
108	Vitamin D in Alzheimer's Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum. Journal of Alzheimer's Disease, 2022, 86, 1301-1314.	2.6	5

#	Article	IF	CITATIONS
109	A Gap Between Children's Rights and Curricular Content in Health, Social Care, and Teacher Education Programs: An Exploratory Cross-Sectional Study. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 3463-3483.	2.7	5
110	Impact of the Sonas Programme on Communication over a Period of 24 Weeks in People with Moderate-to-Severe Dementia. Dementia and Geriatric Cognitive Disorders Extra, 2018, 8, 238-247.	1.3	4
111	<p>Pediatric Spectrum of Allergic Diseases and Asthma in a Tertiary Level Hospital in Botswana: an Exploratory Retrospective Cross-Sectional Study</p> . Journal of Asthma and Allergy, 2020, Volume 13, 213-223.	3.4	4
112	The association between pain and central nervous system depressing medication among hospitalised Norwegian older adults. Scandinavian Journal of Pain, 2022, 22, 483-493.	1.3	4
113	Training frontline workforce on psychosis management: a prospective study of training effects. International Journal of Mental Health Systems, 2015, 9, 38.	2.7	3
114	Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. PLoS ONE, 2019, 14, e0219859.	2.5	3
115	Levels of mental distress over 18 years after entering treatment for substance use disorders: A longitudinal cohort study. NAD Nordic Studies on Alcohol and Drugs, 2020, 37, 352-364.	1.3	3
116	The course of depressive symptoms and mortality in older patients with cancer. Aging and Mental Health, 2022, 26, 1153-1160.	2.8	3
117	The Predictive Value of Degree of Preference for Extended-Release Naltrexone for Treatment Adherence, Opioid Use, and Relapse. European Addiction Research, 2022, 28, 56-67.	2.4	3
118	Limited Benefit of Marine Protein Hydrolysate on Physical Function and Strength in Older Adults: A Randomized Controlled Trial. Marine Drugs, 2021, 19, 62.	4.6	3
119	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study. BMC Psychiatry, 2022, 22, 42.	2.6	3
120	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. Aging and Mental Health, 2021, , 1-9.	2.8	2
121	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. BMC Geriatrics, 2021, 21, 496.	2.7	2
122	Risk of Relapse Among Opioidâ€Dependent Patients Treated With Extendedâ€Release Naltrexone or Buprenorphineâ€Naloxone: A Randomized Clinical Trial. American Journal on Addictions, 2021, 30, 453-460.	1.4	2
123	The association between geriatric treatment and 30-day readmission risk among medical inpatients aged ≥75 years with multimorbidity. PLoS ONE, 2022, 17, e0262340.	2.5	2
124	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. BMC Geriatrics, 2022, 22, 282.	2.7	2
125	Detecting young people with mental disorders: a cluster-randomised trial of multidisciplinary health teams at the GP office. BMJ Open, 2021, 11, e050036.	1.9	2
126	Lugol's solution and Gentian violet eradicate methicillinâ€resistant <i>Staphylococcus aureus</i> biofilm in skin wound infections. International Wound Journal, 0, , .	2.9	2

#	Article	IF	CITATIONS
127	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33â€month followâ€up study. International Journal of Geriatric Psychiatry, 2019, 34, 601-608.	2.7	1
128	Involving nursing students into clinical research projects: Reliability of data and experiences of students?. Journal of Clinical Nursing, 2020, 29, 3860-3869.	3.0	1
129	Patient-controlled admission contracts: a longitudinal study of patient evaluations. BMC Health Services Research, 2021, 21, 36.	2.2	1
130	Can Generic Outcome Questionnaires Replace QuickDASH in Monitoring Clinical Outcome Following Surgical Treatment of Distal Radius Fractures?. Journal of Hand Surgery, 2022, 47, 92.e1-92.e9.	1.6	1
131	Life satisfaction among individuals with opioid use disorder receiving extended-release naltrexone: A 12-week randomized controlled trial and a 36-week follow-up. Journal of Substance Abuse Treatment, 2022, 135, 108656.	2.8	1
132	Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. Dementia and Geriatric Cognitive Disorders Extra, 2022, 12, 14-23.	1.3	1
133	The Effect of the NorGeP–NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. Pharmacy (Basel, Switzerland), 2022, 10, 32.	1.6	1
134	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial. BMC Health Services Research, 2022, 22, 415.	2.2	1
135	Comparison of simplified and comprehensive methods for assessing the index of microvascular resistance in heart transplant recipients. Catheterization and Cardiovascular Interventions, 2016, 87, 283-290.	1.7	0
136	Selfâ€reported quality of life in people with dementia attending a dayâ€care programme in Norway: A 24â€month quasiâ€experimental study. Health and Social Care in the Community, 2021, , .	1.6	0
137	Effects of the Sonas Program on Anxiety and Depression in Nursing Home Residents with Dementia: A 6-Month Randomized Controlled Trial. Dementia and Geriatric Cognitive Disorders Extra, 2021, 11, 151-158.	1.3	0
138	The INSPIRE Support sub-scale: A critical view of the psychometric properties focusing on dimensionality. Current Psychology, 0 , 1 .	2.8	0