

JÅ«ratÄ– Å altytÄ– Benth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9191724/publications.pdf>

Version: 2024-02-01

138
papers

2,691
citations

201674

27
h-index

254184

43
g-index

141
all docs

141
docs citations

141
times ranked

4078
citing authors

#	ARTICLE	IF	CITATIONS
1	Can Generic Outcome Questionnaires Replace QuickDASH in Monitoring Clinical Outcome Following Surgical Treatment of Distal Radius Fractures?. <i>Journal of Hand Surgery</i> , 2022, 47, 92.e1-92.e9.	1.6	1
2	The course of depressive symptoms and mortality in older patients with cancer. <i>Aging and Mental Health</i> , 2022, 26, 1153-1160.	2.8	3
3	The Predictive Value of Degree of Preference for Extended-Release Naltrexone for Treatment Adherence, Opioid Use, and Relapse. <i>European Addiction Research</i> , 2022, 28, 56-67.	2.4	3
4	Life satisfaction among individuals with opioid use disorder receiving extended-release naltrexone: A 12-week randomized controlled trial and a 36-week follow-up. <i>Journal of Substance Abuse Treatment</i> , 2022, 135, 108656.	2.8	1
5	Geriatric assessment with management for older patients with cancer receiving radiotherapy. Protocol of a Norwegian cluster-randomised controlled pilot study. <i>Journal of Geriatric Oncology</i> , 2022, 13, 363-373.	1.0	5
6	The Montreal Cognitive Assessment: Normative Data from a Large, Population-Based Sample of Cognitive Healthy Older Adults in Norwayâ€”The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 589-599.	2.6	9
7	The association between geriatric treatment and 30-day readmission risk among medical inpatients aged â‰¥75 years with multimorbidity. <i>PLoS ONE</i> , 2022, 17, e0262340.	2.5	2
8	Associations between personal recovery and service user-rated versus clinician-rated clinical recovery, a cross-sectional study. <i>BMC Psychiatry</i> , 2022, 22, 42.	2.6	3
9	Does Elevated Alcohol Consumption Delay the Diagnostic Assessment of Cognitive Impairment among Older Adults?. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2022, 12, 14-23.	1.3	1
10	The Effect of the NorGePâ€”NH on Quality of Life and Drug Prescriptions in Norwegian Nursing Homes: A Randomized Controlled Trial. <i>Pharmacy (Basel, Switzerland)</i> , 2022, 10, 32.	1.6	1
11	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms (TIME) in home care services: a cluster randomized feasibility trial. <i>BMC Health Services Research</i> , 2022, 22, 415.	2.2	1
12	Vitamin D in Alzheimerâ€™s Disease: Low Levels in Cerebrospinal Fluid Despite Normal Amounts in Serum. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1301-1314.	2.6	5
13	Mortality in nursing home residents stratified according to subtype of dementia: a longitudinal study over three years. <i>BMC Geriatrics</i> , 2022, 22, 282.	2.7	2
14	Geriatric impairments are prevalent and predictive of survival in older patients with cancer receiving radiotherapy: a prospective observational study. <i>Acta OncolÃ³gica</i> , 2022, 61, 393-402.	1.8	8
15	The association between pain and central nervous system depressing medication among hospitalised Norwegian older adults. <i>Scandinavian Journal of Pain</i> , 2022, 22, 483-493.	1.3	4
16	Managing depressive symptoms in people with mild cognitive impairment and mild dementia with a multicomponent psychotherapy intervention: a randomized controlled trial. <i>International Psychogeriatrics</i> , 2021, 33, 217-231.	1.0	20
17	Adapting treatment length to opioidâ€”dependent individualsâ€™ needs and preferences: a 2â€”year followâ€”up to a 1â€”year study of extendedâ€”release naltrexone. <i>Addiction</i> , 2021, 116, 2084.	3.3	5
18	Does Psychotropic Drug Prescription Change in Nursing Home Patients the First 6 Months After Admission?. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 101-108.e1.	2.5	7

#	ARTICLE	IF	CITATIONS
19	Patient-controlled admission contracts: a longitudinal study of patient evaluations. BMC Health Services Research, 2021, 21, 36.	2.2	1
20	Large-scale Blended Learning Design in an Undergraduate Interprofessional Course in Norway: Students' Perspectives from an Exploratory Study. Journal of Research in Interprofessional Practice and Education, 2021, 11, .	0.5	5
21	Preparedness for Interprofessional Learning: An Exploratory Study Among Health, Social Care, and Teacher Education Programs. Journal of Research in Interprofessional Practice and Education, 2021, 11, .	0.5	11
22	The Effect of Intensive Implementation Support on Fidelity for Four Evidence-Based Psychosis Treatments: A Cluster Randomized Trial. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 909-920.	2.1	7
23	Self-reported quality of life in people with dementia attending a day-care programme in Norway: A 24-month quasi-experimental study. Health and Social Care in the Community, 2021, , .	1.6	0
24	Relationship between satisfaction with mental health services, personal recovery and quality of life among service users with psychosis: a cross-sectional study. BMC Health Services Research, 2021, 21, 439.	2.2	9
25	Health-related quality of life after out-of-hospital cardiac arrest – a five-year follow-up study. Resuscitation, 2021, 162, 372-380.	3.0	20
26	The Importance of Personal Recovery and Perceived Recovery Support Among Service Users With Psychosis. Psychiatric Services, 2021, 72, 661-668.	2.0	6
27	Effects of the Sonas Program on Anxiety and Depression in Nursing Home Residents with Dementia: A 6-Month Randomized Controlled Trial. Dementia and Geriatric Cognitive Disorders Extra, 2021, 11, 151-158.	1.3	0
28	Alcohol consumption among older adults with symptoms of cognitive decline consulting specialist health care. Aging and Mental Health, 2021, , 1-9.	2.8	2
29	Pain in nursing home residents with dementia and its association to quality of life. Aging and Mental Health, 2021, , 1-11.	2.8	12
30	Core Competencies for Interprofessional Collaborative Practice Among Teacher Education, Health and Social Care Students in a Large Scaled Blended Learning Course. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 2249-2260.	2.7	12
31	Do prescription rates of psychotropic drugs change over three years from nursing home admission?. BMC Geriatrics, 2021, 21, 496.	2.7	2
32	Complement activation is associated with poor outcome after out-of-hospital cardiac arrest. Resuscitation, 2021, 166, 129-136.	3.0	12
33	Risk of Relapse Among Opioid-Dependent Patients Treated With Extended-Release Naltrexone or Buprenorphine-Naloxone: A Randomized Clinical Trial. American Journal on Addictions, 2021, 30, 453-460.	1.4	2
34	Limited Benefit of Marine Protein Hydrolysate on Physical Function and Strength in Older Adults: A Randomized Controlled Trial. Marine Drugs, 2021, 19, 62.	4.6	3
35	Large Scale Blended Learning Design in an Interprofessional Undergraduate Course in Norway: Context Description and Supervisors' Perspective. MedEdPublish, 2021, 10, .	0.3	5
36	Vitamin D Levels, APOE Allele, and MRI Volumetry Assessed by NeuroQuant in Norwegian Adults with Cognitive Symptoms. Journal of Alzheimer's Disease, 2021, 79, 311-321.	2.6	8

#	ARTICLE	IF	CITATIONS
37	Recovery-oriented care: mental health workers' attitudes towards recovery from mental illness. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 998-1005.	2.1	10
38	Children as Next of Kin in Higher Education: An Exploratory Cross-Sectional Study Among Health, Social Care, and Teacher Education Programs. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 3295-3308.	2.7	5
39	Detecting young people with mental disorders: a cluster-randomised trial of multidisciplinary health teams at the GP office. <i>BMJ Open</i> , 2021, 11, e050036.	1.9	2
40	A Gap Between Children's Rights and Curricular Content in Health, Social Care, and Teacher Education Programs: An Exploratory Cross-Sectional Study. <i>Journal of Multidisciplinary Healthcare</i> , 2021, Volume 14, 3463-3483.	2.7	5
41	Quality of life of family carers of persons with young-onset compared to late-onset dementia. <i>Aging and Mental Health</i> , 2020, 24, 1394-1401.	2.8	10
42	Antitumour immunity invoked by hepatic arterial infusion of first-line oxaliplatin predicts durable colorectal cancer control after liver metastasis ablation: 8-12 years of follow-up. <i>International Journal of Cancer</i> , 2020, 146, 2019-2026.	5.1	14
43	Levels of mental distress over 18 years after entering treatment for substance use disorders: A longitudinal cohort study. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020, 37, 352-364.	1.3	3
44	Course of activities of daily living in nursing home residents with dementia from admission to 36-month follow-up. <i>BMC Geriatrics</i> , 2020, 20, 488.	2.7	9
45	&p&t;Pediatric Spectrum of Allergic Diseases and Asthma in a Tertiary Level Hospital in Botswana: an Exploratory Retrospective Cross-Sectional Study&p&t;. <i>Journal of Asthma and Allergy</i> , 2020, Volume 13, 213-223.	3.4	4
46	Involving nursing students into clinical research projects: Reliability of data and experiences of students?. <i>Journal of Clinical Nursing</i> , 2020, 29, 3860-3869.	3.0	1
47	Improved Rehabilitation Outcomes for Persons With and Without Problematic Substance Use After 2 Years With Assertive Community Treatment? A Prospective Study of Patients With Severe Mental Illness in 12 Norwegian ACT Teams. <i>Frontiers in Psychiatry</i> , 2020, 11, 607071.	2.6	5
48	Protein Intake, Protein Mealtime Distribution and Seafood Consumption in Elderly Norwegians: Associations with Physical Function and Strength. <i>Geriatrics (Switzerland)</i> , 2020, 5, 100.	1.7	14
49	COVID-19 Concerns Among Old Age Psychiatric In- and Out-Patients and the Employees Caring for Them, a Preliminary Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 576935.	2.6	6
50	Screening for frailty among older patients with cancer using blood biomarkers of inflammation. <i>Journal of Geriatric Oncology</i> , 2019, 10, 272-278.	1.0	10
51	Quality of life of family carers of persons with young-onset dementia: A Nordic two-year observational multicenter study. <i>PLoS ONE</i> , 2019, 14, e0219859.	2.5	3
52	Mortality and causes of death among patients with opioid use disorder receiving opioid agonist treatment: a national register study. <i>BMC Health Services Research</i> , 2019, 19, 440.	2.2	29
53	Effectiveness of using STOPP/START criteria to identify potentially inappropriate medication in people aged >=65 years with chronic kidney disease: a randomized clinical trial. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 1503-1511.	1.9	7
54	Modifiable factors affecting older patients' quality of life and physical function during cancer treatment. <i>Journal of Geriatric Oncology</i> , 2019, 10, 904-912.	1.0	38

#	ARTICLE	IF	CITATIONS
55	The effect of anxiety on cognition in older adult inpatients with depression: results from a multicenter observational study. <i>Heliyon</i> , 2019, 5, e02235.	3.2	11
56	Availability of Extended-Release Naltrexone May Increase the Number of Opioid-Dependent Individuals in Treatment: Extension of a Randomized Clinical Trial. <i>European Addiction Research</i> , 2019, 25, 303-309.	2.4	7
57	Validity of self-reported assessment of Severity of Dependence Scale in Medication-Overuse Headache. <i>Scandinavian Journal of Pain</i> , 2019, 19, 837-841.	1.3	9
58	Prevalence and persistent use of psychotropic drugs in older adults receiving domiciliary care at baseline. <i>BMC Geriatrics</i> , 2019, 19, 119.	2.7	15
59	Mortality, cause of death and risk factors in patients with alcohol use disorder alone or poly-substance use disorders: a 19-year prospective cohort study. <i>BMC Psychiatry</i> , 2019, 19, 101.	2.6	30
60	Volar Locking Plates Versus Augmented External Fixation of Intra-Articular Distal Radial Fractures. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 311-321.	3.0	31
61	Early Mobilization and Physiotherapy Vs. Late Mobilization and Home Exercises After ORIF of Distal Radial Fractures. <i>JBJS Open Access</i> , 2019, 4, e0012.	1.5	17
62	The association between the degree of nausea in pregnancy and subsequent posttraumatic stress. <i>Archives of Women's Mental Health</i> , 2019, 22, 493-501.	2.6	22
63	Anxiety, Depression, and Insomnia Among Adults With Opioid Dependence Treated With Extended-Release Naltrexone vs Buprenorphine-Naloxone. <i>JAMA Psychiatry</i> , 2019, 76, 127.	11.0	44
64	The use of outpatient commitment in Norway: Who are the patients and what does it involve?. <i>International Journal of Law and Psychiatry</i> , 2019, 62, 7-15.	0.9	13
65	Anxiety symptom levels are persistent in older adults with a mental disorder: A 33-month follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 601-608.	2.7	1
66	Screw Fixation Versus Hemiarthroplasty for Nondisplaced Femoral Neck Fractures in Elderly Patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 136-144.	3.0	94
67	Quality of Life in People with Young-Onset Dementia: A Nordic Two-Year Observational Multicenter Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 197-210.	2.6	8
68	Time from Symptom Debut to Dementia Assessment by the Specialist Healthcare Service in Norway. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 8, 117-127.	1.3	18
69	Clinical decisions presented to patients in hospital encounters: a cross-sectional study using a novel taxonomy. <i>BMJ Open</i> , 2018, 8, e018042.	1.9	15
70	Targeted Interdisciplinary Model for Evaluation and Treatment of Neuropsychiatric Symptoms: A Cluster Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 25-38.	1.2	36
71	Ultrasound measurements of Achilles tendon length using skin markings are more reliable than extended-field-of-view imaging. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2088-2094.	4.2	9
72	Phototherapy is commonly used for neonatal jaundice but greater control is needed to avoid toxicity in the most vulnerable infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 611-619.	1.5	47

#	ARTICLE	IF	CITATIONS
73	Uniform national guidelines do not prevent wide variations in the clinical application of phototherapy for neonatal jaundice. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 620-627.	1.5	23
74	The impact of attending day care designed for home-dwelling people with dementia on nursing home admission: a 24-month controlled study. <i>BMC Health Services Research</i> , 2018, 18, 864.	2.2	14
75	The course of neuropsychiatric symptoms in nursing home residents from admission to 30-month follow-up. <i>PLoS ONE</i> , 2018, 13, e0206147.	2.5	30
76	Nutrition and physical performance in older people—effects of marine protein hydrolysates to prevent decline in physical performance: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e023845.	1.9	11
77	Impact of the Sonas Programme on Communication over a Period of 24 Weeks in People with Moderate-to-Severe Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2018, 8, 238-247.	1.3	4
78	Effectiveness, safety and feasibility of extended-release naltrexone for opioid dependence: a 9-month follow-up to a 3-month randomized trial. <i>Addiction</i> , 2018, 113, 1840-1849.	3.3	20
79	Exploration of 27 plasma immune markers: a cross-sectional comparison of 64 old psychiatric inpatients having unipolar major depression and 18 non-depressed old persons. <i>BMC Geriatrics</i> , 2018, 18, 149.	2.7	19
80	Serum levels of leptin and adiponectin are not associated with disease activity or treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2018, 323, 73-77.	2.3	13
81	History of depression and risk of hyperemesis gravidarum: a population-based cohort study. <i>Archives of Women's Mental Health</i> , 2017, 20, 397-404.	2.6	32
82	Adverse events in a chiropractic spinal manipulative therapy single-blinded, placebo, randomized controlled trial for migraineurs. <i>Musculoskeletal Science and Practice</i> , 2017, 29, 66-71.	1.3	11
83	The association between attending specialized day care centers and the quality of life of people with dementia. <i>International Psychogeriatrics</i> , 2017, 29, 627-636.	1.0	15
84	Effectiveness of Injectable Extended-Release Naltrexone vs Daily Buprenorphine-Naloxone for Opioid Dependence. <i>JAMA Psychiatry</i> , 2017, 74, 1197.	11.0	200
85	Hyperemesis gravidarum and the risk of emotional distress during and after pregnancy. <i>Archives of Women's Mental Health</i> , 2017, 20, 747-756.	2.6	30
86	Effect of the Sonas Programme on Communication in People with Dementia: A Randomized Controlled Trial. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 7, 122-135.	1.3	14
87	Trajectories of depressive symptoms and their relationship to the progression of dementia. <i>Journal of Affective Disorders</i> , 2017, 222, 146-152.	4.1	39
88	Persistent use of psychotropic drugs in nursing home residents in Norway. <i>BMC Geriatrics</i> , 2017, 17, 52.	2.7	37
89	Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. <i>British Journal of Cancer</i> , 2017, 117, 470-477.	6.4	109
90	Drug Dose Per Kilogram Lean Body Mass Predicts Hematologic Toxicity From Carboplatin-Doublet Chemotherapy in Advanced Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2017, 18, e129-e136.	2.6	44

#	ARTICLE	IF	CITATIONS
91	The impact of the Dementia ABC educational programme on competence in person-centred dementia care and job satisfaction of care staff. <i>International Journal of Older People Nursing</i> , 2017, 12, e12139.	1.3	14
92	In Silico Prediction Analysis of Idiotope-Driven T ^H 17 Cell Collaboration in Multiple Sclerosis. <i>Frontiers in Immunology</i> , 2017, 8, 1255.	4.8	12
93	Obstetric and psychological characteristics of women choosing epidural analgesia during labour: A cohort study. <i>PLoS ONE</i> , 2017, 12, e0186564.	2.5	27
94	Newborn manikin study shows that physicians often fail to detect correct lung compliance when using a self-inflating bag. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016, 105, 172-177.	1.5	6
95	Middle Cerebral Artery Pulsatility Index is Associated with Cognitive Impairment in Lacunar Stroke. <i>Journal of Neuroimaging</i> , 2016, 26, 431-435.	2.0	27
96	No association of tobacco use and disease activity in multiple sclerosis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2016, 3, e260.	6.0	21
97	Psychometric evaluation of the Holden Communication Scale (HCS) for persons with dementia. <i>BMJ Open</i> , 2016, 6, e013447.	1.9	8
98	Index of microvascular resistance after early conversion from calcineurin inhibitor to everolimus in heart transplantation: A sub-study to a 1-year randomized trial. <i>Journal of Heart and Lung Transplantation</i> , 2016, 35, 1010-1017.	0.6	6
99	Antipsychotic Drug Use Is Not Associated With Long-Term Mortality Risk in Norwegian Nursing Home Patients. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 464.e1-464.e7.	2.5	14
100	Severity of Neuropsychiatric Symptoms in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 28-42.	1.3	23
101	Are Nutritional Care Adequate for Elderly Hospitalized Patients? A Cross-Sectional Study. <i>SAGE Open</i> , 2016, 6, 215824401668206.	1.7	7
102	Comparison of simplified and comprehensive methods for assessing the index of microvascular resistance in heart transplant recipients. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 283-290.	1.7	0
103	Hospitalization of high and low inpatient service users before and after enrollment into Assertive Community Treatment teams: a naturalistic observational study. <i>International Journal of Mental Health Systems</i> , 2016, 10, 14.	2.7	16
104	Hospitalisation of severely mentally ill patients with and without problematic substance use before and during Assertive Community Treatment: an observational cohort study. <i>BMC Psychiatry</i> , 2016, 16, 125.	2.6	13
105	Comparing comorbidity scales: Attending physician score versus the Cumulative Illness Rating Scale for Geriatrics. <i>Journal of Geriatric Oncology</i> , 2016, 7, 90-98.	1.0	23
106	Long-term quality of life and functionality after ventral hernia mesh repair. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 5023-5033.	2.4	32
107	Speed of recovery from disorientation may predict the treatment outcome of electroconvulsive therapy (ECT) in elderly patients with major depression. <i>Journal of Affective Disorders</i> , 2016, 190, 178-186.	4.1	11
108	Brief intervention by general practitioners for medication-overuse headache, follow-up after 6 months: a pragmatic cluster-randomised controlled trial. <i>Journal of Neurology</i> , 2016, 263, 344-353.	3.6	35

#	ARTICLE	IF	CITATIONS
109	Prevalence of nutritional risk in the non-demented hospitalised elderly: a cross-sectional study from Norway using stratified sampling. <i>Journal of Nutritional Science</i> , 2015, 4, e18.	1.9	16
110	Training frontline workforce on psychosis management: a prospective study of training effects. <i>International Journal of Mental Health Systems</i> , 2015, 9, 38.	2.7	3
111	Long term recurrence, pain and patient satisfaction after ventral hernia mesh repair. <i>World Journal of Gastrointestinal Surgery</i> , 2015, 7, 384.	1.5	28
112	Chiropractic spinal manipulative therapy for cervicogenic headache: a study protocol of a single-blinded placebo-controlled randomized clinical trial. <i>SpringerPlus</i> , 2015, 4, 779.	1.2	7
113	Associations Between Quality of Life and Functioning in an Assertive Community Treatment Population. <i>Psychiatric Services</i> , 2015, 66, 1249-1252.	2.0	13
114	Chiropractic spinal manipulative therapy for migraine: a study protocol of a single-blinded placebo-controlled randomised clinical trial. <i>BMJ Open</i> , 2015, 5, e008095.	1.9	6
115	Brief intervention for medication-overuse headache in primary care. The BIMOH study: a double-blind pragmatic cluster randomised parallel controlled trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 505-512.	1.9	74
116	Low muscle mass is associated with chemotherapy-induced haematological toxicity in advanced non-small cell lung cancer. <i>Lung Cancer</i> , 2015, 90, 85-91.	2.0	68
117	Baseline cognitive function does not predict the treatment outcome of electroconvulsive therapy (ECT) in late-life depression. <i>Journal of Affective Disorders</i> , 2015, 185, 67-75.	4.1	13
118	The course of depressive symptoms as measured by the Cornell scale for depression in dementia over 74 months in 1158 nursing home residents. <i>Journal of Affective Disorders</i> , 2015, 175, 209-216.	4.1	27
119	Validation of Placebo in a Manual Therapy Randomized Controlled Trial. <i>Scientific Reports</i> , 2015, 5, 11774.	3.3	62
120	Prevalence and Severity of Dementia in Nursing Home Residents. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 166-177.	1.5	89
121	Clinical efficacy of formula-based bifrontal versus right unilateral electroconvulsive therapy (ECT) in the treatment of major depression among elderly patients: A pragmatic, randomized, assessor-blinded, controlled trial. <i>Journal of Affective Disorders</i> , 2015, 175, 8-17.	4.1	40
122	Impact of Sex on the Prognostic Value of High-Sensitivity Cardiac Troponin I in the General Population: The HUNT Study. <i>Clinical Chemistry</i> , 2015, 61, 646-656.	3.2	88
123	Early formation of bilirubin isomers during phototherapy for neonatal jaundice: effects of single vs. double fluorescent lamps vs. photodiodes. <i>Pediatric Research</i> , 2015, 78, 56-62.	2.3	27
124	Vitamin D status and effect of interferon- β treatment on MRI activity and serum inflammation markers in relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 280, 21-28.	2.3	19
125	The course of depression in late life as measured by the Montgomery and Asberg Depression Rating Scale in an observational study of hospitalized patients. <i>BMC Psychiatry</i> , 2015, 15, 191.	2.6	20
126	Body mass index influence interferon-beta treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 288, 92-97.	2.3	56

#	ARTICLE	IF	CITATIONS
127	Menstrual versus non-menstrual attacks of migraine without aura in women with and without menstrual migraine. <i>Cephalalgia</i> , 2015, 35, 1261-1268.	3.9	43
128	Vitamin D supplementation and systemic inflammation in relapsing-remitting multiple sclerosis. <i>Journal of Neurology</i> , 2015, 262, 2713-2721.	3.6	36
129	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. <i>Journal of Affective Disorders</i> , 2015, 188, 173-178.	4.1	11
130	Antenatal Maternal Emotional Distress and Duration of Pregnancy. <i>PLoS ONE</i> , 2014, 9, e101682.	2.5	6
131	Increasing serum levels of vitamin A, D and E are associated with alterations of different inflammation markers in patients with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2014, 271, 60-65.	2.3	25
132	A controlled study of income development for breast cancer survivors in Norway. <i>Journal of Cancer Survivorship</i> , 2014, 8, 239-247.	2.9	9
133	Antibodies to Epstein-Barr virus and MRI disease activity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1833-1840.	3.0	57
134	Spatial-temporal model for wind speed in Lithuania. <i>Journal of Applied Statistics</i> , 2011, 38, 1151-1168.	1.3	27
135	Analysis and modelling of wind speed in New York. <i>Journal of Applied Statistics</i> , 2010, 37, 893-909.	1.3	24
136	A Spatial-temporal Model for Temperature with Seasonal Variance. <i>Journal of Applied Statistics</i> , 2007, 34, 823-841.	1.3	34
137	The INSPIRE Support sub-scale: A critical view of the psychometric properties focusing on dimensionality. <i>Current Psychology</i> , 0, , 1.	2.8	0
138	Lugol's solution and Gentian violet eradicate methicillin-resistant <i>Staphylococcus aureus</i> biofilm in skin wound infections. <i>International Wound Journal</i> , 0, , .	2.9	2