

Eliseu Rodrigues

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9191833/eliseu-rodrigues-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

1,596
citations

25
h-index

39
g-index

74
ext. papers

2,041
ext. citations

4.7
avg, IF

4.99
L-index

#	Paper	IF	Citations
67	Phenolic compounds content and antioxidant activity in pomace from selected red grapes (<i>Vitis vinifera L.</i> and <i>Vitis labrusca L.</i>) widely produced in Brazil. <i>Food Chemistry</i> , 2011 , 127, 174-179	8.5	161
66	Phenolic compounds and carotenoids from four fruits native from the Brazilian Atlantic Forest. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 5072-84	5.7	109
65	Carotenoids and phenolic compounds from <i>Solanum sessiliflorum</i> , an unexploited Amazonian fruit, and their scavenging capacities against reactive oxygen and nitrogen species. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 3022-9	5.7	91
64	Identification of carotenoids with high antioxidant capacity produced by extremophile microorganisms. <i>World Journal of Microbiology and Biotechnology</i> , 2012 , 28, 1781-90	4.4	78
63	Scavenging capacity of marine carotenoids against reactive oxygen and nitrogen species in a membrane-mimicking system. <i>Marine Drugs</i> , 2012 , 10, 1784-98	6	74
62	Development of a novel micro-assay for evaluation of peroxy radical scavenger capacity: application to carotenoids and structure-activity relationship. <i>Food Chemistry</i> , 2012 , 135, 2103-11	8.5	69
61	Characterization of active biodegradable films based on cassava starch and natural compounds. <i>Food Packaging and Shelf Life</i> , 2018 , 16, 138-147	8.2	63
60	Phenolic compounds and antioxidant activity of blueberry cultivars grown in Brazil. <i>Food Science and Technology</i> , 2011 , 31, 911-917	2	51
59	Characterization and quantification of tannins, flavonols, anthocyanins and matrix-bound polyphenols from jaboticaba fruit peel: A comparison between <i>Myrciaria trunciflora</i> and <i>M. jaboticaba</i> . <i>Journal of Food Composition and Analysis</i> , 2019 , 78, 59-74	4.1	48
58	Phenolic compounds, antioxidant capacity and bioaccessibility of minerals of stingless bee honey (Meliponinae). <i>Journal of Food Composition and Analysis</i> , 2017 , 63, 89-97	4.1	45
57	Extracting phenolic compounds from <i>Hibiscus sabdariffa L.</i> calyx using microwave assisted extraction. <i>Industrial Crops and Products</i> , 2019 , 133, 168-177	5.9	44
56	Bioaccessibility and catabolism of phenolic compounds from jaboticaba (<i>Myrciaria trunciflora</i>) fruit peel during in vitro gastrointestinal digestion and colonic fermentation. <i>Journal of Functional Foods</i> , 2020 , 65, 103714	5.1	41
55	A new bioprocess for the production of prebiotic lactosucrose by an immobilized β -galactosidase. <i>Process Biochemistry</i> , 2017 , 55, 96-103	4.8	40
54	Simultaneous identification of low-molecular weight phenolic and nitrogen compounds in craft beers by HPLC-ESI-MS/MS. <i>Food Chemistry</i> , 2019 , 286, 113-122	8.5	37
53	Effect of temperature and nitrogen concentration on biomass composition of <i>Heterochlorella luteoviridis</i> . <i>Food Science and Technology</i> , 2017 , 37, 28-37	2	37
52	Microcapsules containing antioxidant molecules as scavengers of reactive oxygen and nitrogen species. <i>Food Chemistry</i> , 2012 , 134, 704-11	8.5	36
51	Pigmentation and carotenoid content of shrimp fed with <i>Haematococcus pluvialis</i> and soy lecithin. <i>Aquaculture Nutrition</i> , 2011 , 17, e530-e535	3.2	35

50	Grape peel powder promotes intestinal barrier homeostasis in acute TNBS-colitis: A major role for dietary fiber and fiber-bound polyphenols. <i>Food Research International</i> , 2019 , 123, 425-439	7	33
49	The Amazonian fruit <i>Byrsonima crassifolia</i> effectively scavenges reactive oxygen and nitrogen species and protects human erythrocytes against oxidative damage. <i>Food Research International</i> , 2014 , 64, 618-625	7	33
48	Carotenoids from <i>Byrsonima crassifolia</i> : Identification, quantification and in vitro scavenging capacity against peroxy radicals. <i>Journal of Food Composition and Analysis</i> , 2013 , 31, 155-160	4.1	30
47	Identification of Bioactive Compounds From <i>Vitis labrusca</i> L. Variety Concord Grape Juice Treated With Commercial Enzymes: Improved Yield and Quality Parameters. <i>Food and Bioprocess Technology</i> , 2016 , 9, 365-377	5.1	29
46	Minerals and essential fatty acids of the exotic fruit <i>Physalis peruviana</i> L.. <i>Food Science and Technology</i> , 2009 , 29, 642-645	2	29
45	Composition analysis of carotenoids and phenolic compounds and antioxidant activity from hibiscus calyces (<i>Hibiscus sabdariffa</i> L.) by HPLC-DAD-MS/MS. <i>Phytochemical Analysis</i> , 2019 , 30, 208-217	3.4	28
44	Whey protein and phenolic compound complexation: Effects on antioxidant capacity before and after in vitro digestion. <i>Food Research International</i> , 2020 , 133, 109104	7	27
43	Influência do solvente no conteúdo total de polifenóis, antocianinas e atividade antioxidante de extratos de bagaço de uva (<i>Vitis vinifera</i>) variedades Tannat e Ancelota. <i>Food Science and Technology</i> , 2008 , 28, 238-244	2	27
42	Natural deep eutectic solvents as a biocompatible tool for the extraction of blueberry anthocyanins. <i>Journal of Food Composition and Analysis</i> , 2020 , 89, 103470	4.1	25
41	Efficient enzyme-assisted extraction of genipin from genipap (<i>Genipa americana</i> L.) and its application as a crosslinker for chitosan gels. <i>Food Chemistry</i> , 2018 , 246, 266-274	8.5	23
40	Chemical composition of microalgae <i>Heterochlorella luteoviridis</i> and <i>Dunaliella tertiolecta</i> with emphasis on carotenoids. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3463-3468	4.3	18
39	Correlation, by multivariate statistical analysis, between the scavenging capacity against reactive oxygen species and the bioactive compounds from frozen fruit pulps. <i>Food Science and Technology</i> , 2013 , 33, 57-65	2	17
38	Use of low-cost agro products as substrate in semi-continuous process to obtain carotenoids by <i>Sporidiobolus salmonicolor</i> . <i>Biocatalysis and Agricultural Biotechnology</i> , 2017 , 11, 268-274	4.2	14
37	Citric acid water-based solution for blueberry bagasse anthocyanins recovery: Optimization and comparisons with microwave-assisted extraction (MAE).. <i>LWT - Food Science and Technology</i> , 2020 , 133, 110064	5.4	13
36	Evaluation of the Use of Industrial Wastes on the Encapsulation of Betalains Extracted from Red Pitaya Pulp (<i>Hylocereus polyrhizus</i>) by Spray Drying: Powder Stability and Application. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1940-1953	5.1	13
35	Combination of ultrasound, enzymes and mechanical stirring: A new method to improve <i>Vitis vinifera</i> Cabernet Sauvignon must yield, quality and bioactive compounds. <i>Food and Bioproducts Processing</i> , 2017 , 105, 197-204	4.9	12
34	Natural deep eutectic solvent (NADES): A strategy to improve the bioavailability of blueberry phenolic compounds in a ready-to-use extract. <i>Food Chemistry</i> , 2021 , 364, 130370	8.5	12
33	Improvement of Enzymatic Assisted Extraction Conditions on Anthocyanin Recovery from Different Varieties of <i>V. vinifera</i> and <i>V. labrusca</i> Grape Pomaces. <i>Food Analytical Methods</i> , 2019 , 12, 2056-2068	3.4	11

32	Chlorella sorokiniana: A new alternative source of carotenoids and proteins for gluten-free bread. <i>LWT - Food Science and Technology</i> , 2020 , 134, 109974	5.4	11
31	Virgin Coconut Oil Associated with High-Fat Diet Induces Metabolic Dysfunctions, Adipose Inflammation, and Hepatic Lipid Accumulation. <i>Journal of Medicinal Food</i> , 2020 , 23, 689-698	2.8	9
30	Natural deep eutectic solvent (NADES)-based blueberry extracts protect against ethanol-induced gastric ulcer in rats. <i>Food Research International</i> , 2020 , 138, 109718	7	9
29	Biosynthesis of vitamin B12 by <i>Propionibacterium freudenreichii</i> subsp. <i>shermanii</i> ATCC 13673 using liquid acid protein residue of soybean as culture medium. <i>Biotechnology Progress</i> , 2020 , 36, e3011	2.8	8
28	Bioactive compounds and protective effect of red and black rice brans extracts in human neuron-like cells (SH-SY5Y). <i>Food Research International</i> , 2018 , 113, 57-64	7	8
27	Effect of processing on antioxidant potential and total phenolics content in beet (<i>Beta vulgaris L.</i>). <i>Food Science and Technology</i> , 2011 , 31, 688-693	2	8
26	Use of Low-Cost Agro-Industrial Substrate to Obtain Carotenoids from <i>Phaffia rhodozyma</i> in a Bioreactor. <i>Industrial Biotechnology</i> , 2019 , 15, 25-34	1.3	8
25	QuEChERS-LC-QTOFMS for the simultaneous determination of legislated and emerging mycotoxins in malted barley and beer using matrix-matched calibration as a solution to the commercial unavailability of internal standards for some mycotoxins. <i>Food Chemistry</i> , 2021 , 345, 128744	8.5	8
24	Wine lees from the 1st and 2nd rackings: valuable by-products. <i>Journal of Food Science and Technology</i> , 2019 , 56, 1559-1566	3.3	7
23	Biological activities of wheat middlings bioprocessed with <i>Bacillus</i> spp.. <i>LWT - Food Science and Technology</i> , 2017 , 77, 525-531	5.4	6
22	Discrimination of sparkling wines samples according to the country of origin by ICP-OES coupled with multivariate analysis. <i>LWT - Food Science and Technology</i> , 2020 , 131, 109760	5.4	5
21	Hierarchical classification of sparkling wine samples according to the country of origin based on the most informative chemical elements. <i>Food Control</i> , 2019 , 106, 106737	6.2	5
20	In vivo assessment of the cytotoxic, genotoxic and antigenotoxic potential of manioc (Solanum sessiliflorum Dunal) fruit. <i>Food Research International</i> , 2014 , 62, 121-127	7	5
19	Comprehensive identification and quantification of unexploited phenolic compounds from red and yellow arapitá (<i>Psidium cattleianum</i> Sabine) by LC-DAD-ESI-MS/MS. <i>Food Research International</i> , 2020 , 131, 108978	7	5
18	Phenolic compounds and antioxidant activity in vitro and in vivo of <i>Butia</i> and <i>Opuntia</i> fruits. <i>Food Research International</i> , 2020 , 137, 109740	7	5
17	Thermal Pest Control in 'Tannat' grapes: Effect on anthocyanins, sensory and color of one-year-old wines. <i>Food Research International</i> , 2017 , 100, 113-121	7	4
16	Diferenciação analítica de vinhos-base para espumantes de duas regiões vitícolas do Rio Grande do Sul. <i>Ciencia Rural</i> , 2010 , 40, 1186-1192	1.3	4
15	Ochratoxin A presence in Cabernet Sauvignon wine changes antioxidant activity and oxidative stress markers. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020 , 37, 1755-1764	3.2	4

LIST OF PUBLICATIONS

14	Extraction and partial characterisation of antioxidant pigment produced by sp. kr6. <i>Natural Product Research</i> , 2019 , 33, 1541-1549	2.3	4
13	Chymase inhibition: A key factor in the anti-inflammatory activity of ethanolic extracts and spilanthol isolated from <i>Acmella oleracea</i> . <i>Journal of Ethnopharmacology</i> , 2021 , 270, 113610	5	3
12	Kinetic Parameters of Fed-Batch Production of Carotenoids by <i>Sporidiobolus salmonicolor</i> Using Low-Cost Agro-Industrial Substrates. <i>Industrial Biotechnology</i> , 2019 , 15, 311-321	1.3	2
11	New insights into the phenolic compounds and antioxidant capacity of feijoa and cherry fruits cultivated in Brazil. <i>Food Research International</i> , 2020 , 136, 109564	7	2
10	Combination of Celluclast and Viscozyme improves enzymatic hydrolysis of residual cellulose casings: process optimization and scale-up. <i>Brazilian Journal of Chemical Engineering</i> , 2020 , 37, 463-473	1.7	2
9	Potential of immobilized <i>Chlorella minutissima</i> for the production of biomass, proteins, carotenoids and fatty acids. <i>Biocatalysis and Agricultural Biotechnology</i> , 2020 , 25, 101601	4.2	2
8	Production of antimicrobial metabolites against pathogenic bacteria and yeasts by <i>Fusarium oxysporum</i> in submerged culture processes. <i>Bioprocess and Biosystems Engineering</i> , 2021 , 44, 1321-1332	3.7	2
7	Thermaculture on Cabernet Sauvignon Vineyard increases wine pigments and wine sensory quality. <i>Ciencia E Tecnica Vitivinicola</i> , 2017 , 32, 82-92	1	1
6	Antimycobacterial activity of (Asteraceae) aqueous extract from Southern Brazil. <i>Natural Product Research</i> , 2021 , 1-5	2.3	1
5	Influence of cultivar and season on carotenoids and phenolic compounds from red lettuce influence of cultivar and season on lettuce.. <i>Food Research International</i> , 2022 , 155, 111110	7	1
4	Effects of indoor, greenhouse, and field cultivation on bioactive compounds from parsley and basil. <i>Journal of the Science of Food and Agriculture</i> , 2021 , 101, 6320-6330	4.3	0
3	Overall evaluation of artichoke leftovers: Agricultural measurement and bioactive properties assessed after green and low-cost extraction methods. <i>Food Bioscience</i> , 2021 , 41, 100963	4.9	0
2	Grape UV-C irradiation in the postharvest period as a tool to improve sensorial quality and anthocyanin profile in 'Cabernet Sauvignon' wine.. <i>Journal of Food Science and Technology</i> , 2022 , 59, 1803-1811	3.3	1
1	Antihyperlipidemic effect of the hydroalcoholic extract of Basidiomycete <i>Pycnoporus sanguineus</i> (Fr.) Murr. in streptozotocin-induced diabetic rats. <i>Advances in Traditional Medicine</i> , 2021 , 21, 453-461	1.4	1