

# Reiji Kannagi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9193199/publications.pdf>

Version: 2024-02-01

228  
papers

11,193  
citations

27035

58  
h-index

42259

96  
g-index

237  
all docs

237  
docs citations

237  
times ranked

9176  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cellular concentrations of plasmalogen species containing a polyunsaturated fatty acid significantly increase under hypoxia in human colorectal cancer, Caco2 cells. <i>Biochemical and Biophysical Research Communications</i> , 2022, 611, 1-7.	1.0	4
2	BGN/TLR4/NF- $\kappa$ B Mediates Epigenetic Silencing of Immunosuppressive Siglec Ligands in Colon Cancer Cells. <i>Cells</i> , 2020, 9, 397.	1.8	23
3	SSEA3 and Sialyl Lewis a Glycan Expression Is Controlled by B3GALT5 LTR through Lamin A-NFYA and SIRT1-STAT3 Signaling in Human ES Cells. <i>Cells</i> , 2020, 9, 177.	1.8	5
4	Selectin-Binding Assay by Flow Cytometry. <i>Methods in Molecular Biology</i> , 2020, 2132, 111-118.	0.4	1
5	Roles of p53 Family Structure and Function in Non-Canonical Response Element Binding and Activation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3681.	1.8	18
6	Sialyl Glycan Expression on T Cell Subsets in Asthma: a correlation with disease severity and blood parameters. <i>Scientific Reports</i> , 2019, 9, 8947.	1.6	2
7	Synergistic activation of the NEU4 promoter by p73 and AP2 in colon cancer cells. <i>Scientific Reports</i> , 2019, 9, 950.	1.6	10
8	Epigenetic silencing of the synthesis of immunosuppressive Siglec ligand glycans by NF- $\kappa$ B/EZH2/YY1 axis in early-stage colon cancers. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2019, 1862, 173-183.	0.9	15
9	Inhibition of Endothelial SCUBE2 (Signal Peptide-CUB-EGF Domain-Containing Protein 2), a Novel VEGFR2 (Vascular Endothelial Growth Factor Receptor 2) Coreceptor, Suppresses Tumor Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 1202-1215.	1.1	21
10	Concerted mass spectrometry-based glycomic approach for precision mapping of sulfo sialylated N-glycans on human peripheral blood mononuclear cells and lymphocytes. <i>Glycobiology</i> , 2018, 28, 9-20.	1.3	24
11	Distinct substrate specificities of human GlcNAc-6-sulfotransferases revealed by mass spectrometry-based sulfoglycomic analysis. <i>Journal of Biological Chemistry</i> , 2018, 293, 15163-15177.	1.6	24
12	BLIMP1 transcriptionally induced by EGFR activation and post-translationally regulated by proteasome and lysosome is involved in keratinocyte differentiation, migration and inflammation. <i>Journal of Dermatological Science</i> , 2018, 92, 151-161.	1.0	8
13	Gangliosides and Tumors. <i>Methods in Molecular Biology</i> , 2018, 1804, 143-171.	0.4	12
14	Downregulation of miR-199a/b-5p is associated with GCNT2 induction upon epithelial-mesenchymal transition in colon cancer. <i>FEBS Letters</i> , 2017, 591, 1902-1917.	1.3	30
15	Anaplasma marginale Outer Membrane Protein A Is an Adhesin That Recognizes Sialylated and Fucosylated Glycans and Functionally Depends on an Essential Binding Domain. <i>Infection and Immunity</i> , 2017, 85, .	1.0	24
16	FUT8 promotes breast cancer cell invasiveness by remodeling TGF- $\beta$ 2 receptor core fucosylation. <i>Breast Cancer Research</i> , 2017, 19, 111.	2.2	146
17	Endothelial SCUBE2 Interacts With VEGFR2 and Regulates VEGF-Induced Angiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 144-155.	1.1	33
18	A/T gap tolerance in the core sequence and flanking sequence requirements of non-canonical p53 response elements. <i>Journal of Biochemistry</i> , 2016, 159, 563-572.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Spleen Tyrosine Kinase Mediates EGFR Signaling to Regulate Keratinocyte Terminal Differentiation. <i>Journal of Investigative Dermatology</i> , 2016, 136, 192-201.	0.3	26
20	Unmasking of CD22 Co-receptor on Germinal Center B-cells Occurs by Alternative Mechanisms in Mouse and Man. <i>Journal of Biological Chemistry</i> , 2015, 290, 30066-30077.	1.6	52
21	Tumor-Associated Glycans and Their Functional Roles in the Multistep Process of Human Cancer Progression. , 2015, , 139-158.		3
22	Sialyl Lewis x (CD15s) identifies highly differentiated and most suppressive FOXP3 <sup>high</sup> regulatory T cells in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7225-7230.	3.3	164
23	Hypoxia remodels the composition of the constituent ceramide species of HexCer and Hex2Cer with phytosphingosine and hydroxy fatty acids in human colon cancer LS174T cells. <i>Glycoconjugate Journal</i> , 2015, 32, 615-623.	1.4	4
24	Major glycan structure underlying expression of the Lewis X epitope in the developing brain is O-mannose-linked glycans on phosphacan/RPTP <sup>2</sup> . <i>Glycobiology</i> , 2015, 25, 376-385.	1.3	23
25	Sialyl Sulfoglycans in Immune Regulation and Their Clinical Applications. , 2015, , 617-625.		1
26	Monoclonal Antibodies Monoclonal antibody for Glycans as Tools for Identifying Endogenous Glycan Ligands for Human Carbohydrate-Recognition Molecules. , 2015, , 1551-1556.		0
27	Introduction to Special Issue: 'Emerging Roles of Siglecs in Health and Disease'. <i>Glycobiology</i> , 2014, 24, 784-784.	1.3	1
28	Therapeutic adenoviral gene transfer of a glycosyltransferase for prevention of peritoneal dissemination and metastasis of gastric cancer. <i>Cancer Gene Therapy</i> , 2014, 21, 427-433.	2.2	18
29	Individual profiles of free ceramide species and the constituent ceramide species of sphingomyelin and neutral glycosphingolipid and their alteration according to the sequential changes of environmental oxygen content in human colorectal cancer Caco-2 cells. <i>Glycoconjugate Journal</i> , 2014, 31, 209-219.	1.4	12
30	Fucosyltransferase 5. GDP-Fucose Lactosamine $\hat{1}\pm 3/4$ -Fucosyltransferase (FUT5). , 2014, , 549-558.		2
31	Fucosyltransferase 6. GDP-Fucose Lactosamine $\hat{1}\pm 3$ -Fucosyltransferase (FUT6). , 2014, , 559-571.		5
32	Sialyl Sulfoglycans in Immune Regulation and Their Clinical Applications. , 2014, , 1-8.		0
33	KSGal6ST generates galactose-6-O-sulfate in high endothelial venules but does not contribute to L-selectin-dependent lymphocyte homing. <i>Glycobiology</i> , 2013, 23, 381-394.	1.3	34
34	Role of down-regulated neutral ceramidase during all-trans retinoic acid-induced neuronal differentiation in SH-SY5Y neuroblastoma cells. <i>Journal of Biochemistry</i> , 2012, 151, 611-620.	0.9	23
35	Transcription factors c-Myc and CDX2 mediate E-selectin ligand expression in colon cancer cells undergoing EGF/bFGF-induced epithelial $\hat{1}\pm$ mesenchymal transition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7776-7781.	3.3	139
36	Colonic Epithelial Cells Express Specific Ligands for Mucosal Macrophage Immunosuppressive Receptors Siglec-7 and -9. <i>Journal of Immunology</i> , 2012, 188, 4690-4700.	0.4	73

#	ARTICLE	IF	CITATIONS
37	Induction of 6-sulfated glycans with cell adhesion activity via T-bet and GATA-3 in human helper T cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 841-848.	1.1	5
38	Sialic acid cyclization of human Th homing receptor glycan associated with recurrent exacerbations of atopic dermatitis. <i>Journal of Dermatological Science</i> , 2012, 68, 187-193.	1.0	3
39	Cell-Surface Glycoconjugates Controlling Human T-Lymphocyte Homing: Implications for Bronchial Asthma and Atopic Dermatitis. , 2012, , 167-176.		1
40	TNF $\alpha$ enhances the motility and invasiveness of prostatic cancer cells by stimulating the expression of selective glycosyl- and sulfotransferase genes involved in the synthesis of selectin ligands. <i>Biochemical and Biophysical Research Communications</i> , 2011, 409, 436-441.	1.0	44
41	Systematic analyses of free ceramide species and ceramide species comprising neutral glycosphingolipids by MALDI-TOF MS with high-energy CID. <i>Glycoconjugate Journal</i> , 2011, 28, 67-87.	1.4	17
42	Kidney transplantation recovers the reduction level of serum sulfatide in ESRD patients via processes correlated to oxidative stress and platelet count. <i>Glycoconjugate Journal</i> , 2011, 28, 125-135.	1.4	18
43	Quantitative Transcriptomic Profiling of Branching in a Glycosphingolipid Biosynthetic Pathway. <i>Journal of Biological Chemistry</i> , 2011, 286, 27214-27224.	1.6	13
44	Sialylated and Sulfated Carbohydrate Ligands for Selectins and Siglecs: Involvement in Traffic and Homing of Human Memory T and B Lymphocytes. <i>Advances in Experimental Medicine and Biology</i> , 2011, 705, 549-569.	0.8	12
45	Rap1 controls lymphocyte adhesion cascade and interstitial migration within lymph nodes in RAPL-dependent and -independent manners. <i>Blood</i> , 2010, 115, 804-814.	0.6	49
46	Cytoplasmic expression of the JM403 antigen GlcA-GlcNH 3 + on heparan sulfate glycosaminoglycan in mammary carcinomas—a novel proliferative biomarker for breast cancers with high malignancy. <i>Glycoconjugate Journal</i> , 2010, 27, 661-672.	1.4	6
47	Altered sphingolipid metabolism induced by tumor hypoxia — New vistas in glycolipid tumor markers. <i>FEBS Letters</i> , 2010, 584, 1872-1878.	1.3	51
48	Altered expression of glycan genes in cancers induced by epigenetic silencing and tumor hypoxia: Clues in the ongoing search for new tumor markers. <i>Cancer Science</i> , 2010, 101, 586-593.	1.7	82
49	Epigenetic Silencing of the Sulfate Transporter Gene <i>DTDST</i> Induces Sialyl Lewis $x$ Expression and Accelerates Proliferation of Colon Cancer Cells. <i>Cancer Research</i> , 2010, 70, 4064-4073.	0.4	68
50	Glycosphingolipids as mediators of phenotypic changes associated with development and cancer progression. <i>Journal of Biochemistry</i> , 2010, 147, 3-8.	0.9	8
51	Expression of CC-chemokine receptor 7 (CCR7) and CXC-chemokine receptor 4 (CXCR4) in head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2010, 37, 488-495.	0.5	36
52	Sulfatides are associated with neointimal thickening after vascular injury. <i>Atherosclerosis</i> , 2010, 211, 291-296.	0.4	13
53	Anti-oligosaccharide antibodies as tools for studying sulfated sialoglycoconjugate ligands for siglecs and selectins. <i>Glycoconjugate Journal</i> , 2009, 26, 923-928.	1.4	16
54	Kidney dysfunction induced by protein overload nephropathy reduces serum sulfatide levels in mice. <i>Nephrology</i> , 2009, 14, 658-662.	0.7	15

#	ARTICLE	IF	CITATIONS
55	Expression of sialyl Lex, sialyl Lea, Lex and Ley glycotopes in secreted human ovarian cyst glycoproteins. <i>Biochimie</i> , 2009, 91, 423-433.	1.3	8
56	Acute kidney injury induced by protein-overload nephropathy down-regulates gene expression of hepatic cerebroside sulfotransferase in mice, resulting in reduction of liver and serum sulfatides. <i>Biochemical and Biophysical Research Communications</i> , 2009, 390, 1382-1388.	1.0	27
57	Generation and characterization of a series of monoclonal antibodies that specifically recognize [HexA(±2S)-GlcNAc] <sub>n</sub> epitopes in heparan sulfate. <i>Glycoconjugate Journal</i> , 2008, 25, 703-712.	1.4	20
58	Clinical application of functional glycoproteomics – dissection of glycotopes carried by soluble CD44 variants in sera of patients with cancers. <i>Proteomics</i> , 2008, 8, 3263-3273.	1.3	10
59	Current relevance of incomplete synthesis and neo-synthesis for cancer-associated alteration of carbohydrate determinants – Hakomori's concepts revisited. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008, 1780, 525-531.	1.1	111
60	Core 2 GlcNAc modification and megalin ligand-binding activity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2008, 1780, 479-485.	1.1	8
61	Significance of Tumor-Associated Stroma in Promotion of Intratumoral Lymphangiogenesis. <i>American Journal of Pathology</i> , 2008, 172, 179-193.	1.9	106
62	DNA Hypermethylation Contributes to Incomplete Synthesis of Carbohydrate Determinants in Gastrointestinal Cancer. <i>Gastroenterology</i> , 2008, 135, 142-151.e3.	0.6	95
63	Chemical and Apoptotic Properties of Hydroxy-Ceramides Containing Long-Chain Bases with Unusual Alkyl Chain Lengths. <i>Journal of Biochemistry</i> , 2008, 144, 95-106.	0.9	16
64	Significance of NF- $\kappa$ B/GATA Axis in Tumor Necrosis Factor- $\alpha$ -induced Expression of 6-Sulfated Cell Recognition Glycans in Human T-lymphocytes. <i>Journal of Biological Chemistry</i> , 2008, 283, 34563-34570.	1.6	15
65	CD43, but not P-Selectin Glycoprotein Ligand-1, Functions as an E-Selectin Counter-Receptor in Human Pre-B Cell Leukemia NALL-1. <i>Cancer Research</i> , 2008, 68, 790-799.	0.4	30
66	Monoclonal Antibody as a Clue to Structural Analysis of Bioactive Functional Glycoconjugates. , 2008, , 60-63.		2
67	Human B-lymphocytes Express $\alpha$ 2-6-Sialylated 6-Sulfo-N-acetylglucosamine Serving as a Preferred Ligand for CD22/Siglec-2. <i>Journal of Biological Chemistry</i> , 2007, 282, 32200-32207.	1.6	72
68	Hypoxia-enhanced expression of free deaminoneuraminic acid in human cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 357, 537-542.	1.0	26
69	SIRP $\alpha$ 1 and SIRP $\alpha$ 2: Their role as tumor suppressors in breast carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2007, 361, 7-13.	1.0	9
70	Hyperproduction of Hyaluronan in Neu-Induced Mammary Tumor Accelerates Angiogenesis through Stromal Cell Recruitment. <i>American Journal of Pathology</i> , 2007, 170, 1086-1099.	1.9	169
71	Establishment of a quantitative, qualitative, and high-throughput analysis of sulfatides from small amounts of sera by matrix-assisted laser desorption/ionization – time of flight mass spectrometry. <i>Analytical Biochemistry</i> , 2007, 362, 1-7.	1.1	43
72	Glycomic mapping of pseudomucinous human ovarian cyst glycoproteins: Identification of Lewis and sialyl Lewis glycotopes. <i>Proteomics</i> , 2007, 7, 3699-3717.	1.3	24

#	ARTICLE	IF	CITATIONS
73	A role for SHPS-1/SIRP-1 in Concanavalin A-dependent production of MMP-9. <i>Genes To Cells</i> , 2007, 12, 1023-1033.	0.5	4
74	Serum sulfatides as a novel biomarker for cardiovascular disease in patients with end-stage renal failure. <i>Glycoconjugate Journal</i> , 2007, 24, 565-571.	1.4	38
75	Carbohydrate antigen sialyl Lewis a--its pathophysiological significance and induction mechanism in cancer progression. <i>Chang Gung Medical Journal</i> , 2007, 30, 189-209.	0.7	97
76	Interaction of GATA-3/T-bet transcription factors regulates expression of sialyl Lewis X homing receptors on Th1/Th2 lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 16894-16899.	3.3	83
77	SHP-2-Erk signaling regulates Concanavalin A-dependent production of TIMP-2. <i>Biochemical and Biophysical Research Communications</i> , 2006, 348, 1145-1149.	1.0	12
78	Identification of cutaneous lymphocyte-associated antigen as sialyl 6-sulfo Lewis X, a selectin ligand expressed on a subset of skin-homing helper memory T cells. <i>Blood</i> , 2006, 107, 3197-3204.	0.6	57
79	Quantitative RT-PCR analysis of sphingolipid metabolic enzymes in acute leukemia and myelodysplastic syndromes. <i>Leukemia</i> , 2006, 20, 2042-2046.	3.3	62
80	Ectopic expression of N-acetylglucosamine 6-O-sulfotransferase 2 in chemotherapy-resistant ovarian adenocarcinomas. <i>Glycoconjugate Journal</i> , 2006, 23, 453-460.	1.4	11
81	Successful tumor eradication was achieved by collaboration of augmented cytotoxic activity and anti-angiogenic effects following therapeutic vaccines containing helper-activating analog-loaded dendritic cells and tumor antigen DNA. <i>Cancer Immunology, Immunotherapy</i> , 2006, 56, 331-342.	2.0	13
82	Rapid demonstration of diversity of sulfatide molecular species from biological materials by MALDI-TOF MS. <i>Glycobiology</i> , 2006, 16, 719-728.	1.3	37
83	Hypoxic Culture Induces Expression of Sialin, a Sialic Acid Transporter, and Cancer-Associated Gangliosides Containing Non-Human Sialic Acid on Human Cancer Cells. <i>Cancer Research</i> , 2006, 66, 2937-2945.	0.4	149
84	Molecular Cloning and Characterization of a Novel 3-Phosphoadenosine 5-Phosphosulfate Transporter, PAPST2. <i>Journal of Biological Chemistry</i> , 2006, 281, 10945-10953.	1.6	67
85	SHAP Potentiates the CD44-mediated Leukocyte Adhesion to the Hyaluronan Substratum. <i>Journal of Biological Chemistry</i> , 2006, 281, 20303-20314.	1.6	134
86	Disruption of Phospholipase C-4 Gene Modulates the Liver Regeneration in Cooperation with Nuclear Protein Kinase C. <i>Journal of Biochemistry</i> , 2006, 140, 619-625.	0.9	11
87	Design and synthesis of a novel neo-glycolipid containing sialyl Lewis X determinant carried on the mucin GlcNAc-1-6GalNAc core structure. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 1321-1327.	1.8	3
88	A major class of L-selectin ligands is eliminated in mice deficient in two sulfotransferases expressed in high endothelial venules. <i>Nature Immunology</i> , 2005, 6, 1105-1113.	7.0	167
89	6-O-Sulfo sialylparagloboside and sialyl Lewis X neo-glycolipids containing lactamized neuraminic acid: Synthesis and antigenic reactivity against G159 monoclonal antibody. <i>Glycoconjugate Journal</i> , 2005, 22, 95-108.	1.4	6
90	Expression of N-acetylglucosamine 6-O-sulfotransferases (GlcNAc6STs)-1 and -4 in human monocytes: GlcNAc6ST-1 is implicated in the generation of the 6-sulfo N-acetylglucosamine/Lewis x epitope on CD44 and is induced by TNF- $\alpha$ . <i>Glycobiology</i> , 2005, 15, 7C-13C.	1.3	19

#	ARTICLE	IF	CITATIONS
91	Development of structural analysis of sulfated N-glycans by multidimensional high performance liquid chromatography mapping methods. <i>Glycobiology</i> , 2005, 15, 1051-1060.	1.3	64
92	Synthesis of Î±(1,3) Fucosyltransferases IV- and VII-Dependent Eosinophil Selectin Ligand and Recruitment to the Skin. <i>American Journal of Pathology</i> , 2005, 167, 787-796.	1.9	10
93	Carbohydrate-Based Treatment of Cancer Metastasis. , 2005, , 803-829.		3
94	Synthesis and Antigenic Property of a Novel Sialyl 6â€œSulfo Lewis X Neoâ€œglycolipid Containing Lactamized Neuraminic Acid. <i>Journal of Carbohydrate Chemistry</i> , 2004, 23, 201-215.	0.4	7
95	Endomucin, a sialomucin expressed in high endothelial venules, supports L-selectin-mediated rolling. <i>International Immunology</i> , 2004, 16, 1265-1274.	1.8	31
96	Loss of Disialyl Lewisia, the Ligand for Lymphocyte Inhibitory Receptor Sialic Acid-Binding Immunoglobulin-Like Lectin-7 (Siglec-7) Associated with Increased Sialyl Lewisia Expression on Human Colon Cancers. <i>Cancer Research</i> , 2004, 64, 4498-4505.	0.4	148
97	Hypoxia induces adhesion molecules on cancer cells: A missing link between Warburg effect and induction of selectin-ligand carbohydrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 8132-8137.	3.3	206
98	N-Acetylglucosamine 6-O-Sulfotransferase-1 Regulates Expression of L-Selectin Ligands and Lymphocyte Homing. <i>Journal of Biological Chemistry</i> , 2004, 279, 35001-35008.	1.6	74
99	Attachment of Human Colon Cancer Cells to Vascular Endothelium Is Enhanced by N-Acetylglucosaminyltransferase V. <i>Oncology</i> , 2004, 66, 492-501.	0.9	29
100	Selective Expression and Functional Characteristics of Three Mammalian Hyaluronan Synthases in Oncogenic Malignant Transformation. <i>Journal of Biological Chemistry</i> , 2004, 279, 18679-18687.	1.6	125
101	A Novel Mechanism for the Inhibition of Hyaluronan Biosynthesis by 4-Methylumbelliferone. <i>Journal of Biological Chemistry</i> , 2004, 279, 33281-33289.	1.6	248
102	Human P-selectin Glycoprotein Ligand-1 (PSGL-1) Interacts with the Skin-associated Chemokine CCL27 via Sulfated Tyrosines at the PSGL-1 Amino Terminus. <i>Journal of Biological Chemistry</i> , 2004, 279, 51775-51782.	1.6	34
103	Carbohydrate-mediated cell adhesion in cancer metastasis and angiogenesis. <i>Cancer Science</i> , 2004, 95, 377-384.	1.7	540
104	In Search of the Carbohydrate Structures on CD44 Critical for Hyaluronic Acid Binding-Roles of Sialylation and Sulfation. <i>Trends in Glycoscience and Glycotechnology</i> , 2004, 16, 211-223.	0.0	5
105	Core 2 GlcNAc transferase and kidney tubular cell-specific expression. <i>Glycoconjugate Journal</i> , 2003, 20, 151-156.	1.4	4
106	Molecular mechanism for cancer-associated induction of sialyl Lewis X and sialyl Lewis A expressionâ€”The Warburg effect revisited. <i>Glycoconjugate Journal</i> , 2003, 20, 353-364.	1.4	132
107	Studies on the endogenous L-selectin ligands: systematic and highly efficient total synthetic routes to lactamized-sialyl 6-O-sulfo Lewis X and other novel gangliosides containing lactamized neuraminic acid. <i>Carbohydrate Research</i> , 2003, 338, 2793-2812.	1.1	14
108	NMR structure elucidation of cyclic sialyl 6-sulfo Lewis x, a biologically dormant form of L-selectin ligand. <i>Tetrahedron Letters</i> , 2003, 44, 1167-1170.	0.7	5

#	ARTICLE	IF	CITATIONS
109	Synthesis of Disialyl Lewis a (Lea) Structure in Colon Cancer Cell Lines by a Sialyltransferase, ST6GalNAc VI, Responsible for the Synthesis of Î±-Series Gangliosides. <i>Journal of Biological Chemistry</i> , 2003, 278, 22787-22794.	1.6	84
110	Transactivation of the fucosyltransferase VII gene by human T-cell leukemia virus type 1 Tax through a variant cAMP-responsive element. <i>Blood</i> , 2003, 101, 3615-3621.	0.6	52
111	Distinct Sulfation Requirements of Selectins Disclosed Using Cells That Support Rolling Mediated by All Three Selectins under Shear Flow. <i>Journal of Biological Chemistry</i> , 2002, 277, 32578-32586.	1.6	48
112	TNF-Î± increases the carbohydrate sulfation of CD44: induction of 6-sulfo N-acetyl lactosamine on N- and O-linked glycans. <i>Glycobiology</i> , 2002, 12, 613-622.	1.3	38
113	Specificities of N-Acetylglucosamine-6-O-sulfotransferases in Relation to L-selectin Ligand Synthesis and Tumor-associated Enzyme Expression. <i>Journal of Biological Chemistry</i> , 2002, 277, 3979-3984.	1.6	58
114	Molecular Basis of Evolutionary Loss of the Î±1,3-Galactosyltransferase Gene in Higher Primates. <i>Journal of Biological Chemistry</i> , 2002, 277, 10114-10120.	1.6	79
115	Use of Liposomes Containing Carbohydrates for Production of Monoclonal Antibodies. , 2002, 199, 203-218.		6
116	6-Sulfo LacNAc, a Novel Carbohydrate Modification of PSGL-1, Defines an Inflammatory Type of Human Dendritic Cells. <i>Immunity</i> , 2002, 17, 289-301.	6.6	206
117	Regulatory roles of carbohydrate ligands for selectins in the homing of lymphocytes. <i>Current Opinion in Structural Biology</i> , 2002, 12, 599-608.	2.6	161
118	NMR analysis of novel ganglioside GM4 analogues containing de-N-acetyl and lactamized sialic acid: probes for searching new ligand structures for human L-selectin. <i>Magnetic Resonance in Chemistry</i> , 2002, 40, 517-523.	1.1	5
119	Reduced sialidase expression in highly metastatic variants of mouse colon adenocarcinoma 26 and retardation of their metastatic ability by sialidase overexpression. <i>International Journal of Cancer</i> , 2002, 97, 180-185.	2.3	84
120	P-selectin-dependent macrophage migration into the tubulointerstitium in unilateral ureteral obstruction. <i>Kidney International</i> , 2002, 62, 94-105.	2.6	18
121	Î±3-Fucosyltransferase-VI (FUT6). , 2002, , 237-245.		2
122	Roles of cell adhesion molecules in tumor angiogenesis induced by cotransplantation of cancer and endothelial cells to nude rats. <i>Cancer Research</i> , 2002, 62, 6289-96.	0.4	63
123	Tissue specific control of glyco-chains. <i>International Congress Series</i> , 2001, 1223, 29-37.	0.2	1
124	Paired tumor marker of soluble E-selectin and its ligand sialyl Lewis A in colorectal cancer. <i>Journal of Gastroenterology</i> , 2001, 36, 823-829.	2.3	25
125	Regulation of mouse kidney tubular epithelial cell-specific expression of coreâ€²2 GlcNAc transferase. <i>FEBS Journal</i> , 2001, 268, 1129-1135.	0.2	9
126	Modulation of MUC1 mucin as an escape mechanism of breast cancer cells from autologous cytotoxic T-lymphocytes. <i>British Journal of Cancer</i> , 2001, 84, 1258-1264.	2.9	34



#	ARTICLE	IF	CITATIONS
127	A Remodeling System of the 3â€²-Sulfo-Lewis a and 3â€²-Sulfo-Lewis x Epitopes. Journal of Biological Chemistry, 2001, 276, 38588-38594.	1.6	26
128	A Novel Human Gal-3-O-Sulfotransferase. Journal of Biological Chemistry, 2001, 276, 26988-26994.	1.6	28
129	Transcriptional Regulation of Expression of Carbohydrate Ligands for Cell Adhesion Molecules in the Selectin Family. Advances in Experimental Medicine and Biology, 2001, 491, 267-278.	0.8	24
130	A Guide to Monoclonal Antibodies Directed to Glycotopes. Advances in Experimental Medicine and Biology, 2001, 491, 587-630.	0.8	31
131	Monoclonal Anti-Glycosphingolipid Antibodies. Methods in Enzymology, 2000, 312, 160-179.	0.4	26
132	Clinicopathologic significance of sialyl Le x expression in advanced gastric carcinoma. British Journal of Cancer, 2000, 83, 1681-1687.	2.9	36
133	P- and E-Selectins Recognize Sialyl 6-Sulfo Lewis X, the Recently Identified L-Selectin Ligand. Biochemical and Biophysical Research Communications, 2000, 278, 90-96.	1.0	42
134	Spatially and temporally regulated expression of N-acetylglucosamine-6-O-sulfotransferase during mouse embryogenesis. Glycobiology, 1999, 9, 947-955.	1.3	18
135	Sulfotransferases of Two Specificities Function in the Reconstitution of High Endothelial Cell Ligands for L-selectin. Journal of Cell Biology, 1999, 145, 899-910.	2.3	265
136	Reconstitution of functional L-selectin ligands on a cultured human endothelial cell line by cotransfection of $\alpha$ 1-3 fucosyltransferase VII and newly cloned GlcNAc:6-sulfotransferase cDNA. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 4530-4535.	3.3	125
137	Regulation of selectin binding activity by cyclization of sialic acid moiety of carbohydrate ligands on human leukocytes. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 1597-1602.	3.3	71
138	The First Total Synthesis of 6-Sulfo-de-N-acetylsialyl Lewisx Ganglioside: A Superior Ligand for Human L-Selectin. Angewandte Chemie - International Edition, 1999, 38, 1131-1133.	7.2	75
139	Glycobiology of Sialyl 6-Sulfo Lewis x, a New Carbohydrate Ligand for Selectins.. Trends in Glycoscience and Glycotechnology, 1999, 11, 329-344.	0.0	12
140	Targeted Gene Transfer for Adenocarcinoma Using a Combination of Tumor-specific Antibody and Tissue-specific Promoter. Japanese Journal of Cancer Research, 1998, 89, 1212-1219.	1.7	10
141	Involvement of adhesion molecules in metastasis of SW1990, human pancreatic cancer cells. , 1998, 67, 77-84.		44
142	Specific Detection of Sialyl Lewis X Determinant Carried on the Mucin GlcNAc $\beta$ 1â†’6GalNAc $\pm$ Core Structure as a Tumor-Associated Antigen. Biochemical and Biophysical Research Communications, 1998, 247, 514-517.	1.0	39
143	Molecular Cloning and Characterization of an N-Acetylglucosamine-6-O-sulfotransferase. Journal of Biological Chemistry, 1998, 273, 22577-22583.	1.6	152
144	Identification of a Major Carbohydrate Capping Group of the L-selectin Ligand on High Endothelial Venules in Human Lymph Nodes as 6-Sulfo Sialyl Lewis X. Journal of Biological Chemistry, 1998, 273, 11225-11233.	1.6	244

#	ARTICLE	IF	CITATIONS
145	Human N-Acetylglucosamine-6-O-Sulfotransferase Involved in the Biosynthesis of 6-Sulfo Sialyl Lewis X: Molecular Cloning, Chromosomal Mapping, and Expression in Various Organs and Tumor Cells. <i>Journal of Biochemistry</i> , 1998, 124, 670-678.	0.9	87
146	Fl <sup>1</sup> : A Novel Mucin Antigen Associated with Gastric Carcinogenesis. <i>Oncology</i> , 1998, 55, 70-76.	0.9	9
147	Involvement of hepatocyte growth factor in increased integrin expression on HepG2 cells triggered by adhesion to endothelial cells. <i>British Journal of Cancer</i> , 1997, 75, 47-53.	2.9	59
148	Sulfated Sialyl Lewis X, the Putative L-Selectin Ligand, Detected on Endothelial Cells of High Endothelial Venules by a Distinct Set of Anti-Sialyl Lewis X Antibodies. <i>Biochemical and Biophysical Research Communications</i> , 1997, 230, 546-551.	1.0	83
149	Human T-Cell Leukemia Virus-1 Encoded Tax Protein Transactivates $\beta$ 3 Fucosyltransferase Fuc-T VII, Which Synthesizes Sialyl Lewis X, a Selectin Ligand Expressed on Adult T-Cell Leukemia Cells. <i>Biochemical and Biophysical Research Communications</i> , 1997, 231, 183-186.	1.0	43
150	Sulfated Sialyl Lewis X, the Putative L-Selectin Ligand, Detected on Endothelial Cells of High Endothelial Venules by a Distinct Set of Anti-Sialyl Lewis X Antibodies. <i>Biochemical and Biophysical Research Communications</i> , 1997, 233, 576.	1.0	2
151	Direct gene replacement of the mouse $\beta$ (1,3)-galactosyltransferase gene with human $\beta$ (1,2)-fucosyltransferase gene: Converting $\beta$ -galactosyl epitopes into H antigens. <i>Xenotransplantation</i> , 1997, 4, 147-153.	1.6	7
152	Increased level of circulating adhesion molecules in the sera of breast cancer patients with distant metastases. <i>Japanese Journal of Clinical Oncology</i> , 1997, 27, 135-139.	0.6	40
153	Carbohydrate-mediated cell adhesion involved in hematogenous metastasis of cancer. <i>Glycoconjugate Journal</i> , 1997, 14, 577-584.	1.4	281
154	Adhesion molecules and TGF- $\beta$ 1 are involved in the peritoneal dissemination of NUGC-4 human gastric cancer cells. <i>International Journal of Cancer</i> , 1997, 70, 612-618.	2.3	61
155	Altered mRNA expression of specific molecular species of fucosyl- and sialyl-transferases in human colorectal cancer tissues. , 1997, 71, 556-564.		96
156	Increased expression of integrins by heparin-binding EGF like growth factor in human esophageal cancer cells. <i>Cancer Letters</i> , 1996, 102, 183-191.	3.2	34
157	Alteration of Integrins by Heparin-Binding EGF Like Growth Factor in Human Breast Cancer Cells. <i>Oncology</i> , 1996, 53, 374-381.	0.9	43
158	Adhesion of human breast cancer cells to vascular endothelium mediated by Sialyl Lewisx/E-selectin. <i>Breast Cancer</i> , 1996, 3, 19-23.	1.3	19
159	Induction of E-selectin expression on vascular endothelium by digestive system cancer cells. <i>Journal of Gastroenterology</i> , 1996, 31, 299-301.	2.3	21
160	Introduction of $\beta$ (1,2)-fucosyltransferase and its effect on $\beta$ -Gal epitopes in transgenic pig. <i>Xenotransplantation</i> , 1996, 3, 81-86.	1.6	75
161	INDUCTION OF SIALYL LEWISX ON THE SURFACE OF CULTURED RAT VASCULAR ENDOTHELIAL CELLS AND CARDIAC MYOCYTES BY HYPOXIA/REOXYGENATION IN VITRO. , 1996, 180, 300-304.		3
162	EXPRESSION OF SIALYL LEWISX IN RAT HEART WITH ISCHAEMIA/REPERFUSION AND REDUCTION OF MYOCARDIAL REPERFUSION INJURY BY A MONOCLONAL ANTIBODY AGAINST SIALYL LEWISX. , 1996, 180, 305-310.		7

#	ARTICLE	IF	CITATIONS
163	Elevation of an $\alpha$ (1,3) fucosyltransferase activity correlated with apoptosis in the human colon adenocarcinoma cell line, HT-29. <i>Glycoconjugate Journal</i> , 1996, 13, 1021-1029.	1.4	29
164	Suppression of Sialyl Lewis X Expression and E-selectin-mediated Cell Adhesion in Cultured Human Lymphoid Cells by Transfection of Antisense cDNA of an $\alpha$ 1 $\rightarrow$ 3 Fucosyltransferase (Fuc-T VII). <i>Journal of Biological Chemistry</i> , 1996, 271, 31556-31561.	1.6	45
165	Papillary serous carcinoma of the peritoneum in women. A clinicopathologic and immunohistochemical study. <i>Cancer</i> , 1995, 76, 429-436.	2.0	58
166	Expression of E-selectin on endothelial cells of small veins in human colorectal cancer. <i>International Journal of Cancer</i> , 1995, 61, 455-460.	2.3	103
167	A transgenic mouse line with $\alpha$ -1,3/4-fucosyltransferase cDNA: production and characteristics. <i>Glycoconjugate Journal</i> , 1995, 12, 795-801.	1.4	6
168	Augmented Lung Adenocarcinoma Cytotoxicity by the Combination of a Genetically Modified Anti-Lewis Y Antibody and Antibodies to Complement Regulatory Proteins. <i>Scandinavian Journal of Immunology</i> , 1995, 42, 202-208.	1.3	10
169	Expression of recombinant antibody against cancer-specific carbohydrate. <i>Journal of Bioscience and Bioengineering</i> , 1995, 79, 405-409.	0.9	3
170	Alterations in gastric mucin with malignant transformation - a novel pathway for mucin synthesis. <i>Gastroenterology</i> , 1995, 108, A457.	0.6	0
171	Alterations in Gastric Mucin With Malignant Transformation: Novel Pathway for Mucin Synthesis. <i>Journal of the National Cancer Institute</i> , 1995, 87, 441-446.	3.0	55
172	Impairment of selectin-mediated leukocyte adhesion to venular endothelium in spontaneously hypertensive rats.. <i>Journal of Clinical Investigation</i> , 1995, 96, 2009-2016.	3.9	39
173	A new cancer-associated antigen defined by a monoclonal antibody against a synthetic carbohydrate chain. <i>International Journal of Cancer</i> , 1994, 58, 349-355.	2.3	15
174	A Revised Structure for the Disialosyl Globo-Series Gangliosides of Human Erythrocytes and Chicken Skeletal Muscle. <i>Archives of Biochemistry and Biophysics</i> , 1994, 312, 125-134.	1.4	18
175	Expression of Neural Cell Adhesion Molecule in Normal Gastric Mucosa and in Gastric Carcinoid Tumors. <i>European Surgical Research</i> , 1994, 26, 230-239.	0.6	7
176	Immunohistochemical localization of lipocortins in normal and psoriatic human skin. <i>Archives of Dermatological Research</i> , 1993, 285, 296-299.	1.1	7
177	Specific Expression of a Complex Sialyl Lewis X Antigen on High Endothelial Venules of Human Lymph Nodes: Possible Candidate for L-Selectin Ligand. <i>Biochemical and Biophysical Research Communications</i> , 1993, 193, 337-347.	1.0	66
178	Immunoglobulin variable region sequences of two human monoclonal antibodies directed to an onco-developmental carbohydrate antigen, lactotetraosylceramide (LcOse4 Cer). <i>Molecular Immunology</i> , 1993, 30, 1481-1489.	1.0	4
179	Preparation of Mouse-Human Chimeric Antibody to an Embryonic Carbohydrate Antigen, Lewis Y. <i>Journal of Biochemistry</i> , 1993, 113, 114-117.	0.9	11
180	Identification of immuno-reactive lipocortin 1-like molecules in serum and plasma by an enzyme immunoassay for lipocortin 1. <i>BBA - Proteins and Proteomics</i> , 1992, 1119, 250-255.	2.1	16

#	ARTICLE	IF	CITATIONS
181	Adhesion of human cancer cells to vascular endothelium mediated by a carbohydrate antigen, sialyl Lewis A. <i>Biochemical and Biophysical Research Communications</i> , 1991, 179, 713-719.	1.0	338
182	Tissue distribution of 2-3 and 2-6 sialyl lewis A antigens and significance of the ratio of two antigens for the differential diagnosis of malignant and benign disorders of the digestive tract. <i>Cancer</i> , 1991, 67, 1576-1587.	2.0	50
183	Blood group substances, carbohydrate antigens and tumor markers.. <i>Seibutsu Butsuri Kagaku</i> , 1991, 35, 421-426.	0.1	0
184	Production of monoclonal antibody to human esophageal cancer cell line. <i>The Japanese Journal of Surgery</i> , 1990, 20, 170-179.	0.2	7
185	Human epidermis contains coagulation factor XIII. <i>Archives of Dermatological Research</i> , 1990, 282, 65-67.	1.1	4
186	The abnormal occurrence and the differentiation-dependent distribution of N-acetyl and N-glycolyl species of the ganglioside GM2 in human germ cell tumors a study with specific monoclonal antibodies. <i>Cancer</i> , 1990, 65, 499-505.	2.0	38
187	Degradation of neurofilament protein in cerebral ischemia. <i>Journal of Neurosurgery</i> , 1989, 70, 103-107.	0.9	54
188	Cross-linking of lipocortin I and enhancement of its Ca <sup>2+</sup> sensitivity by tissue transglutaminase. <i>Biochemical and Biophysical Research Communications</i> , 1989, 163, 944-951.	1.0	38
189	Parietal cell autoantigens involved in neonatal thymectomy-induced murine autoimmune gastritis. Studies using monoclonal autoantibodies. <i>Gastroenterology</i> , 1989, 97, 364-375.	0.6	59
190	Biochemical structures of autoantigens in autoimmune hemolytic anemias and their relationships to the immune network theory.. <i>Japanese Journal of Clinical Immunology</i> , 1989, 12, 1-25.	0.0	0
191	Cell differentiation and anti-carbohydrate monoclonal antibodies.. <i>Seibutsu Butsuri Kagaku</i> , 1989, 33, 25-31.	0.1	0
192	Significance of 2-3 and 2-6 sialylation of Lewis A antigen in pancreas cancer. <i>Cancer</i> , 1988, 61, 775-787.	2.0	47
193	<sup>1</sup> H-n.m.r. analysis of type-2 chain lacto-gangliosides. Confirmation of structure of a novel cancer-associated fucoganglioside, $\text{I}\pm\text{-NeuAc-(2\hat{\alpha}'6)\text{-}\hat{\text{I}}^2\text{-d-Galp-(1\hat{\alpha}'4)\text{-}\hat{\text{I}}^2\text{-d-GlcPNAc-(1\hat{\alpha}'3)\text{-}\hat{\text{I}}^2\text{-d-Galp-(1\hat{\alpha}'4)-[}\pm\text{-l-Fucp-(1\hat{\alpha}'3)]\text{-}\hat{\text{I}}^2\text{-d-GlcPNAc-(1\hat{\alpha}'3)\text{-}\hat{\text{I}}^2\text{-d-Galp-(1\hat{\alpha}'4)\text{-}\hat{\text{I}}^2\text{-d-GlcP-(1\hat{\alpha}'1)\text{-Cer (VI6NeuAcIII3Fucnl c6Cer)}$ . <i>Carbohydrate Research</i> , 1988, 178, 121-144.	1.1	35
194	Fucosylated type-2 chain polylactosamine antigens in human lung cancer. <i>International Journal of Cancer</i> , 1988, 41, 344-349.	2.3	58
195	Calpain activates two transglutaminases from porcine skin. <i>Archives of Dermatological Research</i> , 1988, 280, 380-384.	1.1	23
196	Purification and Characterization of Calpains From Pig Epidermis and Their Action on Epidermal Keratin. <i>Journal of Investigative Dermatology</i> , 1988, 90, 26-30.	0.3	8
197	Biochemical analysis of inhibitory effects of a lymphokine suppressive B-cell factor on the activation process of resting B cells. <i>Cellular Immunology</i> , 1988, 112, 27-39.	1.4	0
198	Pig heart calpastatin: identification of repetitive domain structures and anomalous behavior in polyacrylamide gel electrophoresis. <i>Biochemistry</i> , 1988, 27, 1964-1972.	1.2	208

#	ARTICLE	IF	CITATIONS
199	Specific Localization of Tissue-Type Transglutaminase in Adrenocorticotropin-Producing Cells of the Human Pituitary Gland as Demonstrated by Immunohistochemistry*. Journal of Clinical Endocrinology and Metabolism, 1987, 65, 885-890.	1.8	7
200	High-Performance Liquid Chromatographic Assay of Transglutaminase and Its Application to the Purification of Human Erythrocyte Transglutaminase and Platelet Factor XIII. Journal of Biochemistry, 1987, 101, 1331-1337.	0.9	20
201	Repetitive region of calpastatin is a functional unit of the proteinase inhibitor. Biochemical and Biophysical Research Communications, 1987, 143, 300-308.	1.0	45
202	[1] Isolation and purification of glycosphingolipids by high-performance liquid chromatography. Methods in Enzymology, 1987, 138, 3-12.	0.4	44
203	Platelet factor XIII is activated by calpain. Biochemical and Biophysical Research Communications, 1987, 144, 484-490.	1.0	43
204	Evidence for the repetitive domain structure of pig calpastatin as demonstrated by cloning of complementary DNA. FEBS Letters, 1986, 208, 199-202.	1.3	35
205	Human hepatocellular carcinoma-associated changes of glycosphingolipids detected by two monoclonal antibodies FH2 and IB9. Journal of Hepatology, 1986, 2, 430-440.	1.8	4
206	Two different molecular species of pig calpastatin. Structural and functional relationship between 107 kDa and 68 kDa molecules. Biochemical Journal, 1986, 235, 97-102.	1.7	61
207	Biochemical Demonstration and Immunohistochemical Localization of Calpain in Human Skin. Journal of Investigative Dermatology, 1986, 86, 346-349.	0.3	40
208	Reversed Distribution of Calpains and Calpastatin in Human Pituitary Gland and Selective Localization of Calpastatin in Adrenocorticotropin-Producing Cells as Demonstrated by Immunohistochemistry*. Journal of Clinical Endocrinology and Metabolism, 1986, 63, 343-348.	1.8	15
209	A putative Ca <sup>2+</sup> -binding protein: structure of the light subunit of porcine calpain elucidated by molecular cloning and protein sequence analysis.. Proceedings of the National Academy of Sciences of the United States of America, 1985, 82, 6075-6079.	3.3	94
210	Possible Involvement of Transglutaminase in Endocytosis and Antigen Presentation. Microbiology and Immunology, 1985, 29, 737-750.	0.7	11
211	Selective localization of calpain I (the low-Ca <sup>2+</sup> -requiring form of Ca <sup>2+</sup> -dependent cysteine) Tj ETQq1 1 0.784314 r <sub>g</sub> BT /Overlock 10 T <sub>E3</sub> 15	0.784314	10
212	Evidence for membrane-associated calpain I in human erythrocytes. Detection by an immunoelectrophoretic blotting method using monospecific antibody. Biochemistry, 1984, 23, 3272-3276.	1.2	69
213	Blood group H antigen with globo-series structure. FEBS Letters, 1984, 175, 397-401.	1.3	46
214	Molecular diversity of calpastatin in mammalian organs. Biochemical and Biophysical Research Communications, 1984, 122, 912-917.	1.0	34
215	Blood group a glycolipid (AX) with globo-series structure which is specific for blood group A1 erythrocytes: One of the chemical bases for A1 and A2 distinction. Biochemical and Biophysical Research Communications, 1984, 124, 523-529.	1.0	90
216	<b>DISTRIBUTION OF CALPAIN IN VARIOUS ORGANS OF THE RAT: AN IMMUNOHISTOCHEMICAL </b><b>STUDY </b>. Biomedical Research, 1984, 5, 419-424.	0.3	10

#	ARTICLE	IF	CITATIONS
217	Characterization of an epitope (determinant) structure in a developmentally regulated glycolipid antigen defined by a cold agglutinin F1, recognition of $\hat{I}\pm$ -sialosyl and $\hat{I}\pm$ -l-fucosyl groups in a branched structure. Carbohydrate Research, 1983, 120, 143-157.	1.1	41
218	A glycolipid antigen associated with Burkitt lymphoma defined by a monoclonal antibody. Science, 1983, 220, 509-511.	6.0	241
219	Glycosphingolipids as Tumor-Associated and Differentiation Markers<xref ref-type="fn" rid="FN5">5</xref> <xref ref-type="fn" rid="FN6">6</xref>. Journal of the National Cancer Institute, 1983, , .	3.0	177
220	Sequential change of carbohydrate antigen associated with differentiation of murine leukemia cells: i-l antigenic conversion and shifting of glycolipid synthesis.. Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 2844-2848.	3.3	56
221	Differentiation-Associated Changes of Glycolipid Composition and Metabolism in Mouse Myeloid Leukemia Cells. Induction of Globotriaosylceramide and a Galactosyltransferase1. Journal of Biochemistry, 1983, 94, 633-644.	0.9	15
222	Possible role of ceramide in defining structure and function of membrane glycolipids.. Proceedings of the National Academy of Sciences of the United States of America, 1982, 79, 3470-3474.	3.3	146
223	The common structure in fucosyllactosaminolipids accumulating in human adenocarcinomas, and its possible absence in normal tissue. Biochemical and Biophysical Research Communications, 1982, 109, 36-44.	1.0	58
224	Transglutaminase activity during the differentiation of macrophages. Biochemical and Biophysical Research Communications, 1982, 105, 164-171.	1.0	64
225	Mobilization of arachidonic acid from phosphatidylethanolamine fraction to phosphatidylcholine fraction in platelets. Biochemical and Biophysical Research Communications, 1980, 96, 711-718.	1.0	31
226	Effect of different physical states of phospholipid substrates on partially purified platelet phospholipase A2 activity. Biochimica Et Biophysica Acta - Biomembranes, 1979, 556, 423-433.	1.4	80
227	Phospholipid-deacylating enzymes of rabbit platelets. Archives of Biochemistry and Biophysics, 1979, 196, 534-542.	1.4	43
228	Preparation of fully activated dendritic cells capable of priming tumor-specific cytotoxic T lymphocytes in patients with metastatic cancer using penicillin-killed streptococcus pyogenes (OK432) and anti-CD40 antibody. Oncology Reports, 0, , .	1.2	0